

Pantaleo Davide Cozzoli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1455232/pantaleo-davide-cozzoli-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

9,514
citations

46
h-index

97
g-index

125
ext. papers

10,023
ext. citations

8.7
avg, IF

5.95
L-index

#	Paper	IF	Citations
113	Synthetic Approaches to Colloidal Nanocrystal Heterostructures Based on Metal and Metal-Oxide Materials. <i>Nanomaterials</i> , 2022 , 12, 1729	5.4	2
112	An Insight into Chemistry and Structure of Colloidal 2D-WS Nanoflakes: Combined XPS and XRD Study. <i>Nanomaterials</i> , 2021 , 11,	5.4	4
111	Photoluminescence emission induced by localized states in halide-passivated colloidal two-dimensional WS ₂ nanoflakes. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 2398-2407	7.1	1
110	Colloidal oxide-based heterostructured nanocrystals 2020 , 401-470		0
109	Mechanistic insight into the formation of colloidal WS ₂ nanoflakes in hot alkylamine media. <i>Nanoscale Advances</i> , 2019 , 1, 2772-2782	5.1	4
108	In-plane Aligned Colloidal 2D WS Nanoflakes for Solution-Processable Thin Films with High Planar Conductivity. <i>Scientific Reports</i> , 2019 , 9, 9002	4.9	12
107	Room-temperature processed films of colloidal carved rod-shaped nanocrystals of reduced tungsten oxide as interlayers for perovskite solar cells. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 11396-11404	3.6	10
106	Colloidal Au/iron oxide nanocrystal heterostructures: magnetic, plasmonic and magnetic hyperthermia properties. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12329-12340	7.1	6
105	From capacitance-controlled to diffusion-controlled electrochromism in one-dimensional shape-tailored tungsten oxide nanocrystals. <i>Nano Energy</i> , 2017 , 41, 634-645	17.1	41
104	Tailoring the Nanostructure of TiO ₂ Photoanodes for Efficient Co(II)/Co(III)-Mediated Dye-Sensitized Solar Cells. <i>Advanced Sustainable Systems</i> , 2017 , 1, 1700098	5.9	3
103	Magnetic Multicomponent Heterostructured Nanocrystals 2017 , 217-290		
102	Colloidal Magnetic Heterostructured Nanocrystals with Asymmetric Topologies: Seeded-Growth Synthetic Routes and Formation Mechanisms. <i>Frontiers in Materials</i> , 2016 , 3,	4	31
101	Static and Dynamical Structural Investigations of Metal-Oxide Nanocrystals by Powder X-ray Diffraction: Colloidal Tungsten Oxide as a Case Study. <i>ChemPhysChem</i> , 2016 , 17, 699-709	3.2	8
100	Near-infrared selective dynamic windows controlled by charge transfer impedance at the counter electrode. <i>Nanoscale</i> , 2016 , 8, 20056-20065	7.7	17
99	Synthesis of Reduced Graphite Oxide by a Novel Green Process Based on UV Light Irradiation. <i>Science of Advanced Materials</i> , 2015 , 7, 2445-2451	2.3	8
98	Room-temperature treatments for all-inorganic nanocrystal solar cell devices. <i>Thin Solid Films</i> , 2014 , 560, 44-48	2.2	4
97	Spatially controlled surface energy traps on superhydrophobic surfaces. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 1036-43	9.5	49

96	Three-dimensional self-assembly of networked branched TiO ₂ nanocrystal scaffolds for efficient room-temperature processed depleted bulk heterojunction solar cells. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 5026-33	9.5	6
95	Ultrathin TiO ₂ nanorods with superior lithium-ion storage performance. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 1933-43	9.5	79
94	MAPLE deposition of nanomaterials. <i>Applied Surface Science</i> , 2014 , 302, 92-98	6.7	15
93	TiO ₂ nanorod-based photoelectrodes for dye solar cells with tunable morphological features. <i>Thin Solid Films</i> , 2014 , 568, 122-130	2.2	6
92	Laser-induced disaggregation of TiO ₂ nanofillers for uniform nanocomposites. <i>Nanotechnology</i> , 2014 , 25, 125702	3.4	3
91	Surface chemistry of arenethiolate-capped PbS quantum dots and application as colloiddally stable photovoltaic ink. <i>Thin Solid Films</i> , 2014 , 560, 2-9	2.2	7
90	Metallic-like stoichiometric copper sulfide nanocrystals: phase- and shape-selective synthesis, near-infrared surface plasmon resonance properties, and their modeling. <i>ACS Nano</i> , 2013 , 7, 7352-69	16.7	254
89	Control of the water adhesion on hydrophobic micropillars by spray coating technique. <i>Colloid and Polymer Science</i> , 2013 , 291, 401-407	2.4	28
88	Non-blinking single-photon generation with anisotropic colloidal nanocrystals: towards room-temperature, efficient, colloidal quantum sources. <i>Advanced Materials</i> , 2013 , 25, 1974-80	24	42
87	Spin-polarization transfer in colloidal magnetic-plasmonic Au/iron oxide hetero-nanocrystals. <i>ACS Nano</i> , 2013 , 7, 857-66	16.7	61
86	Surfactant-induced thermomechanical and morphological changes in TiO ₂ -polystyrene nanocomposites. <i>Journal of Colloid and Interface Science</i> , 2013 , 405, 103-8	9.3	17
85	Electrochemical Assessment of the Band-Edge Positioning in Shape-Tailored TiO ₂ -Nanorod-Based Photoelectrodes for Dye Solar Cells. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 2574-2583	3.8	27
84	Fabrication of flexible all-inorganic nanocrystal solar cells by room-temperature processing. <i>Energy and Environmental Science</i> , 2013 , 6, 1565	35.4	29
83	Colloidal Arenethiolate-Capped PbS Quantum Dots: Optoelectronic Properties, Self-Assembly, and Application in Solution-Cast Photovoltaics. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 13305-13317	3.8	91
82	Shape-tailored TiO ₂ nanocrystals with synergic peculiarities as building blocks for highly efficient multi-stack dye solar cells. <i>Energy and Environmental Science</i> , 2013 , 6, 1791	35.4	31
81	An ensemble-based method to assess the quality of a sample of nanocrystals as single photon emitters. <i>Optics Communications</i> , 2013 , 300, 215-219	2	4
80	Influence of the Precipitation Temperature on Properties of Nanohydroxyapatite Powder for the Fabrication of Highly Porous Bone Scaffolds. <i>Key Engineering Materials</i> , 2013 , 587, 27-32	0.4	2
79	Enhancement of the optically activated NO ₂ gas sensing response of brookite TiO ₂ nanorods/nanoparticles thin films deposited by matrix-assisted pulsed-laser evaporation. <i>Sensors and Actuators B: Chemical</i> , 2012 , 161, 869-879	8.5	29

78	Magnetically driven floating foams for the removal of oil contaminants from water. <i>ACS Nano</i> , 2012 , 6, 5413-9	16.7	528
77	Optically controlled liquid flow in initially prohibited elastomeric nanocomposite micro-paths. <i>RSC Advances</i> , 2012 , 2, 9543	3.7	14
76	Exploiting GISAXS for the Study of a 3D Ordered Superlattice of Self-Assembled Colloidal Iron Oxide Nanocrystals. <i>Crystal Growth and Design</i> , 2012 , 12, 5505-5512	3.5	19
75	Colloidal Anisotropic ZnO _x O _y Nanoarchitectures with Interface-Mediated Exchange-Bias and Band-Edge Ultraviolet Fluorescence. <i>Chemistry of Materials</i> , 2012 , 24, 2722-2732	9.6	27
74	Thermal and mechanical characterization of poly(methyl methacrylate) nanocomposites filled with TiO ₂ nanorods. <i>Composites Part B: Engineering</i> , 2012 , 43, 3114-3119	10	28
73	Organic photovoltaic devices with colloidal TiO ₂ nanorods as key functional components. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 3987-95	3.6	21
72	TiO ₂ brookite nanostructured thin layer on magneto-optical surface plasmon resonance transducer for gas sensing applications. <i>Journal of Applied Physics</i> , 2012 , 112, 053524	2.5	19
71	Formation and magnetic manipulation of periodically aligned microchains in thin plastic membranes. <i>Journal of Applied Physics</i> , 2012 , 112, 083927	2.5	22
70	Hyperbranched anatase TiO ₂ nanocrystals: nonaqueous synthesis, growth mechanism, and exploitation in dye-sensitized solar cells. <i>Journal of the American Chemical Society</i> , 2011 , 133, 19216-39	16.4	106
69	High-quality photoelectrodes based on shape-tailored TiO ₂ nanocrystals for dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13371		32
68	Correlating Magneto-Structural Properties to Hyperthermia Performance of Highly Monodisperse Iron Oxide Nanoparticles Prepared by a Seeded-Growth Route. <i>Chemistry of Materials</i> , 2011 , 23, 4170-4180	9.6	116
67	Films of brookite TiO ₂ nanorods/nanoparticles deposited by matrix-assisted pulsed laser evaporation as NO ₂ gas-sensing layers. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 104, 963-968	2.6	21
66	Study of titania nanorod films deposited by matrix-assisted pulsed laser evaporation as a function of laser fluence. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 105, 605-610	2.6	3
65	Mikrowellen-unterstützte Synthese von kolloidalen anorganischen Nanokristallen. <i>Angewandte Chemie</i> , 2011 , 123, 11510-11561	3.6	32
64	Microwave-assisted synthesis of colloidal inorganic nanocrystals. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 11312-59	16.4	610
63	Controlled swapping of nanocomposite surface wettability by multilayer photopolymerization. <i>Langmuir</i> , 2011 , 27, 8522-9	4	16
62	Tunneling magnetoresistance with sign inversion in junctions based on iron oxide nanocrystal superlattices. <i>ACS Nano</i> , 2011 , 5, 1731-8	16.7	27
61	Improvement of thermal stability of poly(methyl methacrylate) by incorporation of colloidal TiO ₂ nanorods. <i>Polymer Degradation and Stability</i> , 2011 , 96, 1377-1381	4.7	24

60	Electron diffractive imaging of oxygen atoms in nanocrystals at sub-ångström resolution. <i>Nature Nanotechnology</i> , 2010 , 5, 360-5	28.7	53
59	Light-controlled directional liquid drop movement on TiO ₂ nanorods-based nanocomposite photopatterns. <i>Langmuir</i> , 2010 , 26, 18557-63	4	28
58	Dynamical formation of spatially localized arrays of aligned nanowires in plastic films with magnetic anisotropy. <i>ACS Nano</i> , 2010 , 4, 1873-8	16.7	78
57	Architectural control of seeded-grown magnetic-semiconductor iron oxide-TiO ₂ nanorod heterostructures: the role of seeds in topology selection. <i>Journal of the American Chemical Society</i> , 2010 , 132, 2437-64	16.4	133
56	Reversible wettability of hybrid organic/inorganic surfaces of systems upon light irradiation/storage cycles. <i>International Journal of Nanomanufacturing</i> , 2010 , 6, 312	0.7	1
55	Colloidal heterostructured nanocrystals: Synthesis and growth mechanisms. <i>Nano Today</i> , 2010 , 5, 449-497	7.9	568
54	Directional enhancement of refractive index and tunable wettability of polymeric coatings due to preferential dispersion of colloidal TiO ₂ nanorods towards their surface. <i>Thin Solid Films</i> , 2010 , 518, 4425-4431	2.2	16
53	Reversibly Light-Switchable Wettability of Hybrid Organic/Inorganic Surfaces With Dual Micro-/Nanoscale Roughness. <i>Advanced Functional Materials</i> , 2009 , 19, 1149-1157	15.6	106
52	Magnetic-fluorescent colloidal nanobeads: preparation and exploitation in cell separation experiments. <i>Macromolecular Bioscience</i> , 2009 , 9, 952-8	5.5	63
51	Photochemical Synthesis of Water-Soluble Gold Nanorods: The Role of Silver in Assisting Anisotropic Growth. <i>Chemistry of Materials</i> , 2009 , 21, 4192-4202	9.6	80
50	Fluorescent asymmetrically cobalt-tipped CdSe@CdS core@shell nanorod heterostructures exhibiting room-temperature ferromagnetic behavior. <i>Journal of the American Chemical Society</i> , 2009 , 131, 12817-28	16.4	109
49	Wettability conversion of colloidal TiO ₂ nanocrystal thin films with UV-switchable hydrophilicity. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 3692-700	3.6	44
48	Size, shape, and internal atomic ordering of nanocrystals by atomic pair distribution functions: a comparative study of gamma-Fe ₂ O ₃ nanosized spheres and tetrapods. <i>Journal of the American Chemical Society</i> , 2009 , 131, 14264-6	16.4	55
47	Exchange-coupled bimagnetic cobalt/iron oxide branched nanocrystal heterostructures. <i>Nano Letters</i> , 2009 , 9, 366-76	11.5	59
46	Thermal and Mechanical Characterization of PMMA TiO ₂ Nanocomposites. <i>Advanced Materials Research</i> , 2009 , 67, 209-214	0.5	14
45	Colloidal semiconductor/magnetic heterostructures based on iron-oxide-functionalized brookite TiO ₂ nanorods. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 3680-91	3.6	46
44	Reversible Wettability Changes in Colloidal TiO ₂ Nanorod Thin-Film Coatings under Selective UV Laser Irradiation. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 701-714	3.8	87
43	Nonhydrolytic synthesis of high-quality anisotropically shaped brookite TiO ₂ nanocrystals. <i>Journal of the American Chemical Society</i> , 2008 , 130, 11223-33	16.4	224

42	Determination of surface properties of various substrates using TiO ₂ nanorod coatings with tunable characteristics. <i>Journal of Materials Science</i> , 2008 , 43, 3474-3480	4.3	12
41	Colloidal Strategies for Preparing Oxide-Based Hybrid Nanocrystals. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 837-854	2.3	161
40	Magnetic properties of novel superparamagnetic MRI contrast agents based on colloidal nanocrystals. <i>Journal of Magnetism and Magnetic Materials</i> , 2008 , 320, e320-e323	2.8	42
39	The influence of intrinsic and surface states on the emission properties of colloidal nanocrystals. <i>Superlattices and Microstructures</i> , 2008 , 43, 528-531	2.8	2
38	One-pot synthesis and characterization of size-controlled bimagnetic FePt-iron oxide heterodimer nanocrystals. <i>Journal of the American Chemical Society</i> , 2008 , 130, 1477-87	16.4	165
37	Topologically controlled growth of magnetic-metal-functionalized semiconductor oxide nanorods. <i>Nano Letters</i> , 2007 , 7, 1386-95	11.5	147
36	UV-Light-Driven Immobilization of Surface-Functionalized Oxide Nanocrystals onto Silicon. <i>Advanced Functional Materials</i> , 2007 , 17, 201-211	15.6	23
35	Synthesis routes for the growth of complex nanostructures. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2007 , 37, 128-133	3	12
34	The Role of Intrinsic and Surface States on the Emission Properties of Colloidal CdSe and CdSe/ZnS Quantum Dots. <i>Nanoscale Research Letters</i> , 2007 , 2, 512-514	5	19
33	Thin films of TiO ₂ nanocrystals with controlled shape and surface coating for surface plasmon resonance alcohol vapour sensing. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 562-572	8.5	26
32	Optical Biosensing Based on Metal and Semiconductor Colloidal Nanocrystals 2007 ,		1
31	Advances in the chemical fabrication of complex multimaterial nanocrystals. <i>Recent Patents on Nanotechnology</i> , 2007 , 1, 224-32	1.2	14
30	Synthetic strategies to size and shape controlled nanocrystals and nanocrystal heterostructures. <i>Advances in Experimental Medicine and Biology</i> , 2007 , 620, 1-17	3.6	5
29	Picosecond Photoluminescence Decay Time in Colloidal Nanocrystals: The Role of Intrinsic and Surface States. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 10541-10545	3.8	44
28	Selective reactions on the tips of colloidal semiconductor nanorods. <i>Journal of Materials Chemistry</i> , 2006 , 16, 3952		100
27	Synthesis, properties and perspectives of hybrid nanocrystal structures. <i>Chemical Society Reviews</i> , 2006 , 35, 1195-208	58.5	796
26	Heterodimers based on CoPt ₃ -Au nanocrystals with tunable domain size. <i>Journal of the American Chemical Society</i> , 2006 , 128, 6690-8	16.4	194
25	Seeded growth of asymmetric binary nanocrystals made of a semiconductor TiO ₂ rodlike section and a magnetic gamma-Fe ₂ O ₃ spherical domain. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16953-70	16.4	153

24	Synthesis of TiO ₂ -Au composites by titania-nanorod-assisted generation of gold nanoparticles at aqueous/nonpolar interfaces. <i>Small</i> , 2006 , 2, 413-21	11	52
23	Nano-objects on a round trip from water to organics in a polymeric ionic liquid vehicle. <i>Small</i> , 2006 , 2, 507-12	11	124
22	Photoelectrochemical properties of hybrid junctions based on zinc phthalocyanine and semiconducting colloidal nanocrystals. <i>Electrochimica Acta</i> , 2006 , 51, 5120-5124	6.7	7
21	Colloidal synthesis and characterization of tetrapod-shaped magnetic nanocrystals. <i>Nano Letters</i> , 2006 , 6, 1966-72	11.5	132
20	Shape and Phase Control of Colloidal ZnSe Nanocrystals. <i>Chemistry of Materials</i> , 2005 , 17, 1296-1306	9.6	206
19	TiO ₂ nanocrystal films for sensing applications based on surface plasmon resonance. <i>Synthetic Metals</i> , 2005 , 148, 25-29	3.6	29
18	Colloidal TiO ₂ nanocrystals/MEH-PPV nanocomposites: photo(electro)chemical study. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 1554-62	3.4	82
17	Colloidal synthesis of organic-capped ZnO nanocrystals via a sequential reduction-oxidation reaction. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 2638-44	3.4	64
16	Efficient charge storage in photoexcited TiO ₂ nanorod-noble metal nanoparticle composite systems. <i>Chemical Communications</i> , 2005 , 3186-8	5.8	83
15	Photoelectrochemical properties of Zn(II) phthalocyanine/ZnO nanocrystals heterojunctions: nanocrystal surface chemistry effect. <i>Applied Surface Science</i> , 2005 , 246, 367-371	6.7	15
14	Low-dimensional chainlike assemblies of TiO ₂ nanorod-stabilized Au nanoparticles. <i>Chemical Communications</i> , 2005 , 942-4	5.8	27
13	Photocatalytic degradation of azo dyes by organic-capped anatase TiO ₂ nanocrystals immobilized onto substrates. <i>Applied Catalysis B: Environmental</i> , 2005 , 55, 81-91	21.8	172
12	UV-induced photocatalytic degradation of azo dyes by organic-capped ZnO nanocrystals immobilized onto substrates. <i>Applied Catalysis B: Environmental</i> , 2005 , 60, 1-11	21.8	238
11	Photocatalytic degradation of methyl-red by immobilised nanoparticles of TiO ₂ and ZnO. <i>Water Science and Technology</i> , 2004 , 49, 183-188	2.2	40
10	TiO ₂ nanocrystals [MEH-PPV composite thin films as photoactive material. <i>Thin Solid Films</i> , 2004 , 451-452, 64-68	2.2	54
9	Role of Metal Nanoparticles in TiO ₂ /Ag Nanocomposite-Based Microheterogeneous Photocatalysis. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 9623-9630	3.4	180
8	Investigation on alcohol vapours/TiO ₂ nanocrystal thin films interaction by SPR technique for sensing application. <i>Sensors and Actuators B: Chemical</i> , 2004 , 100, 75-80	8.5	43
7	Photoelectrochemical study on photosynthetic pigments-sensitized nanocrystalline ZnO films. <i>Bioelectrochemistry</i> , 2004 , 63, 99-102	5.6	19

6	Photocatalytic synthesis of silver nanoparticles stabilized by TiO ₂ nanorods: a semiconductor/metal nanocomposite in homogeneous nonpolar solution. <i>Journal of the American Chemical Society</i> , 2004 , 126, 3868-79	16.4	282
5	Low-temperature synthesis of soluble and processable organic-capped anatase TiO ₂ nanorods. <i>Journal of the American Chemical Society</i> , 2003 , 125, 14539-48	16.4	868
4	Photocatalytic activity of organic-capped anatase TiO ₂ nanocrystals in homogeneous organic solutions. <i>Materials Science and Engineering C</i> , 2003 , 23, 707-713	8.3	56
3	Colloidal oxide nanoparticles for the photocatalytic degradation of organic dye. <i>Materials Science and Engineering C</i> , 2003 , 23, 285-289	8.3	195
2	ZnO Nanocrystals by a Non-hydrolytic Route: Synthesis and Characterization. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 4756-4762	3.4	200
1	Photochemical sensitisation process at photosynthetic pigments/Q-sized colloidal semiconductor hetero-junctions. <i>Synthetic Metals</i> , 2003 , 139, 593-596	3.6	12