

Eric C Beyer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1458359/eric-c-beyer-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172
papers

13,451
citations

60
h-index

114
g-index

265
ext. papers

14,135
ext. citations

6.6
avg, IF

6.05
L-index

#	Paper	IF	Citations
172	Cataract-linked serine mutations in the gap junction protein connexin50 expose a sorting signal that promotes its lysosomal degradation.. <i>Journal of Biological Chemistry</i> , 2022 , 101673	5.4	0
171	Molecular mechanisms underlying enhanced hemichannel function of a cataract-associated Cx50 mutant. <i>Biophysical Journal</i> , 2021 ,	2.9	3
170	Circulating extracellular vesicles from patients with acute chest syndrome disrupt adherens junctions between endothelial cells. <i>Pediatric Research</i> , 2021 , 89, 776-784	3.2	2
169	Insights image for "Circulating extracellular vesicles from patients with acute chest syndrome disrupt adherens junctions between endothelial cells". <i>Pediatric Research</i> , 2021 , 89, 1036	3.2	2
168	ZO-1 Regulates Intercalated Disc Composition and Atrioventricular Node Conduction. <i>Circulation Research</i> , 2020 , 127, e28-e43	15.7	5
167	p62/Sequestosome 1 levels increase and phosphorylation is altered in Cx50D47A lenses, but deletion of p62/sequestosome 1 does not improve transparency. <i>Molecular Vision</i> , 2020 , 26, 204-215	2.3	2
166	Circulating Extracellular Vesicles and Endothelial Damage in Sickle Cell Disease. <i>Frontiers in Physiology</i> , 2020 , 11, 1063	4.6	3
165	Do Connexin Mutants Cause Cataracts by Perturbing Glutathione Levels and Redox Metabolism in the Lens?. <i>Biomolecules</i> , 2020 , 10,	5.9	4
164	Connexin Mutants Compromise the Lens Circulation and Cause Cataracts through Biom mineralization. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
163	The Connexin50D47A Mutant Causes Cataracts by Calcium Precipitation 2019 , 60, 2336-2346		12
162	Connecting Exosomes and Connexins. <i>Cancers</i> , 2019 , 11,	6.6	11
161	CHOP is dispensable for lens transparency in wild-type and connexin50 mutant mice. <i>Molecular Vision</i> , 2019 , 25, 535-545	2.3	4
160	Circulating Extracellular Vesicles from Patients with Sickle Cell Disease Progressively Disrupt Different Types of Endothelial Intercellular Junctions. <i>Blood</i> , 2019 , 134, 4823-4823	2.2	
159	Gap junction gene and protein families: Connexins, innexins, and pannexins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 5-8	3.8	79
158	Chemical chaperone treatment improves levels and distributions of connexins in Cx50D47A mouse lenses. <i>Experimental Eye Research</i> , 2018 , 175, 192-198	3.7	7
157	Disruption of the lens circulation causes calcium accumulation and precipitates in connexin mutant mice. <i>American Journal of Physiology - Cell Physiology</i> , 2018 , 314, C492-C503	5.4	15
156	Circulating Exosomes Isolated during Acute Chest Syndrome Disrupt Endothelial Integrity. <i>Blood</i> , 2018 , 132, 2363-2363	2.2	

155	Intermittent hypoxia causes NOX2-dependent remodeling of atrial connexins. <i>BMC Cell Biology</i> , 2017 , 18, 7		14
154	Exosomes contribute to endothelial integrity and acute chest syndrome risk: Preliminary findings. <i>Pediatric Pulmonology</i> , 2017 , 52, 1478-1485	3.5	11
153	Physiological and Optical Alterations Precede the Appearance of Cataracts in Cx46fs380 Mice 2017 , 58, 4366-4374		10
152	Characterization of a variant of gap junction protein β identified in a family with hereditary cataract. <i>PLoS ONE</i> , 2017 , 12, e0183438	3.7	3
151	Connexins in Cardiovascular and Neurovascular Health and Disease: Pharmacological Implications. <i>Pharmacological Reviews</i> , 2017 , 69, 396-478	22.5	134
150	Mono-Heteromeric Configurations of Gap Junction Channels Formed by Connexin43 and Connexin45 Reduce Unitary Conductance and Determine both Voltage Gating and Metabolic Flux Asymmetry. <i>Frontiers in Physiology</i> , 2017 , 8, 346	4.6	5
149	Gap junction structure: unraveled, but not fully revealed. <i>F1000Research</i> , 2017 , 6, 568	3.6	16
148	The Cataract-linked Mutant Connexin50D47A Causes Endoplasmic Reticulum Stress in Mouse Lenses. <i>Journal of Biological Chemistry</i> , 2016 , 291, 17569-78	5.4	23
147	Connexin23 deletion does not affect lens transparency. <i>Experimental Eye Research</i> , 2016 , 146, 283-288	3.7	3
146	Exosomes from Patients with Sickle Cell Disease and History of Acute Chest Syndrome Alter Endothelial Integrity In Vitro. <i>Blood</i> , 2016 , 128, 855-855	2.2	
145	The connexin46 mutant, Cx46T19M, causes loss of gap junction function and alters hemi-channel gating. <i>Journal of Membrane Biology</i> , 2015 , 248, 145-55	2.3	11
144	Roles and regulation of lens epithelial cell connexins. <i>FEBS Letters</i> , 2014 , 588, 1297-303	3.8	25
143	Degradation of a connexin40 mutant linked to atrial fibrillation is accelerated. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 74, 330-9	5.8	18
142	Connexin40 abnormalities and atrial fibrillation in the human heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 76, 159-68	5.8	38
141	c-Src kinase inhibition reduces arrhythmia inducibility and connexin43 dysregulation after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 928-34	15.1	30
140	Atrial fibrillation-associated connexin40 mutants make hemichannels and synergistically form gap junction channels with novel properties. <i>FEBS Letters</i> , 2014 , 588, 1458-64	3.8	15
139	Gap junction protein connexin43 exacerbates lung vascular permeability. <i>PLoS ONE</i> , 2014 , 9, e100931	3.7	44
138	Connexin hemichannels in the lens. <i>Frontiers in Physiology</i> , 2014 , 5, 20	4.6	53

137	Connexin46fs380 causes progressive cataracts 2014 , 55, 6639-48		14
136	An MIP/AQP0 mutation with impaired trafficking and function underlies an autosomal dominant congenital lamellar cataract. <i>Experimental Eye Research</i> , 2013 , 110, 136-41	3.7	25
135	c-Jun N-terminal kinase activation contributes to reduced connexin43 and development of atrial arrhythmias. <i>Cardiovascular Research</i> , 2013 , 97, 589-97	9.9	45
134	A connexin50 mutant, CX50fs, that causes cataracts is unstable, but is rescued by a proteasomal inhibitor. <i>Journal of Biological Chemistry</i> , 2013 , 288, 20427-34	5.4	17
133	Connexin50D47A decreases levels of fiber cell connexins and impairs lens fiber cell differentiation 2013 , 54, 7614-22		27
132	Connexin mutants and cataracts. <i>Frontiers in Pharmacology</i> , 2013 , 4, 43	5.6	69
131	Interfering amino terminal peptides and functional implications for heteromeric gap junction formation. <i>Frontiers in Pharmacology</i> , 2013 , 4, 67	5.6	13
130	Critical role of the first transmembrane domain of Cx26 in regulating oligomerization and function. <i>Molecular Biology of the Cell</i> , 2012 , 23, 3299-311	3.5	27
129	Structural organization of intercellular channels II. Amino terminal domain of the connexins: sequence, functional roles, and structure. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 1823-30	3.8	19
128	Cytoplasmic amino acids within the membrane interface region influence connexin oligomerization. <i>Journal of Membrane Biology</i> , 2012 , 245, 221-30	2.3	26
127	Inducible coexpression of connexin37 or connexin40 with connexin43 selectively affects intercellular molecular transfer. <i>Journal of Membrane Biology</i> , 2012 , 245, 231-41	2.3	8
126	Different domains are critical for oligomerization compatibility of different connexins. <i>Biochemical Journal</i> , 2011 , 436, 35-43	3.8	13
125	Autophagy: a pathway that contributes to connexin degradation. <i>Journal of Cell Science</i> , 2011 , 124, 910-20	3.9	102
124	Atomic force microscopy of Connexin40 gap junction hemichannels reveals calcium-dependent three-dimensional molecular topography and open-closed conformations of both the extracellular and cytoplasmic faces. <i>Journal of Biological Chemistry</i> , 2011 , 286, 22139-46	5.4	27
123	Different consequences of cataract-associated mutations at adjacent positions in the first extracellular boundary of connexin50. <i>American Journal of Physiology - Cell Physiology</i> , 2011 , 300, C1055-64	5.4	32
122	Lens Gap Junctions 2010 , 551-556		
121	Connexin40 and connexin43 determine gating properties of atrial gap junction channels. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 238-45	5.8	34
120	A mutant connexin50 with enhanced hemichannel function leads to cell death 2009 , 50, 5837-45		70

119	Oxidative stress, lens gap junctions, and cataracts. <i>Antioxidants and Redox Signaling</i> , 2009 , 11, 339-53	8.4	181
118	The N terminus of connexin37 contains an alpha-helix that is required for channel function. <i>Journal of Biological Chemistry</i> , 2009 , 284, 20418-27	5.4	20
117	The cytoplasmic accumulations of the cataract-associated mutant, Connexin50P88S, are long-lived and form in the endoplasmic reticulum. <i>Experimental Eye Research</i> , 2009 , 88, 600-9	3.7	20
116	The Family of Connexin Genes 2009 , 3-26		33
115	The GJA8 allele encoding CX50I247M is a rare polymorphism, not a cataract-causing mutation. <i>Molecular Vision</i> , 2009 , 15, 1881-5	2.3	10
114	Cx30.2 can form heteromeric gap junction channels with other cardiac connexins. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 369, 388-94	3.4	29
113	Cataracts are caused by alterations of a critical N-terminal positive charge in connexin50. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 2549-56		28
112	An intact connexin N-terminus is required for function but not gap junction formation. <i>Journal of Cell Science</i> , 2008 , 121, 2744-50	5.3	46
111	A novel connexin50 mutation associated with congenital nuclear pulverulent cataracts. <i>Journal of Medical Genetics</i> , 2008 , 45, 155-60	5.8	60
110	Connexin43 increases the sensitivity of prostate cancer cells to TNFalpha-induced apoptosis. <i>Journal of Cell Science</i> , 2007 , 120, 320-9	5.3	43
109	Transgenic overexpression of connexin50 induces cataracts. <i>Experimental Eye Research</i> , 2007 , 84, 513-28	3.7	25
108	Endothelial gap junction proteins show type-specific differences in oligomerization. <i>FASEB Journal</i> , 2007 , 21, A911	0.9	
107	N-terminal residues in Cx43 and Cx40 determine physiological properties of gap junction channels, but do not influence heteromeric assembly with each other or with Cx26. <i>Journal of Cell Science</i> , 2006 , 119, 2258-68	5.3	36
106	A novel GJA8 mutation is associated with autosomal dominant lamellar pulverulent cataract: further evidence for gap junction dysfunction in human cataract. <i>Journal of Medical Genetics</i> , 2006 , 43, e2	5.8	63
105	Connexin43 with a cytoplasmic loop deletion inhibits the function of several connexins. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 333, 1185-93	3.4	10
104	Dynamic model for ventricular junctional conductance during the cardiac action potential. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H1113-23	5.2	34
103	An aberrant sequence in a connexin46 mutant underlies congenital cataracts. <i>Journal of Biological Chemistry</i> , 2005 , 280, 40788-95	5.4	49
102	Polyvalent cations constitute the voltage gating particle in human connexin37 hemichannels. <i>Journal of General Physiology</i> , 2004 , 124, 587-603	3.4	34

101	Connexin43 and connexin26 form gap junctions, but not heteromeric channels in co-expressing cells. <i>Journal of Cell Science</i> , 2004 , 117, 2469-80	5.3	77
100	Pathways for degradation of connexins and gap junctions. <i>Cardiovascular Research</i> , 2004 , 62, 256-67	9.9	135
99	Transcriptional regulation of the murine Connexin40 promoter by cardiac factors Nkx2-5, GATA4 and Tbx5. <i>Cardiovascular Research</i> , 2004 , 64, 402-11	9.9	75
98	Amino terminal glutamate residues confer spermine sensitivity and affect voltage gating and channel conductance of rat connexin40 gap junctions. <i>Journal of Physiology</i> , 2004 , 557, 863-78	3.9	63
97	Highly restricted pattern of connexin36 expression in chick somite development. <i>Anatomy and Embryology</i> , 2004 , 209, 11-8		14
96	Adenoviral delivery of human connexin37 induces endothelial cell death through apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 319, 1144-51	3.4	32
95	Homomeric and Heteromeric Gap Junctions 2004 , 120-126		2
94	Loss of function and impaired degradation of a cataract-associated mutant connexin50. <i>European Journal of Cell Biology</i> , 2003 , 82, 209-21	6.1	75
93	A Carboxyl Terminal Domain of Connexin43 Is Critical for Gap Junction Plaque Formation but not for Homo- or Hetero-Oligomerization. <i>Cell Communication and Adhesion</i> , 2003 , 10, 323-328		12
92	Plasma membrane channels formed by connexins: their regulation and functions. <i>Physiological Reviews</i> , 2003 , 83, 1359-400	47.9	93 ^o
91	A carboxyl terminal domain of connexin43 is critical for gap junction plaque formation but not for homo- or hetero-oligomerization. <i>Cell Communication and Adhesion</i> , 2003 , 10, 323-8		6
90	Connexin43 and connexin45 form heteromeric gap junction channels in which individual components determine permeability and regulation. <i>Circulation Research</i> , 2002 , 90, 1100-7	15.7	139
89	Cardiac gap junction channels show quantitative differences in selectivity. <i>Circulation Research</i> , 2002 , 91, 104-11	15.7	131
88	Redistribution of connexin45 in gap junctions of connexin43-deficient hearts. <i>Cardiovascular Research</i> , 2002 , 53, 921-35	9.9	43
87	Gap junction synthesis and degradation as therapeutic targets. <i>Current Drug Targets</i> , 2002 , 3, 409-16	3	17
86	Cardiovascular Connexins: Molecular Composition and Biochemical Regulation. <i>Basic Science for the Cardiologist</i> , 2002 , 51-87		
85	Heteromeric connexons formed by the lens connexins, connexin43 and connexin56. <i>European Journal of Cell Biology</i> , 2001 , 80, 11-9	6.1	33
84	Heteromeric mixing of connexins: compatibility of partners and functional consequences. <i>Cell Communication and Adhesion</i> , 2001 , 8, 199-204		40

83	Mouse connexin 45: genomic cloning and exon usage. <i>DNA and Cell Biology</i> , 2001 , 20, 11-9	3.6	23
82	Heterotypic docking of Cx43 and Cx45 connexons blocks fast voltage gating of Cx43. <i>Biophysical Journal</i> , 2001 , 81, 1406-18	2.9	99
81	Gap junction channels formed by coexpressed connexin40 and connexin43. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H1675-89	5.2	111
80	Mouse connexin37: gene structure and promoter analysis. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000 , 1492, 499-504		16
79	Gap junctions in the chicken pineal gland. <i>Brain Research</i> , 2000 , 861, 257-70	3.7	8
78	Connexin46 mutations linked to congenital cataract show loss of gap junction channel function. <i>American Journal of Physiology - Cell Physiology</i> , 2000 , 279, C596-602	5.4	71
77	Peptide inhibitors of intercellular communication. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2000 , 279, L619-22	5.8	33
76	Gap junction genes and their regulation. <i>Advances in Molecular and Cell Biology</i> , 2000 , 30, 1-30		4
75	Dephosphorylation and intracellular redistribution of ventricular connexin43 during electrical uncoupling induced by ischemia. <i>Circulation Research</i> , 2000 , 87, 656-62	15.7	438
74	Functional expression and biophysical properties of polymorphic variants of the human gap junction protein connexin37. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 274, 216-24	3.4	33
73	Connexin and gap junction degradation. <i>Methods</i> , 2000 , 20, 180-7	4.6	31
72	Heterogeneous localization of connexin40 in the renal vasculature. <i>Microvascular Research</i> , 2000 , 59, 140-8	3.7	71
71	Co-expression of lens fiber connexins modifies hemi-gap-junctional channel behavior. <i>Biophysical Journal</i> , 1999 , 76, 198-206	2.9	54
70	Cultured chicken embryo lens cells resemble differentiating fiber cells in vivo and contain two kinetic pools of connexin56. <i>Experimental Eye Research</i> , 1999 , 68, 475-84	3.7	41
69	Chapter 2: Degradation of Gap Junctions and Connexins. <i>Current Topics in Membranes</i> , 1999 , 49, 23-41	2.2	1
68	Regulation of connexin43 expression and function by prostaglandin E2 (PGE2) and parathyroid hormone (PTH) in osteoblastic cells. <i>Journal of Cellular Biochemistry</i> , 1998 , 68, 8-21	4.7	97
67	Effects of angiotensin II on expression of the gap junction channel protein connexin43 in neonatal rat ventricular myocytes. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 800-7	15.1	80
66	Disparate effects of deficient expression of connexin43 on atrial and ventricular conduction: evidence for chamber-specific molecular determinants of conduction. <i>Circulation</i> , 1998 , 97, 686-91	16.7	202

65	Proteolysis of connexin43-containing gap junctions in normal and heat-stressed cardiac myocytes. <i>Cardiovascular Research</i> , 1998 , 38, 711-8	9.9	67
64	Differential expression of gap junction proteins in the canine sinus node. <i>Circulation Research</i> , 1998 , 82, 604-12	15.7	106
63	Rapid turnover of connexin43 in the adult rat heart. <i>Circulation Research</i> , 1998 , 83, 629-35	15.7	356
62	Cardiovascular Gap Junction Proteins: Molecular Characterization and Biochemical Regulation. <i>Developments in Cardiovascular Medicine</i> , 1998 , 45-72		4
61	Degradation of connexin43 gap junctions involves both the proteasome and the lysosome. <i>Experimental Cell Research</i> , 1997 , 236, 482-92	4.2	212
60	Mouse connexin40: gene structure and promoter analysis. <i>Genomics</i> , 1997 , 46, 120-6	4.3	46
59	The gap-junction protein connexin 56 is phosphorylated in the intracellular loop and the carboxy-terminal region. <i>FEBS Journal</i> , 1997 , 244, 89-97		38
58	Slow ventricular conduction in mice heterozygous for a connexin43 null mutation. <i>Journal of Clinical Investigation</i> , 1997 , 99, 1991-8	15.9	233
57	Regulation of Lens Gap Junctions 1997 , 395-406		
56	Expression of zebrafish connexin43.4 in the notochord and tail bud of wild-type and mutant no tail embryos. <i>Developmental Biology</i> , 1996 , 177, 449-62	3.1	47
55	Rat uterine myometrium contains the gap junction protein connexin45, which has a differing temporal expression pattern from connexin43. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 853-8	6.4	23
54	Connexin Diversity in the Human Conduction System. <i>Journal of Cardiovascular Electrophysiology</i> , 1996 , 7, 382-385	2.7	
53	Functional and structural assessment of intercellular communication. Increased conduction velocity and enhanced connexin expression in dibutyryl cAMP-treated cultured cardiac myocytes. <i>Circulation Research</i> , 1996 , 79, 174-83	15.7	108
52	Gap junction protein phenotypes of the human heart and conduction system. <i>Journal of Cardiovascular Electrophysiology</i> , 1995 , 6, 813-22	2.7	160
51	The molecular basis of anisotropy: role of gap junctions. <i>Journal of Cardiovascular Electrophysiology</i> , 1995 , 6, 498-510	2.7	102
50	Modulation of connexin43 expression: effects on cellular coupling. <i>Journal of Cardiovascular Electrophysiology</i> , 1995 , 6, 103-14	2.7	8
49	The gap junction protein connexin43 is degraded via the ubiquitin proteasome pathway. <i>Journal of Biological Chemistry</i> , 1995 , 270, 26399-403	5.4	195
48	Transfected connexin45 alters gap junction permeability in cells expressing endogenous connexin43. <i>Journal of Cell Biology</i> , 1995 , 130, 987-95	7.3	150

47	Distinct behavior of connexin56 and connexin46 gap junctional channels can be predicted from the behavior of their hemi-gap-junctional channels. <i>Biophysical Journal</i> , 1995 , 68, 1796-803	2.9	124
46	The extent of heterocellular communication mediated by gap junctions is predictive of bystander tumor cytotoxicity in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 11071-5	11.5	164
45	Structural and molecular determinants of intercellular coupling in cardiac myocytes. <i>Microscopy Research and Technique</i> , 1995 , 31, 357-63	2.8	8
44	Expression of multiple connexins in cultured neonatal rat ventricular myocytes. <i>Circulation Research</i> , 1995 , 76, 381-7	15.7	121
43	Unique conductance, gating, and selective permeability properties of gap junction channels formed by connexin40. <i>Circulation Research</i> , 1995 , 77, 813-22	15.7	85
42	Selectivity of connexin-specific gap junctions does not correlate with channel conductance. <i>Circulation Research</i> , 1995 , 77, 1156-65	15.7	192
41	Selective dye and ionic permeability of gap junction channels formed by connexin45. <i>Circulation Research</i> , 1994 , 75, 483-90	15.7	147
40	Expression of multiple gap junction proteins in human fetal and infant hearts. <i>Pediatric Research</i> , 1994 , 36, 561-6	3.2	35
39	Gap junction proteins exhibit early and specific expression during intramembranous bone formation in the developing chick mandible. <i>Anatomy and Embryology</i> , 1994 , 190, 231-41		44
38	Localization and distribution of gap junctions in normal and cardiomyopathic hamster heart. <i>Journal of Morphology</i> , 1994 , 222, 203-13	1.6	30
37	Expression patterns of mRNAs for the gap junction proteins connexin43 and connexin42 suggest their involvement in chick limb morphogenesis and specification of the arterial vasculature. <i>Developmental Dynamics</i> , 1994 , 199, 156-67	2.9	31
36	Distinct gap junction protein phenotypes in cardiac tissues with disparate conduction properties. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 1124-32	15.1	156
35	Molecular Biology and Electrophysiology of Cardiac Gap Junctions 1994 , 379-401		5
34	Molecular cloning of two human cardiac gap junction proteins, connexin40 and connexin45. <i>Journal of Molecular and Cellular Cardiology</i> , 1994 , 26, 861-8	5.8	57
33	Distinct patterns of connexin expression in canine Purkinje fibers and ventricular muscle. <i>Circulation Research</i> , 1993 , 72, 1124-31	15.7	103
32	Connexin43 mediates direct intercellular communication in human osteoblastic cell networks. <i>Journal of Clinical Investigation</i> , 1993 , 91, 1888-96	15.9	183
31	Molecular cloning and functional expression of human connexin37, an endothelial cell gap junction protein. <i>Journal of Clinical Investigation</i> , 1993 , 91, 997-1004	15.9	170
30	Molecular and biophysical properties of the connexins from developing chick heart 1993 , 89-95		1

29	Connexins, gap-junction proteins, and ATP-induced pores in macrophages 1993 , 71-74		1
28	Expression of multiple connexins by cells of the cardiovascular system and lens 1993 , 171-175		
27	Cardiac myocytes express multiple gap junction proteins. <i>Circulation Research</i> , 1992 , 70, 438-44	15.7	213
26	Multiple connexins confer distinct regulatory and conductance properties of gap junctions in developing heart. <i>Circulation Research</i> , 1992 , 71, 1277-83	15.7	167
25	Distribution of gap junctions in dog and rat ventricle studied with a double-label technique. <i>Journal of Molecular and Cellular Cardiology</i> , 1992 , 24, 1443-57	5.8	47
24	Molecular cloning and expression of rat connexin40, a gap junction protein expressed in vascular smooth muscle. <i>Journal of Membrane Biology</i> , 1992 , 127, 69-76	2.3	93
23	Cardiac myocyte interconnections at gap junctions Role in normal and abnormal electrical conduction. <i>Trends in Cardiovascular Medicine</i> , 1992 , 2, 56-60	6.9	31
22	Zygotic expression of the connexin43 gene supplies subunits for gap junction assembly during mouse preimplantation development. <i>Molecular Reproduction and Development</i> , 1991 , 30, 18-26	2.6	53
21	In vivo modulation of connexin 43 gene expression and junctional coupling of pancreatic B-cells. <i>Experimental Cell Research</i> , 1991 , 192, 469-80	4.2	78
20	Phosphorylation of connexin43 gap junction protein in uninfected and Rous sarcoma virus-transformed mammalian fibroblasts. <i>Molecular and Cellular Biology</i> , 1990 , 10, 1754-63	4.8	331
19	Connexin family of gap junction proteins. <i>Journal of Membrane Biology</i> , 1990 , 116, 187-94	2.3	473
18	Expression of the gap junction protein connexin43 in embryonic chick lens: molecular cloning, ultrastructural localization, and post-translational phosphorylation. <i>Journal of Membrane Biology</i> , 1990 , 116, 163-75	2.3	304
17	Gap junction messenger RNA expression by vascular wall cells. <i>Circulation Research</i> , 1990 , 66, 1074-80	15.7	135
16	Quantitative analysis of intercellular connections by immunohistochemistry of the cardiac gap junction protein connexin43. <i>Circulation Research</i> , 1989 , 65, 1450-7	15.7	55
15	Antisera directed against connexin43 peptides react with a 43-kD protein localized to gap junctions in myocardium and other tissues. <i>Journal of Cell Biology</i> , 1989 , 108, 595-605	7.3	471
14	Cloning and expression of a <i>Xenopus</i> embryonic gap junction protein. <i>Science</i> , 1989 , 243, 1194-5	33.3	148
13	Formation of gap junctions by expression of connexins in <i>Xenopus</i> oocyte pairs. <i>Cell</i> , 1989 , 57, 145-55	56.2	301
12	Differential expression of three gap junction proteins in developing and mature brain tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 10148-52	11.5	450

11	Connexin43: a protein from rat heart homologous to a gap junction protein from liver. <i>Journal of Cell Biology</i> , 1987 , 105, 2621-9	7.3	987
10	Monocyte bone degradation: in vitro analysis of monocyte activity in patients with juvenile rheumatoid arthritis. <i>Journal of Pediatrics</i> , 1986 , 108, 405-9	3.6	7
9	Normal long-term survival with alpha-thalassemia. <i>Journal of Pediatrics</i> , 1986 , 108, 716-8	3.6	53
8	Secretion of endogenous lectin by chicken intestinal goblet cells. <i>Journal of Cell Biology</i> , 1982 , 92, 28-33	7.3	59
7	Quantitation of two endogenous lactose-inhibitable lectins in embryonic and adult chicken tissues. <i>Journal of Cell Biology</i> , 1982 , 92, 23-7	7.3	84
6	Endogenous lectins in chickens and slime molds: transfer from intracellular to extracellular sites. <i>Journal of Supramolecular Structure and Cellular Biochemistry</i> , 1981 , 16, 233-42		11
5	Chicken tissue binding sites for a purified chicken lectin. <i>Journal of Supramolecular Structure</i> , 1980 , 13, 219-27		27
4	Lectins from chicken tissues are mitogenic for Thy-1 negative murine spleen cells. <i>Biochemical and Biophysical Research Communications</i> , 1980 , 97, 56-61	3.4	47
3	Localization of an endogenous lectin in chicken liver, intestine, and pancreas. <i>Journal of Cell Biology</i> , 1979 , 82, 565-71	7.3	80
2	Muscle development in vitro following X irradiation. <i>Developmental Biology</i> , 1978 , 66, 457-69	3.1	13
1	Developmentally regulated lectins from chick muscle, brain, and liver have similar chemical and immunological properties. <i>Developmental Biology</i> , 1978 , 64, 265-72	3.1	72