

Fabio Castiglione

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1459349/publications.pdf>

Version: 2024-02-01

121
papers

1,633
citations

331259

21
h-index

344852

36
g-index

122
all docs

122
docs citations

122
times ranked

1795
citing authors

#	ARTICLE	IF	CITATIONS
1	Intratumoral Injection of Human Adipose Tissue-derived Stem Cells Prevents Fibrosis and Is Associated with Improved Erectile Function in a Rat Model of Peyronie's Disease. <i>European Urology</i> , 2013, 63, 551-560.	0.9	145
2	One Patient Out of Four with Newly Diagnosed Erectile Dysfunction is a Young Man—Worrisome Picture from the Everyday Clinical Practice. <i>Journal of Sexual Medicine</i> , 2013, 10, 1833-1841.	0.3	117
3	Is Erectile Dysfunction a Reliable Proxy of General Male Health Status? The Case for the International Index of Erectile Function—Erectile Function Domain. <i>Journal of Sexual Medicine</i> , 2012, 9, 2708-2715.	0.3	92
4	Current Management of Penile Fracture: An Up-to-Date Systematic Review. <i>Sexual Medicine Reviews</i> , 2018, 6, 253-260.	1.5	71
5	Current Pharmacological Management of Premature Ejaculation: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016, 69, 904-916.	0.9	62
6	Adipose-derived Stem Cells Counteract Urethral Stricture Formation in Rats. <i>European Urology</i> , 2016, 70, 1032-1041.	0.9	49
7	Metabolic Syndrome and Benign Prostatic Hyperplasia: Evidence of a Potential Relationship, Hypothesized Etiology, and Prevention. <i>Korean Journal of Urology</i> , 2011, 52, 507.	1.2	44
8	When to perform lymph node dissection in patients with renal cell carcinoma: a novel approach to the preoperative assessment of risk of lymph node invasion at surgery and of lymph node progression during follow-up. <i>BJU International</i> , 2013, 112, E59-66.	1.3	42
9	Valproic Acid Prevents Penile Fibrosis and Erectile Dysfunction in Cavernous Nerve-Injured Rats. <i>Journal of Sexual Medicine</i> , 2014, 11, 1442-1451.	0.3	42
10	The mechanisms and potential of stem cell therapy for penile fibrosis. <i>Nature Reviews Urology</i> , 2019, 16, 79-97.	1.9	42
11	Predictive factors for local recurrence after glans reconstruction for penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 141-146.	0.8	41
12	Landmarks in erectile function recovery after radical prostatectomy. <i>Nature Reviews Urology</i> , 2015, 12, 289-297.	1.9	39
13	Stem Cells in Male Sexual Dysfunction: Are We Getting Somewhere?. <i>Sexual Medicine Reviews</i> , 2017, 5, 222-235.	1.5	34
14	Advances in stem cell research for the treatment of male sexual dysfunctions. <i>Current Opinion in Urology</i> , 2016, 26, 129-139.	0.9	32
15	Preoperative sex steroids are significant predictors of early biochemical recurrence after radical prostatectomy. <i>World Journal of Urology</i> , 2013, 31, 275-280.	1.2	31
16	Surgical Techniques for Managing Post-prostatectomy Erectile Dysfunction. <i>Current Urology Reports</i> , 2017, 18, 90.	1.0	27
17	The Extent of Lymphadenectomy does Affect Cancer Specific Survival in Pathologically Confirmed T4 Renal Cell Carcinoma. <i>Urologia</i> , 2012, 79, 109-115.	0.3	26
18	Non-invasive and surgical penile enhancement interventions for aesthetic or therapeutic purposes: a systematic review. <i>BJU International</i> , 2021, 127, 269-291.	1.3	26

#	ARTICLE	IF	CITATIONS
19	Prevention and management of post prostatectomy erectile dysfunction. <i>Translational Andrology and Urology</i> , 2015, 4, 421-37.	0.6	25
20	Sperm banking is of key importance in patients with prostate cancer. <i>Fertility and Sterility</i> , 2013, 100, 367-372.e1.	0.5	24
21	Intratumoral Injection of Human Adipose Tissue-Derived Stem Cells Restores Collagen III/I Ratio in a Rat Model of Chronic Peyronie's Disease. <i>Sexual Medicine</i> , 2019, 7, 94-103.	0.9	24
22	M1 Macrophages Are Predominantly Recruited to the Major Pelvic Ganglion of the Rat Following Cavernous Nerve Injury. <i>Journal of Sexual Medicine</i> , 2017, 14, 187-195.	0.3	23
23	Percentage of high-grade tumour volume does not meaningfully improve prediction of early biochemical recurrence after radical prostatectomy compared with Gleason score. <i>BJU International</i> , 2014, 113, 399-407.	1.3	22
24	Postoperative phosphodiesterase type 5 inhibitor administration increases the rate of urinary continence recovery after bilateral nerve-sparing radical prostatectomy. <i>International Journal of Urology</i> , 2013, 20, 413-419.	0.5	21
25	Spinal Cord FAAH in Normal Micturition Control and Bladder Overactivity in Awake Rats. <i>Journal of Urology</i> , 2013, 189, 2364-2370.	0.2	21
26	Secondary Provoked Vestibulodynia in Sexually Active Women with Uncomplicated Recurrent Urinary Tract Infections. <i>Journal of Sexual Medicine</i> , 2013, 10, 2265-2273.	0.3	21
27	DFL23448, A Novel Transient Receptor Potential Melastin 8-Selective Ion Channel Antagonist, Modifies Bladder Function and Reduces Bladder Overactivity in Awake Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 356, 200-211.	1.3	21
28	Naftopidil for the treatment of benign prostate hyperplasia: a systematic review. <i>Current Medical Research and Opinion</i> , 2014, 30, 719-732.	0.9	20
29	A novel composite two-stage urethroplasty for complex penile strictures: A multicenter experience. <i>Indian Journal of Urology</i> , 2017, 33, 155.	0.2	20
30	Perioperative Betamethasone Treatment Reduces Signs of Bladder Dysfunction in a Rat Model for Neurapraxia in Female Urogenital Surgery. <i>European Urology</i> , 2012, 62, 1076-1085.	0.9	19
31	Staging lymphadenectomy in renal cell carcinoma must be extended: a sensitivity curve analysis. <i>BJU International</i> , 2013, 111, 412-418.	1.3	19
32	The Number of Cores Taken in Patients Diagnosed with a Single Microfocus at Initial Biopsy is a Major Predictor of Insignificant Prostate Cancer. <i>Journal of Urology</i> , 2013, 189, 854-859.	0.2	19
33	Effects of the Gonadotropin-Releasing Hormone Antagonist Ganirelix on Normal Micturition and Prostaglandin E2-Induced Detrusor Overactivity in Conscious Female Rats. <i>European Urology</i> , 2011, 59, 868-874.	0.9	16
34	Are Caucasian-European men delaying fatherhood? Results of a 7 year observational study of infertile couples with male factor infertility. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 125-132.	3.6	16
35	The fatty acid amide hydrolase inhibitor oleoyl ethyl amide counteracts bladder overactivity in female rats. <i>Neurourology and Urodynamics</i> , 2014, 33, 1251-1258.	0.8	16
36	A Systematic Review on Ischemic Priapism and Immediate Implantation: Do We Need More Data?. <i>Sexual Medicine Reviews</i> , 2019, 7, 530-534.	1.5	16

#	ARTICLE	IF	CITATIONS
37	Increased Expression of the Neuroregenerative Peptide Galanin in the Major Pelvic Ganglion Following Cavernous Nerve Injury. <i>Journal of Sexual Medicine</i> , 2014, 11, 1685-1693.	0.3	14
38	Sildenafil and tadalafil have synergistic inhibitory effects on nerve-mediated contractions of human and rat isolated prostates. <i>European Journal of Pharmacology</i> , 2014, 744, 42-51.	1.7	14
39	Intratumoral injection of stromal vascular fraction prevents fibrosis in a rat model of Peyronie's disease. <i>BJU International</i> , 2019, 124, 342-348.	1.3	14
40	Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1497-1503.	0.8	13
41	Prevalence and predictors of concomitant low sexual desire/interest and new-onset erectile dysfunction – a picture from the everyday clinical practice. <i>Andrology</i> , 2014, 2, 702-708.	1.9	13
42	Impaired contraction and decreased detrusor innervation in a female rat model of pelvic neuropraxia. <i>International Urogynecology Journal</i> , 2017, 28, 1049-1056.	0.7	13
43	European Society for Sexual Medicine Consensus Statement on the Use of the Cavernous Nerve Injury Rodent Model to Study Postradical Prostatectomy Erectile Dysfunction. <i>Sexual Medicine</i> , 2020, 8, 327-337.	0.9	13
44	Penile Rehabilitation with Phosphodiesterase Type 5 Inhibitors After Nerve-sparing Radical Prostatectomy: Are We Targeting the Right Patients?. <i>European Urology</i> , 2014, 65, 673-674.	0.9	12
45	Spinal neuronal cannabinoid receptors mediate urodynamic effects of systemic fatty acid amide hydrolase (FAAH) inhibition in rats. <i>Neurourology and Urodynamics</i> , 2016, 35, 464-470.	0.8	12
46	The key role of time in predicting progression-free survival in patients with renal cell carcinoma treated with partial or radical nephrectomy: Conditional survival analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 43.e9-43.e16.	0.8	11
47	A novel “Batman” scrotectomy technique for the management of scrotal lymphoedema following treatment for penile cancer. <i>Translational Andrology and Urology</i> , 2019, 8, 448-456.	0.6	11
48	Intratumoral injection of autologous adipose stromal vascular fraction reduces collagen III expression in a rat model of chronic penile fibrosis. <i>International Journal of Impotence Research</i> , 2020, 32, 281-288.	1.0	11
49	Inhibition of Phosphodiesterase 4 Enhances Clitoral and Vaginal Blood Flow Responses to Dorsal Clitoral Nerve Stimulation or PGE1 in Anesthetized Female Rats. <i>Journal of Sexual Medicine</i> , 2013, 10, 939-950.	0.3	10
50	Pelvic nerve injury negatively impacts female genital blood flow and induces vaginal fibrosis – implications for human nerve-sparing radical hysterectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1457-1465.	1.1	10
51	Management of penile cancer patients during the COVID-19 pandemic: An eUROGEN accelerated Delphi consensus study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 197.e9-197.e17.	0.8	9
52	Multidisciplinary approach and management of patients who seek medical advice for penile size concerns: a narrative review. <i>International Journal of Impotence Research</i> , 2022, 34, 434-451.	1.0	9
53	Tumor Volume and Clinical Failure in High-Risk Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Prostate</i> , 2017, 77, 3-9.	1.2	8
54	Stem-cell regenerative medicine as applied to the penis. <i>Current Opinion in Urology</i> , 2019, 29, 443-449.	0.9	8

#	ARTICLE	IF	CITATIONS
55	Reconstructive surgery of the scrotum: a systematic review. International Journal of Impotence Research, 2022, 34, 359-368.	1.0	8
56	Lymphovascular and perineural invasion are risk factors for inguinal lymph node metastases in men with T1G2 penile cancer. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2231-2234.	1.2	8
57	Medications mostly associated with priapism events: assessment of the 2015–2020 Food and Drug Administration (FDA) pharmacovigilance database entries. International Journal of Impotence Research, 2024, 36, 50-54.	1.0	8
58	Excision and Primary Anastomosis for Bulbar Urethral Strictures Improves Functional Outcomes and Quality of Life: A Prospective Analysis from a Single Centre. BioMed Research International, 2019, 2019, 1-9.	0.9	7
59	Is medicinal ketamine associated with urinary dysfunction issues? Assessment of both the European Medicines Agency (EMA) and the UK Yellow Card Scheme pharmacovigilance database-related reports. LUTS: Lower Urinary Tract Symptoms, 2021, 13, 230-237.	0.6	7
60	Surgical technique and outcomes following coronal-sparing glans resurfacing for benign and malignant penile lesions. International Journal of Impotence Research, 2022, 34, 495-500.	1.0	7
61	MP70-15 LONG TERM OUTCOMES OF SALVAGE LYMPH NODE DISSECTION FOR CLINICALLY RECURRENT PROSTATE CANCER: RESULTS OF A SINGLE INSTITUTION SERIES WITH A MINIMUM FOLLOW-UP OF 5 YEARS. Journal of Urology, 2014, 191, .	0.2	6
62	Galanin Administration Partially Restores Erectile Function After Cavernous Nerve Injury and Mediates Endogenous Nitrergic Nerve Outgrowth In Vitro. Journal of Sexual Medicine, 2018, 15, 480-491.	0.3	6
63	Primary Squamous Cell Carcinoma of the Male Proximal Urethra: Outcomes from a Single Centre. European Urology Focus, 2021, 7, 163-169.	1.6	5
64	Increased Level of Tumor Necrosis Factor-Alpha (TNF- α) Leads to Downregulation of Nitrergic Neurons Following Bilateral Cavernous Nerve Injury and Modulates Penile Smooth Tone. Journal of Sexual Medicine, 2021, 18, 1181-1190.	0.3	5
65	Are finasteride-related penile curvature/Peyronie's disease Adverse Event Reports worthy of further clinical investigation? Disproportionality analysis based on both the Food and Drug Administration (FDA) and the European Medicines Agency (EMA) pharmacovigilance databases. International Journal of Impotence Research, 2023, 35, 465-471.	1.0	5
66	Reply from Authors re: Ching-Shwun Lin, Tom F. Lue. Adipose-derived Stem Cells for the Treatment of Peyronie's Disease? Eur Urol 2013;63:561–2. European Urology, 2013, 63, 563-564.	0.9	4
67	Penile Length Measurement: Methodological Challenges and Recommendations, a Systematic Review. Journal of Sexual Medicine, 2021, 18, 433-439.	0.3	4
68	Clinical features, molecular characteristics and surgical management of primary penile mucosal melanoma based on the European Association of Urology Penile Cancer Guidelines. Melanoma Research, 2022, 32, 27-34.	0.6	4
69	Development of the First Model of Radical Prostatectomy in the Mouse: A Feasibility Study. European Urology, 2018, 73, 482-484.	0.9	3
70	Long-term consequences of bilateral cavernous crush injury in normal and diabetic rats: a functional study. International Journal of Impotence Research, 2022, 34, 781-785.	1.0	3
71	Use of grafting materials during penile prosthesis implantation in patients with Peyronie's disease: a systematic review. International Journal of Impotence Research, 2022, 34, 534-542.	1.0	3
72	1831 THE NUMBER OF LYMPH NODES REMOVED IN RENAL CELL CARCINOMA DOES AFFECT CANCER SPECIFIC SURVIVAL IN SPECIFIC SUBGROUPS OF PATIENTS: RESULTS FROM A SYSTEMATIC ANALYSIS. Journal of Urology, 2013, 189, .	0.2	2

#	ARTICLE	IF	CITATIONS
73	1007 SYSTEMIC CHRONIC ADMINISTRATION OF THE GNRH ANTAGONIST GANIRELIX COUNTERACTS PGE2-INDUCED DETRUSOR OVERACTIVITY IN CONSCIOUS RATS. <i>Journal of Urology</i> , 2010, 183, .	0.2	1
74	982 STAGING LYMPHADENECTOMY IN RENAL CELL CARCINOMA MUST BE EXTENDED: A SENSITIVITY CURVE ANALYSES. <i>Journal of Urology</i> , 2012, 187, .	0.2	1
75	771 SHOULD AN EXTENDED NODAL TEMPLATE FOR HIGH RISK PROSTATE CANCER ALWAYS INCLUDE REMOVAL OF COMMON ILIAC LYMPH NODES?. <i>Journal of Urology</i> , 2012, 187, .	0.2	1
76	113 TADALAFIL IMPROVES HYPOXIA, STRUCTURAL DETRUSOR CHANGES AND BLADDER COMPLIANCE AFTER CAVERNOUS NERVE INJURY. <i>Journal of Urology</i> , 2013, 189, .	0.2	1
77	Tadalafil for Erectile Dysfunction Prevention After Radiotherapy for Prostate Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 748.	3.8	1
78	MP30-01 DECREASING RATES OF LYMPH NODE DISSECTION AND LYMPH NODE YIELD DURING RADICAL NEPHRECTOMY FOR RENAL CELL CARCINOMA OVER THE LAST 30 YEARS IN A LARGE MULTICENTRE EUROPEAN EXPERIENCE. <i>Journal of Urology</i> , 2014, 191, .	0.2	1
79	MP69-10 GLYCATED HEMOGLOBIN (HBA1C) LEVELS ARE INDEPENDENTLY ASSOCIATED WITH UNFAVOURABLE PROSTATE CANCER AND DISEASE RECURRENCE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2014, 191, .	0.2	1
80	715 ESTROGEN RECEPTOR ALPHA IS COUPLED TO NITRIC OXIDE, CYCLIC GUANOSINE MONOPHOSPHATE AND PROTEIN-KINASE G1 ACTIVITIES OF THE MOUSE VAGINA. <i>Journal of Urology</i> , 2010, 183, .	0.2	0
81	1491 IF A PRO-ERECTILE PHARMACOLOGICAL APPROACH IS CONSIDERED AFTER BILATERAL NERVE SPARING RADICAL PROSTATECTOMY, THIS SHOULD BE INITIATED SOON AFTER SURGERY. <i>Journal of Urology</i> , 2010, 183, .	0.2	0
82	1203 WHICH IS THE BEST DEFINITION OF ERECTILE FUNCTION RECOVERY AFTER BILATERAL NERVE SPARING RADICAL PROSTATECTOMY? ANALYSIS OF PATIENT SATISFACTION. <i>Journal of Urology</i> , 2010, 183, .	0.2	0
83	1539 IS IIEF-EF A PROXY OF GENERAL MALE HEALTH STATUS?. <i>Journal of Urology</i> , 2011, 185, .	0.2	0
84	1628 AT LEAST ONE PHOSPHODIESTERASE TYPE 5 INHIBITOR DOSE PER WEEK SHOULD BE TAKEN IN ORDER TO IMPROVE ERECTILE FUNCTION RECOVERY AFTER BILATERAL NERVE SPARING RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2011, 185, .	0.2	0
85	1116 GENITAL BLOODFLOW AND BLADDER FUNCTION IN A FEMALE RAT MODEL FOR NERVE-SPARING HYSTERECTOMY. <i>Journal of Urology</i> , 2011, 185, .	0.2	0
86	119 PERIOPERATIVE BETAMETHASONE COUNTERACTS BLADDER DYSFUNCTION IN VIVO IN A RAT MODEL FOR NERVE-SPARING HYSTERECTOMY. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
87	185 MODELS ASSESSING THE NEED FOR PELVIC LYMPH NODE DISSECTION CANNOT BE RELIABLY USED IN MEN WITH PROSTATE CANCER PREVIOUSLY TREATED WITH SURGERY FOR BENIGN PROSTATIC ENLARGEMENT. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
88	663 ADJUVANT RADIOTHERAPY NEGATIVELY IMPACTS ON THE LONG-TERM RECOVERY OF NORMAL SEXUAL FUNCTION IN TESTICULAR GERM-CELL CANCER SURVIVORS. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
89	2233 AN INITIAL SERUM PSA LEVEL LESS THAN 5 NG/ML AT DIAGNOSIS DOES NOT CORRELATE WITH TUMOR VOLUME IN LOW RISK PROSTATE CANCER PATIENTS. IMPLICATIONS FOR CONSERVATIVE TREATMENTS. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
90	2204 HOW TO EXPAND INDICATIONS FOR ACTIVE SURVEILLANCE WITHOUT COMPROMISING CANCER CONTROL. THE IMPORTANCE OF THE EXTENT OF BIOPSY SAMPLING. <i>Journal of Urology</i> , 2012, 187, .	0.2	0

#	ARTICLE	IF	CITATIONS
91	2066 MISCLASSIFICATION OF MICRO-FOCUS PROSTATE CANCER DECREASES WITH THE EXTENT OF BIOPSY SAMPLING. IMPORTANCE OF ACCURATE DETECTION. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
92	1147 IS THE WEB CHANGING THE RELATIONSHIP BETWEEN THE CLINICIANS AND THE URO-ANDROLOGICAL PATIENTS? RESULTS OF AN EXPLORATORY ANALYSIS. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
93	2286 IS SPERM BANKING OF INTEREST TO PATIENTS WITH PROSTATE CANCER?. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
94	372 THE NUMBER OF POSITIVE NODES IS THE STRONGEST PREDICTOR OF CANCER SPECIFIC SURVIVAL IN PATIENTS TREATED WITH RADICAL PROSTATECTOMY FOR PATHOLOGICAL T3 PROSTATE CANCER. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
95	1026 PELVIC NERVE INJURY LEADS TO AUGMENTED ADRENERGIC CONSTRICTION AND FIBROSIS OF THE DISTAL VAGINA. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
96	120 CHOLINERGIC MEDIATED DETRUSOR DYSFUNCTION IN A FEMALE RAT MODEL OF PELVIC NEUROPRAXIA. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
97	743 CONCORDANCE BETWEEN CLINICAL AND PATHOLOGICAL LYMPH NODE INVASION IN RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
98	962 PREDICTION OF LONG-TERM CANCER RECURRENCE AFTER RADICAL PROSTATECTOMY IN PATIENTS WITH LYMPH NODE INVASION: RESULTS OF CONDITIONAL SURVIVAL ANALYSES. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
99	340 LONG TERM DIABETES MELLITUS INCREASES THE RISK OF POORLY DIFFERENTIATED TUMOR IN PROSTATE CANCER PATIENTS. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
100	1975 LONG-TERM ERECTILE FUNCTION OUTCOMES AFTER HOLMIUM LASER ENUCLEATION OF THE PROSTATE (HOLEP). <i>Journal of Urology</i> , 2013, 189, .	0.2	0
101	806 INTRATUNICAL INJECTION OF HUMAN ADIPOSE TISSUE-DERIVED STEM CELLS PREVENTS FIBROSIS AND IS ASSOCIATED WITH IMPROVED ERECTILE FUNCTION IN A RAT MODEL OF PEYRONIE'S DISEASE. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
102	1021 INHIBITION OF THE FATTY ACID AMIDE HYDROLASE INCREASES LATENCY TO APOMORPHINE-INDUCED EJACULATION IN RATS. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
103	345 CHANGING AND UNCHANGING FACE OF HIGH RISK PROSTATE CANCER. RESULTS FROM A 15-YEAR, SINGLE INSTITUTION SERIES. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
104	247 SPATIAL DISTRIBUTION OF POSITIVE CORES DECREASES MISCLASSIFICATION RATES OF PATIENTS WITH LOW RISK PROSTATE CANCER CANDIDATE FOR ACTIVE SURVEILLANCE. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
105	114 INHIBITION OF PERIPHERAL FATTY ACID AMIDE HYDROLASE AMELIORATES BLADDER OVERACTIVITY IN SPONTANEOUSLY HYPERTENSIVE RATS. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
106	PD15-12 HYPOGONADISM IS AN INDEPENDENT PREDICTOR OF NODAL METASTASES IN PROSTATE CANCER PATIENTS UNDERGOING EXTENDED PELVIC LYMPH NODE DISSECTION. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
107	MP43-08 INHIBITION OF PERIPHERAL FATTY ACID AMIDE HYDROLASE (FAAH) INCREASES LATENCY TO EJACULATION IN RATS. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
108	MP43-10 CAVERNOSUS NERVE INJURY INDUCED TEMPORAL INCREASE IN NEUROINFLAMMATION AND CYTOKINE INDUCTION IN THE MAJOR PELVIC GANGLION OF THE RAT. <i>Journal of Urology</i> , 2014, 191, .	0.2	0

#	ARTICLE	IF	CITATIONS
109	MP68-03 PREVALENCE OF AND IMPACT OF HEALTH-SIGNIFICANT COMORBIDITIES IN CAUCASIAN-EUROPEAN MEN PRESENTING FOR PRIMARY COUPLEâ€™S INFERTILITY â€™ RESULTS OF Aâ€™CROSS-SECTIONAL SURVEY. Journal of Urology, 2014, 191, .	0.2	0
110	MP47-08 INTRATUNICAL INJECTION OF HUMAN ADIPOSE TISSUEâ€™DERIVED STEM PARTIALLY REVERTS FIBROSIS AND RESTORES COLLAGEN III/I RATIO IN A RAT MODEL OF CHRONIC PEYRONIEâ€™S DISEASE. Journal of Urology, 2014, 191, .	0.2	0
111	MP48-15 EFFECTS OF SILODOSIN ON SEXUAL FUNCTION â€™ REALISTIC PICTURE FROM THE EVERYDAY CLINICAL PRACTICE. Journal of Urology, 2014, 191, .	0.2	0
112	MP19-18 INTRATUNICAL INJECTION OF ADIPOSE STROMAL VASCULAR FRACTION (SVF) PREVENTS FIBROSIS EXPRESSION IN A RAT MODEL OF PEYRONIE'S DISEASE. Journal of Urology, 2015, 193, .	0.2	0
113	MP19-16 HUMAN ADIPOSE TISSUE DERIVED STEM CELLS (HADSCS) PREVENTS FIBROSIS AND BLADDER DYSFUNCTION IN A RAT MODEL OF URETHRAL STRICTURE. Journal of Urology, 2015, 193, .	0.2	0
114	MP15-16 REVISION URETHROPLASTY VS PRIMARY URETHROPLASTY: ARE THEY REALLY DIFFERENT?. Journal of Urology, 2015, 193, .	0.2	0
115	Learning to Fly. European Urology, 2016, 69, 691-692.	0.9	0
116	MP41-09 ADIPOSE-DERIVED STROMAL VASCULAR FACTOR (SVF) INJECTION IN SHORT RECURRENT BULBAR STRICTURE POST DVILU â€™ AN INITIAL EXPERIENCE. Journal of Urology, 2017, 197, .	0.2	0
117	The Management of Peyronieâ€™s Disease. , 2018, , 119-133.		0
118	The transient receptor potential A1 ion channel (TRPA1) modifies in vivo autonomous ureter peristalsis in rats. Neurourology and Urodynamics, 2021, 40, 147-157.	0.8	0
119	Kallikrein-Kinin system: is it the fountain of youth?. Asian Journal of Andrology, 2016, 19, 138-139.	0.8	0
120	Squamous cell carcinoma of the posterior urethra: Outcomes following radical surgery and adjuvant chemo-radiotherapy.. Journal of Clinical Oncology, 2017, 35, 425-425.	0.8	0
121	Contemporary Management of Male Anterior Urethral Strictures by Reconstructive Urology Expertsâ€™Results from an International Survey among ESGURS Members. Journal of Clinical Medicine, 2022, 11, 2353.	1.0	0