

Fabio Castiglione

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1459349/fabio-castiglione-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,141
citations

18
h-index

30
g-index

122
ext. papers

1,386
ext. citations

3.1
avg. IF

4.21
L-index

#	Paper	IF	Citations
74	Lymphovascular and perineural invasion are risk factors for inguinal lymph node metastases in men with T1G2 penile cancer.. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 1	4.9	0
73	Reconstructive surgery of the scrotum: a systematic review. <i>International Journal of Impotence Research</i> , 2021 ,	2.3	1
72	Penile Length Measurement: Methodological Challenges and Recommendations, a Systematic Review. <i>Journal of Sexual Medicine</i> , 2021 , 18, 433-439	1.1	1
71	Multidisciplinary approach and management of patients who seek medical advice for penile size concerns: a narrative review. <i>International Journal of Impotence Research</i> , 2021 ,	2.3	4
70	Increased Level of Tumor Necrosis Factor-Alpha (TNF- α) Leads to Downregulation of Nitric Oxide Synthase in Penile Smooth Muscle Following Bilateral Cavernous Nerve Injury and Modulates Penile Smooth Tone. <i>Journal of Sexual Medicine</i> , 2021 , 18, 1181-1190	1.1	2
69	Surgical technique and outcomes following coronal-sparing glans resurfacing for benign and malignant penile lesions. <i>International Journal of Impotence Research</i> , 2021 ,	2.3	1
68	Non-invasive and surgical penile enhancement interventions for aesthetic or therapeutic purposes: a systematic review. <i>BJU International</i> , 2021 , 127, 269-291	5.6	6
67	Is medicinal ketamine associated with urinary dysfunction issues? Assessment of both the European Medicines Agency (EMA) and the UK Yellow Card Scheme pharmacovigilance database-related reports. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 230-237	1.9	1
66	The transient receptor potential A1 ion channel (TRPA1) modifies in vivo autonomous ureter peristalsis in rats. <i>Neurourology and Urodynamics</i> , 2021 , 40, 147-157	2.3	
65	Primary Squamous Cell Carcinoma of the Male Proximal Urethra: Outcomes from a Single Centre. <i>European Urology Focus</i> , 2021 , 7, 163-169	5.1	1
64	Management of penile cancer patients during the COVID-19 pandemic: An eUROGEN accelerated Delphi consensus study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 197.e9-197.e17	2.8	2
63	European Society for Sexual Medicine Consensus Statement on the Use of the Cavernous Nerve Injury Rodent Model to Study Postradical Prostatectomy Erectile Dysfunction. <i>Sexual Medicine</i> , 2020 , 8, 327-337	2.7	3
62	Intratunical injection of autologous adipose stromal vascular fraction reduces collagen III expression in a rat model of chronic penile fibrosis. <i>International Journal of Impotence Research</i> , 2020 , 32, 281-288	2.3	5
61	Excision and Primary Anastomosis for Bulbar Urethral Strictures Improves Functional Outcomes and Quality of Life: A Prospective Analysis from a Single Centre. <i>BioMed Research International</i> , 2019 , 2019, 7826085	3	5
60	A Systematic Review on Ischemic Priapism and Immediate Implantation: Do We Need More Data?. <i>Sexual Medicine Reviews</i> , 2019 , 7, 530-534	5.6	12
59	A novel 'Batman' scrotoectomy technique for the management of scrotal lymphoedema following treatment for penile cancer. <i>Translational Andrology and Urology</i> , 2019 , 8, 448-456	2.3	4
58	Stem-cell regenerative medicine as applied to the penis. <i>Current Opinion in Urology</i> , 2019 , 29, 443-449	2.8	6

57	The mechanisms and potential of stem cell therapy for penile fibrosis. <i>Nature Reviews Urology</i> , 2019 , 16, 79-97	5.5	24
56	Intratunical Injection of Human Adipose Tissue-Derived Stem Cells Restores Collagen III/I Ratio in a Rat Model of Chronic Peyronie's Disease. <i>Sexual Medicine</i> , 2019 , 7, 94-103	2.7	12
55	Intratunical injection of stromal vascular fraction prevents fibrosis in a rat model of Peyronie's disease. <i>BJU International</i> , 2019 , 124, 342-348	5.6	9
54	Galanin Administration Partially Restores Erectile Function After Cavernous Nerve Injury and Mediates Endogenous Nitrergic Nerve Outgrowth In Vitro. <i>Journal of Sexual Medicine</i> , 2018 , 15, 480-491 ^{1.1}	1.1	2
53	The Management of Peyronie's Disease 2018 , 119-133		
52	Current Management of Penile Fracture: An Up-to-Date Systematic Review. <i>Sexual Medicine Reviews</i> , 2018 , 6, 253-260	5.6	38
51	Predictive factors for local recurrence after glansectomy and neoglans reconstruction for penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 141-146	2.8	29
50	Development of the First Model of Radical Prostatectomy in the Mouse: A Feasibility Study. <i>European Urology</i> , 2018 , 73, 482-484	10.2	2
49	M1 Macrophages Are Predominantly Recruited to the Major Pelvic Ganglion of the Rat Following Cavernous Nerve Injury. <i>Journal of Sexual Medicine</i> , 2017 , 14, 187-195	1.1	14
48	Stem Cells in Male Sexual Dysfunction: Are We Getting Somewhere?. <i>Sexual Medicine Reviews</i> , 2017 , 5, 222-235	5.6	27
47	Impaired contraction and decreased detrusor innervation in a female rat model of pelvic neuropraxia. <i>International Urogynecology Journal</i> , 2017 , 28, 1049-1056	2	9
46	Surgical Techniques for Managing Post-prostatectomy Erectile Dysfunction. <i>Current Urology Reports</i> , 2017 , 18, 90	2.9	20
45	Tumor Volume and Clinical Failure in High-Risk Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Prostate</i> , 2017 , 77, 3-9	4.2	7
44	A novel composite two-stage urethroplasty for complex penile strictures: A multicenter experience. <i>Indian Journal of Urology</i> , 2017 , 33, 155-158	0.8	8
43	Kallikrein-kinin system: is it the fountain of youth?. <i>Asian Journal of Andrology</i> , 2017 , 19, 138-139	2.8	
42	Squamous cell carcinoma of the posterior urethra: Outcomes following radical surgery and adjuvant chemo-radiotherapy.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 425-425	2.2	
41	Spinal neuronal cannabinoid receptors mediate urodynamic effects of systemic fatty acid amide hydrolase (FAAH) inhibition in rats. <i>Neurourology and Urodynamics</i> , 2016 , 35, 464-70	2.3	7
40	Current Pharmacological Management of Premature Ejaculation: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 69, 904-16	10.2	50

39	DFL23448, A Novel Transient Receptor Potential Melastin 8-Selective Ion Channel Antagonist, Modifies Bladder Function and Reduces Bladder Overactivity in Awake Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 200-11	4.7	21
38	Advances in stem cell research for the treatment of male sexual dysfunctions. <i>Current Opinion in Urology</i> , 2016 , 26, 129-39	2.8	28
37	Adipose-derived Stem Cells Counteract Urethral Stricture Formation in Rats. <i>European Urology</i> , 2016 , 70, 1032-1041	10.2	34
36	Pelvic nerve injury negatively impacts female genital blood flow and induces vaginal fibrosis-implications for human nerve-sparing radical hysterectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1457-65	3.7	8
35	Landmarks in erectile function recovery after radical prostatectomy. <i>Nature Reviews Urology</i> , 2015 , 12, 289-97	5.5	33
34	Prevention and management of post prostatectomy erectile dysfunction. <i>Translational Andrology and Urology</i> , 2015 , 4, 421-37	2.3	17
33	Increased expression of the neuroregenerative peptide galanin in the major pelvic ganglion following cavernous nerve injury. <i>Journal of Sexual Medicine</i> , 2014 , 11, 1685-93	1.1	10
32	Valproic acid prevents penile fibrosis and erectile dysfunction in cavernous nerve-injured rats. <i>Journal of Sexual Medicine</i> , 2014 , 11, 1442-51	1.1	30
31	Sildenafil and tadalafil have synergistic inhibitory effects on nerve-mediated contractions of human and rat isolated prostates. <i>European Journal of Pharmacology</i> , 2014 , 744, 42-51	5.3	12
30	MP30-01 DECREASING RATES OF LYMPH NODE DISSECTION AND LYMPH NODE YIELD DURING RADICAL NEPHRECTOMY FOR RENAL CELL CARCINOMA OVER THE LAST 30 YEARS IN A LARGE MULTICENTRE EUROPEAN EXPERIENCE. <i>Journal of Urology</i> , 2014 , 191,	2.5	1
29	The key role of time in predicting progression-free survival in patients with renal cell carcinoma treated with partial or radical nephrectomy: conditional survival analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 43.e9-16	2.8	10
28	MP70-15 LONG TERM OUTCOMES OF SALVAGE LYMPH NODE DISSECTION FOR CLINICALLY RECURRENT PROSTATE CANCER: RESULTS OF A SINGLE INSTITUTION SERIES WITH A MINIMUM FOLLOW-UP OF 5 YEARS. <i>Journal of Urology</i> , 2014 , 191,	2.5	6
27	Naftopidil for the treatment of benign prostate hyperplasia: a systematic review. <i>Current Medical Research and Opinion</i> , 2014 , 30, 719-32	2.5	17
26	The fatty acid amide hydrolase inhibitor oleoyl ethyl amide counteracts bladder overactivity in female rats. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1251-8	2.3	14
25	Prevalence and predictors of concomitant low sexual desire/interest and new-onset erectile dysfunction - a picture from the everyday clinical practice. <i>Andrology</i> , 2014 , 2, 702-8	4.2	9
24	Percentage of high-grade tumour volume does not meaningfully improve prediction of early biochemical recurrence after radical prostatectomy compared with Gleason score. <i>BJU International</i> , 2014 , 113, 399-407	5.6	18
23	Tadalafil for erectile dysfunction prevention after radiotherapy for prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 748	27.4	1
22	Staging lymphadenectomy in renal cell carcinoma must be extended: a sensitivity curve analysis. <i>BJU International</i> , 2013 , 111, 412-8	5.6	15

21	When to perform lymph node dissection in patients with renal cell carcinoma: a novel approach to the preoperative assessment of risk of lymph node invasion at surgery and of lymph node progression during follow-up. <i>BJU International</i> , 2013 , 112, E59-66	5.6	35
20	Preoperative sex steroids are significant predictors of early biochemical recurrence after radical prostatectomy. <i>World Journal of Urology</i> , 2013 , 31, 275-80	4	25
19	Intratunical injection of human adipose tissue-derived stem cells prevents fibrosis and is associated with improved erectile function in a rat model of Peyronie's disease. <i>European Urology</i> , 2013 , 63, 551-60	10.2	120
18	Inhibition of phosphodiesterase 4 enhances clitoral and vaginal blood flow responses to dorsal clitoral nerve stimulation or PGE1 in anesthetized female rats. <i>Journal of Sexual Medicine</i> , 2013 , 10, 939-50	1.1	8
17	Postoperative phosphodiesterase type 5 inhibitor administration increases the rate of urinary continence recovery after bilateral nerve-sparing radical prostatectomy. <i>International Journal of Urology</i> , 2013 , 20, 413-9	2.3	17
16	113 TADALAFIL IMPROVES HYPOXIA, STRUCTURAL DETRUSOR CHANGES AND BLADDER COMPLIANCE AFTER CAVERNOUS NERVE INJURY. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
15	The number of cores taken in patients diagnosed with a single microfocus at initial biopsy is a major predictor of insignificant prostate cancer. <i>Journal of Urology</i> , 2013 , 189, 854-9	2.5	11
14	1831 THE NUMBER OF LYMPH NODES REMOVED IN RENAL CELL CARCINOMA DOES AFFECT CANCER SPECIFIC SURVIVAL IN SPECIFIC SUBGROUPS OF PATIENTS: RESULTS FROM A SYSTEMATIC ANALYSIS. <i>Journal of Urology</i> , 2013 , 189,	2.5	2
13	Sperm banking is of key importance in patients with prostate cancer. <i>Fertility and Sterility</i> , 2013 , 100, 367-72.e1	4.8	16
12	Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1497-503	2.8	11
11	Spinal cord FAAH in normal micturition control and bladder overactivity in awake rats. <i>Journal of Urology</i> , 2013 , 189, 2364-70	2.5	17
10	One patient out of four with newly diagnosed erectile dysfunction is a young man--worrisome picture from the everyday clinical practice. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1833-41	1.1	79
9	Secondary provoked vestibulodynia in sexually active women with uncomplicated recurrent urinary tract infections. <i>Journal of Sexual Medicine</i> , 2013 , 10, 2265-73	1.1	18
8	Are Caucasian-European men delaying fatherhood? Results of a 7 year observational study of infertile couples with male factor infertility. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 125-32		13
7	Is erectile dysfunction a reliable proxy of general male health status? The case for the International Index of Erectile Function-Erectile Function domain. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2708-15	1.1	69
6	Perioperative betamethasone treatment reduces signs of bladder dysfunction in a rat model for neurapraxia in female urogenital surgery. <i>European Urology</i> , 2012 , 62, 1076-85	10.2	16
5	982 STAGING LYMPHADENECTOMY IN RENAL CELL CARCINOMA MUST BE EXTENDED: A SENSITIVITY CURVE ANALYSES. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
4	771 SHOULD AN EXTENDED NODAL TEMPLATE FOR HIGH RISK PROSTATE CANCER ALWAYS INCLUDE REMOVAL OF COMMON ILIAC LYMPH NODES?. <i>Journal of Urology</i> , 2012 , 187,	2.5	1

3	The extent of lymphadenectomy does affect cancer specific survival in pathologically confirmed T4 renal cell carcinoma. <i>Urologia</i> , 2012 , 79, 109-15	1.2	17
2	Metabolic syndrome and benign prostatic hyperplasia: evidence of a potential relationship, hypothesized etiology, and prevention. <i>Korean Journal of Urology</i> , 2011 , 52, 507-16		38
1	Effects of the gonadotropin-releasing hormone antagonist ganirelix on normal micturition and prostaglandin E(2)-induced detrusor overactivity in conscious female rats. <i>European Urology</i> , 2011 , 59, 868-74	10.2	13