

Effie Tsakalidou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1460655/publications.pdf>

Version: 2024-02-01

71
papers

4,342
citations

196777

29
h-index

124990

64
g-index

73
all docs

73
docs citations

73
times ranked

5112
citing authors

#	ARTICLE	IF	CITATIONS
1	Omics Approaches to Assess Flavor Development in Cheese. <i>Foods</i> , 2022, 11, 188.	1.9	15
2	Probiotic and safety assessment of <i>Lactobacillus</i> strains isolated from Lebanese Baladi goat milk. <i>International Dairy Journal</i> , 2021, 120, 105092.	1.5	14
3	Zooming Into the Microbiota of Home-Made and Industrial Kefir Produced in Greece Using Classical Microbiological and Amplicon-Based Metagenomics Analyses. <i>Frontiers in Microbiology</i> , 2021, 12, 621069.	1.5	32
4	<i>Lactobacillus kefiranofaciens</i> : From Isolation and Taxonomy to Probiotic Properties and Applications. <i>Microorganisms</i> , 2021, 9, 2158.	1.6	14
5	Isotopic Traceability (¹³ C and ¹⁸ O) of Greek Olive Oil. <i>Molecules</i> , 2020, 25, 5816.	1.7	5
6	Unraveling the Microbiota of Natural Black cv. Kalamata Fermented Olives through 16S and ITS Metataxonomic Analysis. <i>Microorganisms</i> , 2020, 8, 672.	1.6	24
7	MALDI-TOF MS profiling of non-starter lactic acid bacteria from artisanal cheeses of the Greek island of Naxos. <i>International Journal of Food Microbiology</i> , 2020, 323, 108586.	2.1	33
8	Differential Modulation of <i>Listeria monocytogenes</i> Fitness, <i>In Vitro</i> Virulence, and Transcription of Virulence-Associated Genes in Response to the Presence of Different Microorganisms. <i>Applied and Environmental Microbiology</i> , 2020, 86, .	1.4	6
9	Whole-genome sequence data and analysis of <i>Lactobacillus delbrueckii</i> subsp. <i>lactis</i> ACA-DC 178 isolated from Greek Kasserli cheese. <i>Data in Brief</i> , 2019, 25, 104282.	0.5	4
10	Goat Milk with Different Alpha-s1 Casein Genotype (CSN1S1) Fermented by Selected <i>Lactobacillus paracasei</i> as Potential Functional Food. <i>Fermentation</i> , 2019, 5, 55.	1.4	10
11	Comparative Genomics of <i>Streptococcus thermophilus</i> Support Important Traits Concerning the Evolution, Biology and Technological Properties of the Species. <i>Frontiers in Microbiology</i> , 2019, 10, 2916.	1.5	39
12	Reverse micelles as nano-carriers of nisin against foodborne pathogens. Part II: The case of essential oils. <i>Food Chemistry</i> , 2019, 278, 415-423.	4.2	31
13	Reverse micelles as nanocarriers of nisin against foodborne pathogens. <i>Food Chemistry</i> , 2018, 255, 97-103.	4.2	21
14	Evaluating the probiotic potential and technological characteristics of yeasts implicated in cv. Kalamata natural black olive fermentation. <i>International Journal of Food Microbiology</i> , 2018, 271, 48-59.	2.1	49
15	Probiotic Features of Lactic Acid Bacteria Isolated from a Diverse Pool of Traditional Greek Dairy Products Regarding Specific Strain-Host Interactions. <i>Probiotics and Antimicrobial Proteins</i> , 2018, 10, 313-322.	1.9	48
16	Comparative Genomics of <i>Lactobacillus acidiphiscis</i> ACA-DC 1533 Isolated From Traditional Greek Kopanisti Cheese Against Species Within the <i>Lactobacillus salivarius</i> Clade. <i>Frontiers in Microbiology</i> , 2018, 9, 1244.	1.5	22
17	The complete genome sequence of the yogurt isolate <i>Streptococcus thermophilus</i> ACA-DC 2. <i>Standards in Genomic Sciences</i> , 2017, 12, 18.	1.5	31
18	Whole-Genome Sequence of the Cheese Isolate <i>Lactobacillus rennini</i> ACA-DC 565. <i>Genome Announcements</i> , 2017, 5, .	0.8	3

#	ARTICLE	IF	CITATIONS
19	Survival, Intestinal Mucosa Adhesion, and Immunomodulatory Potential of <i>Lactobacillus plantarum</i> Strains. <i>Current Microbiology</i> , 2017, 74, 1061-1067.	1.0	22
20	Complete Genome Sequence of the Sourdough Isolate <i>Lactobacillus zymae</i> ACA-DC 3411. <i>Genome Announcements</i> , 2017, 5, .	0.8	2
21	Complete Genome Sequence of the Yogurt Isolate <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> ACA-DC 87. <i>Genome Announcements</i> , 2017, 5, .	0.8	2
22	Evaluation of the antihypertensive angiotensin-converting enzyme inhibitory (ACE-I) activity and other probiotic properties of lactic acid bacteria isolated from traditional Greek dairy products. <i>International Dairy Journal</i> , 2017, 75, 10-21.	1.5	38
23	Whole-Genome Sequences of Three <i>Streptococcus macedonicus</i> Strains Isolated from Italian Cheeses in the Veneto Region. <i>Genome Announcements</i> , 2017, 5, .	0.8	8
24	Complete Genome Sequence of the Dairy Isolate <i>Lactobacillus acidipiscis</i> ACA-DC 1533. <i>Genome Announcements</i> , 2017, 5, .	0.8	23
25	Microemulsions as Potential Carriers of Nisin: Effect of Composition on Structure and Efficacy. <i>Langmuir</i> , 2016, 32, 8988-8998.	1.6	18
26	<i>Listeria monocytogenes</i> Strains Underrepresented during Selective Enrichment with an ISO Method Might Dominate during Passage through Simulated Gastric Fluid and <i>In Vitro</i> Infection of Caco-2 Cells. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6846-6858.	1.4	22
27	Stress Physiology of Lactic Acid Bacteria. <i>Microbiology and Molecular Biology Reviews</i> , 2016, 80, 837-890.	2.9	487
28	Whole-Genome Sequence of the Cheese Isolate <i>Streptococcus macedonicus</i> 679. <i>Genome Announcements</i> , 2016, 4, .	0.8	3
29	Acquisition through Horizontal Gene Transfer of Plasmid pSMA198 by <i>Streptococcus macedonicus</i> ACA-DC 198 Points towards the Dairy Origin of the Species. <i>PLoS ONE</i> , 2015, 10, e0116337.	1.1	39
30	How microbes adapt to a diversity of food niches. <i>Current Opinion in Food Science</i> , 2015, 2, 29-35.	4.1	52
31	Discovering probiotic microorganisms: in vitro, in vivo, genetic and omics approaches. <i>Frontiers in Microbiology</i> , 2015, 6, 58.	1.5	257
32	Engineered strains of <i>Streptococcus macedonicus</i> towards an osmotic stress resistant phenotype retain their ability to produce the bacteriocin macedocin under hyperosmotic conditions. <i>Journal of Biotechnology</i> , 2015, 212, 125-133.	1.9	1
33	Evaluation of Two Lactic Acid Bacteria Starter Cultures for the Fermentation of Natural Black Table Olives (<i>Olea europaea</i> L cv Kalamon). <i>Polish Journal of Microbiology</i> , 2015, 64, 265-271.	0.6	18
34	Determination of triterpenic acids in natural and alkaline-treated Greek table olives throughout the fermentation process. <i>LWT - Food Science and Technology</i> , 2014, 58, 609-613.	2.5	25
35	Selection of potential probiotic lactic acid bacteria from fermented olives by <i>in vitro</i> tests. <i>Food Microbiology</i> , 2013, 33, 282-291.	2.1	752
36	New insights into the citrate metabolism of <i>Enterococcus faecium</i> FAIR-E 198 and its possible impact on the production of fermented dairy products. <i>International Dairy Journal</i> , 2011, 21, 580-585.	1.5	10

#	ARTICLE	IF	CITATIONS
37	Comparative and evolutionary analysis of plasmid pREN isolated from <i>Lactobacillus rennini</i> , a novel member of the theta-replicating pUCL287 family. <i>FEMS Microbiology Letters</i> , 2011, 318, 18-26.	0.7	4
38	Stress Responses of Streptococci. , 2011, , 251-303.		4
39	Lactic acid bacteria efficiently protect human and animal intestinal epithelial and immune cells from enteric virus infection. <i>International Journal of Food Microbiology</i> , 2010, 141, S91-S97.	2.1	122
40	Feed supplementation of <i>Lactobacillus plantarum</i> PCA 236 modulates gut microbiota and milk fatty acid composition in dairy goats – a preliminary study. <i>International Journal of Food Microbiology</i> , 2010, 141, S109-S116.	2.1	54
41	Characterization of pLAC1, a cryptic plasmid isolated from <i>Lactobacillus acidipiscis</i> and comparative analysis with its related plasmids. <i>International Journal of Food Microbiology</i> , 2010, 141, 222-228.	2.1	10
42	The effect of wild lactic acid bacteria on the production of goat's milk soft cheese. <i>International Journal of Dairy Technology</i> , 2010, 63, 234-242.	1.3	34
43	Milk Protein Fragments Induce the Biosynthesis of Mucedocin, the Lantibiotic Produced by <i>Streptococcus macedonicus</i> ACA-DC 198. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1143-1151.	1.4	12
44	Microbial Flora. , 2010, , 781-798.		0
45	Functional properties of novel protective lactic acid bacteria and application in raw chicken meat against <i>Listeria monocytogenes</i> and <i>Salmonella enteritidis</i> . <i>International Journal of Food Microbiology</i> , 2009, 130, 219-226.	2.1	143
46	In vitro and in vivo safety evaluation of the bacteriocin producer <i>Streptococcus macedonicus</i> ACA-DC 198. <i>International Journal of Food Microbiology</i> , 2009, 133, 141-147.	2.1	29
47	Detection of <i>Streptococcus macedonicus</i> in Greek cheeses. <i>International Dairy Journal</i> , 2009, 19, 96-99.	1.5	3
48	Inhibition of <i>Clostridium tyrobutyricum</i> by <i>Streptococcus macedonicus</i> ACA-DC 198 under conditions mimicking Kasserli cheese production and ripening. <i>International Dairy Journal</i> , 2009, 19, 330-335.	1.5	27
49	Technological and flavour potential of cultures isolated from traditional Greek cheeses – A pool of novel species and starters. <i>International Dairy Journal</i> , 2009, 19, 595-604.	1.5	60
50	<i>Lactobacillus fermentum</i> ACA-DC 179 displays probiotic potential in vitro and protects against trinitrobenzene sulfonic acid (TNBS)-induced colitis and <i>Salmonella</i> infection in murine models. <i>International Journal of Food Microbiology</i> , 2008, 121, 18-26.	2.1	127
51	<i>Streptococcus macedonicus</i> , a multi-functional and promising species for dairy fermentations. <i>International Dairy Journal</i> , 2008, 18, 476-485.	1.5	59
52	Use of Artificial Neural Networks and a Gamma-Concept-Based Approach To Model Growth of and Bacteriocin Production by <i>Streptococcus macedonicus</i> ACA-DC 198 under Simulated Conditions of Kasserli Cheese Production. <i>Applied and Environmental Microbiology</i> , 2007, 73, 768-776.	1.4	29
53	Acid Tolerance of <i>Streptococcus macedonicus</i> as Assessed by Flow Cytometry and Single-Cell Sorting. <i>Applied and Environmental Microbiology</i> , 2007, 73, 465-476.	1.4	44
54	The performance of <i>Streptococcus macedonicus</i> ACA-DC 198 as starter culture in Kasserli cheese production. <i>International Dairy Journal</i> , 2007, 17, 208-217.	1.5	29

#	ARTICLE	IF	CITATIONS
55	Characterization of the gene cluster involved in the biosynthesis of macedocin, the lantibiotic produced by <i>Streptococcus macedonicus</i> . <i>FEMS Microbiology Letters</i> , 2007, 272, 75-82.	0.7	25
56	Flour carbohydrate catabolism and metabolite production by sourdough lactic acid bacteria. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 1417-1423.	1.7	23
57	Probiotic potential of <i>Lactobacillus</i> strains isolated from dairy products. <i>International Dairy Journal</i> , 2006, 16, 189-199.	1.5	459
58	<i>Streptococcus macedonicus</i> ACA-DC 198 produces the lantibiotic, macedocin, at temperature and pH conditions that prevail during cheese manufacture. <i>International Journal of Food Microbiology</i> , 2006, 107, 138-147.	2.1	28
59	Changes in protein synthesis during thermal adaptation of <i>Propionibacterium freudenreichii</i> subsp. <i>shermanii</i> . <i>International Journal of Food Microbiology</i> , 2006, 108, 301-14.	2.1	31
60	Rapid assessment of the physiological status of <i>Streptococcus macedonicus</i> by flow cytometry and fluorescence probes. <i>International Journal of Food Microbiology</i> , 2006, 111, 197-205.	2.1	67
61	Cometabolism of Citrate and Glucose by <i>Enterococcus faecium</i> FAIR-E 198 in the Absence of Cellular Growth. <i>Applied and Environmental Microbiology</i> , 2006, 72, 319-326.	1.4	14
62	Rapid detection and identification of <i>Streptococcus macedonicus</i> by species-specific PCR and DNA hybridisation. <i>International Journal of Food Microbiology</i> , 2003, 81, 231-239.	2.1	18
63	Growth and energy generation by <i>Enterococcus faecium</i> FAIR-E 198 during citrate metabolism. <i>International Journal of Food Microbiology</i> , 2003, 84, 197-206.	2.1	20
64	Macedocin, a Food-Grade Lantibiotic Produced by <i>Streptococcus macedonicus</i> ACA-DC 198. <i>Applied and Environmental Microbiology</i> , 2002, 68, 5891-5903.	1.4	98
65	Effect of <i>Enterococcus faecium</i> on microbiological, physicochemical and sensory characteristics of Greek Feta cheese. <i>International Journal of Food Microbiology</i> , 2002, 76, 93-105.	2.1	144
66	Purification and characterization of the X-prolyl-dipeptidyl aminopeptidase (PepX) from <i>Streptococcus macedonicus</i> and cloning of the pepX gene. <i>Dairy Science and Technology</i> , 2002, 82, 657-671.	0.9	10
67	Biochemical properties of enterococci relevant to their technological performance. <i>International Dairy Journal</i> , 2001, 11, 621-647.	1.5	170
68	Citrate Metabolism by <i>Enterococcus faecalis</i> FAIR-E 229. <i>Applied and Environmental Microbiology</i> , 2001, 67, 5482-5487.	1.4	66
69	Differentiation of <i>Lactobacillus sakei</i> and <i>Lact. curvatus</i> isolated from naturally fermented Greek dry salami by SDS-PAGE of whole-cell proteins. <i>Journal of Applied Bacteriology</i> , 1995, 78, 157-163.	1.1	46
70	Lipolytic activity of cheese related microorganisms and its impact on cheese flavour. <i>Developments in Food Science</i> , 1995, 37, 1823-1847.	0.0	13
71	The Combined Use of Whole-cell Protein Extracts for the Identification (SDS-PAGE) and Enzyme Activity Screening of Lactic Acid Bacteria Isolated from Traditional Greek Dairy Products. <i>Systematic and Applied Microbiology</i> , 1994, 17, 444-458.	1.2	68