Fangxin Hong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1460685/publications.pdf

Version: 2024-02-01

117453 74018 5,966 97 34 75 citations g-index h-index papers 100 100 100 9055 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Relevance of Bone Marrow Biopsies for Response Assessment in US National Cancer Institute National Clinical Trials Network Follicular Lymphoma Clinical Trials. Journal of Clinical Oncology, 2023, 41, 336-342.	0.8	9
2	Transitioning from Heparin to Saline Locks for Central Venous Access Devices in Oncology: An Evidence-Based Practice Approach. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2022, 32, 286-293.	0.1	1
3	Decision support for men with prostate cancer: Concordance between treatment choice and tumor risk. Cancer, 2021, 127, 203-208.	2.0	2
4	Informing models of cancer genetics care in the era of multigene panel testing with patientâ€led recommendations. Journal of Genetic Counseling, 2021, 30, 268-282.	0.9	5
5	Effect of Capivasertib in Patients With an <i>AKT1 E17K</i> -Mutated Tumor. JAMA Oncology, 2021, 7, 271.	3.4	49
6	Reply to What is a good medical choice?. Cancer, 2021, 127, 1935-1936.	2.0	0
7	Tumor Response Dynamics During First-Line Pembrolizumab Therapy in Patients With Advanced Non–Small-Cell Lung Cancer. JCO Precision Oncology, 2021, 5, 501-509.	1.5	4
8	Intrinsic Immunogenicity of Small Cell Lung Carcinoma Revealed by Its Cellular Plasticity. Cancer Discovery, 2021, 11, 1952-1969.	7.7	87
9	Exploring the impact of a decision support algorithm to improve clinicians' chemotherapy-induced peripheral neuropathy assessment and management practices: a two-phase, longitudinal study. BMC Cancer, 2021, 21, 236.	1.1	11
10	Addition of Lenalidomide to R-CHOP Improves Outcomes in Newly Diagnosed Diffuse Large B-Cell Lymphoma in a Randomized Phase II US Intergroup Study ECOG-ACRIN E1412. Journal of Clinical Oncology, 2021, 39, 1329-1338.	0.8	60
11	Perceived patient-centered communication, quality of life, and symptom burden in individuals with ovarian cancer. Gynecologic Oncology, 2021, 163, 408-418.	0.6	16
12	Long Term Follow up of the Resort Study (E4402): A Randomized Phase III Study Comparing Two Different Rituximab Dosing Strategies for Low Tumor Burden Follicular Lymphoma. Blood, 2021, 138, 815-815.	0.6	0
13	Self-Reported Severity, Characteristics, and Functional Limitations of Chemotherapy-Induced Peripheral Neuropathy. Pain Management Nursing, 2021, , .	0.4	3
14	The Jacki Jacket after mastectomy with reconstruction: a randomized pilot study. Breast Cancer Research and Treatment, 2020, 179, 377-385.	1.1	3
15	Ipilimumab, nivolumab, and brentuximab vedotin combination therapies in patients with relapsed or refractory Hodgkin lymphoma: phase 1 results of an open-label, multicentre, phase 1/2 trial. Lancet Haematology,the, 2020, 7, e660-e670.	2.2	86
16	Phase II Study of AZD4547 in Patients With Tumors Harboring Aberrations in the FGFR Pathway: Results From the NCI-MATCH Trial (EAY131) Subprotocol W. Journal of Clinical Oncology, 2020, 38, 2407-2417.	0.8	102
17	A Three-Arm Randomized Phase II Study of Bendamustine/Rituximab with Bortezomib Induction or Lenalidomide Continuation in Untreated Follicular Lymphoma: ECOG-ACRIN E2408. Clinical Cancer Research, 2020, 26, 4468-4477.	3.2	16
18	Threats of Bots and Other Bad Actors to Data Quality Following Research Participant Recruitment Through Social Media: Cross-Sectional Questionnaire. Journal of Medical Internet Research, 2020, 22, e23021.	2.1	109

#	Article	IF	CITATIONS
19	Health behaviours and beliefs in individuals with familial pancreatic cancer. Familial Cancer, 2019, 18, 457-464.	0.9	4
20	The effect of a lifestyle risk reduction intervention on lifestyle adherence and healthâ€related quality of life in nonsmall cell lung cancer survivors: Feasibility study outcomes. Psycho-Oncology, 2019, 28, 920-923.	1.0	0
21	Evaluating Clinical Implementation Approaches for Prostate Cancer Decision Support. Urology Practice, 2019, 6, 93-99.	0.2	7
22	Potential Factors That Impact Lenalidomide/R-CHOP Efficacy in Previously Untreated Diffuse Large B-Cell Lymphoma in the ROBUST and ECOG-ACRIN 1412 Studies. Blood, 2019, 134, 4092-4092.	0.6	4
23	Impact of Electronic Self-Assessment and Self-Care Technology on Adherence to Clinician Recommendations and Self-Management Activity for Cancer Treatment–Related Symptoms: Secondary Analysis of a Randomized Controlled Trial. JMIR Cancer, 2019, 5, e11395.	0.9	4
24	Relationship between individual and family characteristics and psychosocial factors in persons with familial pancreatic cancer. Psycho-Oncology, 2018, 27, 1711-1718.	1.0	13
25	Rapid, real time pathology review for ECOG/ACRIN 1412: a novel and successful paradigm for future lymphoma clinical trials in the precision medicine era. Blood Cancer Journal, 2018, 8, 27.	2.8	10
26	Outcomes in adolescents and young adults with Hodgkin lymphoma treated on US cooperative group protocols: An adult intergroup (E2496) and Children's Oncology Group (COG AHOD0031) comparative analysis. Cancer, 2018, 124, 136-144.	2.0	47
27	The Prognostic Impact of Baseline Positron Emission Tomography (PET) Imaging in Untreated High Risk (HR) Follicular Lymphoma (FL): Analysis from E2408, the Bortezomib Induction or Novel Imid® Continuation (BIONIC) Study. Blood, 2018, 132, 1615-1615.	0.6	1
28	A Phase I Study with an Expansion Cohort of the Combinations of Ipilimumab, Nivolumab and Brentuximab Vedotin in Patients with Relapsed/Refractory Hodgkin Lymphoma: A Trial of the ECOG-ACRIN Research Group (E4412: Arms G-I). Blood, 2018, 132, 679-679.	0.6	13
29	Longitudinal Adverse Event Assessment of the Combination of Ipilimumab, Nivolumab and Brentuximab Vedotin in Relapsed / Refractory Hodgkin Lymphoma: A Trial of the ECOG-ACRIN Cancer Research Group (E4412: Arms A-F). Blood, 2018, 132, 623-623.	0.6	1
30	A Longitudinal Toxicity over Time (ToxT) Analysis of Bortezomib When Added to Bendamustine-Rituximab (BR) in Previously Untreated High Risk (HR) Follicular Lymphoma (FL) from in E2408. Blood, 2018, 132, 4157-4157.	0.6	0
31	RankProd 2.0: a refactored bioconductor package for detecting differentially expressed features in molecular profiling datasets. Bioinformatics, 2017, 33, 2774-2775.	1.8	113
32	Psychosocial outcomes of an electronic selfâ€report assessment and selfâ€care intervention for patients with cancer: a randomized controlled trial. Psycho-Oncology, 2017, 26, 1866-1871.	1.0	20
33	HLA-Bw4-I-80 Isoform Differentially Influences Clinical Outcome As Compared to HLA-Bw4-T-80 and HLA-A-Bw4 Isoforms in Rituximab or Dinutuximab-Based Cancer Immunotherapy. Frontiers in Immunology, 2017, 8, 675.	2.2	18
34	Patient-reported symptom distress, and most bothersome issues, before and during cancer treatment. Patient Related Outcome Measures, 2016, Volume 7, 127-135.	0.7	20
35	Personalized risk prediction for eventâ€free survival at 24 months in patients with diffuse large Bâ€cell lymphoma. American Journal of Hematology, 2016, 91, 179-184.	2.0	41
36	Rituximab extended schedule or retreatment trial for low tumour burden nonâ€follicular indolent Bâ€cell nonâ€Hodgkin lymphomas: Eastern Cooperative Oncology Group Protocol E4402. British Journal of Haematology, 2016, 173, 867-875.	1.2	36

#	Article	IF	CITATIONS
37	Defining optimal initial therapy for primary CNS lymphoma. Lancet Haematology, the, 2016, 3, e206-e207.	2.2	3
38	Randomized phase 3 study in lowâ€grade lymphoma comparing maintenance anti D20 antibody with observation after induction therapy: A trial of the ECOGâ€ACRIN Cancer Research Group (E1496). Cancer, 2016, 122, 2996-3004.	2.0	31
39	Fc Gamma Receptor 3A and 2A Polymorphisms Do Not Predict Response to Rituximab in Follicular Lymphoma. Clinical Cancer Research, 2016, 22, 821-826.	3.2	26
40	Title: A Phase I Study with an Expansion Cohort of the Combination of Ipilimumab and Nivolumab and Brentuximab Vedotin in Patients with Relapsed/Refractory Hodgkin Lymphoma: A Trial of the ECOG-ACRIN Cancer Research Group (E4412 Arms D and E). Blood, 2016, 128, 1106-1106.	0.6	34
41	Serum Biomarkers Predict Outcomes in Advanced Hodgkin Lymphoma Independent of International Prognostic Score (IPS) and Treatment: Correlative Analysis from a Large North American Cooperative Group Trial. Blood, 2016, 128, 2992-2992.	0.6	5
42	Screening for Pain in the Ambulatory Cancer Setting: Is 0-10 Enough?. Journal of Oncology Practice, 2015, 11, 435-441.	2.5	4
43	A phase <scp>II</scp> trial of <scp>RCHOP</scp> followed by radioimmunotherapy for early stage (stages I/ <scp>II</scp>) diffuse large Bâ€eell nonâ€Hodgkin lymphoma: <scp>ECOG</scp> 3402. British Journal of Haematology, 2015, 170, 679-686.	1.2	19
44	Evaluation of the International Prognostic Score (IPSâ€7) and a Simpler Prognostic Score (IPSâ€3) for advanced Hodgkin lymphoma in the modern era. British Journal of Haematology, 2015, 171, 530-538.	1.2	54
45	Self-reported adherence to oral cancer therapy: relationships with symptom distress, depression, and personal characteristics. Patient Preference and Adherence, 2015, 9, 1587.	0.8	52
46	Randomized Phase III Trial Comparing ABVD Plus Radiotherapy With the Stanford V Regimen in Patients With Stages I or II Locally Extensive, Bulky Mediastinal Hodgkin Lymphoma: A Subset Analysis of the North American Intergroup E2496 Trial. Journal of Clinical Oncology, 2015, 33, 1936-1942.	0.8	33
47	Responseâ€adapted therapy for aggressive nonâ€Hodgkin's lymphomas based on early [18F] FDGâ€PET scanning: ECOGâ€ACRIN Cancer Research Group study (E3404). British Journal of Haematology, 2015, 170, 56-65.	1.2	50
48	Preliminary Safety and Efficacy of the Combination of Brentuximab Vedotin and Ipilimumab in Relapsed/Refractory Hodgkin Lymphoma: A Trial of the ECOG-ACRIN Cancer Research Group (E4412). Blood, 2015, 126, 585-585.	0.6	25
49	Symptom-related emergency department visits and hospital admissions during ambulatory cancer treatment. Journal of Community and Supportive Oncology, 2015, 13, 188-194.	0.1	13
50	Outcomes in Adolescents and Young Adults (AYA) with Hodgkin Lymphoma (HL) Treated on US Cooperative Group Protocols: An Adult Intergroup (E2496) and Children's Oncology Group (COG) Tj ETQq0 0 () rgBT.¢Over	·loak 10 Tf 50
51	Initial Therapy for Mantle Cell Lymphoma with Abbreviated R-CHOP Followed By Y90-Ibritumomab Tiuxetan: Ten Year Follow-up of the Phase 2 ECOG-ACRIN Study E1499. Blood, 2015, 126, 2702-2702.	0.6	0
52	Bevacizumab and cyclosphosphamide, doxorubicin, vincristine and prednisone in combination for patients with peripheral T-cell or natural killer cell neoplasms: an Eastern Cooperative Oncology Group study (E2404). Leukemia and Lymphoma, 2014, 55, 768-772.	0.6	42
53	Electronic Self-Report Assessment for Cancer and Self-Care Support: Results of a Multicenter Randomized Trial. Journal of Clinical Oncology, 2014, 32, 199-205.	0.8	171
54	The electronic self report assessment and intervention for cancer: promoting patient verbal reporting of symptom and quality of life issues in a randomized controlled trial. BMC Cancer, 2014, 14, 513.	1.1	56

#	Article	IF	Citations
55	Risk Factors for Depression in Patients Undergoing Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 946-950.	2.0	35
56	Gene Expression–Based Model Using Formalin-Fixed Paraffin-Embedded Biopsies Predicts Overall Survival in Advanced-Stage Classical Hodgkin Lymphoma. Journal of Clinical Oncology, 2013, 31, 692-700.	0.8	176
57	Endothelial stress products and coagulation markers in patients with multiple myeloma treated with lenalidomide plus dexamethasone: an observational study. British Journal of Haematology, 2013, 160, 351-358.	1.2	19
58	Randomized Phase III Trial of ABVD Versus Stanford V With or Without Radiation Therapy in Locally Extensive and Advanced-Stage Hodgkin Lymphoma: An Intergroup Study Coordinated by the Eastern Cooperative Oncology Group (E2496). Journal of Clinical Oncology, 2013, 31, 684-691.	0.8	256
59	The efficacy and tolerability of adriamycin, bleomycin, vinblastine, dacarbazine and <scp>S</scp> tanford <scp>V</scp> in older <scp>H</scp> odgkin lymphoma patients: a comprehensive analysis from the <scp>N</scp> orth <scp>A</scp> merican intergroup trial <scp>E</scp> 2496. British lournal of Haematology, 2013, 161, 76-86.	1.2	111
60	The Personal Patient Profile-Prostate decision support for men with localized prostate cancer: A multi-center randomized trial. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 1012-1021.	0.8	95
61	Subset of heat-shock transcription factors required for the early response of <i>Arabidopsis</i> to excess light. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 14474-14479.	3.3	123
62	Run-In Phase III Trial Design With Pharmacodynamics Predictive Biomarkers. Journal of the National Cancer Institute, 2013, 105, 1628-1633.	3.0	10
63	Incremental value in outcome prediction with gene expression–based signatures in diffuse large B-cell lymphoma. Blood, 2013, 121, 156-158.	0.6	20
64	Plasma Epstein-Barr virus DNA predicts outcome in advanced Hodgkin lymphoma: correlative analysis from a large North American cooperative group trial. Blood, 2013, 121, 3547-3553.	0.6	117
65	Evaluation Of a Novel 3 Factor Prognostic Score (PS-3) For Patients With Advanced Hodgkin Lymphoma (HL) Treated On US Intergroup E2496. Blood, 2013, 122, 4277-4277.	0.6	3
66	Specific KIR and HLA Genotypes Affect Outcomes Of Single-Agent Anti-CD20 Immunotherapy Of Follicular Lymphoma. Blood, 2013, 122, 507-507.	0.6	5
67	Improved Risk Stratification With Addition Of Male Sex (S) To The Elderly International Prognostic Index (S-EIPI) For DLBCL Patients > 60 Years Treated With R-CHOP: An International Collaboration Of The US Intergroup, German High-Grade Non-Hodgkin Lymphoma Study Group and Groupe d'Etude De Lymphome d'Adultes, Blood, 2013, 122, 3045-3045.	0.6	2
68	Phase II Study of Rituximab Plus Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone Immunochemotherapy Followed by Yttrium-90–Ibritumomab Tiuxetan in Untreated Mantle-Cell Lymphoma: Eastern Cooperative Oncology Group Study E1499. Journal of Clinical Oncology, 2012, 30, 3119-3126.	0.8	86
69	Cardiac toxicity associated with bevacizumab (Avastin) in combination with CHOP chemotherapy for peripheral T cell lymphoma in ECOG 2404 trial. Leukemia and Lymphoma, 2012, 53, 718-720.	0.6	26
70	Decision preparation, satisfaction and regret in a multi-center sample of men with newly diagnosed localized prostate cancer. Patient Education and Counseling, 2012, 88, 262-267.	1.0	66
71	A Phase II Trial of R-CHOP Followed by Zevalin Radioimmunotherapy for Patients with Previously Untreated Stages I and II CD20+ Diffuse Large Cell Non-Hodgkin's Lymphoma: an Eastern Cooperative Oncology Group Study (E3402) Blood, 2012, 120, 2687-2687.	0.6	2
72	Differences in Outcomes in Males and Females with Diffuse Large B-Cell Lymphoma with Induction Rituximab and Follicular Lymphoma Treated with Maintenance Rituximab. Blood, 2012, 120, 3705-3705.	0.6	0

#	Article	IF	Citations
73	Metabolic sugar signal promotes Arabidopsis meristematic proliferation via G2. Developmental Biology, 2011, 351, 82-89.	0.9	63
74	Patient–provider communication data: linking process and outcomes in oncology care. Cancer Management and Research, 2011, 3, 311.	0.9	4
75	Patterns of Failure in Patients with Stage I/II Bulky Mediastinal Hodgkin Lymphoma (HL) Treated with ABVD + Radiotherapy or the Stanford V Regimen in the Randomized Phase III North American Intergroup Trial: E2496. Blood, 2011, 118, 1603-1603.	0.6	3
76	A Gene Expression Signature in Diagnostic Formalin Fixed Paraffin Embedded Tissue Predicts Overall Survival in Locally Advanced and Advanced Stage Classical Hodgkin Lymphoma – a Correlative Study From the E2496 Intergroup Trial. Blood, 2011, 118, 430-430.	0.6	1
77	Validation of the Elderly IPI (E-IPI) for Patients with Diffuse Large B Cell Lymphoma Using An Independent Data Set From the RICOVER-60 Trial of the German High-Grade Non-Hodgkin Lymphoma Study Group (DSHNHL). Blood, 2011, 118, 1568-1568.	0.6	2
78	Gene Risk Scores Based on Expression of 6 Genes Quanitated by Nuclease Protection Assay in Formalin Fixed Paraffin-Embedded Tissue (FFPET) Specimens From CHOP and RCHOP Treated Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Predict Outcome: An ECOG and SWOG Study. Blood, 2011, 118, 87-87.	0.6	1
79	Incremental Value in Outcome Prediction with Molecular Signatures in Diffuse Large B-Cell Lymphoma,. Blood, 2011, 118, 3687-3687.	0.6	0
80	Phase II Trial of Weekly Bortezomib in Combination With Rituximab in Relapsed or Relapsed and Refractory WaldenstrA¶m Macroglobulinemia. Journal of Clinical Oncology, 2010, 28, 1422-1428.	0.8	150
81	Clinical and Translational Studies of a Phase II Trial of the Novel Oral Akt Inhibitor Perifosine in Relapsed or Relapsed/Refractory Waldenstrom's Macroglobulinemia. Clinical Cancer Research, 2010, 16, 1033-1041.	3.2	112
82	Randomized Phase III Trial Comparing ABVD + Radiotherapy and the Stanford V Regimen In Patients with Stage I/II Bulky Mediastinal Hodgkin Lymphoma: A Subset Analysis of the US Intergroup Trial E2496. Blood, 2010, 116, 416-416.	0.6	8
83	R-CHOP Versus (vs) CHOP Followed by Maintenance Rituximab (MR) Vs Observation In Older Diffuse Large B-Cell Lymphoma (DLBCL) Patients (pts): Long-Term Follow-up of Intergroup E4494/C9793. Blood, 2010, 116, 589-589.	0.6	7
84	Radiation therapy compared with chemotherapy for consolidation of chemotherapy-induced remission of advanced Hodgkin lymphoma: a study by the Eastern Co-operative Oncology Group (E1476) with >20 years follow-up. Leukemia and Lymphoma, 2009, 50, 1632-1641.	0.6	4
85	CS1 promotes multiple myeloma cell adhesion, clonogenic growth, and tumorigenicity via c-maf–mediated interactions with bone marrow stromal cells. Blood, 2009, 113, 4309-4318.	0.6	75
86	Cardiac Toxicity Associated with the Anti-VEGF Monoclonal Antibody Bevacizumab (Avastin) in Combination with CHOP (A-CHOP) Chemotherapy for Peripheral T Cell Lymphoma (PTCL): The ECOG 2404 Trial Blood, 2009, 114, 1671-1671.	0.6	8
87	Phase II Trial of Weekly Bortezomib in Combination with Rituximab in Relapsed or Relapsed/Refractory Waldenstrom's Macroglobulinemia Blood, 2009, 114, 2727-2727.	0.6	0
88	Rapid Synthesis of Auxin via a New Tryptophan-Dependent Pathway Is Required for Shade Avoidance in Plants. Cell, 2008, 133, 164-176.	13.5	928
89	Network Discovery Pipeline Elucidates Conserved Time-of-Day–Specific cis-Regulatory Modules. PLoS Genetics, 2008, 4, e14.	1.5	474
90	Final Results of a Phase II Trial of the Novel Oral Akt Inhibitor Perifosine in Relapsed and/or Refractory Waldenstrom Macroglobulinemia (WM) Blood, 2008, 112, 1010-1010.	0.6	0

#	Article	IF	CITATIONS
91	Gene Transcriptional Activity Analysis in the 6q Region in Waldenstrom Macroglobulinemia (WM) Using ChIP-on-Chip Technology. Blood, 2008, 112, 628-628.	0.6	0
92	CS1 Promotes Multiple Myeloma Cell Adhesion, Clonogenic Growth, and Tumorigenicity Via C-Maf-Mediated Interactions with Bone Marrow Stromal Cells (BMSCs). Blood, 2008, 112, 840-840.	0.6	1
93	Signals from Chloroplasts Converge to Regulate Nuclear Gene Expression. Science, 2007, 316, 715-719.	6.0	196
94	Preliminary Pharmacokinetic (PK) Analysis of Eastern Cooperative Oncology Group Protocol E4402: Rituximab Extended Schedule or Re-Treatment Trial (RESORT) Blood, 2007, 110, 3420-3420.	0.6	14
95	Chemokine Receptor Gene Polymorphisms and Severity of Acute Graft-Versus-Host Disease after Allogeneic Hematopoietic Stem Cell Transplantation from Sibling Donors Blood, 2007, 110, 4989-4989.	0.6	1
96	Different Plant Hormones Regulate Similar Processes through Largely Nonoverlapping Transcriptional Responses. Cell, 2006, 126, 467-475.	13.5	859
97	MOLECULAR MECHANISMS OF STEROID HORMONE SIGNALING IN PLANTS. Annual Review of Cell and Developmental Biology, 2005, 21, 177-201.	4.0	369