List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1461086/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Synthesis, growth, structural, thermal, linear and nonlinear optical properties of a new organic crystal: Dimethylammonium picrate. Journal of Crystal Growth, 2010, 312, 1957-1962. | 0.7 | 83 |
| 2 | Influence of microwave power on the preparation of NiO nanoflakes for enhanced magnetic and supercapacitor applications. Dalton Transactions, 2015, 44, 4485-4497. | 1.6 | 82 |
| 3 | Solvent dependent morphological modification of micro-nano assembled Mn2O3/NiO composites for high performance supercapacitor applications. Ceramics International, 2019, 45, 4298-4307. | 2.3 | 68 |
| 4 | Structural characterization and magnetic properties of Co co-doped Ni/ZnO nanoparticles. Applied Physics A: Materials Science and Processing, 2016, 122, 1. | 1.1 | 55 |
| 5 | Microwave synthesis and effect of CTAB on ferromagnetic properties of NiO, Co3O4 and NiCo2O4 nanostructures. Applied Physics A: Materials Science and Processing, 2015, 119, 219-232. | 1.1 | 53 |
| 6 | Synthesis, crystal growth and characterization of an efficient nonlinear optical D–ï€â€"A type single crystal: 2-Aminopyridinium 4-nitrophenolate 4-nitrophenol. Materials Chemistry and Physics, 2009, 117, 326-330. | 2.0 | 47 |
| 7 | Growth and characterization of 2-amino-4-picolinium toluene sulfonate single crystal. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2011, 82, 521-526. | 2.0 | 47 |
| 8 | Synthesis, Crystal Growth, and Characterization of an Organic Nonlinear Optical Donor-ï€-Acceptor Single Crystal: 2-Amino-5-nitropyridinium-Toluenesulfonate. Crystal Growth and Design, 2009, 9, 3333-3337. | 1.4 | 46 |
| 9 | Synthesis, crystal growth and characterization of novel semiorganic nonlinear optical crystal: Dichlorobis(l-proline)zinc(II). Materials Chemistry and Physics, 2009, 113, 727-733. | 2.0 | 36 |
| 10 | Investigation on growth and characterization of dimethyl ammonium picrate (DMAP) single crystal grown by conventional and SR method. Journal of Crystal Growth, 2011, 324, 201-206. | 0.7 | 33 |
| 11 | An investigation of flower shaped NiO nanostructures by microwave and hydrothermal route. Journal of Materials Science: Materials in Electronics, 2014, 25, 5231-5240. | 1.1 | 32 |
| 12 | Growth and characterization of undoped and Mn doped lead-free piezoelectric NBT–KBT single crystals. Materials Research Bulletin, 2014, 53, 136-140. | 2.7 | 32 |
| 13 | Studies on the growth and characterization of 2-aminopyridinium maleate—A novel nonlinear optical crystal. Journal of Crystal Growth, 2009, 311, 1185-1189. | 0.7 | 30 |
| 14 | Synthesis, structure, growth and physical properties of a novel organic NLO crystal: 1,3-Dimethylurea dimethylammonium picrate. Materials Research Bulletin, 2011, 46, 464-468. | 2.7 | 30 |
| 15 | Studies on the growth and physical properties of nonlinear optical crystal: 2-Amino-5-nitropyridinium-toluenesulfonate. Materials Research Bulletin, 2011, 46, 631-634. | 2.7 | 28 |
| 16 | Growth and characterization of an organic NLO material ammonium malate. Current Applied Physics, 2010, 10, 214-220. | 1.1 | 27 |
| 17 | Synthesis, crystal growth, structural, optical, thermal and mechanical properties of novel organic NLO material: Ammonium malate. Journal of Crystal Growth, 2008, 310, 1228-1238. | 0.7 | 26 |
| 18 | Synthesis, crystal growth and characterization of nonlinear optical organic crystal: p-Toluidinium p-toluenesulphonate. Materials Research Bulletin, 2012, 47, 957-962. | 2.7 | 25 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Synthesis, crystal growth, spectral, optical, thermal and dielectric studies of dichloro(4-hydroxy-l-proline)cadmium(II) single crystals. Optik, 2014, 125, 1390-1395. | 1.4 | 24 |
| 20 | Crystal structure, crystal growth and characterization of novel organic NLO material: 2,4,4′-Trimethoxybenzophenone. Materials Chemistry and Physics, 2010, 119, 533-538. | 2.0 | 23 |
| 21 | Studies on the synthesis, structure, growth and physical properties of an organic NLO crystal: 2-Amino-5-nitropyridinium Phenolsulfonate. Materials Research Bulletin, 2011, 46, 2247-2251. | 2.7 | 22 |
| 22 | Synthesis, growth and spectroscopic investigation of an organic molecular charge transfer crystal: 8-Hydroxy quinolinium 4-nitrobenzoate 4-nitrobenzoic acid. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 117, 259-263. | 2.0 | 22 |
| 23 | Synthesis, growth, structure and spectroscopic characterization of a new organic nonlinear optical hydrogen bonding complex crystal: 3-Carboxyl anilinium p-toluene sulfonate. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 125, 114-119. | 2.0 | 22 |
| 24 | Synthesis, growth, structural, optical and thermal properties of a new organic salt crystal: 3-nitroanilinium trichloroacetate. Journal of Crystal Growth, 2014, 401, 323-326. | 0.7 | 21 |
| 25 | Synthesis, crystal growth, structural, spectral, optical, thermal and dielectric studies of a new nonlinear optical material: 4-Hydroxy-l-proline-l-tartaric acid (1:1). Solid State Sciences, 2014, 28, 95-102. | 1.5 | 20 |
| 26 | Synthesis, growth, thermal, optical, dielectric and mechanical properties of semi-organic NLO crystal: Potassium hydrogen malate monohydrate. Journal of Crystal Growth, 2008, 310, 2820-2826. | 0.7 | 19 |
| 27 | Studies on the crystal growth, crystal structure, optical and thermal properties of an organic crystal: Benzophenone hydrazone. Journal of Crystal Growth, 2009, 311, 3461-3465. | 0.7 | 19 |
| 28 | Synthesis, growth, spectral, and thermal studies of a new organic molecular charge transfer complex crystal: 3-Nitroaniline 4-methyl benzene sulfonate. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 122, 436-440. | 2.0 | 19 |
| 29 | Synthesis, structure and characterization of novel metal–organic single crystal: Dibromobis(l-proline)zinc(II). Journal of Molecular Structure, 2013, 1033, 121-126. | 1.8 | 18 |
| 30 | Investigation of optical property in LiInSe2 single crystal grown by Bridgman Stockbarger method using stepper translations for mid IR laser application. Optics and Laser Technology, 2014, 56, 177-181. | 2.2 | 18 |
| 31 | Growth of <201> 8-hydroxyquinoline organic crystal by Czochralski method and its characterizations. Journal of Thermal Analysis and Calorimetry, 2012, 110, 1333-1339. | 2.0 | 15 |
| 32 | Growth improvement of AgGaSe2 single crystal using the vertical Bridgman technique with steady ampoule rotation and its characterization. Journal of Crystal Growth, 2012, 338, 42-46. | 0.7 | 14 |
| 33 | Effect of 50MeV Li3+ ion irradiation on electrical, optical and mechanical properties of 4,4′-dimethylbenzophenone. Nuclear Instruments & Methods in Physics Research B, 2008, 266, 5032-5036. | 0.6 | 13 |
| 34 | Quantification of ferromagnetism in metal doped NiO nanostructures. Materials Letters, 2015, 161, 149-152. | 1.3 | 13 |
| 35 | Improved multicrystalline silicon ingot quality using single layer silicon beads coated with silicon nitride as seed layer. Journal of Crystal Growth, 2016, 441, 124-130. | 0.7 | 13 |
| 36 | Investigation of crystal growth, structural, optical, dielectric, mechanical and thermal properties of a novel organic crystal: 4, 4â€2-dimethylbenzophenone. Journal of Crystal Growth, 2008, 310, 3561-3567. | 0.7 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Growth and investigation of 0.80Na0.5Bi0.5TiO3–0.20K0.5Bi0.5TiO3 lead-free single crystal. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2014, 185, 134-137. | 1.7 | 12 |
| 38 | Evidence for Spin Glass Transition in Hexagonal DyMnO ₃ without Substitutional Disorder. Journal of Physical Chemistry C, 2019, 123, 30499-30508. | 1.5 | 12 |
| 39 | Synthesis, crystal structure, crystal growth and physical properties of N,N-diethyl anilinium picrate. Journal of Crystal Growth, 2011, 334, 159-164. | 0.7 | 11 |
| 40 | Investigations on synthesis, growth, electrical and defect studies of lithium selenoindate single crystals. Journal of Crystal Growth, 2014, 388, 17-21. | 0.7 | 11 |
| 41 | Microwave synthesis and magnetic investigations of surfactant assisted NiO nanostructures. Materials Letters, 2015, 149, 54-57. | 1.3 | 11 |
| 42 | Growth and characterization of organic molecular single crystal ethyl p-amino benzoate by selective self seeding from vertical Bridgman technique. Journal of Crystal Growth, 2010, 312, 2423-2426. | 0.7 | 10 |
| 43 | Growth and physical characterization of AgGa1â^'xInxSe2 (x=0.5) single crystals grown by modified vertical Bridgman method. Journal of Crystal Growth, 2014, 389, 139-143. | 0.7 | 10 |
| 44 | Studies on the growth and characterization of an organic single crystal – 1,3,5- Triphenylbenzene. Materials Research Innovations, 2018, 22, 1-6. | 1.0 | 10 |
| 45 | Single crystal growth of 4-aminobenzophenone using nanoresolution translation by the Bridgman technique and its characterization. Journal of Crystal Growth, 2009, 311, 1607-1611. | 0.7 | 9 |
| 46 | Characterization of 4-chloro-3-nitrobenzophenone crystal grown by Bridgman technique. Journal of Thermal Analysis and Calorimetry, 2014, 117, 1165-1169. | 2.0 | 6 |
| 47 | Investigation of structural and optical properties in LiInS2 single crystal grown by Bridgman-Stockbarger method for mid IR laser application. Materials Chemistry and Physics, 2015, 149-150, 224-229. | 2.0 | 6 |
| 48 | Magnetic evolution in transition metal-doped Co3â^'x M x O4 (MÂ=ÂNi, Fe, Mg and Zn) nanostructures. Applied Physics A: Materials Science and Processing, 2016, 122, 1. | 1.1 | 6 |
| 49 | Towards optimized nucleation control in multicrystalline silicon ingot for solar cells. Journal of Crystal Growth, 2017, 468, 620-624. | 0.7 | 6 |
| 50 | Growth and characterization of 4-Aminopyridinium-4-nitro phenolate single crystals. Crystal Research and Technology, 2009, 44, 675-681. | 0.6 | 5 |
| 51 | Silver gallium telluride (AgGaTe2) single crystal: Synthesis, accelerated crucible rotation-Bridgman growth and characterization. Materials Science in Semiconductor Processing, 2014, 24, 44-49. | 1.9 | 5 |
| 52 | On the growth mechanism of multicrystalline silicon ingots with small grains fabricated using single-layer silicon beads. Japanese Journal of Applied Physics, 2017, 56, 075502. | 0.8 | 5 |
| 53 | Enhanced piezoelectric properties in Sm-doped 24Pb(In0.5Nb0.5)O3–42Pb(Mg0.335Nb0.665)O3–34PbTiO3 piezoceramics. Journal of Materials Science: Materials in Electronics, 2021, 32, 3264-3272. | 1.1 | 5 |
| 54 | Flux growth and characterization of lead-free Sodium Bismuth Titanate–Barium Titanate single crystals. Journal of Crystal Growth, 2014, 401, 787-790. | 0.7 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Effect of additives in supersaturated binary and ternary solutions on cluster growth by gravity driven concentration gradient studies. Crystal Research and Technology, 2008, 43, 626-633. | 0.6 | 3 |
| 56 | Crystal structure and characterization of a novel organic crystal: 4-Dimethylaminobenzophenone. Materials Research Bulletin, 2009, 44, 1265-1269. | 2.7 | 3 |
| 57 | Crystal structure and characterization of a novel organic optical crystal: 4â€chloroâ€3â€nitrobenzophenone. Crystal Research and Technology, 2009, 44, 561-566. | 0.6 | 3 |
| 58 | Studies on the synthesis, growth, crystal structure, and physical properties of a novel nonlinear optical crystal: Glycine 3,5-dihydroxybenzoic acid. Journal of Crystal Growth, 2011, 318, 1021-1025. | 0.7 | 3 |
| 59 | Synthesis, growth, spectral, X-ray diffraction, magnetic and thermal studies of metal–organic complex: Diiodobis(2-aminopyridine)Cadmium(II) single crystal. Journal of Molecular Structure, 2013, 1042, 25-31. | 1.8 | 3 |
| 60 | Synthesis, growth, spectral and thermal studies of a new organic salt crystal: Glyciniuim monochloroacetate. Materials Letters, 2014, 128, 366-368. | 1.3 | 3 |
| 61 | Growth and characterization of Dy1-xYxMnO3 single crystals by optical floating zone technique: A combined X-ray diffraction and DC magnetization study. Journal of Crystal Growth, 2021, 565, 126152. | 0.7 | 3 |
| 62 | 5-Phenoxymethyl-1,3,4-oxadiazole-2(3H)-thione. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o3746-o3747. | 0.2 | 2 |
| 63 | Synthesis, growth and characterization of hydrogen bonding organic complex for SHG conversion: 3-hydroxyanilinium-2,5-dimethylbenzenesulphonate single crystal. Solid State Sciences, 2012, 14, 1141-1145. | 1.5 | 2 |
| 64 | Growth and characterization of 4-chloro-3-nitrobenzophenone single crystals using vertical Bridgman technique. , 2014, , . | | 2 |
| 65 | Investigations on synthesis, growth and physical characterization of lithium selenoindate single crystals. Journal of Crystal Growth, 2014, 401, 205-209. | 0.7 | 2 |
| 66 | Growth and characterization of LiInS[sub 2] single crystal by Bridgman technique. , 2013, , . | | 1 |
| 67 | Enhancement of saturation magnetization of NiO nanorods via microwave assisted route. , 2013, , . | | 1 |
| 68 | Growth improvement and characterization of AgGaSe2 chalcopyrite single crystals using Bridgman technique. , 2012, , . | | 0 |
| 69 | Structural and mechanical studies of cadmium manganese thiocyanate crystal. , 2012, , . | | Ο |
| 70 | Synthesis, structure and characterization of novel metal-organic single crystal: Dibromobis(L-proline)zinc(II). , 2013, , . | | 0 |
| 71 | Modified Bridgman-Stockbarger growth and characterization of LiInSe2 single crystal. , 2014, , . | | 0 |
| 72 | Effect of magnesium addition on structural and magnetic properties of NiO, Co3O4 nanoparticles. AIP Conference Proceedings, 2015, , . | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Structure and electrical properties of 0.80 Na0.5 Bi0.5 TiO3-0.16â€K0.5 Bi0.5 TiO3-0.04 BaTiO3 lead-free piezoelectric ceramics. AIP Conference Proceedings, 2016, , . | 0.3 | Ο |
| 74 | Growth, structural, optical, thermal and laser damage threshold studies of an organic single crystal: 1,3,5 – triphenylbenzene (TPB). AIP Conference Proceedings, 2016, , . | 0.3 | 0 |