

Michael B Bennett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1461627/publications.pdf>

Version: 2024-02-01

186
papers

6,736
citations

76326
40
h-index

82547
72
g-index

189
all docs

189
docs citations

189
times ranked

4575
citing authors

#	ARTICLE	IF	CITATIONS
1	Flexibility for fuelling reproduction in a pelagic ray (<i>Mobula eregoodoo</i>) suggested by bioenergetic modelling. <i>Journal of Fish Biology</i> , 2022, , .	1.6	1
2	Mutualism promotes site selection in a large marine planktivore. <i>Ecology and Evolution</i> , 2021, 11, 5606-5623.	1.9	11
3	Age and growth of the tropical oviparous shark, <i>Chiloscyllium punctatum</i> in Indonesian waters. <i>Journal of Fish Biology</i> , 2021, 99, 921-930.	1.6	2
4	Reef manta rays forage on tidally driven, high density zooplankton patches in Hanifaru Bay, Maldives. <i>PeerJ</i> , 2021, 9, e11992.	2.0	13
5	Taxonomic status, biological notes, and conservation of the longhorned pygmy devil ray <i>< i>Mobula eregoodoo</i></i> (Cantor, 1849). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 104-122.	2.0	15
6	Satellite Tagging and Photographic Identification Reveal Connectivity Between Two UNESCO World Heritage Areas for Reef Manta Rays. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	11
7	Shortâ€¢and longâ€¢term diets of the threatened longhorned pygmy devil ray, <i>Mobula eregoodoo</i> determined using stable isotopes. <i>Journal of Fish Biology</i> , 2020, 97, 424-434.	1.6	0
8	The geographic distribution of reef and oceanic manta rays (<i>< i>Mobula alfredi</i></i> and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 835-840.	1.6	16
9	Powering Ocean Giants: The Energetics of Shark and Ray Megafauna. <i>Trends in Ecology and Evolution</i> , 2019, 34, 1009-1021.	8.7	31
10	Photographic identification and citizen science combine to reveal long distance movements of individual reef manta rays <i>Mobula alfredi</i> along Australiaâ€™s east coast. <i>Marine Biodiversity Records</i> , 2019, 12, .	1.2	35
11	Gestation and size at parturition for <i>Mobula kuhlii</i> cf. <i>eregoodootenkee</i> . <i>Environmental Biology of Fishes</i> , 2019, 102, 1009-1014.	1.0	7
12	Development and characterization of 17 polymorphic microsatellite markers for the reef manta ray (<i>Mobula alfredi</i>). <i>BMC Research Notes</i> , 2019, 12, 233.	1.4	2
13	Comparative morphology of the electrosensory system of the epaulette shark <i>< i>Hemiscyllium ocellatum</i></i> and brownâ€¢banded bamboo shark <i>< i>Chiloscyllium punctatum</i></i> . <i>Journal of Fish Biology</i> , 2019, 94, 313-319.	1.6	5
14	Lack of multiple paternity in the oceanodromous tiger shark (<i>Galeocerdo cuvier</i>). <i>Royal Society Open Science</i> , 2018, 5, 171385.	2.4	12
15	Morphological comparison of the ampullae of Lorenzini of three sympatric benthic rays. <i>Journal of Fish Biology</i> , 2018, 92, 504-514.	1.6	13
16	Research Priorities to Support Effective Manta and Devil Ray Conservation. <i>Frontiers in Marine Science</i> , 2018, 5, .	2.5	116
17	Analysis of whole mitochondrial genome sequences increases phylogenetic resolution of istiophorid billfishes. <i>Bulletin of Marine Science</i> , 2018, 94, 73-84.	0.8	11
18	Tetraphyllidean and onchoproteocephalidean cestodes of elasmobranchs from Moreton Bay, Australia: description of two new species and new records for seven described species. <i>Systematic Parasitology</i> , 2018, 95, 807-827.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Misidentification of istiophorid billfishes by fisheries observers raises uncertainty over stock status. Journal of Fish Biology, 2018, 93, 415-419.	1.6	8
20	Use of epidermal mucus in elasmobranch stable isotope studies: a pilot study using the giant manta ray (<i>Manta birostris</i>). Marine and Freshwater Research, 2018, 69, 336.	1.3	10
21	Novel signature fatty acid profile of the giant manta ray suggests reliance on an uncharacterised mesopelagic food source low in polyunsaturated fatty acids. PLoS ONE, 2018, 13, e0186464.	2.5	7
22	Variation in occupancy and habitat use of <i>Mobula alfredi</i> at a major aggregation site. Marine Ecology - Progress Series, 2018, 599, 125-145.	1.9	60
23	Satellite tagging highlights the importance of productive Mozambican coastal waters to the ecology and conservation of whale sharks. PeerJ, 2018, 6, e4161.	2.0	41
24	The diet of the coffin ray, <i>Hynos monopterygius</i> (Shaw, 1795), and predation mode inferred from jaw, dentition and electric organ morphology. Marine and Freshwater Research, 2017, 68, 1193.	1.3	3
25	A historical and contemporary consideration of the diet of the reef manta ray (<i>Manta alfredi</i>) from the Great Barrier Reef, Australia. Marine and Freshwater Research, 2017, 68, 993.	1.3	8
26	Patterns of specificity and diversity in species of <i>Paraorygmatobothrium Ruhnke, 1994 (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Systematic Parasitology, 2017, 94, 941-970.</i>	1.1	7
27	Population structure and connectivity of tiger sharks (<i>Galeocerdo cuvier</i>) across the Indo-Pacific Ocean basin. Royal Society Open Science, 2017, 4, 170309.	2.4	29
28	Environmental influences and ontogenetic differences in vertical habitat use of black marlin () Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	2.4	17
29	Effects of ethanol storage and lipid and urea extraction on $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ isotope ratios in a benthic elasmobranch, the bluespotted maskray (<i>Neotrygon kuhlii</i>). Journal of Fish Biology, 2017, 90, 417-423.	1.6	17
30	Extracting DNA from jaws: high yield and quality from archived tiger shark (<i>Galeocerdo cuvier</i>) skeletal material. Molecular Ecology Resources, 2017, 17, 431-442.	4.8	12
31	Towards sustainable fishery management for skates in South America: The genetic population structure of <i>Zearaja chilensis</i> and <i>Dipturus trachyderma</i> (Chondrichthyes, Rajiformes) in the south-east Pacific Ocean. PLoS ONE, 2017, 12, e0172255.	2.5	16
32	The complete validated mitochondrial genome of the yellownose skate <i>Zearaja chilensis</i> (Guichenot 1848) (Rajiformes, Rajidae). Mitochondrial DNA, 2016, 27, 1227-1228.	0.6	8
33	Reproductive parameters of rhinobatid and urolophid batoids taken as bycatch in the Queensland (Australia) east coast otter trawl fishery. Journal of Fish Biology, 2016, 89, 1208-1226.	1.6	5
34	Turning the tables of sex distinction in craniofacial identification: Why females possess thicker facial soft tissues than males, not vice versa. American Journal of Physical Anthropology, 2016, 161, 283-295.	2.1	20
35	Genotype and phylogenomic position of the frilled shark <i>Chlamydoselachus anguineus</i> inferred from the mitochondrial genome. Mitochondrial DNA Part B: Resources, 2016, 1, 18-20.	0.4	1
36	<i>Manta birostris</i> , predator of the deep? Insight into the diet of the giant manta ray through stable isotope analysis. Royal Society Open Science, 2016, 3, 160717.	2.4	46

#	ARTICLE	IF	CITATIONS
37	Spatial genetic subdivision among populations of the highly migratory black marlin <i>Istiompax indica</i> within the central Indo-Pacific. <i>Marine and Freshwater Research</i> , 2016, 67, 1205.	1.3	19
38	Can estimates of genetic effective population size contribute to fisheries stock assessments?. <i>Journal of Fish Biology</i> , 2016, 89, 2505-2518.	1.6	28
39	Living on the edge: latitudinal variations in the reproductive biology of two coastal species of sharks. <i>Journal of Fish Biology</i> , 2016, 89, 2399-2418.	1.6	7
40	The phylogenetic position of the giant devil ray <i>Mobula mobular</i> (Bonnaterre, 1788) (Myliobatiformes, Myliobatidae) inferred from the mitochondrial genome. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 3540-3541.	0.7	8
41	The phylogenomic position of the grey nurse shark <i>Carcharias taurus</i> Rafinesque, 1810 (Lamniformes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Sequencing, and Analysis, 2016, 27, 4328-4330.	0.7	5
42	The phylogenetic position of the roughskin skate <i>Dipturus trachyderma</i> (Krefft & Stehmann,) Tj ETQq0 0 0 rgBT /Overlock 10 Mapping, Sequencing, and Analysis, 2016, 27, 2965-2966.	0.7	8
43	Prey Density Threshold and Tidal Influence on Reef Manta Ray Foraging at an Aggregation Site on the Great Barrier Reef. <i>PLoS ONE</i> , 2016, 11, e0153393.	2.5	73
44	Morphology of the teleost ampullary organs in marine salmonid catfish <i>N. eoarius graeffei</i> (<P>isces: <A>riidae) with comparative analysis to freshwater and estuarine conspecifics. <i>Journal of Morphology</i> , 2015, 276, 1047-1054.	1.2	4
45	Age and growth of the tiger shark <i>Galeocerdo cuvier</i> off the east coast of Australia. <i>Journal of Fish Biology</i> , 2015, 87, 422-448.	1.6	26
46	A review of longnose skates <i>Zearaja chilensis</i> and <i>Dipturus trachyderma</i> . <i>Universitas Scientiarum</i> , 2015, 20, 321.	0.4	9
47	Levels of arsenic, cadmium, lead and mercury in the branchial plate and muscle tissue of mobulid rays. <i>Marine Pollution Bulletin</i> , 2015, 94, 251-259.	5.0	24
48	Morphology of the ampullae of Lorenzini in juvenile freshwater <i>C. archarhinus leucas</i> . <i>Journal of Morphology</i> , 2015, 276, 481-493.	1.2	10
49	Local-scale resource partitioning by stingrays on an intertidal flat. <i>Marine Ecology - Progress Series</i> , 2015, 533, 205-218.	1.9	28
50	Laser photogrammetry improves size and demographic estimates for whale sharks. <i>PeerJ</i> , 2015, 3, e886.	2.0	40
51	Functional implications of ontogenetic and sexual dimorphic dentition in the eastern shovelnose ray <i>Aptychotrema rostrata</i> (Shaw & Nodder, 1794). <i>Journal of Experimental Biology</i> , 2014, 217, 192-200.	1.7	14
52	Tiger shark (<i>Galeocerdo cuvier</i>) movement patterns and habitat use determined by satellite tagging in eastern Australian waters. <i>Marine Biology</i> , 2014, 161, 2645-2658.	1.5	62
53	Population dynamics of the reef manta ray <i>Manta alfredi</i> in eastern Australia. <i>Coral Reefs</i> , 2014, 33, 329-342.	2.2	70
54	Not all fish are equal: functional biodiversity of cartilaginous fishes (Elasmobranchii and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (Ho	1.6	16

#	ARTICLE	IF	CITATIONS
55	Movements and habitat use of reef manta rays off eastern Australia: offshore excursions, deep diving and eddy affinity revealed by satellite telemetry. <i>Marine Ecology - Progress Series</i> , 2014, 510, 73-86.	1.9	126
56	Biogeographic patterns in the cartilaginous fauna (Pisces: Elasmobranchii and Holocephali) in the southeast Pacific Ocean. <i>PeerJ</i> , 2014, 2, e416.	2.0	6
57	Phylogenetic relationships of the Gorgoderidae (Platyhelminthes: Trematoda), including the proposal of a new subfamily (Degeneriinae n. subfam.). <i>Parasitology Research</i> , 2013, 112, 3063-3074.	1.6	48
58	Unusually High Levels of n-6 Polyunsaturated Fatty Acids in Whale Sharks and Reef Manta Rays. <i>Lipids</i> , 2013, 48, 1029-1034.	1.7	31
59	Reducing the radiation sterilization dose improves mechanical and biological quality while retaining sterility assurance levels of bone allografts. <i>Bone</i> , 2013, 57, 194-200.	2.9	34
60	Insights into the reproductive biology and fisheries of two commercially exploited species, shortfin mako (<i>Isurus oxyrinchus</i>) and blue shark (<i>Prionace glauca</i>), in the south-east Pacific Ocean. <i>Fisheries Research</i> , 2013, 143, 174-183.	1.7	27
61	Size, sex and seasonal patterns in the assemblage of Carcharhiniformes in a subtropical bay. <i>Journal of Fish Biology</i> , 2013, 82, 228-241.	1.6	14
62	Life-history traits of a small-bodied coastal shark. <i>Marine and Freshwater Research</i> , 2013, 64, 54.	1.3	20
63	Lepadidae barnacles (Lepidiformes: Lepadomorpha) in association with copepods parasitising pelagic elasmobranchs in the Western Pacific. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2013, 47, 120-123.	2.0	1
64	Age and growth determination of three sympatric wobbegong sharks: How reliable is growth band periodicity in Orectolobidae?. <i>Fisheries Research</i> , 2013, 147, 413-425.	1.7	25
65	Trends in sightings and environmental influences on a coastal aggregation of manta rays and whale sharks. <i>Marine Ecology - Progress Series</i> , 2013, 482, 153-168.	1.9	114
66	Comparative morphology of the egg cases of <i>Asymbolus analis</i> , <i>Asymbolus rubiginosus</i> and <i>Figaro boardmani</i> (Carcharhiniformes: Scyliorhinidae) from southern Queensland, Australia. <i>Journal of Fish Biology</i> , 2013, 83, 133-143.	1.6	4
67	Symmetrical gaits and center of mass mechanics in small-bodied, primitive mammals. <i>Zoology</i> , 2013, 116, 67-74.	1.2	16
68	Mystery of giant rays off the Gaza strip solved. <i>Oryx</i> , 2013, 47, 480-480.	1.0	5
69	A Comparative Analysis of Feeding and Trophic Level Ecology in Stingrays (Rajiformes; Myliobatoidei) and Electric Rays (Rajiformes: Torpedinoidei). <i>PLoS ONE</i> , 2013, 8, e71348.	2.5	74
70	Stable Isotope and Signature Fatty Acid Analyses Suggest Reef Manta Rays Feed on Demersal Zooplankton. <i>PLoS ONE</i> , 2013, 8, e77152.	2.5	99
71	First record of <i>Hydrolagus melanophasma</i> James, Ebert, Long & Didier, 2009 (Chondrichthyes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Research, 2012, 40, 236-242.	0.6	12
72	First record of <i>Mobula japonica</i> (Rajiformes: Myliobatidae) from the south-eastern Pacific Ocean. <i>Marine Biodiversity Records</i> , 2012, 5, .	1.2	3

#	ARTICLE	IF	CITATIONS
73	Development and characterization of ten microsatellite loci for the reef manta ray <i>Manta alfredi</i> . <i>Conservation Genetics Resources</i> , 2012, 4, 1055-1058.	0.8	5
74	The genetic signature of recent speciation in manta rays (<i>Manta alfredi</i> and <i>M. birostris</i>). <i>Molecular Phylogenetics and Evolution</i> , 2012, 64, 212-218.	2.7	46
75	Declining trends in annual catch rates of the tiger shark (<i>Galeocerdo cuvier</i>) in Queensland, Australia. <i>Fisheries Research</i> , 2012, 129-130, 38-45.	1.7	41
76	Morphological Characters of the Thickbody Skate <i>Amblyraja frerichsi</i> (Krefft 1968) (Rajiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	2.5	
77	When Giants Turn Up: Sighting Trends, Environmental Influences and Habitat Use of the Manta Ray <i>Manta alfredi</i> at a Coral Reef. <i>PLoS ONE</i> , 2012, 7, e46170.	2.5	89
78	Reproductive biology of <i>Zearaja chilensis</i> (Chondrichthyes: Rajidae) in the south-east Pacific Ocean. <i>Journal of Fish Biology</i> , 2012, 80, 1213-1226.	1.6	13
79	Feeding ecology and dietary comparisons among three sympatric <i>Neotrygon</i> (Myliobatoidei: Tj ETQql 1 0.784314 rgBT /Overloo	1.6	
80	Biology, ecology and conservation of the Mobulidae. <i>Journal of Fish Biology</i> , 2012, 80, 1075-1119.	1.6	213
81	Community Composition of Elasmobranch Fishes Utilizing Intertidal Sand Flats in Moreton Bay, Queensland, Australia. <i>Pacific Science</i> , 2011, 65, 235-247.	0.6	19
82	Sex- and maturity-based differences in movement and migration patterns of grey nurse shark, <i>Carcharias taurus</i> , along the eastern coast of Australia. <i>Marine and Freshwater Research</i> , 2011, 62, 596.	1.3	46
83	Distribution, site affinity and regional movements of the manta ray, <i>Manta alfredi</i> (Krefft, 1868), along the east coast of Australia. <i>Marine and Freshwater Research</i> , 2011, 62, 628.	1.3	117
84	Distribution, habitat and biology of a rare and threatened eastern Australian endemic shark: Colclough's shark, <i>Brachaelurus colcloughi</i> Ogilby, 1908. <i>Marine and Freshwater Research</i> , 2011, 62, 540.	1.3	6
85	Life history of the blackspotted whipray <i>Himantura astra</i> . <i>Journal of Fish Biology</i> , 2011, 78, 1249-1268.	1.6	14
86	Assessing the overlap between the diet of a coastal shark and the surrounding prey communities in a subtropical embayment. <i>Journal of Fish Biology</i> , 2011, 78, 1405-1422.	1.6	22
87	Size and structure of a photographically identified population of manta rays <i>Manta alfredi</i> in southern Mozambique. <i>Marine Biology</i> , 2011, 158, 1111-1124.	1.5	130
88	Habitat segregation and mosaic sympatry of the two species of manta ray in the Indian and Pacific Oceans: <i>Manta alfredi</i> and <i>M. birostris</i> CORRIGENDUM. <i>Marine Biodiversity Records</i> , 2011, 4, .	1.2	2
89	Habitat segregation and mosaic sympatry of the two species of manta ray in the Indian and Pacific Oceans: <i>Manta alfredi</i> and <i>M. birostris</i> . <i>Marine Biodiversity Records</i> , 2011, 4, .	1.2	49
90	Observations on the reproductive biology of three catsharks (Carcharhiniformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 72 Td (Scyliorhinus queenslandicus) from the Great Barrier Reef, Queensland, Australia. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 1157-1164.	0.8	6

#	ARTICLE	IF	CITATIONS
91	Hemipristicola gunterae gen. n., sp. n. (Cestoda: Tetraphyllidea: Phyllobothriidae) from the snaggletooth shark, <i>Hemipristis elongata</i> (Carcharhiniformes: Hemigaleidae), from Moreton Bay, Australia. <i>Folia Parasitologica</i> , 2011, 58, 187-196.	1.3	8
92	Abdominal muscle and epipubic bone function during locomotion in Australian possums: Insights to basal mammalian conditions and eutherian-like tendencies in <i>Trichosurus</i> . <i>Journal of Morphology</i> , 2010, 271, 438-450.	1.2	8
93	The role of olfaction throughout juvenile development: Functional adaptations in elasmobranchs. <i>Journal of Morphology</i> , 2010, 271, 451-461.	1.2	43
94	Retained fishing gear and associated injuries in the east Australian grey nurse sharks (<i>Carcharias taurus</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 E</i>	1.3	51
95	A new tetraphyllidean genus and species, <i>Caulopatera pagei</i> n. g., n. sp. (Tetraphyllidea: <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 E</i>) (Orectolobiformes: Hemiscyliidae). <i>Systematic Parasitology</i> , 2010, 77, 13-21.	1.1	5
96	Reproductive ecology of the reef manta ray <i>Manta alfredi</i> in southern Mozambique. <i>Journal of Fish Biology</i> , 2010, 77, 169-190.	1.6	124
97	Age and growth of <i>Neotrygon picta</i> , <i>Neotrygon annotata</i> and <i>Neotrygon kuhlii</i> from north-east Australia, with notes on their reproductive biology. <i>Journal of Fish Biology</i> , 2010, 77, 2405-2422.	1.6	20
98	Destined to decline? Intrinsic susceptibility of the threatened estuary stingray to anthropogenic impacts. <i>Marine and Freshwater Research</i> , 2010, 61, 1468.	1.3	17
99	Diet and reproduction in the white-spotted eagle ray <i>Aetobatus narinari</i> from Queensland, Australia and the Penghu Islands, Taiwan. <i>Marine and Freshwater Research</i> , 2010, 61, 1278.	1.3	47
100	<i>Staphylorchis cymatodes</i> (Gorgoderidae: Anaporrhutinae) from carcharhiniform, orectolobiform and myliobatiform elasmobranchs of Australasia: Low host specificity, wide distribution and morphological plasticity. <i>Parasitology International</i> , 2010, 59, 579-586.	1.3	20
101	Electromyographic assessment of Gait function following limb salvage procedures for bone sarcoma. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 502-507.	1.7	16
102	The frequency and effect of shark-inflicted bite injuries to the reef manta ray <i>Manta alfredi</i> . <i>African Journal of Marine Science</i> , 2010, 32, 573-580.	1.1	43
103	First taxonomic description of multivalvulidan myxosporean parasites from elasmobranchs: <i>Kudoa hemiscyllii</i> n.sp. and <i>Kudoa carcharhini</i> n.sp. (Myxosporea: Multivalvulidae). <i>Parasitology</i> , 2010, 137, 1885-1898.	1.5	27
104	Histomorphometric changes in the wing bones of the fruit bat, <i>Pteropus poliocephalus</i> , (Megachiroptera: Pteropidae) in relation to increased bone strain and the failure of a good (?) hypothesis. <i>Australian Zoologist</i> , 2010, 35, 341-348.	1.1	8
105	Redescription of the genus Manta with resurrection of Manta alfredi (Krefft, 1868) (Chondrichthyes; Myliobatoidei). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 E</i>	1.5	17
106	The use of dimensionless scaling strategies in gait analysis. <i>Human Movement Science</i> , 2009, 28, 218-225.	1.4	17
107	<i>Paraorygmatobothrium Taylori</i> n. sp. (Tetraphyllidea: Phyllobothriidae) from the Australian weasel shark <i>Hemigaleus Australiensis</i> White, Last & Compagno (Carcharhiniformes: Hemigaleidae). <i>Systematic Parasitology</i> , 2009, 74, 49-58.	1.1	9
108	Reproduction of the blue-spotted maskray <i>Neotrygon kuhlii</i> (Myliobatoidei: Dasyatidae) in south-east Queensland, Australia. <i>Journal of Fish Biology</i> , 2009, 74, 1291-1308.	1.6	40

#	ARTICLE	IF	CITATIONS
109	Diet and reproduction in the Australian butterfly ray <i>< i>Gymnura australis</i></i> from northern and north-eastern Australia. <i>Journal of Fish Biology</i> , 2009, 75, 2475-2489.	1.6	22
110	Validated annual banding pair periodicity and growth parameters of blue-spotted maskray <i>< i>Neotrygon kuhlii</i></i> from south-east Queensland, Australia. <i>Journal of Fish Biology</i> , 2009, 75, 2490-2508.	1.6	28
111	Assessment of kinematic and kinetic patterns following limb salvage procedures for bone sarcoma. <i>Gait and Posture</i> , 2009, 30, 547-551.	1.4	18
112	Reproductive periodicity, localised movements and behavioural segregation of pregnant <i>Carcharias taurus</i> at Wolf Rock, southeast Queensland, Australia. <i>Marine Ecology - Progress Series</i> , 2009, 374, 215-227.	1.9	68
113	Biomechanical properties of raw meshes used in pelvic floor reconstruction. <i>International Urogynecology Journal</i> , 2008, 19, 1677-1681.	1.4	35
114	Morphometric and ultrastructural comparison of the olfactory system in elasmobranchs: The significance of structure-function relationships based on phylogeny and ecology. <i>Journal of Morphology</i> , 2008, 269, 1365-1386.	1.2	108
115	Aspects of reproduction and diet of the Australian endemic skate <i>< i>Dipturus polyommata</i></i> (Ogilby) (<i>Elasmobranchii: Rajidae</i>), bycatch of a commercial prawn trawl fishery. <i>Journal of Fish Biology</i> , 2008, 72, 61-77.	1.6	18
116	Comparing the diet of two sympatric urolophid elasmobranchs (<i>< i>Trygonoptera testacea</i></i> MÃ¼ller) Tj ETQq0 0 0 rgBT /Overlock 10 possible resource partitioning. <i>Journal of Fish Biology</i> , 2008, 72, 883-898.	1.6	43
117	Cephalopod dietary specialization and ontogenetic partitioning of the Australian weasel shark <i>< i>Hemigaleus australiensis</i></i> White, Last & Compagno. <i>Journal of Fish Biology</i> , 2008, 72, 917-936.	1.6	27
118	Post-hatching growth and development of the pectoral and pelvic limbs in the black noddy, <i>Anous minutus</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2008, 150, 159-168.	1.8	24
119	Multi-year validation of photographic identification of grey nurse sharks, <i>Carcharias taurus</i> , and applications for non-invasive conservation research. <i>Marine and Freshwater Research</i> , 2008, 59, 322.	1.3	45
120	Morphological measurements of manta rays (<i>Manta birostris</i>) with a description of a foetus from the east coast of Southern Africa. <i>Zootaxa</i> , 2008, 1717, 24.	0.5	30
121	Estimating Abundance of Reef-Dwelling Sharks: A Case Study of the Epaulette Shark, <i>Hemiscyllium ocellatum</i> (<i>Elasmobranchii: Hemiscyllidae</i>). <i>Pacific Science</i> , 2007, 61, 383-394.	0.6	17
122	Foraging modes of Mesozoic birds and non-avian theropods. <i>Current Biology</i> , 2007, 17, R911-R912.	3.9	44
123	Foraging modes of Mesozoic birds and non-avian theropods. <i>Current Biology</i> , 2007, 17, 2001.	3.9	0
124	Continuous measurement of oxygen tensions in the air-breathing organ of Pacific tarpon (<i>Megalops</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Biochemical, Systemic, and Environmental Physiology, 2007, 177, 579-587.	1.5	23
125	Distribution of an asymmetrical copepod, <i>Hatschekia plectropomi</i> , on the gills of <i>Plectropomus leopardus</i> . <i>Journal of Fish Biology</i> , 2006, 68, 222-235.	1.6	11
126	Additional records of the rock shrimp, <i>Sicyonia australiensis</i> Hanamura & Wadley, 1998 (Decapoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.3	1

#	ARTICLE	IF	CITATIONS
127	Branchial vascular pathways in two species of Tetraodontiformes and the concept of secondary vessels and nutrient arteries. <i>Zoomorphology</i> , 2005, 124, 79-88.	0.8	3
128	Structural basis for control of secondary vessels in the long-finned eel <i>Anguilla reinhardtii</i> . <i>Journal of Experimental Biology</i> , 2004, 207, 3339-3348.	1.7	12
129	Effect of aestivation on long bone mechanical properties in the green-striped burrowing frog, <i>Cyclorana alboguttata</i> . <i>Journal of Experimental Biology</i> , 2004, 207, 475-482.	1.7	25
130	Vasodilator mechanisms in the dorsal aorta of the giant shovelnose ray, <i>Rhinobatos typus</i> (Rajiformes; Rhinobatidae). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2004, 137, 21-31.	1.8	23
131	Dog peritoneal and pleural cavities as bioreactors to grow autologous vascular grafts. <i>Journal of Vascular Surgery</i> , 2004, 39, 859-867.	1.1	117
132	Partitioning of Respiration between the Gills and Airâ€¢Breathing Organ in Response to Aquatic Hypoxia and Exercise in the Pacific Tarpon, <i>Megalops cyprinoides</i> . <i>Physiological and Biochemical Zoology</i> , 2004, 77, 760-767.	1.5	25
133	The Origin and Evolution of the Surfactant System in Fish: Insights into the Evolution of Lungs and Swim Bladders. <i>Physiological and Biochemical Zoology</i> , 2004, 77, 732-749.	1.5	72
134	Description of Paeon asymboli n. sp. (Copepoda: Sphyriidae), parasitic on <i>Asymbolus</i> spp. (catsharks) and a new host record for <i>P. Australis</i> Kabata, 1993. <i>Systematic Parasitology</i> , 2003, 56, 235-239.	1.1	4
135	The secondary vascular system of Actinopterygii: interspecific variation in origins and investment. <i>Zoomorphology</i> , 2003, 122, 181-190.	0.8	8
136	Oxygen transport capacity in the air-breathing fish, <i>Megalops cyprinoides</i> : compensations for strenuous exercise. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2003, 134, 45-53.	1.8	24
137	Age does not influence the bone response to treadmill exercise in female rats. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1958-1965.	0.4	28
138	Title is missing!. <i>Marine and Freshwater Research</i> , 2002, 53, 583.	1.3	32
139	Title is missing!. <i>Marine and Freshwater Research</i> , 2002, 53, 679.	1.3	41
140	Comparisons between bone and cementum compositions and the possible basis for their layered appearances. <i>Bone</i> , 2002, 30, 386-392.	2.9	43
141	Gill pathology caused by infestations of adult and preadult <i>Dissonus manteri</i> Kabata (Copepoda: Tj ETQq1 1 0.784314 rgBT /Overlock 1 2001, 24, 523-533.	1.9	21
142	Growth Hormone Is Permissive for Skeletal Adaptation to Mechanical Loading. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 2284-2290.	2.8	34
143	Unifying Principles in Terrestrial Locomotion: Do Hopping Australian Marsupials Fit In?. <i>Physiological and Biochemical Zoology</i> , 2000, 73, 726-735.	1.5	40
144	Skeletal deformities in elasmobranchs from Australian waters. <i>Journal of Fish Biology</i> , 1999, 54, 1111-1115.	1.6	41

#	ARTICLE	IF	CITATIONS
145	Foot areas, ground reaction forces and pressures beneath the feet of kangaroos, wallabies and rat-kangaroos (Marsupialia: Macropodoidea). <i>Journal of Zoology</i> , 1999, 247, 365-369.	1.7	30
146	The occurrence, distribution and pathology associated with gnathiid isopod larvae infecting the epaulette shark, <i>Hemiscyllium ocellatum</i> . <i>International Journal for Parasitology</i> , 1999, 29, 321-330.	3.1	44
147	A systemic secondary vessel system is present in the teleost fish <i>Tandanus tandanus</i> and absent in the elasmobranchs <i>Carcharhinus melanopterus</i> and <i>Rhinobatos typus</i> and in the dipnoan <i>Neoceratodus forsteri</i> . <i>Journal of Zoology</i> , 1998, 246, 105-110.	1.7	12
148	Analysis of tissue responses to fin tagging in Australian carcharhinids. <i>Journal of Fish Biology</i> , 1998, 52, 610-620.	1.6	24
149	Infection of the epaulette shark, <i>Hemiscyllium ocellatum</i> (Bonnaterre), by the nematode parasite <i>Proleptus australis</i> Bayliss (Spirurida: Physalopteridae). <i>Journal of Fish Diseases</i> , 1998, 21, 407-414.	1.9	4
150	Modification of the in vivo four-point loading model for studying mechanically induced bone adaptation. <i>Bone</i> , 1998, 23, 307-310.	2.9	45
151	Observations on the diet and feeding habits of the epaulette shark, <i>Hemiscyllium ocellatum</i> (Bonnaterre), on Heron Island Reef, Great Barrier Reef, Australia. <i>Marine and Freshwater Research</i> , 1998, 49, 753.	1.3	44
152	<i>Sheina orri</i> (Myodocopa: Cypridinidae), an ostracod parasitic on the gills of the epaulette shark, <i>Hemiscyllium ocellatum</i> (Elasmobranchii: Hemiscyllidae). <i>International Journal for Parasitology</i> , 1997, 27, 275-281.	3.1	21
153	Histology of dart tag insertion sites in the epaulette shark. <i>Journal of Fish Biology</i> , 1997, 50, 1034-1041.	1.6	19
154	Allometry of the leg muscles of birds. <i>Journal of Zoology</i> , 1996, 238, 435-443.	1.7	46
155	Efferent branchial artery reactivity in the Blacktip reef shark, <i>Carckarhinus melanopterus</i> (Carcharhinidae: Elasmobranchii). <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1996, 114, 165-170.	0.5	4
156	Morphology and tyrosine-hydroxylase immunohistochemistry of the systemic secondary vessel system of the blue catfish, <i>Arius graeffei</i> . , 1996, 229, 347-356.		4
157	A myxosporean parasite (Myxosporea: Multivalvulida) in the skeletal muscle of epaulette sharks, <i>Hemiscyllium ocellatum</i> (Bonnaterre), from the Great Barrier Reef. <i>Journal of Fish Diseases</i> , 1996, 19, 189-191.	1.9	10
158	Cellular ultrastructure and catecholamine histofluorescence of the heart of the Australian lungfish, <i>Neoceratodus forsteri</i> . <i>Journal of Morphology</i> , 1995, 223, 191-201.	1.2	11
159	Scaling of elastic strain energy in kangaroos and the benefits of being big. <i>Nature</i> , 1995, 378, 56-59.	27.8	100
160	The regulation of branchial blood flow in the blacktip reef shark, <i>Carcharhinus melanopterus</i> (Carcharhinidae: Elasmobranchii). <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1995, 112, 35-41.	0.6	9
161	Interrelationships of crural muscles and tendons in a range of birds. <i>Journal of Zoology</i> , 1995, 235, 33-42.	1.7	11
162	Pathology of attachment and vascular damage associated with larval stages of <i>Dissonus manteri</i> Kabata, 1966 (Copepoda: Dissonidae) on the gills of coral trout, <i>Plectropomus leopardus</i> (Lacepede) (Serranidae). <i>Journal of Fish Diseases</i> , 1994, 17, 447-459.	1.9	11

#	ARTICLE	IF	CITATIONS
163	Age estimation of pteropodid bats (Megachiroptera) from hard tissue parameters. <i>Wildlife Research</i> , 1994, 21, 353.	1.4	11
164	Sexual Dimorphism in the Pelvic Girdle of Australian Flying Foxes. <i>Australian Journal of Zoology</i> , 1994, 42, 261.	1.0	9
165	Vascular reactivity of the efferent branchial arteries of the lemon shark, <i>Negaprion queenslandicus</i> . <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1993, 105, 535-541.	0.2	3
166	Structural modifications involved in the fore-and hind limb grip of some flying foxes (Chiroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.7	12
167	Wing bone stresses in free flying bats and the evolution of skeletal design for flight. <i>Nature</i> , 1992, 359, 726-729.	27.8	164
168	Optimum stiffness for leg bones. <i>Journal of Zoology</i> , 1990, 222, 471-478.	1.7	45
169	Foot Strike and the Properties of the Human Heel Pad. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 1989, 203, 191-196.	1.8	49
170	Elastic strain energy storage in the feet of running monkeys. <i>Journal of Zoology</i> , 1989, 217, 469-475.	1.7	22
171	A possible energy-saving role for the major fascia of the thigh in running quadrupedal mammals. <i>Journal of Zoology</i> , 1989, 219, 221-230.	1.7	18
172	Why are mammalian tendons so thick?. <i>Journal of Zoology</i> , 1988, 216, 309-324.	1.7	328
173	Morphometric analysis of the gills of the European eel, <i>Anguilla anguilla</i> . <i>Journal of Zoology</i> , 1988, 215, 549-560.	1.7	11
174	Tensile properties of calcified and uncalcified avian tendons. <i>Journal of Zoology</i> , 1988, 214, 343-351.	1.7	28
175	Some principles of ligament function, with examples from the tarsal joints of the sheep (<i>Ovis</i>) Tj ETQql 1 0.784314 rgBT /Overlock 1	1.7	20
176	Fast locomotion of some kangaroos. <i>Journal of Zoology</i> , 1987, 212, 457-464.	1.7	27
177	Forces exerted on the ground by galloping dogs (<i>Canis familiaris</i>). <i>Journal of Zoology</i> , 1987, 213, 193-203.	1.7	53
178	Properties and function of extensible ligaments in the necks of turkeys (<i>Meleagris gallopavo</i>) and other birds. <i>Journal of Zoology</i> , 1987, 212, 275-281.	1.7	6
179	Elastic properties of structures in the tails of cetaceans (<i>Phocaena</i> and) Tj ETQql 1 0.784314 rgBT /Overlock 10 Tf 50 107 Td (1.7	37
180	The effects of catecholamines on tritiated water influx and the branchial vasculature of the European eel, <i>Anguilla anguilla</i> L.. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1987, 157, 327-333.	1.5	7

#	ARTICLE	IF	CITATIONS
181	The spring in the arch of the human foot. <i>Nature</i> , 1987, 325, 147-149.	27.8	613
182	Mechanical properties and function of the paw pads of some mammals. <i>Journal of Zoology</i> , 1986, 209, 405-419.	1.7	84
183	Mechanical properties of various mammalian tendons. <i>Journal of Zoology</i> , 1986, 209, 537-548.	1.7	328
184	The effects of neurohypophyseal hormones on the vascular resistance of the isolated perfused gill of the European eel, <i>Anguilla anguilla</i> L. <i>General and Comparative Endocrinology</i> , 1986, 64, 60-66.	1.8	20
185	Identification of beta-adrenergic receptors in teleost red blood cells. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1985, 81, 411-414.	0.2	8
186	Spatial gradient in the distribution of whaler sharks (Carcharhinidae) in Moreton Bay, southeastern Queensland. <i>Memoirs of the Queensland Museum</i> , 0, 59, 39-53.	0.1	2