

Yasuhito Hamaguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/146181/publications.pdf>

Version: 2024-02-01

110
papers

4,116
citations

136950

32
h-index

118850

62
g-index

112
all docs

112
docs citations

112
times ranked

4364
citing authors

#	ARTICLE	IF	CITATIONS
1	Drug-induced scleroderma-like lesion. <i>Allergology International</i> , 2022, 71, 163-168.	3.3	14
2	Favourable complete remission of anti-OJ antibody-positive myositis after lung cancer resection. <i>Rheumatology</i> , 2022, 61, e77-e79.	1.9	5
3	Refractory myositis in a patient of Sjögren's syndrome having only anti-SSA (60 kDa) antibody. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 102-103.	0.3	0
4	Oral Corticosteroids Impair Mucin Production and Alter the Posttransplantation Microbiota in the Gut. <i>Digestion</i> , 2022, 103, 269-286.	2.3	1
5	Comment on: Favourable complete remission of anti-OJ antibody-positive myositis after lung cancer resection: Reply. <i>Rheumatology</i> , 2022, , .	1.9	0
6	Case of pembrolizumab-induced dermatomyositis with transcription intermediary factor 1 antibody. <i>Journal of Dermatology</i> , 2022, 49, .	1.2	3
7	A case of anti-BP230 antibody-positive bullous pemphigoid receiving DPP-4 inhibitor. <i>Immunological Medicine</i> , 2021, 44, 53-55.	2.6	6
8	Discrepancy in responses to dabrafenib plus trametinib combination therapy in intracranial and extracranial metastases in melanoma patients. <i>Journal of Dermatology</i> , 2021, 48, e82-e83.	1.2	1
9	Long-term changes in nail fold capillary abnormalities and serum fibroblast growth factor 23 levels in dermatomyositis patients with anti-melanoma differentiating antigen 5 antibody. <i>Journal of Dermatology</i> , 2021, 48, 106-109.	1.2	7
10	Myocarditis in a patient with anti-OJ and Th/To autoantibody-positive overlap syndrome. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 146-148.	0.3	0
11	Widespread Mechanic's Hands in Antisynthetase Syndrome With Anti-OJ Antibody. <i>Journal of Rheumatology</i> , 2021, 48, 1341-1341.	2.0	0
12	A case of anti-OJ antibody-positive polymyositis with marked muscle involvement and interstitial lung disease. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 13-16.	0.3	0
13	A role for FcγRIIB in the development of murine bleomycin-induced fibrosis. <i>Journal of Dermatological Science</i> , 2021, 104, 201-209.	1.9	2
14	Periorbital Edema as the Initial Sign of Juvenile Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2020, 26, e61-e61.	0.9	3
15	Anti-transcriptional intermediary factor 1 antibody as a biomarker in patients with dermatomyositis. <i>Journal of Dermatology</i> , 2020, 47, 64-68.	1.2	20
16	Availability of EuroQol-5-Dimensions-5-Level (EQ-5D-5L) as health-related QOL assessment for Japanese systemic sclerosis patients. <i>Modern Rheumatology</i> , 2020, 30, 681-686.	1.8	5
17	Human leukocyte antigen in Japanese patients with idiopathic inflammatory myopathy. <i>Modern Rheumatology</i> , 2020, 30, 696-702.	1.8	6
18	CD22 and CD72 contribute to the development of scleroderma in a murine model. <i>Journal of Dermatological Science</i> , 2020, 97, 66-76.	1.9	8

#	ARTICLE	IF	CITATIONS
19	Association of functional (GA) _n microsatellite polymorphism in the FLI1 gene with susceptibility to human systemic sclerosis. <i>Rheumatology</i> , 2020, 59, 3553-3562.	1.9	5
20	Clinical features of Japanese systemic sclerosis (SSc) patients negative for SSc-related autoantibodies: A single-center retrospective study. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1219-1225.	1.9	4
21	Case of systemic sclerosis with multiple primary malignancies in whom anti-RNA polymerase III antibody was detected by immunoprecipitation. <i>Journal of Dermatology</i> , 2020, 47, e269-e270.	1.2	1
22	Performance evaluation of a commercial line blot assay system for detection of myositis- and systemic sclerosis-related autoantibodies. <i>Clinical Rheumatology</i> , 2020, 39, 3489-3497.	2.2	21
23	A case of lymphoma-associated haemophagocytic syndrome in advanced-stage mycosis fungoides. <i>European Journal of Dermatology</i> , 2020, 30, 606-608.	0.6	0
24	A case of anti-RuvBL1/2 antibody-positive systemic sclerosis overlapping with myositis. <i>European Journal of Dermatology</i> , 2020, 30, 52-53.	0.6	4
25	Distinct Histopathologic Patterns of Finger Eruptions in Dermatomyositis Based on Myositis-Specific Autoantibody Profiles. <i>JAMA Dermatology</i> , 2019, 155, 1080.	4.1	28
26	CD22 and CD72 cooperatively contribute to the development of the reverse Arthus reaction model. <i>Journal of Dermatological Science</i> , 2019, 95, 36-43.	1.9	3
27	Performance evaluation of a line blot assay system for detection of anti-PM-Scl antibody in Japanese patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1746-1751.	1.9	7
28	Elevated serum B-cell activating factor levels in patients with dermatomyositis: Association with interstitial lung disease. <i>Journal of Dermatology</i> , 2019, 46, 1190-1196.	1.2	17
29	Attenuation of murine sclerodermatous models by the selective S1P1 receptor modulator cenerimod. <i>Scientific Reports</i> , 2019, 9, 658.	3.3	13
30	A case of dermatomyositis with the anti-signal recognition particle antibody that was successfully treated with prednisolone and intravenous immunoglobulin therapy. <i>Journal of Dermatology</i> , 2019, 46, e251-e253.	1.2	0
31	Regulatory B1a Cells Suppress Melanoma Tumor Immunity via IL-10 Production and Inhibiting T Helper Type 1 Cytokine Production in Tumor-Infiltrating CD8+ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1535-1544.e1.	0.7	26
32	Progressive Aortic Calcification as a Complication of Dermatomyositis. <i>Circulation Journal</i> , 2019, 83, 1972.	1.6	0
33	A case of secondary IgA nephropathy accompanied by psoriasis treated with secukinumab. <i>CEN Case Reports</i> , 2019, 8, 200-204.	0.9	12
34	A case of juvenile localized scleroderma with anti-topoisomerase I antibody. <i>European Journal of Dermatology</i> , 2019, 29, 443-444.	0.6	1
35	Long-term follow-up of finger passive range of motion in Japanese systemic sclerosis patients treated with self-administered stretching. <i>Modern Rheumatology</i> , 2019, 29, 484-490.	1.8	5
36	Increased expression levels of FcγRIIB on naïve and double-negative memory B cells in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 23-31.	0.8	0

#	ARTICLE	IF	CITATIONS
37	Clinical significance and usefulness of rehabilitation for systemic sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 71-80.	1.7	14
38	Impact of a new simplified disability scoring system for adult patients with localized scleroderma. <i>Journal of Dermatology</i> , 2018, 45, 431-435.	1.2	2
39	Food-dependent exercise-induced anaphylaxis due to shrimp associated with 43kDa, a new antigen. <i>Journal of Dermatology</i> , 2018, 45, 366-367.	1.2	5
40	Diagnostic sensitivity of cutoff values of IgG4-positive plasma cell number and IgG4-positive/CD138-positive cell ratio in typical multiple lesions of patients with IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 293-299.	1.8	7
41	Anti-nuclear autoantibodies in systemic sclerosis : News and perspectives. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 201-213.	1.7	11
42	Increased interleukin-9 levels in sera, muscle and skin of patients with dermatomyositis. <i>Journal of Dermatology</i> , 2018, 45, 1023-1025.	1.2	4
43	BAFF inhibition attenuates fibrosis in scleroderma by modulating the regulatory and effector B cell balance. <i>Science Advances</i> , 2018, 4, eaas9944.	10.3	98
44	Effectiveness of IVIG and balloon dilation combination therapy for refractory dysphagia in anti-TIF1- β antibody-positive dermatomyositis. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 49-53.	0.7	1
45	Anti-transcription intermediary factor-1 β /1 \pm /1 α antibody-positive dermatomyositis associated with multiple panniculitis lesions. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 1831-1834.	1.9	4
46	Three cases of interstitial pneumonia with anti-signal recognition particle antibody. <i>Allergology International</i> , 2017, 66, 485-487.	3.3	5
47	A case of aseptic meningitis without neck rigidity occurring in a metastatic melanoma patient treated with ipilimumab. <i>European Journal of Dermatology</i> , 2017, 27, 193-194.	0.6	12
48	Clinically amyopathic dermatomyositis with rapidly progressive interstitial pneumonia: The relation between the disease activity and the serum interleukin-6 level. <i>Journal of Dermatology</i> , 2017, 44, 1164-1167.	1.2	13
49	Blockade of p38 Mitogen-Activated Protein Kinase Inhibits Murine Sclerodermatous Chronic Graft-versus-Host Disease. <i>American Journal of Pathology</i> , 2017, 187, 841-850.	3.8	18
50	Case of anti-RuvBL1/2 antibody-positive morphea and polymyositis. <i>Journal of Dermatology</i> , 2017, 44, 1188-1190.	1.2	4
51	Classification of Japanese patients with mild/early systemic sclerosis (SSc) by the 2013 ACR/EULAR classification criteria for SSc. <i>Modern Rheumatology</i> , 2017, 27, 614-617.	1.8	5
52	Comparison of anti-OJ antibody detection assays between an immunoprecipitation assay and line blot assay. <i>Modern Rheumatology</i> , 2017, 27, 551-552.	1.8	16
53	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: Prospective, multicenter, open-label study. <i>Journal of Dermatology</i> , 2017, 44, 13-17.	1.2	21
54	Case of anti-transcriptional intermediary factor-1 α antibody-positive dermatomyositis associated with breast cancer developing over 10 years. <i>Journal of Dermatology</i> , 2017, 44, 972-973.	1.2	5

#	ARTICLE	IF	CITATIONS
55	Autoantibody to scaffold attachment factor B (SAFB): A novel connective tissue disease-related autoantibody associated with interstitial lung disease. <i>Journal of Autoimmunity</i> , 2017, 76, 101-107.	6.5	4
56	Two cases of primary malignant melanoma of the esophagus. <i>Skin Cancer</i> , 2017, 32, 6-11.	0.0	0
57	Vitiligo-like depigmentation with perifollicular pigment retention in systemic sclerosis treated successfully with suplastat tosilate. <i>European Journal of Dermatology</i> , 2016, 26, 110-112.	0.6	4
58	Anti-€signal recognition particle antibody-€positive polymyositis in a patient with Sjögren's syndrome showing various types of annular erythema: Positive correlation between the activities of annular erythema and myositis. <i>Journal of Dermatology</i> , 2016, 43, 958-961.	1.2	2
59	A novel splenic B1 regulatory cell subset suppresses allergic disease through phosphatidylinositol 3-kinase-€Akt pathway activation. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1170-1182.e9.	2.9	54
60	Autoantibodies in Systemic Sclerosis. , 2016, , 231-247.		0
61	Anti-MDA-5 antibody-positive bullous dermatomyositis with palmar papules complicating rapidly progressive interstitial lung disease. <i>Modern Rheumatology</i> , 2016, 26, 614-616.	1.8	8
62	Decreased levels of regulatory B cells in patients with systemic sclerosis: association with autoantibody production and disease activity. <i>Rheumatology</i> , 2016, 55, 263-267.	1.9	84
63	Oropharyngeal Dysphagia in Dermatomyositis: Associations with Clinical and Laboratory Features Including Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154746.	2.5	78
64	A case of Merkel cell carcinoma of the right big toe with Merkel cell polyomavirus infection. <i>Skin Cancer</i> , 2016, 31, 30-34.	0.0	0
65	A case of myxofibrosarcoma with lung metastasis. <i>Skin Cancer</i> , 2016, 31, 35-39.	0.0	0
66	Childhood-€Onset Anti-€Ku Antibody-€Positive Generalized Morphea with Polymyositis: A Japanese Case Study. <i>Pediatric Dermatology</i> , 2015, 32, e224-5.	0.9	4
67	Chromoblastomycosis caused by <i>Phialophora verrucosa</i> on the hand. <i>European Journal of Dermatology</i> , 2015, 25, 274-275.	0.6	3
68	Successful treatment with tocilizumab of a psoriasiform skin lesion induced by etanercept in a patient with juvenile idiopathic arthritis. <i>Modern Rheumatology</i> , 2015, 25, 972-973.	1.8	6
69	Clinical and Immunologic Predictors of Scleroderma Renal Crisis in Japanese Systemic Sclerosis Patients With Anti-€RNA Polymerase III Autoantibodies. <i>Arthritis and Rheumatology</i> , 2015, 67, 1045-1052.	5.6	70
70	High incidence of pulmonary arterial hypertension in systemic sclerosis patients with anti-centriole autoantibodies. <i>Modern Rheumatology</i> , 2015, 25, 798-801.	1.8	11
71	A Crucial Role of L-€Selectin in C Protein-€Induced Experimental Polymyositis in Mice. <i>Arthritis and Rheumatology</i> , 2014, 66, 1864-1871.	5.6	16
72	Autoantibodies to RuvBL1 and RuvBL2: A Novel Systemic Sclerosis-€Related Antibody Associated With Diffuse Cutaneous and Skeletal Muscle Involvement. <i>Arthritis Care and Research</i> , 2014, 66, 575-584.	3.4	86

#	ARTICLE	IF	CITATIONS
73	Blockade of Syk ameliorates the development of murine sclerodermatous chronic graft-versus-host disease. <i>Journal of Dermatological Science</i> , 2014, 74, 214-221.	1.9	37
74	B Cells Promote Tumor Immunity against B16F10 Melanoma. <i>American Journal of Pathology</i> , 2014, 184, 3120-3129.	3.8	28
75	A Case of Dermatomyositis with Esophageal Fistula in Whom Blind Mucosal Biopsy Detected Occult Oropharyngeal Carcinoma. <i>Case Reports in Dermatology</i> , 2014, 6, 268-273.	0.8	2
76	Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. <i>Modern Rheumatology</i> , 2013, 23, 190-194.	1.8	21
77	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	1.8	31
78	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 913-919.	1.8	3
79	FTY720 Ameliorates Murine Sclerodermatous Chronic Graft-versus-Host Disease by Promoting Expansion of Splenic Regulatory Cells and Inhibiting Immune Cell Infiltration Into Skin. <i>Arthritis and Rheumatism</i> , 2013, 65, 1624-1635.	6.7	40
80	Accumulation of mature B cells in the inflamed muscle tissue of a patient with anti-155/140 antibody-positive juvenile dermatomyositis. <i>Modern Rheumatology</i> , 2013, 23, 167-171.	1.8	5
81	Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: comparison with a UK Caucasian cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 151-153.	0.9	77
82	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome. <i>PLoS ONE</i> , 2013, 8, e60442.	2.5	306
83	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	1.8	10
84	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 710-713.	0.9	220
85	Potential roles of interleukin-17A in the development of skin fibrosis in mice. <i>Arthritis and Rheumatism</i> , 2012, 64, 3726-3735.	6.7	118
86	Skin sclerosis as a manifestation of POEMS syndrome. <i>Journal of Dermatology</i> , 2012, 39, 922-926.	1.2	7
87	Myositis-specific anti-155/140 autoantibodies target transcription intermediary factor 1 family proteins. <i>Arthritis and Rheumatism</i> , 2012, 64, 513-522.	6.7	245
88	Inducible Costimulator (ICOS) and ICOS Ligand Signaling Has Pivotal Roles in Skin Wound Healing via Cytokine Production. <i>American Journal of Pathology</i> , 2011, 179, 2360-2369.	3.8	36
89	IgG4-Related Skin Disease, a Mimic of Angiolymphoid Hyperplasia with Eosinophilia. <i>Dermatology</i> , 2011, 223, 301-305.	2.1	39
90	Association between nail-fold capillary findings and disease activity in dermatomyositis. <i>Rheumatology</i> , 2011, 50, 1091-1098.	1.9	63

#	ARTICLE	IF	CITATIONS
91	Clinical Correlations With Dermatomyositis-Specific Autoantibodies in Adult Japanese Patients With Dermatomyositis. <i>Archives of Dermatology</i> , 2011, 147, 391.	1.4	293
92	Inducible costimulator ligand regulates bleomycin-induced lung and skin fibrosis in a mouse model independently of the inducible costimulator/inducible costimulator ligand pathway. <i>Arthritis and Rheumatism</i> , 2010, 62, 1723-1732.	6.7	45
93	Autoantibody profiles in systemic sclerosis: Predictive value for clinical evaluation and prognosis. <i>Journal of Dermatology</i> , 2010, 37, 42-53.	1.2	172
94	Intractable genital ulcers from herpes simplex virus reactivation in drug-induced hypersensitivity syndrome caused by allopurinol. <i>International Journal of Dermatology</i> , 2010, 49, 700-704.	1.0	16
95	CD22 Expression Mediates the Regulatory Functions of Peritoneal B-1a Cells during the Remission Phase of Contact Hypersensitivity Reactions. <i>Journal of Immunology</i> , 2010, 184, 4637-4645.	0.8	52
96	Re-emergence of anti-topoisomerase I antibody with exacerbated development of skin sclerosis in a patient with systemic sclerosis. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 142-144.	1.2	5
97	Reduced red blood cell velocity in nail-fold capillaries as a sensitive and specific indicator of microcirculation injury in systemic sclerosis. <i>Rheumatology</i> , 2009, 48, 696-703.	1.9	47
98	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis. <i>Journal of Rheumatology</i> , 2007, 34, 1012-8.	2.0	62
99	B-Lymphocyte Depletion Reduces Skin Fibrosis and Autoimmunity in the Tight-Skin Mouse Model for Systemic Sclerosis. <i>American Journal of Pathology</i> , 2006, 169, 954-966.	3.8	195
100	Antibody isotype-specific engagement of Fc γ 3 receptors regulates B lymphocyte depletion during CD20 immunotherapy. <i>Journal of Experimental Medicine</i> , 2006, 203, 743-753.	8.5	238
101	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2006, 33, 1586-92.	2.0	43
102	The Peritoneal Cavity Provides a Protective Niche for B1 and Conventional B Lymphocytes during Anti-CD20 Immunotherapy in Mice. <i>Journal of Immunology</i> , 2005, 174, 4389-4399.	0.8	204
103	Prevalence and clinical characteristics of anti-Mi-2 antibodies in Japanese patients with dermatomyositis. <i>Journal of Dermatological Science</i> , 2005, 40, 215-217.	1.9	51
104	L-Selectin or ICAM-1 Deficiency Reduces an Immediate-Type Hypersensitivity Response by Preventing Mast Cell Recruitment in Repeated Elicitation of Contact Hypersensitivity. <i>Journal of Immunology</i> , 2003, 170, 4325-4334.	0.8	54
105	Ultraviolet Light Exposure Suppresses Contact Hypersensitivity by Abrogating Endothelial Intercellular Adhesion Molecule-1 Up-Regulation at the Elicitation Site. <i>Journal of Immunology</i> , 2003, 171, 2855-2862.	0.8	9
106	The Cutaneous Reverse Arthus Reaction Requires Intercellular Adhesion Molecule 1 and L-Selectin Expression. <i>Journal of Immunology</i> , 2002, 168, 2970-2978.	0.8	42
107	Intercellular Adhesion Molecule-1 and L-Selectin Regulate Bleomycin-Induced Lung Fibrosis. <i>American Journal of Pathology</i> , 2002, 161, 1607-1618.	3.8	55
108	CD19-dependent B lymphocyte signaling thresholds influence skin fibrosis and autoimmunity in the tight-skin mouse. <i>Journal of Clinical Investigation</i> , 2002, 109, 1453-1462.	8.2	188

#	ARTICLE	IF	CITATIONS
109	Delayed Wound Healing in the Absence of Intercellular Adhesion Molecule-1 or L-Selectin Expression. American Journal of Pathology, 2000, 157, 237-247.	3.8	148
110	Cytokine-producing B cell balance associates with skin fibrosis in patients with systemic sclerosis. Journal of Dermatology, 0, , .	1.2	3