

Roger A M J Damoiseaux

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1462088/publications.pdf>

Version: 2024-02-01

68
papers

1,178
citations

516215

16
h-index

454577

30
g-index

86
all docs

86
docs citations

86
times ranked

1242
citing authors

#	ARTICLE	IF	CITATIONS
1	Acute middenoorontsteking/otitis media acuta (OMA). , 2022, , 385-391.		0
2	Supervisorsâ€™ pedagogies for supporting interns to learn intra- and interprofessional collaboration: a qualitative and quantitative ego network analysis. Journal of Interprofessional Care, 2021, 35, 185-192.	0.8	2
3	Clinician-Scientists in-and-between Research and Practice: How Social Identity Shapes Brokerage. Minerva, 2021, 59, 123-137.	1.4	7
4	Transcending boundaries for collaborative patient care. Medical Teacher, 2021, 43, 27-31.	1.0	10
5	Incidence and management of acute otitis media in adults: a primary care-based cohort study. Family Practice, 2021, 38, 448-453.	0.8	8
6	Educational strategies to enhance EBM teaching and learning in the workplace: a focus group study. BMJ Evidence-Based Medicine, 2021, 26, 247-247.	1.7	0
7	Impact of the COVID-19 Pandemic on Antibiotic Prescribing for Common Infections in The Netherlands: A Primary Care-Based Observational Cohort Study. Antibiotics, 2021, 10, 196.	1.5	53
8	Cost of childhood acute otitis media in primary care in the Netherlands: economic analysis alongside a cluster randomised controlled trial. BMC Health Services Research, 2021, 21, 193.	0.9	6
9	Bacterial agents in vulvovaginitis and vaginal discharge: a 10-year retrospective study in the Netherlands. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 2123-2128.	1.3	7
10	Prevalence and Antimicrobial Resistance of Bacteria in Children With Acute Otitis Media and Ear Discharge. Pediatric Infectious Disease Journal, 2021, 40, 756-762.	1.1	20
11	Gender-stratified analyses of symptoms associated with acute coronary syndrome in telephone triage: a cross-sectional study. BMJ Open, 2021, 11, e042406.	0.8	7
12	Bidirectional learning opportunities: How GPâ€™s supervisors and trainees exchange knowledge. Medical Education, 2021, 55, 1407-1418.	1.1	3
13	Learning Conversations with Trainees: An Undervalued but Useful EBM Learning Opportunity for Clinical Supervisors. Teaching and Learning in Medicine, 2021, 33, 382-389.	1.3	3
14	A Strong Decline in the Incidence of Childhood Otitis Media During the COVID-19 Pandemic in the Netherlands. Frontiers in Cellular and Infection Microbiology, 2021, 11, 768377.	1.8	30
15	Immediate oral versus immediate topical versus delayed oral antibiotics for children with acute otitis media with discharge: the REST three-arm non-inferiority electronic platform-supported RCT. Health Technology Assessment, 2021, 25, 1-76.	1.3	2
16	Common Infections and Antibiotic Prescribing during the First Year of the COVID-19 Pandemic: A Primary Care-Based Observational Cohort Study. Antibiotics, 2021, 10, 1521.	1.5	6
17	Topical or oral antibiotics for children with acute otitis media presenting with ear discharge: study protocol of a randomised controlled non-inferiority trial. BMJ Open, 2021, 11, e052128.	0.8	1
18	Applying evidence-based medicine in general practice: a video-stimulated interview study on workplace-based observation. BMC Family Practice, 2020, 21, 5.	2.9	7

#	ARTICLE	IF	CITATIONS
19	Panel 5: Impact of otitis media on quality of life and development. International Journal of Pediatric Otorhinolaryngology, 2020, 130, 109837.	0.4	20
20	Learning from patients about patient-centredness: A realist review: BEME Guide No. 60. Medical Teacher, 2020, 42, 380-392.	1.0	22
21	Accuracy of telephone triage in primary care patients with chest discomfort: a cross-sectional study. Open Heart, 2020, 7, e001376.	0.9	14
22	Improving pain management in childhood acute otitis media in general practice: a cluster randomised controlled trial of a GP-targeted educational intervention. British Journal of General Practice, 2020, 70, e684-e695.	0.7	7
23	Pneumococcal conjugate vaccines for preventing acute otitis media in children. The Cochrane Library, 2020, 2020, CD001480.	1.5	19
24	GP trainees' perceptions on learning EBM using conversations in the workplace: a video-stimulated interview study. BMC Medical Education, 2020, 20, 139.	1.0	5
25	Chest discomfort at night and risk of acute coronary syndrome: cross-sectional study of telephone conversations. British Journal of General Practice, 2020, 70, bjgp20X711317.	0.7	0
26	Missed acute coronary syndrome during telephone triage at out-of-hours primary care: lessons from a case-control study. British Journal of General Practice, 2020, 70, bjgp20X711329.	0.7	1
27	Is the time of calling helpful for differentiating transient ischaemic attack and stroke from mimics in primary care out-of-hours services? A cross-sectional study. BMJ Open, 2020, 10, e041408.	0.8	0
28	Optimisation of telephone triage of callers with symptoms suggestive of acute cardiovascular disease in out-of-hours primary care: observational design of the Safety First study. BMJ Open, 2019, 9, e027477.	0.8	16
29	Impact of Repeated Influenza Immunization on Respiratory Illness in Children With Preexisting Medical Conditions. Annals of Family Medicine, 2019, 17, 7-13.	0.9	7
30	Pain management in acute otitis media: a qualitative study of parents' views and expectations. BMC Family Practice, 2019, 20, 18.	2.9	11
31	Facilitators and barriers to brokering between research and care by senior clinical-scientists in general practice and elderly care medicine. Education for Primary Care, 2019, 30, 80-87.	0.2	6
32	Understanding the Broker Role of Clinician-Scientists: A Realist Review on How They Link Research and Practice. Academic Medicine, 2019, 94, 1589-1598.	0.8	9
33	Pneumococcal conjugate vaccines for preventing acute otitis media in children. The Cochrane Library, 2019, 5, CD001480.	1.5	21
34	Impact of acute otitis media clinical practice guidelines on antibiotic and analgesic prescriptions: a systematic review. Archives of Disease in Childhood, 2018, 103, 597-602.	1.0	23
35	Workplace learning through collaboration in primary healthcare: A BEME realist review of what works, for whom and in what circumstances: BEME Guide No. 46. Medical Teacher, 2018, 40, 117-134.	1.0	46
36	Pain management in acute otitis media: a qualitative study exploring GPs' views and expectations parallel to a trial of an educational intervention. BJGP Open, 2018, 2, bjgpopen18X101620.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Outpatient antibiotic use in Dutch infants after 10-valent pneumococcal vaccine introduction: a time-series analysis. <i>BMJ Open</i> , 2018, 8, e020619.	0.8	7
38	Tympanostomy tube otorrhea in children: prevention and treatment. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2018, 26, 437-440.	0.8	12
39	Optimising pain management in children with acute otitis media through a primary care-based multifaceted educational intervention: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 501.	0.7	7
40	A case study of nurse practitioner care compared with general practitioner care for children with respiratory tract infections. <i>Journal of Advanced Nursing</i> , 2018, 74, 2106-2114.	1.5	1
41	Design of a 15-month interprofessional workplace learning program to expand the added value of clinical pharmacists in primary care. <i>Currents in Pharmacy Teaching and Learning</i> , 2018, 10, 618-626.	0.4	15
42	Challenges in measuring interprofessionalâ€“interorganisational collaboration with a questionnaire. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101385.	0.9	6
43	Panel 1: Epidemiology and Diagnosis. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, S1-S21.	1.1	88
44	The use of evidence during group meetings of Dutch general practitioners. <i>Education for Primary Care</i> , 2017, 28, 307-312.	0.2	5
45	Acute middenoorontsteking/otitis media acuta (OMA). , 2017, , 378-385.		0
46	Intraprofessional collaboration and learning between specialists and general practitioners during postgraduate training: a qualitative study. <i>BMC Health Services Research</i> , 2016, 16, 376.	0.9	22
47	Antibiotic Treatment for First Episode of Acute Otitis Media Is Not Associated with Future Recurrences. <i>PLoS ONE</i> , 2016, 11, e0160560.	1.1	1
48	Paracetamol (acetaminophen) or non-steroidal anti-inflammatory drugs, alone or combined, for pain relief in acute otitis media in children. <i>The Cochrane Library</i> , 2016, 2016, CD011534.	1.5	17
49	Diagnostic delay of pulmonary embolism in primary and secondary care: a retrospective cohort study. <i>British Journal of General Practice</i> , 2016, 66, e444-e450.	0.7	23
50	A competency based selection procedure for Dutch postgraduate GP training: A pilot study on validity and reliability. <i>European Journal of General Practice</i> , 2014, 20, 307-313.	0.9	3
51	Impact of early daycare on healthcare resource use related to upper respiratory tract infections during childhood: prospective WHISTLER cohort study. <i>BMC Medicine</i> , 2014, 12, 107.	2.3	45
52	Uniforme selectie en spreiding van opleidingsplaatsen. <i>Huisarts En Wetenschap</i> , 2014, 57, 18-19.	0.0	0
53	Pneumococcal conjugate vaccines for preventing otitis media. <i>The Cochrane Library</i> , 2014, , CD001480.	1.5	66
54	Depression and heart failure associated with clinical COPD questionnaire outcome in primary care COPD patients: a cross-sectional study. <i>Npj Primary Care Respiratory Medicine</i> , 2014, 24, 14066.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Dutch postgraduate GP selection procedure; reliability of interview assessments. BMC Family Practice, 2013, 14, 43.	2.9	4
56	Topical intranasal steroids do not benefit children with persistent middle ear effusion. Journal of Pediatrics, 2010, 157, 171-172.	0.9	0
57	Topical intranasal corticosteroids for otitis media with effusion in primary care. BMJ: British Medical Journal, 2010, 340, b5380-b5380.	2.4	2
58	Procalcitonin-Guided Antibiotic Use in Primary Care: The Ultimate Proof Still Ahead. Archives of Internal Medicine, 2009, 169, 717.	4.3	1
59	Recurrence up to 3.5 years after antibiotic treatment of acute otitis media in very young Dutch children: survey of trial participants. BMJ: British Medical Journal, 2009, 338, b2525-b2525.	2.4	35
60	Pneumococcal conjugate vaccines for preventing otitis media. , 2009, , CD001480.		44
61	Welke kinderen met otitis media acuta hebben baat bij behandeling met antibiotica?. , 2008, , 77-91.		0
62	Long-term prognosis of acute otitis media in infancy: determinants of recurrent acute otitis media and persistent middle ear effusion. Family Practice, 2006, 23, 40-45.	0.8	43
63	Influenza Vaccination Effectiveness Is Not Proven in Younger Individuals at Risk. Archives of Internal Medicine, 2005, 165, 1921.	4.3	1
64	Pneumococcal vaccines for preventing otitis media. , 2004, , CD001480.		53
65	Review of randomized controlled trials on pneumococcal vaccination for prevention of otitis media. Pediatric Infectious Disease Journal, 2003, 22, 515-524.	1.1	31
66	SIBLING HISTORY OF RECURRENT ACUTE OTITIS MEDIA CORRELATES WITH LOW IgG2 ANTI-PNEUMOCOCCAL POLYSACCHARIDE ANTIBODY LEVELS. Pediatric Infectious Disease Journal, 2000, 19, 176-177.	1.1	2
67	Duration of clinical symptoms in children under two years of age with acute otitis media. European Journal of General Practice, 2000, 6, 48-51.	0.9	10
68	Primary care based randomised, double blind trial of amoxicillin versus placebo for acute otitis media in children aged under 2 years. BMJ: British Medical Journal, 2000, 320, 350-354.	2.4	203