

Edith Heard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1462425/publications.pdf>

Version: 2024-02-01

162
papers

26,197
citations

13332

70
h-index

8433

152
g-index

204
all docs

204
docs citations

204
times ranked

29152
citing authors

#	ARTICLE	IF	CITATIONS
1	Gene regulation in time and space during X-chromosome inactivation. <i>Nature Reviews Molecular Cell Biology</i> , 2022, 23, 231-249.	16.1	86
2	Molecular biology for green recovery—A call for action. <i>PLoS Biology</i> , 2022, 20, e3001623.	2.6	5
3	Inversion of a topological domain leads to restricted changes in its gene expression and affects interdomain communication. <i>Development (Cambridge)</i> , 2022, 149, .	1.2	10
4	XIST loss impairs mammary stem cell differentiation and increases tumorigenicity through Mediator hyperactivation. <i>Cell</i> , 2022, 185, 2164-2183.e25.	13.5	22
5	Priorities for ocean microbiome research. <i>Nature Microbiology</i> , 2022, 7, 937-947.	5.9	27
6	H4K20me1 and H3K27me3 are concurrently loaded onto the inactive X chromosome but dispensable for inducing gene silencing. <i>EMBO Reports</i> , 2021, 22, e51989.	2.0	40
7	The X Chromosome from Telomere to Telomere: Key Achievements and Future Opportunities. <i>Faculty Reviews</i> , 2021, 10, 63.	1.7	1
8	The Molecular and Nuclear Dynamics of X-Chromosome Inactivation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2021, , a040196.	2.3	19
9	Locus specific epigenetic modalities of random allelic expression imbalance. <i>Nature Communications</i> , 2021, 12, 5330.	5.8	7
10	Mapping of Chromosome by 3D-Chromosome Painting During Early Mouse Development. <i>Methods in Molecular Biology</i> , 2021, 2214, 175-187.	0.4	1
11	Xist nucleates local protein gradients to propagate silencing across the X chromosome. <i>Cell</i> , 2021, 184, 6174-6192.e32.	13.5	62
12	Bioinformatic Analysis of Single-Cell Hi-C Data from Early Mouse Embryo. <i>Methods in Molecular Biology</i> , 2021, 2214, 295-316.	0.4	0
13	Noncoding RNAs: biology and applications—a Keystone Symposia report. <i>Annals of the New York Academy of Sciences</i> , 2021, 1506, 118-141.	1.8	13
14	Digging into X chromosome inactivation. <i>Science</i> , 2021, 374, 942-943.	6.0	4
15	SPEN is required for Xist upregulation during initiation of X chromosome inactivation. <i>Nature Communications</i> , 2021, 12, 7000.	5.8	16
16	A Conserved Noncoding Locus Regulates Random Monoallelic Xist Expression across a Topological Boundary. <i>Molecular Cell</i> , 2020, 77, 352-367.e8.	4.5	48
17	Parental-to-embryo switch of chromosome organization in early embryogenesis. <i>Nature</i> , 2020, 580, 142-146.	13.7	116
18	Molecular Mechanisms of Facultative Heterochromatin Formation: An X-Chromosome Perspective. <i>Annual Review of Biochemistry</i> , 2020, 89, 255-282.	5.0	51

#	ARTICLE	IF	CITATIONS
19	SPEN integrates transcriptional and epigenetic control of X-inactivation. <i>Nature</i> , 2020, 578, 455-460.	13.7	146
20	Advances in epigenetics link genetics to the environment and disease. <i>Nature</i> , 2019, 571, 489-499.	13.7	863
21	The role of <i>Xist</i> -mediated Polycomb recruitment in the initiation of X-chromosome inactivation. <i>EMBO Reports</i> , 2019, 20, e48019.	2.0	79
22	Xist RNA in action: Past, present, and future. <i>PLoS Genetics</i> , 2019, 15, e1008333.	1.5	160
23	The bipartite TAD organization of the X-inactivation center ensures opposing developmental regulation of Tsix and Xist. <i>Nature Genetics</i> , 2019, 51, 1024-1034.	9.4	60
24	Kinetics of <i>Xist</i> -induced gene silencing can be predicted from combinations of epigenetic and genomic features. <i>Genome Research</i> , 2019, 29, 1087-1099.	2.4	38
25	A symmetric toggle switch explains the onset of random X inactivation in different mammals. <i>Nature Structural and Molecular Biology</i> , 2019, 26, 350-360.	3.6	36
26	Voices in methods development. <i>Nature Methods</i> , 2019, 16, 945-951.	9.0	5
27	In-cell identification and measurement of RNA-protein interactions. <i>Nature Communications</i> , 2019, 10, 5317.	5.8	43
28	The Implication of Early Chromatin Changes in X Chromosome Inactivation. <i>Cell</i> , 2019, 176, 182-197.e23.	13.5	207
29	The non-canonical SMC protein SmcHD1 antagonises TAD formation and compartmentalisation on the inactive X chromosome. <i>Nature Communications</i> , 2019, 10, 30.	5.8	87
30	Nuclear positioning and pairing of X-chromosome inactivation centers are not primary determinants during initiation of random X-inactivation. <i>Nature Genetics</i> , 2019, 51, 285-295.	9.4	32
31	The Ftx Noncoding Locus Controls X Chromosome Inactivation Independently of Its RNA Products. <i>Molecular Cell</i> , 2018, 70, 462-472.e8.	4.5	75
32	Challenges and guidelines toward 4D nucleome data and model standards. <i>Nature Genetics</i> , 2018, 50, 1352-1358.	9.4	47
33	X-Chromosome Inactivation: A Crossroads Between Chromosome Architecture and Gene Regulation. <i>Annual Review of Genetics</i> , 2018, 52, 535-566.	3.2	192
34	Live Imaging of Xist RNA. <i>Methods in Molecular Biology</i> , 2018, 1861, 67-72.	0.4	5
35	Effective normalization for copy number variation in Hi-C data. <i>BMC Bioinformatics</i> , 2018, 19, 313.	1.2	27
36	Transcriptome Profiling of Single Mouse Oocytes. <i>Methods in Molecular Biology</i> , 2018, 1818, 51-65.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Landscape of monoallelic DNA accessibility in mouse embryonic stem cells and neural progenitor cells. <i>Nature Genetics</i> , 2017, 49, 377-386.	9.4	76
38	Xist-dependent imprinted X inactivation and the early developmental consequences of its failure. <i>Nature Structural and Molecular Biology</i> , 2017, 24, 226-233.	3.6	122
39	Novel players in X inactivation: insights into Xist-mediated gene silencing and chromosome conformation. <i>Nature Structural and Molecular Biology</i> , 2017, 24, 197-204.	3.6	114
40	RNA FISH to Study Zygotic Genome Activation in Early Mouse Embryos. <i>Methods in Molecular Biology</i> , 2017, 1605, 133-145.	0.4	4
41	XACT Noncoding RNA Competes with XIST in the Control of X Chromosome Activity during Human Early Development. <i>Cell Stem Cell</i> , 2017, 20, 102-111.	5.2	181
42	Genetic and epigenetic features direct differential efficiency of Xist-mediated silencing at X-chromosomal and autosomal locations. <i>Nature Communications</i> , 2017, 8, 690.	5.8	50
43	Contribution of epigenetic landscapes and transcription factors to X-chromosome reactivation in the inner cell mass. <i>Nature Communications</i> , 2017, 8, 1297.	5.8	52
44	Preface. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017, 372, 20160353.	1.8	0
45	Topologically Associating Domains in Chromosome Architecture and Gene Regulatory Landscapes during Development, Disease, and Evolution. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2017, 82, 267-278.	2.0	28
46	From Chromosome Conformation Capture to Polymer Physics and Back. , 2017, , 203-224.		0
47	X chromosome inactivation: new players in the initiation of gene silencing. <i>F1000Research</i> , 2017, 6, 344.	0.8	34
48	Maternal LSD1/KDM1A is an essential regulator of chromatin and transcription landscapes during zygotic genome activation. <i>ELife</i> , 2016, 5, .	2.8	107
49	Jarid2 binds mono-ubiquitylated H2A lysine 119 to mediate crosstalk between Polycomb complexes PRC1 and PRC2. <i>Nature Communications</i> , 2016, 7, 13661.	5.8	207
50	Structural Fluctuations of the Chromatin Fiber within Topologically Associating Domains. <i>Biophysical Journal</i> , 2016, 110, 1234-1245.	0.2	58
51	Random monoallelic expression of genes on autosomes: Parallels with X-chromosome inactivation. <i>Seminars in Cell and Developmental Biology</i> , 2016, 56, 100-110.	2.3	44
52	Genomes of <i>Ellobius</i> species provide insight into the evolutionary dynamics of mammalian sex chromosomes. <i>Genome Research</i> , 2016, 26, 1202-1210.	2.4	37
53	LINE-1 Activity in Facultative Heterochromatin Formation during X Chromosome Inactivation. <i>Cell</i> , 2016, 166, 782.	13.5	5
54	3D solutions to complex gene regulation. <i>Nature Reviews Molecular Cell Biology</i> , 2016, 17, 739-739.	16.1	1

#	ARTICLE	IF	CITATIONS
55	Structural organization of the inactive X chromosome in the mouse. <i>Nature</i> , 2016, 535, 575-579.	13.7	369
56	Ordered chromatin changes and human X chromosome reactivation by cell fusion-mediated pluripotent reprogramming. <i>Nature Communications</i> , 2016, 7, 12354.	5.8	19
57	Closing the loop: 3C versus DNA FISH. <i>Genome Biology</i> , 2016, 17, 215.	3.8	101
58	Transcriptional Analysis by Nascent RNA FISH of <i>In Vivo</i> Trophoblast Giant Cells or <i>In Vitro</i> Short-term Cultures of Ectoplacental Cone Explants. <i>Journal of Visualized Experiments</i> , 2016, . .	0.2	1
59	Efficient and versatile CRISPR engineering of human neurons in culture to model neurological disorders. <i>Wellcome Open Research</i> , 2016, 1, 13.	0.9	38
60	The inactive X chromosome is epigenetically unstable and transcriptionally labile in breast cancer. <i>Genome Research</i> , 2015, 25, 488-503.	2.4	106
61	Jarid2 Methylation via the PRC2 Complex Regulates H3K27me3 Deposition during Cell Differentiation. <i>Molecular Cell</i> , 2015, 57, 769-783.	4.5	229
62	X-chromosome inactivation: new insights into cis and trans regulation. <i>Current Opinion in Genetics and Development</i> , 2015, 31, 57-66.	1.5	131
63	HiC-Pro: an optimized and flexible pipeline for Hi-C data processing. <i>Genome Biology</i> , 2015, 16, 259.	3.8	1,632
64	Systematic Discovery of Xist RNA Binding Proteins. <i>Cell</i> , 2015, 161, 404-416.	13.5	886
65	Structural and functional diversity of Topologically Associating Domains. <i>FEBS Letters</i> , 2015, 589, 2877-2884.	1.3	269
66	High-Resolution 3D DNA FISH Using Plasmid Probes and Computational Correction of Optical Aberrations to Study Chromatin Structure at the Sub-megabase Scale. <i>Methods in Molecular Biology</i> , 2015, 1262, 37-53.	0.4	9
67	Developmental Dynamics and Disease Potential of Random Monoallelic Gene Expression. <i>Developmental Cell</i> , 2014, 28, 366-380.	3.1	118
68	Transgenerational Epigenetic Inheritance: Myths and Mechanisms. <i>Cell</i> , 2014, 157, 95-109.	13.5	1,393
69	Predictive Polymer Modeling Reveals Coupled Fluctuations in Chromosome Conformation and Transcription. <i>Cell</i> , 2014, 157, 950-963.	13.5	411
70	Jarid2 Is Implicated in the Initial Xist-Induced Targeting of PRC2 to the Inactive X Chromosome. <i>Molecular Cell</i> , 2014, 53, 301-316.	4.5	221
71	Noncoding RNAs and Epigenetic Mechanisms During X-Chromosome Inactivation. <i>Annual Review of Cell and Developmental Biology</i> , 2014, 30, 561-580.	4.0	195
72	X-chromosome inactivation in development and cancer. <i>FEBS Letters</i> , 2014, 588, 2514-2522.	1.3	118

#	ARTICLE	IF	CITATIONS
73	The Two Active X Chromosomes in Female ESCs Block Exit from the Pluripotent State by Modulating the ESC Signaling Network. <i>Cell Stem Cell</i> , 2014, 14, 203-216.	5.2	149
74	MOF-associated complexes ensure stem cell identity and Xist repression. <i>ELife</i> , 2014, 3, e02024.	2.8	76
75	The pluripotent genome in three dimensions is shaped around pluripotency factors. <i>Nature</i> , 2013, 501, 227-231.	13.7	236
76	Segmental folding of chromosomes: A basis for structural and regulatory chromosomal neighborhoods?. <i>BioEssays</i> , 2013, 35, 818-828.	1.2	158
77	Role and control of X chromosome dosage in mammalian development. <i>Current Opinion in Genetics and Development</i> , 2013, 23, 109-115.	1.5	72
78	Cohesin-based chromatin interactions enable regulated gene expression within preexisting architectural compartments. <i>Genome Research</i> , 2013, 23, 2066-2077.	2.4	282
79	Changes in the organization of the genome during the mammalian cell cycle. <i>Genome Biology</i> , 2013, 14, 142.	13.9	8
80	Cell nucleus. <i>Current Opinion in Cell Biology</i> , 2013, 25, 279-280.	2.6	0
81	Unusual chromatin status and organization of the inactive X chromosome in murine trophoblast giant cells. <i>Development (Cambridge)</i> , 2013, 140, 861-872.	1.2	45
82	Small RNAs derived from structural non-coding RNAs. <i>Methods</i> , 2013, 63, 76-84.	1.9	39
83	Epigenetic Functions of Smchd1 Repress Gene Clusters on the Inactive X Chromosome and on Autosomes. <i>Molecular and Cellular Biology</i> , 2013, 33, 3150-3165.	1.1	99
84	RNAi-Dependent and Independent Control of LINE1 Accumulation and Mobility in Mouse Embryonic Stem Cells. <i>PLoS Genetics</i> , 2013, 9, e1003791.	1.5	37
85	Live-Cell Imaging Combined with Immunofluorescence, RNA, or DNA FISH to Study the Nuclear Dynamics and Expression of the X-Inactivation Center. <i>Methods in Molecular Biology</i> , 2013, 1042, 13-31.	0.4	9
86	Initiation de lâ€™inactivation du chromosome X durant le dÃ©veloppement embryonnaire prÃ©coce chez la souris et lâ€™humain. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2013, 197, 609-617.	0.0	1
87	ncPRO-seq: a tool for annotation and profiling of ncRNAs in sRNA-seq data. <i>Bioinformatics</i> , 2012, 28, 3147-3149.	1.8	91
88	HiTC: exploration of high-throughput â€” experiments. <i>Bioinformatics</i> , 2012, 28, 2843-2844.	1.8	165
89	MicroRNA Regulation of Cbx7 Mediates a Switch of Polycomb Orthologs during ESC Differentiation. <i>Cell Stem Cell</i> , 2012, 10, 33-46.	5.2	191
90	Naive and primed murine pluripotent stem cells have distinct miRNA expression profiles. <i>Rna</i> , 2012, 18, 253-264.	1.6	84

#	ARTICLE	IF	CITATIONS
91	Smchd1-Dependent and -Independent Pathways Determine Developmental Dynamics of CpG Island Methylation on the Inactive X Chromosome. <i>Developmental Cell</i> , 2012, 23, 265-279.	3.1	160
92	Recent advances in X-chromosome inactivation research. <i>Current Opinion in Cell Biology</i> , 2012, 24, 825-832.	2.6	53
93	Deep-Sequencing Protocols Influence the Results Obtained in Small-RNA Sequencing. <i>PLoS ONE</i> , 2012, 7, e32724.	1.1	31
94	Spatial partitioning of the regulatory landscape of the X-inactivation centre. <i>Nature</i> , 2012, 485, 381-385.	13.7	2,595
95	Live-Cell Chromosome Dynamics and Outcome of X Chromosome Pairing Events during ES Cell Differentiation. <i>Cell</i> , 2011, 145, 447-458.	13.5	137
96	Deterministic and Stochastic Allele Specific Gene Expression in Single Mouse Blastomeres. <i>PLoS ONE</i> , 2011, 6, e21208.	1.1	134
97	Regulation of X-chromosome inactivation by the X-inactivation centre. <i>Nature Reviews Genetics</i> , 2011, 12, 429-442.	7.7	312
98	Eutherian mammals use diverse strategies to initiate X-chromosome inactivation during development. <i>Nature</i> , 2011, 472, 370-374.	13.7	394
99	Fifty years of X-inactivation research. <i>Development (Cambridge)</i> , 2011, 138, 5049-5055.	1.2	73
100	Evolutionary diversity and developmental regulation of X-chromosome inactivation. <i>Human Genetics</i> , 2011, 130, 307-327.	1.8	87
101	The inactive X chromosome adopts a unique three-dimensional conformation that is dependent on Xist RNA. <i>Genes and Development</i> , 2011, 25, 1371-1383.	2.7	278
102	Function of the Sex Chromosomes in Mammalian Fertility. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011, 3, a002675-a002675.	2.3	60
103	Rnf12â€”A Jack of All Trades in X Inactivation?. <i>PLoS Genetics</i> , 2011, 7, e1002002.	1.5	3
104	Ten years of genetics and genomics: what have we achieved and where are we heading?. <i>Nature Reviews Genetics</i> , 2010, 11, 723-733.	7.7	65
105	Nuclear Organization and Dosage Compensation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a000604-a000604.	2.3	25
106	Dynamic plasticity of large-scale chromatin structure revealed by self-assembly of engineered chromosome regions. <i>Journal of Cell Biology</i> , 2010, 190, 761-776.	2.3	32
107	girafe â€” an R/Bioconductor package for functional exploration of aligned next-generation sequencing reads. <i>Bioinformatics</i> , 2010, 26, 2902-2903.	1.8	12
108	LINE-1 Activity in Facultative Heterochromatin Formation during X Chromosome Inactivation. <i>Cell</i> , 2010, 141, 956-969.	13.5	296

#	ARTICLE	IF	CITATIONS
109	Epigenetic mechanisms in development and disease. <i>Seminars in Cell and Developmental Biology</i> , 2010, 21, 185-185.	2.3	0
110	Monomethylation of Histone H4-Lysine 20 Is Involved in Chromosome Structure and Stability and Is Essential for Mouse Development. <i>Molecular and Cellular Biology</i> , 2009, 29, 2278-2295.	1.1	271
111	Dynamic changes in paternal X-chromosome activity during imprinted X-chromosome inactivation in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 5198-5203.	3.3	152
112	Highly Dynamic and Sex-Specific Expression of microRNAs During Early ES Cell Differentiation. <i>PLoS Genetics</i> , 2009, 5, e1000620.	1.5	73
113	X inactivation and the complexities of silencing a sex chromosome. <i>Current Opinion in Cell Biology</i> , 2009, 21, 359-366.	2.6	192
114	Lessons from comparative analysis of X-chromosome inactivation in mammals. <i>Chromosome Research</i> , 2009, 17, 659-669.	1.0	59
115	Foreword: Coping with sex chromosome imbalance. <i>Chromosome Research</i> , 2009, 17, 579-583.	1.0	13
116	X Chromosome Inactivation: When Dosage Counts. <i>Cell</i> , 2009, 139, 865-867.	13.5	7
117	O5-P007 X chromosome inactivation in murine extraembryonic development at post-implantation stages. <i>Mechanisms of Development</i> , 2009, 126, S114.	1.7	0
118	S05-04. Evolutionary diversity and developmental dynamics of X-chromosome inactivation. <i>Mechanisms of Development</i> , 2009, 126, S7.	1.7	0
119	High-resolution analysis of epigenetic changes associated with X inactivation. <i>Genome Research</i> , 2009, 19, 1361-1373.	2.4	122
120	Chromosome Structural Proteins and RNA-Mediated Epigenetic Silencing. <i>Developmental Cell</i> , 2008, 14, 813-814.	3.1	5
121	Nonrigid Registration of 3-D Multichannel Microscopy Images of Cell Nuclei. <i>IEEE Transactions on Image Processing</i> , 2008, 17, 493-499.	6.0	40
122	A phosphorylated subpopulation of the histone variant macroH2A1 is excluded from the inactive X chromosome and enriched during mitosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1533-1538.	3.3	51
123	Combined Immunofluorescence, RNA Fluorescent In Situ Hybridization, and DNA Fluorescent In Situ Hybridization to Study Chromatin Changes, Transcriptional Activity, Nuclear Organization, and X-Chromosome Inactivation. <i>Methods in Molecular Biology</i> , 2008, 463, 297-308.	0.4	113
124	X Inactive-Specific Transcript RNA Coating and Genetic Instability of the X Chromosome in BRCA1 Breast Tumors. <i>Cancer Research</i> , 2007, 67, 5134-5140.	0.4	95
125	The ins and outs of gene regulation and chromosome territory organisation. <i>Current Opinion in Cell Biology</i> , 2007, 19, 311-316.	2.6	125
126	Dosage compensation in mammals: fine-tuning the expression of the X chromosome. <i>Genes and Development</i> , 2006, 20, 1848-1867.	2.7	439

#	ARTICLE	IF	CITATIONS
127	Transient colocalization of X-inactivation centres accompanies the initiation of X inactivation. <i>Nature Cell Biology</i> , 2006, 8, 293-299.	4.6	304
128	Mouse Polycomb Proteins Bind Differentially to Methylated Histone H3 and RNA and Are Enriched in Facultative Heterochromatin. <i>Molecular and Cellular Biology</i> , 2006, 26, 2560-2569.	1.1	462
129	A novel role for Xist RNA in the formation of a repressive nuclear compartment into which genes are recruited when silenced. <i>Genes and Development</i> , 2006, 20, 2223-2237.	2.7	442
130	Non-rigid Registration of 3D Multi-channel Microscopy Images of Cell Nuclei. <i>Lecture Notes in Computer Science</i> , 2006, 9, 907-914.	1.0	6
131	Initiation of epigenetic reprogramming of the X chromosome in somatic nuclei transplanted to a mouse oocyte. <i>EMBO Reports</i> , 2005, 6, 748-754.	2.0	52
132	Evidence for de novo imprinted X-chromosome inactivation independent of meiotic inactivation in mice. <i>Nature</i> , 2005, 438, 369-373.	13.7	177
133	Imprinted X-inactivation in extra-embryonic endoderm cell lines from mouse blastocysts. <i>Development (Cambridge)</i> , 2005, 132, 1649-1661.	1.2	352
134	Delving into the diversity of facultative heterochromatin: the epigenetics of the inactive X chromosome. <i>Current Opinion in Genetics and Development</i> , 2005, 15, 482-489.	1.5	175
135	Differential Histone H3 Lys-9 and Lys-27 Methylation Profiles on the X Chromosome. <i>Molecular and Cellular Biology</i> , 2004, 24, 5475-5484.	1.1	194
136	Recent advances in X-chromosome inactivation. <i>Current Opinion in Cell Biology</i> , 2004, 16, 247-255.	2.6	253
137	Epigenetic Dynamics of Imprinted X Inactivation During Early Mouse Development. <i>Science</i> , 2004, 303, 644-649.	6.0	736
138	Mammalian X-Chromosome Inactivation: An Epigenetics Paradigm. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2004, 69, 89-102.	2.0	32
139	X-Chromosome Inactivation in Mouse Embryonic Stem Cells: Analysis of Histone Modifications and Transcriptional Activity Using Immunofluorescence and FISH. <i>Methods in Enzymology</i> , 2003, 376, 405-419.	0.4	43
140	Rb-Mediated Heterochromatin Formation and Silencing of E2F Target Genes during Cellular Senescence. <i>Cell</i> , 2003, 113, 703-716.	13.5	1,991
141	Role of Histone Methyltransferase G9a in CpG Methylation of the Prader-Willi Syndrome Imprinting Center. <i>Journal of Biological Chemistry</i> , 2003, 278, 14996-15000.	1.6	149
142	Antisense RNA in imprinting: spreading silence through Air. <i>Trends in Genetics</i> , 2002, 18, 434-437.	2.9	79
143	Differentially methylated forms of histone H3 show unique association patterns with inactive human X chromosomes. <i>Nature Genetics</i> , 2002, 30, 73-76.	9.4	343
144	Relationship of XIST expression and responses of ovarian cancer to chemotherapy. <i>Molecular Cancer Therapeutics</i> , 2002, 1, 769-76.	1.9	92

#	ARTICLE	IF	CITATIONS
145	Methylation of Histone H3 at Lys-9 Is an Early Mark on the X Chromosome during X Inactivation. <i>Cell</i> , 2001, 107, 727-738.	13.5	471
146	X-chromosome inactivation: counting, choice and initiation. <i>Nature Reviews Genetics</i> , 2001, 2, 59-67.	7.7	616
147	Anti-Xistentialism. <i>Nature Genetics</i> , 1999, 21, 343-344.	9.4	16
148	A developmental switch in H4 acetylation upstream of Xist plays a role in X chromosome inactivation. <i>EMBO Journal</i> , 1999, 18, 2897-2907.	3.5	67
149	<i>Xist</i> Yeast Artificial Chromosome Transgenes Function as X-Inactivation Centers Only in Multicopy Arrays and Not as Single Copies. <i>Molecular and Cellular Biology</i> , 1999, 19, 3156-3166.	1.1	130
150	Cloning and Localization of the Murine XpctGene: Evidence for Complex Rearrangements during the Evolution of the Region around the XistGene. <i>Genomics</i> , 1998, 48, 296-303.	1.3	23
151	Molecular correlates of the murine Xce locus. <i>Genetical Research</i> , 1998, 72, 217-224.	0.3	27
152	X-CHROMOSOME INACTIVATION IN MAMMALS. <i>Annual Review of Genetics</i> , 1997, 31, 571-610.	3.2	485
153	Localization and expression analysis of a novel conserved brain expressed transcript, Brx /BRX, lying within the Xic/XIC candidate region. <i>Mammalian Genome</i> , 1997, 8, 760-766.	1.0	21
154	[25]Selected methods related to the mouse as a model system. <i>Methods in Molecular Genetics</i> , 1996, 8, 439-469.	0.6	2
155	Insertion of unique sites into YAC arms for rapid physical analysis following YAC transfer into mammalian cells. <i>Nucleic Acids Research</i> , 1995, 23, 4011-4012.	6.5	17
156	Creation of a deletion series of mouse YACs covering a 500 kb region around Xist. <i>Nucleic Acids Research</i> , 1994, 22, 1830-1837.	6.5	23
157	Physical Mapping and YAC Contig Analysis of the Region Surrounding Xist on the Mouse X Chromosome. <i>Genomics</i> , 1993, 15, 559-569.	1.3	33
158	A large inverted duplicated DNA region associated with an amplified oncogene is stably maintained in a YAC. <i>Human Molecular Genetics</i> , 1993, 2, 133-138.	1.4	9
159	The role of inverted duplication in the generation of gene amplification in mammalian cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1991, 1090, 143-155.	2.4	46
160	The use of 5-azacytidine to increase cleavage of methylation sensitive rare cutting restriction enzymes sites in amplified DNA. <i>Nucleic Acids Research</i> , 1990, 18, 6147-6148.	6.5	4
161	An improved method for the screening of YAC libraries. <i>Nucleic Acids Research</i> , 1989, 17, 5861-5861.	6.5	28
162	Loss of <i>XIST</i> Impairs Human Mammary Stem Cell Differentiation and Increases Tumorigenicity Through Enhancer and Mediator Complex Hyperactivation. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1