
Qing-Yun Di

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1463822/publications.pdf Version: 2024-02-01



Οινς-Υμν Οι

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Strength of the Electric Dipole Source Field in Multilayer Spherical Media. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-12. | 6.3 | 3 |
| 2 | 3-D Magnetotelluric Inversion and Application Using the Edge-Based Finite Element With Hexahedral Mesh. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-11. | 6.3 | 6 |
| 3 | Direct synthesis of time domain pseudo-random 3D electromagnetic response with a band-limited source. Journal of Applied Geophysics, 2022, , 104624. | 2.1 | 0 |
| 4 | A Spherical "Earth–Ionosphere―Model for Deep Resource Exploration Using Artificial ELF-EM Field. Remote Sensing, 2022, 14, 3088. | 4.0 | 1 |
| 5 | A Perfectly Matched Layer Metric for the Electromagnetic Diffusion Field. IEEE Transactions on Antennas and Propagation, 2021, 69, 928-939. | 5.1 | 5 |
| 6 | Study on Electrical Properties of Multilayered Spherical Earth by Wireless Electromagnetic Method. IEEE Access, 2021, 9, 54090-54100. | 4.2 | 0 |
| 7 | EMT simulation and effect of TTI anisotropic media in EMT signal. Petroleum Science, 2021, 18, 106-122. | 4.9 | 1 |
| 8 | Effects of bedding orientation on the failure pattern and acoustic emission activity of shale under uniaxial compression. Geomechanics and Geophysics for Geo-Energy and Geo-Resources, 2021, 7, 1. | 2.9 | 18 |
| 9 | Insight into skywave theory and breakthrough applications in resource exploration. National Science Review, 2021, 8, nwab046. | 9.5 | 4 |
| 10 | 3-D parallel inversion of multichannel transient electromagnetic data using a moving footprint. Geophysical Journal International, 2021, 226, 1783-1799. | 2.4 | 4 |
| 11 | Numerical simulation of seismic waves in 3-D orthorhombic poroelastic medium with microseismic source implementation. Geophysical Journal International, 2021, 227, 1012-1027. | 2.4 | 3 |
| 12 | Pade Approximant ELF VED Fields in the Earthâ€lonosphere Cavity. Radio Science, 2021, 56, e2020RS007226. | 1.6 | 1 |
| 13 | The full-time apparent resistivity definition of the multi-channel transient electromagnetic method. Computers and Geosciences, 2021, 153, 104770. | 4.2 | 6 |
| 14 | Lithospheric structures across the Qiman Tagh and western Qaidam Basin revealed by magnetotelluric data collected using a self-developed SEP system. Science China Earth Sciences, 2021, 64, 1813-1820. | 5.2 | 8 |
| 15 | Summary of technology for a comprehensive geophysical exploration of gold mine in North China Craton. Science China Earth Sciences, 2021, 64, 1524-1536. | 5.2 | 8 |
| 16 | Propagation of ELF Electromagnetic Waves Over a Curved Stratified Ground and its Application in Geophysical Prospecting. IEEE Access, 2021, 9, 145563-145572. | 4.2 | 2 |
| 17 | Demodulation of EM Telemetry Data Using Fuzzy Wavelet Neural Network with Logistic Response. Applied Sciences (Switzerland), 2021, 11, 10877. | 2.5 | 1 |
| 18 | Demonstration of the newly developed MTEM systems for gold detection in China. Geological Journal, 2020, 55, 1763-1770. | 1.3 | 9 |

Qing-Yun Di

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The optimal survey area of the semi-airborne TEM method. Journal of Applied Geophysics, 2020, 172, 103884. | 2.1 | 8 |
| 20 | Soft-Switching Technology of Three-Phase Six-Switch PFC Rectifier. Energies, 2020, 13, 5130. | 3.1 | 1 |
| 21 | Analysis on equivalence effect of the grounded-wire transient electromagnetic method. Journal of Applied Geophysics, 2020, 181, 104142. | 2.1 | 3 |
| 22 | New methods of controlled-source electromagnetic detection in China. Science China Earth Sciences, 2020, 63, 1268-1277. | 5.2 | 41 |
| 23 | Adaptive Processing for EM Telemetry Signal Recovery: Field Data from Sichuan Province. Energies, 2020, 13, 5873. | 3.1 | 2 |
| 24 | Deep Geological Structures Associated With Terrestrial Volcanic Hydrothermal Metallogenic System: Evidence From Geophysical Survey in Taohemu Superlarge Silverâ€Polymetallic Deposit, Inner Mongolia. Earth and Space Science, 2020, 7, e2019EA000939. | 2.6 | 2 |
| 25 | Pseudo-2-D Transdimensional Bayesian Inversion of the Full Waveform TEM Response From PRBS Source. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 7602-7610. | 6.3 | 15 |
| 26 | An application of CSAMT for detecting weak geological structures near the deeply buried long tunnel of the Shijiazhuang-Taiyuan passenger railway line in the Taihang Mountains. Engineering Geology, 2020, 268, 105517. | 6.3 | 19 |
| 27 | Determination of the absorption coefficient of radar waves in solid earth media. Journal of Applied Geophysics, 2020, 177, 104043. | 2.1 | 1 |
| 28 | An alternative tool to controlled-source audio-frequency magnetotellurics method for prospecting deeply buried ore deposits. Science Bulletin, 2020, 65, 611-615. | 9.0 | 8 |
| 29 | Ground-wire Source TEM 3D Full Time Multinary Inversion Using Adaptive Regulation. Journal of Environmental and Engineering Geophysics, 2020, 25, 403-413. | 0.5 | 1 |
| 30 | EM telemetry assessment for horizontal drilling in part of the Tarim basin through numerical simulation. Acta Geologica Sinica, 2019, 93, 305-309. | 1.4 | 0 |
| 31 | Development of the emerging electromagnetic methods for deep earth exploration. Acta Geologica Sinica, 2019, 93, 313-317. | 1.4 | 4 |
| 32 | A comparative study of inline and broadside time-domain controlled-source electromagnetic methods for mapping resistive targets on land. Geophysics, 2019, 84, B235-B246. | 2.6 | 14 |
| 33 | Correction of receiver noise in half-airborne transient electromagnetic method with electric source. , 2019, , . | | 1 |
| 34 | The forward modeling of the wireless electromagnetic method based on "Earth-ionosphere" mode. , 2019, , . | | 0 |
| 35 | The distribution of currents on a drill rod in a layered medium. , 2019, , . | | 0 |
| 36 | A new infinitesimal computational approach to calculating frequency-domain electromagnetic response. Journal of Applied Geophysics, 2018, 159, 312-318. | 2.1 | 1 |

QING-YUN DI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Particle Swarm Optimization Method for Stochastic Inversion of MTEM Data. IEEE Geoscience and Remote Sensing Letters, 2018, 15, 1832-1836. | 3.1 | 8 |
| 38 | CSAMT Static Shift Recognition and Correction Using Radon Transformation. IEEE Geoscience and Remote Sensing Letters, 2018, 15, 1001-1005. | 3.1 | 6 |
| 39 | Geophysical survey over molybdenum mines using the newly developed M-TEM system. Journal of Applied Geophysics, 2018, 158, 65-70. | 2.1 | 27 |
| 40 | Removal of the airwave effect by main-part decomposition of the anomalous field of MCSEM data. Applied Geophysics, 2018, 15, 3-10. | 0.6 | 1 |
| 41 | Imaging underground electric structure over a potential HLRW disposal site. Journal of Applied Geophysics, 2018, 155, 102-109. | 2.1 | 6 |
| 42 | Field testing of the surface electromagnetic prospecting system. Applied Geophysics, 2017, 14, 449-458. | 0.6 | 13 |
| 43 | Qualitative analysis of MTEM response using instantaneous attributes. Journal of Applied Geophysics, 2017, 146, 37-45. | 2.1 | 4 |
| 44 | Anti-interference Test for the New SEP Instrument: CSAMT Study at Dongguashan Copper Mine, China. Journal of Environmental and Engineering Geophysics, 2017, 22, 339-352. | 0.5 | 9 |
| 45 | 2D Multitransient Electromagnetic Response Modeling of South China Shale Gas Earth Model Using an Approximation of Finite Difference Time Domain with Uniaxial Perfectly Matched Layer. Discrete Dynamics in Nature and Society, 2016, 2016, 1-20. | 0.9 | 5 |
| 46 | Investigation of geological structures with a view to HLRW disposal, as revealed through 3D inversion of aeromagnetic and gravity data and the results of CSAMT exploration. Journal of Applied Geophysics, 2016, 135, 204-211. | 2.1 | 28 |
| 47 | Forward modeling for "earth-ionosphere―mode electromagnetic field. Journal of Central South University, 2016, 23, 2305-2313. | 3.0 | 3 |
| 48 | Multi-transient electromagnetic (MTEM) response modeling using finite difference time domain method. , 2015, , . | | 0 |
| 49 | Joint exploration for geological structures with CSAMT and Seismic method in preselected areas of high-level radioactive waste. , 2015, , . | | 0 |
| 50 | Synchronization method for logging telemetry based on OFDM. , 2015, , . | | 0 |
| 51 | â€~Earth–ionosphere' mode controlled source electromagnetic method. Geophysical Journal International, 2015, 202, 1848-1858. | 2.4 | 14 |
| 52 | Laterally constrained inversion for CSAMT data interpretation. Journal of Applied Geophysics, 2015, 121, 63-70. | 2.1 | 15 |
| 53 | CSAMT investigation for geological structures in a high-level radioactive waste preselected site. , 2015, , . | | 1 |
| | | | |

54 Geophysical application in preselecting a high-level radioactive waste site. , 2015, , .

0

QING-YUN DI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Application of the CSAMT method to groundwater exploration in a metropolitan environment. Geophysics, 2013, 78, B201-B209. | 2.6 | 38 |
| 56 | Multi-geophysical Investigation of Geological Structures in a Pre-selected High-level Radioactive Waste Disposal Area in Northwestern China. Journal of Environmental and Engineering Geophysics, 2013, 18, 137-146. | 0.5 | 18 |
| 57 | Geophysical Evidence through a CSAMT Survey of the Deep Geological Structure at a Potential Radioactive Waste Site at Beishan, Gansu, China. Journal of Environmental and Engineering Geophysics, 2013, 18, 43-54. | 0.5 | 22 |
| 58 | The Contrast of EM Characteristics among Different Sources for Earth-ionosphere Model. , 2013, , . | | 0 |
| 59 | Distortion of Galvanic Effect Caused by Anomalous Body of Survey Areas in CSAMT. , 2013, , . | | 0 |
| 60 | Geophysical exploration for a long deep tunnel to divert water from the Yangtze to the Yellow River, China. Bulletin of Engineering Geology and the Environment, 2012, 71, 195-200. | 3.5 | 15 |
| 61 | The contrast of frequency response characteristics between long bipole and circle current sources. , 2011, , . | | 0 |
| 62 | Forward and inversion modeling of the three $\widehat{a} \in d$ imension integral equation basing on born approximation. , 2011, , . | | 0 |
| 63 | The contrast of response characteristics between large power long bipole and circle current source. , 2011, , . | | 0 |
| 64 | Forward modeling of the three―dimensional integral equation based on Born approximation. , 2011, , . | | 0 |
| 65 | "Earthâ€ionosphere―mode electromagnetic forward modeling. , 2011, , . | | 0 |
| 66 | Determining areas of leakage in the Da Ye Dam using multi-electrode resistivity. Bulletin of Engineering Geology and the Environment, 2010, 69, 105-109. | 3.5 | 24 |
| 67 | Application of the CSAMT Method for Exploring Deep Coal Mines in Fujian Province, Southeastern China. Journal of Environmental and Engineering Geophysics, 2010, 15, 243-249. | 0.5 | 15 |
| 68 | 2D numerical study on the effect of conductor between the transmitter and survey area in CSEM exploration. Applied Geophysics, 2009, 6, 311-318. | 0.6 | 2 |
| 69 | Forward Modeling of the Electromagnetic Field Due to a Line Source in Frequency Domain Using the Finite Element Method. Chinese Journal of Geophysics, 2006, 49, 1700-1709. | 0.2 | 3 |
| 70 | Equivalent Transformation from TEM Field Sounding Data to Planeâ€Wave Electromagnetic Sounding Data. Chinese Journal of Geophysics, 2006, 49, 1386-1393. | 0.2 | 8 |
| 71 | Successful applications of CSAMT for deep geothermal exploration in urban areas. , 2006, , . | | 1 |
| 72 | Time-domain inversion of GPR data containing attenuation due to conductive losses. Geophysics, 2006, 71, K103-K109. | 2.6 | 7 |

QING-YUN DI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | CSAMT research survey for preventing water bursting disaster in mining. , 2005, , . | | 0 |
| 74 | TIME-DOMAIN FINITE-ELEMENT WAVE FORM INVERSION OF ACOUSTIC WAVE EQUATION. Journal of Computational Acoustics, 2004, 12, 387-396. | 1.0 | 1 |
| 75 | Migration of groundâ€penetrating radar data with a finiteâ€element method that considers attenuation and dispersion. Geophysics, 2004, 69, 472-477. | 2.6 | 22 |
| 76 | 2.5â€Ð CSAMT Modeling with Finite Element Method Over 2â€Ð Complex Earth Media. Chinese Journal of Geophysics, 2004, 47, 825-829. | 0.2 | 13 |
| 77 | An Applied Study on Prevention of Water Bursting Disaster in Mines with the High Resolution V6 System. Chinese Journal of Geophysics, 2002, 45, 787-792. | 0.2 | 10 |
| 78 | 2-D finite element modeling for seismic wave response in media with sand bodies. Physics of the Earth and Planetary Interiors, 2000, 120, 245-254. | 1.9 | 1 |