

# Richard J Macisaac

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1465337/publications.pdf>

Version: 2024-02-01

150  
papers

5,744  
citations

93792

39  
h-index

97045

71  
g-index

151  
all docs

151  
docs citations

151  
times ranked

6877  
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel Therapies for Kidney Disease in People With Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1-e24.	1.8	9
2	Functional MRI in assessment of diabetic kidney disease in people with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108076.	1.2	4
3	A Randomized Crossover Trial Comparing Glucose Control During Moderate-Intensity, High-Intensity, and Resistance Exercise With Hybrid Closed-Loop Insulin Delivery While Profiling Potential Additional Signals in Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2022, 45, 194-203.	4.3	24
4	Role of the adaptive immune system in diabetic kidney disease. <i>Journal of Diabetes Investigation</i> , 2022, 13, 213-226.	1.1	21
5	Closed-Loop Insulin Delivery Versus Sensor-Augmented Pump Therapy in Older Adults With Type 1 Diabetes (ORACL): A Randomized, Crossover Trial. <i>Diabetes Care</i> , 2022, 45, 381-390.	4.3	43
6	Finerenone in Patients With Chronic Kidney Disease and Type 2 Diabetes According to Baseline HbA1c and Insulin Use: An Analysis From the FIDELIO-DKD Study. <i>Diabetes Care</i> , 2022, 45, e888-e897.	4.3	20
7	Driving with Type 1 Diabetes: Real-World Evidence to Support Starting Glucose Level and Frequency of Monitoring During Journeys. <i>Diabetes Technology and Therapeutics</i> , 2022, 24, 350-356.	2.4	1
8	Exercise habits and glucose management among older adults with type 1 diabetes using insulin pumps. <i>Acta Diabetologica</i> , 2022, , 1.	1.2	0
9	Blood glucose modulation and safety of efferent vagus nerve stimulation in a type 2 diabetic rat model. <i>Physiological Reports</i> , 2022, 10, e15257.	0.7	13
10	Closed-Loop Insulin Delivery Effects on Glycemia During Sleep and Sleep Quality in Older Adults with Type 1 Diabetes: Results from the ORACL Trial. <i>Diabetes Technology and Therapeutics</i> , 2022, 24, 666-671.	2.4	8
11	Insulin pump troubleshooting: a case vignette and systematic approach. <i>Medical Journal of Australia</i> , 2022, 216, 595-596.	0.8	2
12	Temporal trends in non-traumatic lower extremity amputations (LEAs) and their association with 12-month mortality in people with diabetes, 2004-2016. <i>Journal of Diabetes and Its Complications</i> , 2022, , 108221.	1.2	2
13	Review of potential biomarkers of inflammation and kidney injury in diabetic kidney disease. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, .	1.7	16
14	GripBMI - A fast and simple sarcopenia screening tool in post acute inpatient rehabilitation. <i>Clinical Nutrition</i> , 2021, 40, 1022-1027.	2.3	5
15	Sarcopenia Is Associated With Reduced Function on Admission to Rehabilitation in Patients With Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e687-e695.	1.8	4
16	Less Nocturnal Hypoglycemia but Equivalent Time in Range Among Adults with Type 1 Diabetes Using Insulin Pumps Versus Multiple Daily Injections. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 460-466.	2.4	7
17	Performance of 4 Creatinine-based Equations in Assessing Glomerular Filtration Rate in Adults with Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e61-e73.	1.8	5
18	The prevalence of sarcopenia in middle-aged and older patients in post-acute inpatient rehabilitation: a cross-sectional study. <i>JCSM Rapid Communications</i> , 2021, 4, 16-23.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Evaluation of the diagnostic performance of the creatinine-based Chronic Kidney Disease Epidemiology Collaboration equation in people with diabetes: A systematic review. <i>Diabetic Medicine</i> , 2021, 38, e14391.	1.2	6
20	Reducing adverse events associated with the glucagon stimulation test for the assessment of growth hormone deficiency in adults with a high prevalence of pituitary hormone deficiencies. <i>Clinical Endocrinology</i> , 2021, 95, 125-133.	1.2	0
21	Glucagon-like peptide-1 receptor agonists and the cardiorenal axis in Type 2 diabetes: a focus on dulaglutide. <i>Future Cardiology</i> , 2021, 17, 459-473.	0.5	4
22	Investigating the Neuroprotective Effect of Oral Omega-3 Fatty Acid Supplementation in Type 1 Diabetes (nPROOFS1): A Randomized Placebo-Controlled Trial. <i>Diabetes</i> , 2021, 70, 1794-1806.	0.3	23
23	Hospital admissions for cardiovascular complications of people with or without diabetes, Victoria, 2004-2016. <i>Medical Journal of Australia</i> , 2021, 215, 85-86.	0.8	4
24	Severe acute respiratory syndrome coronavirus 2 as a potential cause of type 1 diabetes facilitated by spike protein receptor binding domain attachment to human islet cells: An illustrative case study and experimental data. <i>Diabetic Medicine</i> , 2021, 38, e14608.	1.2	9
25	First Randomized Controlled Trial of Hybrid Closed Loop Versus Multiple Daily Injections or Insulin Pump Using Self-Monitoring of Blood Glucose in Free-Living Adults with Type 1 Diabetes Undertaking Exercise. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1399-1401.	1.3	9
26	Fast-Acting Insulin Aspart Versus Insulin Aspart Using a Second-Generation Hybrid Closed-Loop System in Adults With Type 1 Diabetes: A Randomized, Open-Label, Crossover Trial. <i>Diabetes Care</i> , 2021, 44, 2371-2378.	4.3	22
27	Reply - Letter to the editor. <i>Clinical Nutrition</i> , 2021, 40, 4822-4823.	2.3	0
28	Meal-time glycaemia in adults with type 1 diabetes using multiple daily injections vs insulin pump therapy following carbohydrate-counting education and bolus calculator provision. <i>Diabetes Research and Clinical Practice</i> , 2021, 179, 109000.	1.1	3
29	Omega-3 polyunsaturated fatty acid oral supplements for improving peripheral nerve health: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2020, 78, 323-341.	2.6	20
30	Reducing glucose variability with continuous subcutaneous insulin infusion is associated with reversal of axonal dysfunction in type 1 diabetes mellitus. <i>Muscle and Nerve</i> , 2020, 61, 44-51.	1.0	4
31	Diabetes and higher HbA1c levels are independently associated with adverse renal outcomes in inpatients following multiple hospital admissions. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107465.	1.2	4
32	Effect of angiotensin II receptor blocker and salt supplementation on short-term blood pressure variability in type 2 diabetes. <i>Journal of Human Hypertension</i> , 2020, 34, 143-150.	1.0	1
33	Complement C5a Induces Renal Injury in Diabetic Kidney Disease by Disrupting Mitochondrial Metabolic Agility. <i>Diabetes</i> , 2020, 69, 83-98.	0.3	48
34	Clinicians feel comfortable discussing alcohol but not illicit drug use with young adults with Type 1 diabetes: a survey of clinicians. <i>Diabetic Medicine</i> , 2020, 37, 1076-1078.	1.2	4
35	Impact of type 2 diabetes on hospitalization and mortality in people with malignancy. <i>Diabetic Medicine</i> , 2020, 37, 362-368.	1.2	5
36	A physician-initiated double-blind, randomised, placebo-controlled, phase 2 study evaluating the efficacy and safety of inhibition of NADPH oxidase with the first-in-class Nox-1/4 inhibitor, GKT137831, in adults with type 1 diabetes and persistently elevated urinary albumin excretion: Protocol and statistical considerations. <i>Contemporary Clinical Trials</i> , 2020, 90, 105892.	0.8	29



#	ARTICLE	IF	CITATIONS
55	Diagnostic performance of the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation at estimating glomerular filtration rate in adults with diabetes mellitus: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2019, 9, e031558.	0.8	12
56	Glucose Control Using a Standard Versus an Enhanced Hybrid Closed Loop System: A Randomized Crossover Study. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 56-58.	2.4	22
57	Inflammatory proteins in diabetic kidney disease—potential as biomarkers and therapeutic targets. <i>Annals of Translational Medicine</i> , 2019, 7, S243-S243.	0.7	3
58	Systematic review and meta-analysis of prevalence of sarcopenia in post acute inpatient rehabilitation. <i>Osteoporosis International</i> , 2018, 29, 805-812.	1.3	61
59	Pathophysiological Links Between Diabetes and Blood Pressure. <i>Canadian Journal of Cardiology</i> , 2018, 34, 585-594.	0.8	38
60	Diagnosis and Significance of Pulmonary Microvascular Disease in Diabetes. <i>Diabetes Care</i> , 2018, 41, 854-861.	4.3	24
61	High Baseline Levels of Tumor Necrosis Factor Receptor 1 Are Associated With Progression of Kidney Disease in Indigenous Australians With Diabetes: The eGFR Follow-up Study. <i>Diabetes Care</i> , 2018, 41, 739-747.	4.3	32
62	Effects of Diabetes Medications Targeting the Incretin System on the Kidney. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 321-323.	2.2	11
63	Experiences of young adults with type 1 diabetes while using alcohol and recreational drugs: An interpretative phenomenological analysis (IPA) of semi-structured interviews. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 47-55.	1.1	9
64	Glycemic Control as Primary Prevention for Diabetic Kidney Disease. <i>Advances in Chronic Kidney Disease</i> , 2018, 25, 141-148.	0.6	26
65	Trajectories of eGFR decline over a four year period in an Indigenous Australian population at high risk of CKD—the eGFR follow up study. <i>Clinical Biochemistry</i> , 2018, 53, 58-64.	0.8	3
66	Contribution of cardiometabolic risk factors to estimated glomerular filtration rate decline in Indigenous Australians with and without albuminuria—the eGFR Follow-up Study. <i>Nephrology</i> , 2018, 23, 682-689.	0.7	5
67	Relationship between urinary sodium-to-potassium ratio and ambulatory blood pressure in patients with diabetes mellitus. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018, 45, 94-97.	0.9	4
68	Cross-sectional associations of albuminuria among Aboriginal and Torres Strait Islander adults: the eGFR Study. <i>Nephrology</i> , 2018, 23, 37-45.	0.7	6
69	Use of Readily Accessible Inflammatory Markers to Predict Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2018, 9, 225.	1.5	38
70	Exercise capacity in diabetes mellitus is predicted by activity status and cardiac size rather than cardiac function: a case control study. <i>Cardiovascular Diabetology</i> , 2018, 17, 44.	2.7	30
71	Effect of 6 months of hybrid closed-loop insulin delivery in adults with type 1 diabetes: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e020274.	0.8	7
72	Asymmetric changes in circulating insulin levels after an increase compared with a reduction in insulin pump basal rate in people with Type 1 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 1158-1164.	1.2	2

#	ARTICLE	IF	CITATIONS
73	Closed-Loop Insulin Delivery for Adults with Type 1 Diabetes Undertaking High-Intensity Interval Exercise Versus Moderate-Intensity Exercise: A Randomized, Crossover Study. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 340-348.	2.4	59
74	“œlt Is Definitely a Game Changer” A Qualitative Study of Experiences with In-home Overnight Closed-Loop Technology Among Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 410-416.	2.4	28
75	Bilirubin concentration is positively associated with haemoglobin concentration and inversely associated with albumin to creatinine ratio among Indigenous Australians: eGFR Study. <i>Clinical Biochemistry</i> , 2017, 50, 1040-1047.	0.8	6
76	Clinical predictive factors in diabetic kidney disease progression. <i>Journal of Diabetes Investigation</i> , 2017, 8, 6-18.	1.1	133
77	Long-term intra-individual variability of albuminuria in type 2 diabetes mellitus: implications for categorization of albumin excretion rate. <i>BMC Nephrology</i> , 2017, 18, 355.	0.8	13
78	Effects of glycaemic management on diabetic kidney disease. <i>World Journal of Diabetes</i> , 2017, 8, 172.	1.3	58
79	Assessing cutaneous microvascular function with iontophoresis: Avoiding non-specific vasodilation. <i>Microvascular Research</i> , 2017, 113, 29-39.	1.1	23
80	Progression of Kidney Disease in Indigenous Australians: The eGFR Follow-up Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 993-1004.	2.2	23
81	Insulin pump basal adjustment for exercise in type 1 diabetes: a randomised crossover study. <i>Diabetologia</i> , 2016, 59, 1636-1644.	2.9	66
82	Glycemia, Treatment Satisfaction, Cognition, and Sleep Quality in Adults and Adolescents with Type 1 Diabetes When Using a Closed-Loop System Overnight Versus Sensor-Augmented Pump with Low-Glucose Suspend Function: A Randomized Crossover Study. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 772-783.	2.4	77
83	A Prospective Study of Renal Transplant Recipients: A Fall in Insulin Secretion Underpins Dysglycemia After Renal Transplantation. <i>Transplantation Direct</i> , 2016, 2, e107.	0.8	6
84	Feasibility of an Orthogonal Redundant Sensor incorporating Optical plus Redundant Electrochemical Glucose Sensing. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 679-688.	1.3	7
85	Elevated baseline glomerular filtration rate (GFR) is independently associated with a more rapid decline in renal function of patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 256-261.	1.2	27
86	Estimating glomerular filtration rate: Performance of the CKD-EPI equation over time in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 49-54.	1.2	20
87	Does a single bout of resistance or aerobic exercise after insulin dose reduction modulate glycaemic control in type 2 diabetes? A randomised cross-over trial. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 795-799.	0.6	12
88	Associations of serum adiponectin with markers of cardio-metabolic disease risk in Indigenous Australian adults with good health, diabetes and chronic kidney disease. <i>Obesity Research and Clinical Practice</i> , 2016, 10, 659-672.	0.8	6
89	Redundancy in Glucose Sensing. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 669-678.	1.3	14
90	Cardio-renal protection with empagliflozin. <i>Annals of Translational Medicine</i> , 2016, 4, 409-409.	0.7	19

#	ARTICLE	IF	CITATIONS
91	Short-term dietary salt supplementation blunts telmisartan induced increases in plasma renin activity in hypertensive patients with type 2 diabetes mellitus. <i>Clinical Science</i> , 2015, 129, 415-422.	1.8	10
92	The Chronic Kidney Disease-Epidemiology Collaboration (CKD-EPI) equation does not improve the underestimation of Glomerular Filtration Rate (GFR) in people with diabetes and preserved renal function. <i>BMC Nephrology</i> , 2015, 16, 198.	0.8	58
93	Liver dysfunction and anti-thyroid therapy. <i>SAGE Open Medical Case Reports</i> , 2015, 3, 2050313X1456833.	0.2	6
94	Cardiovascular outcomes with antihypertensive therapy in type 2 diabetes: an analysis of intervention trials. <i>Journal of Human Hypertension</i> , 2015, 29, 473-477.	1.0	6
95	Hyperfiltration in Indigenous Australians with and without diabetes. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1877-1884.	0.4	12
96	Adding Measures of Body Composition to the CKD-EPI GFR Estimating Equation in Indigenous Australians: The eGFR Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 632-634.	2.1	3
97	Combining cutaneous silent periods with quantitative sudomotor axon reflex testing in the assessment of diabetic small fiber neuropathy. <i>Clinical Neurophysiology</i> , 2015, 126, 1047-1053.	0.7	15
98	The impact of hyperfiltration on the diabetic kidney. <i>Diabetes and Metabolism</i> , 2015, 41, 5-17.	1.4	84
99	Prolonged life-threatening hypoglycaemia following dose escalation of octreotide LAR in a patient with malignant polysecreting pancreatic neuroendocrine tumour. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2015, 2015, 140097.	0.2	9
100	The high burden of inpatient diabetes mellitus: the Melbourne Public Hospitals Diabetes Inpatient Audit. <i>Medical Journal of Australia</i> , 2014, 201, 334-338.	0.8	65
101	Relationship between urinary sodium excretion and serum aldosterone in patients with diabetes in the presence and absence of modifiers of the renin-angiotensin-aldosterone system. <i>Clinical Science</i> , 2014, 126, 147-154.	1.8	11
102	Spectrum of renal disease in diabetes. <i>Nephrology</i> , 2014, 19, 528-536.	0.7	20
103	Performance of formulas for estimating glomerular filtration rate in Indigenous Australians with and without Type 2 diabetes: the eGFR Study. <i>Diabetic Medicine</i> , 2014, 31, 829-838.	1.2	25
104	Prevalence, predictors and evolution of echocardiographically defined cardiac abnormalities in adults with type 1 diabetes: an observational cohort study. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 22-28.	1.2	27
105	Serum vitamin D levels, diabetes and cardio-metabolic risk factors in Aboriginal and Torres Strait Islander Australians. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 78.	1.2	11
106	Progressive diabetic nephropathy. How useful is microalbuminuria?: contra. <i>Kidney International</i> , 2014, 86, 50-57.	2.6	81
107	Markers of and Risk Factors for the Development and Progression of Diabetic Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2014, 63, S39-S62.	2.1	247
108	New Treatments for Type 2 Diabetes: Cardiovascular Protection Beyond Glucose Lowering?. <i>Heart Lung and Circulation</i> , 2014, 23, 997-1008.	0.2	12

#	ARTICLE	IF	CITATIONS
109	Renal Structure in Normoalbuminuric and Albuminuric Patients With Type 2 Diabetes and Impaired Renal Function. <i>Diabetes Care</i> , 2013, 36, 3620-3626.	4.3	178
110	Urinary Proteomics for Early Diagnosis in Diabetic Nephropathy. <i>Diabetes</i> , 2012, 61, 3304-3313.	0.3	221
111	Accurate Assessment of Kidney Function in Indigenous Australians: The Estimated GFR Study. <i>American Journal of Kidney Diseases</i> , 2012, 60, 680-682.	2.1	40
112	The CTGF gene $\gamma$ 945G/C polymorphism is not associated with cardiac or kidney complications in subjects with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2012, 11, 42.	2.7	7
113	Intensive Glucose Control and Cardiovascular Outcomes in Type 2 Diabetes. <i>Heart Lung and Circulation</i> , 2011, 20, 647-654.	0.2	71
114	Diabetic kidney disease with and without albuminuria. <i>Current Opinion in Nephrology and Hypertension</i> , 2011, 20, 246-257.	1.0	152
115	New approaches for the evaluation of renal vascular function in diabetes. <i>Diabetologia</i> , 2011, 54, 2223-2225.	2.9	0
116	Failure of functional imaging with gallium-68-DOTA-D-Phe1-Tyr3-octreotide positron emission tomography to localize the site of ectopic adrenocorticotrophic hormone secretion: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 405.	0.4	5
117	Advanced Glycation Urinary Protein-Bound Biomarkers and Severity of Diabetic Nephropathy in Man. <i>American Journal of Nephrology</i> , 2011, 34, 347-355.	1.4	38
118	Dietary Salt Intake and Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 703-709.	4.3	274
119	Estimating glomerular filtration rate in diabetes using serum cystatin C. <i>Clinical Biochemist Reviews</i> , 2011, 32, 61-7.	3.3	14
120	Salt supplementation blunts the blood pressure response to telmisartan with or without hydrochlorothiazide in hypertensive patients with type 2 diabetes. <i>Diabetologia</i> , 2010, 53, 1295-1303.	2.9	23
121	The clinical significance of hyperfiltration in diabetes. <i>Diabetologia</i> , 2010, 53, 2093-2104.	2.9	177
122	Study Protocol - Accurate assessment of kidney function in Indigenous Australians: aims and methods of the eGFR Study. <i>BMC Public Health</i> , 2010, 10, 80.	1.2	31
123	High sodium and low potassium intake in patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2010, 27, 1401-1408.	1.2	31
124	Circulating high-molecular-weight RAGE ligands activate pathways implicated in the development of diabetic nephropathy. <i>Kidney International</i> , 2010, 78, 287-295.	2.6	69
125	Integrating albuminuria and GFR in the assessment of diabetic nephropathy. <i>Nature Reviews Nephrology</i> , 2009, 5, 397-406.	4.1	84
126	Nonalbuminuric Renal Impairment in Type 2 Diabetic Patients and in the General Population (National Tj ETQq0 0 0 rgBT /Overlock 10 T 2009, 32, 1497-1502.	4.3	175



#	ARTICLE	IF	CITATIONS
127	Low testosterone and anaemia in men with type 2 diabetes. <i>Clinical Endocrinology</i> , 2009, 70, 547-553.	1.2	53
128	Patterns of glycaemic control in Australian primary care (NEFRON 8). <i>Internal Medicine Journal</i> , 2009, 39, 512-518.	0.5	24
129	Association between intrarenal arterial resistance and diastolic dysfunction in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2008, 7, 15.	2.7	13
130	New and old markers of progression of diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, S30-S37.	1.1	51
131	Lowering of Proteinuria in Response to Antihypertensive Therapy Predicts Improved Renal Function in Late but Not in Early Diabetic Nephropathy: A Pooled Analysis. <i>American Journal of Nephrology</i> , 2008, 28, 614-627.	1.4	47
132	Serial Measurements of Cystatin C Are More Accurate Than Creatinine-Based Methods in Detecting Declining Renal Function in Type 1 Diabetes. <i>Diabetes Care</i> , 2008, 31, 971-973.	4.3	84
133	Prevalence and predictors of cardiac hypertrophy and dysfunction in patients with Type 2 diabetes. <i>Clinical Science</i> , 2008, 114, 313-320.	1.8	53
134	The accuracy of cystatin C and commonly used creatinine-based methods for detecting moderate and mild chronic kidney disease in diabetes. <i>Diabetic Medicine</i> , 2007, 24, 443-448.	1.2	46
135	Diabetes and the Kidney. , 2006, , 21-47.		1
136	Diastolic dysfunction is associated with anaemia in patients with Type II diabetes. <i>Clinical Science</i> , 2006, 110, 109-116.	1.8	43
137	Estimating glomerular filtration rate in diabetes: a comparison of cystatin-C- and creatinine-based methods. <i>Diabetologia</i> , 2006, 49, 1686-1689.	2.9	130
138	Is Nonalbuminuric Renal Insufficiency in Type 2 Diabetes Related to an Increase in Intrarenal Vascular Disease?. <i>Diabetes Care</i> , 2006, 29, 1560-1566.	4.3	124
139	A case of mucormycosis limited to the parotid gland. <i>Head and Neck</i> , 2005, 27, 1108-1111.	0.9	14
140	Renal hyperfiltration in type 2 diabetes: effect of age-related decline in glomerular filtration rate. <i>Diabetologia</i> , 2005, 48, 2486-2493.	2.9	88
141	Albuminuric and non-albuminuric pathways to renal impairment in diabetes. <i>Minerva Endocrinologica</i> , 2005, 30, 161-77.	1.7	8
142	The burden of anaemia in type 2 diabetes and the role of nephropathy: a cross-sectional audit. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1792-1797.	0.4	98
143	Earlier detection of microalbuminuria in diabetic patients using a new urinary albumin assay. <i>Kidney International</i> , 2004, 65, 1850-1855.	2.6	98
144	Nonalbuminuric Renal Insufficiency in Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 195-200.	4.3	353

#	ARTICLE	IF	CITATIONS
145	New insights into the significance of microalbuminuria. <i>Current Opinion in Nephrology and Hypertension</i> , 2004, 13, 83-91.	1.0	44
146	Microalbuminuria and diabetic cardiovascular disease. <i>Current Atherosclerosis Reports</i> , 2003, 5, 350-357.	2.0	9
147	Unrecognized Anemia in Patients With Diabetes: A cross-sectional survey. <i>Diabetes Care</i> , 2003, 26, 1164-1169.	4.3	291
148	Treatment of Dyslipidaemia in the Elderly. <i>Journal of Pharmacy Practice and Research</i> , 2002, 32, 188-193.	0.5	1
149	Diabetic muscle infarction. <i>Medical Journal of Australia</i> , 2002, 177, 323-324.	0.8	24
150	Influence of age on the presentation and outcome of acidotic and hyperosmolar diabetic emergencies. <i>Internal Medicine Journal</i> , 2002, 32, 379-385.	0.5	104