Steven J Siegel

List of Publications by Citations

Source: https://exaly.com/author-pdf/1465476/steven-j-siegel-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

11,764 107 144 55 h-index g-index citations papers 6.47 13,056 6.4 150 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
144	Poly Lactic-co-Glycolic Acid (PLGA) as Biodegradable Controlled Drug Delivery Carrier. <i>Polymers</i> , 2011 , 3, 1377-1397	4.5	2496
143	Facial emotion recognition in schizophrenia: intensity effects and error pattern. <i>American Journal of Psychiatry</i> , 2003 , 160, 1768-74	11.9	556
142	Altered neuregulin 1-erbB4 signaling contributes to NMDA receptor hypofunction in schizophrenia. <i>Nature Medicine</i> , 2006 , 12, 824-8	50.5	479
141	Dysbindin-1 is reduced in intrinsic, glutamatergic terminals of the hippocampal formation in schizophrenia. <i>Journal of Clinical Investigation</i> , 2004 , 113, 1353-1363	15.9	345
140	Haloperidol-loaded PLGA nanoparticles: systematic study of particle size and drug content. <i>International Journal of Pharmaceutics</i> , 2007 , 336, 367-75	6.5	293
139	Computerized neurocognitive scanning: I. Methodology and validation in healthy people. <i>Neuropsychopharmacology</i> , 2001 , 25, 766-76	8.7	278
138	Validating lbscillations and delayed auditory responses as translational biomarkers of autism. <i>Biological Psychiatry</i> , 2010 , 68, 1100-6	7.9	218
137	Gamma synchrony: towards a translational biomarker for the treatment-resistant symptoms of schizophrenia. <i>Neuropharmacology</i> , 2012 , 62, 1504-18	5.5	206
136	Varenicline improves mood and cognition during smoking abstinence. <i>Biological Psychiatry</i> , 2009 , 65, 144-9	7.9	179
135	Flat affect in schizophrenia: relation to emotion processing and neurocognitive measures. <i>Schizophrenia Bulletin</i> , 2006 , 32, 279-87	1.3	171
134	Circuit-specific alterations of N-methyl-D-aspartate receptor subunit 1 in the dentate gyrus of aged monkeys. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 312	21 ⁻¹ 5·5	167
133	Ketamine modulates theta and gamma oscillations. <i>Journal of Cognitive Neuroscience</i> , 2010 , 22, 1452-6	43.1	164
132	Influenza promotes pneumococcal growth during coinfection by providing host sialylated substrates as a nutrient source. <i>Cell Host and Microbe</i> , 2014 , 16, 55-67	23.4	158
131	Working memory deficits predict short-term smoking resumption following brief abstinence. <i>Drug and Alcohol Dependence</i> , 2010 , 106, 61-4	4.9	155
130	Dysbindin-1 is reduced in intrinsic, glutamatergic terminals of the hippocampal formation in schizophrenia. <i>Journal of Clinical Investigation</i> , 2004 , 113, 1353-63	15.9	154
129	Effect of drug type on the degradation rate of PLGA matrices. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006 , 64, 287-93	5.7	152
128	TRIM protein-mediated regulation of inflammatory and innate immune signaling and its association with antiretroviral activity. <i>Journal of Virology</i> , 2013 , 87, 257-72	6.6	148

(2006-2006)

127	Self-face recognition and theory of mind in patients with schizophrenia and first-degree relatives. <i>Schizophrenia Research</i> , 2006 , 88, 151-60	3.6	147
126	GABAB-mediated rescue of altered excitatory-inhibitory balance, gamma synchrony and behavioral deficits following constitutive NMDAR-hypofunction. <i>Translational Psychiatry</i> , 2012 , 2, e142	8.6	144
125	Controlling the in vitro release profiles for a system of haloperidol-loaded PLGA nanoparticles. <i>International Journal of Pharmaceutics</i> , 2008 , 346, 151-9	6.5	135
124	Rolipram: a specific phosphodiesterase 4 inhibitor with potential antipsychotic activity. <i>Neuroscience</i> , 2007 , 144, 239-46	3.9	135
123	Withdrawal from chronic nicotine administration impairs contextual fear conditioning in C57BL/6 mice. <i>Journal of Neuroscience</i> , 2005 , 25, 8708-13	6.6	131
122	Computerized neurocognitive scanning: II. The profile of schizophrenia. <i>Neuropsychopharmacology</i> , 2001 , 25, 777-88	8.7	129
121	Mouse behavioral endophenotypes for schizophrenia. Brain Research Bulletin, 2010, 83, 147-61	3.9	127
120	Translational research in medication development for nicotine dependence. <i>Nature Reviews Drug Discovery</i> , 2007 , 6, 746-62	64.1	126
119	mGluR5-antagonist mediated reversal of elevated stereotyped, repetitive behaviors in the VPA model of autism. <i>PLoS ONE</i> , 2011 , 6, e26077	3.7	117
118	A sexually dimorphic ratio of orbitofrontal to amygdala volume is altered in schizophrenia. <i>Biological Psychiatry</i> , 2004 , 55, 512-7	7.9	117
117	Deviance-elicited changes in event-related potentials are attenuated by ketamine in mice. <i>Journal of Cognitive Neuroscience</i> , 2008 , 20, 1403-14	3.1	113
116	Effects of the alpha4beta2 partial agonist varenicline on brain activity and working memory in abstinent smokers. <i>Biological Psychiatry</i> , 2010 , 67, 715-21	7.9	111
115	Ketamine produces lasting disruptions in encoding of sensory stimuli. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 316, 315-24	4.7	111
114	Production of haloperidol-loaded PLGA nanoparticles for extended controlled drug release of haloperidol. <i>Journal of Microencapsulation</i> , 2005 , 22, 773-85	3.4	108
113	Mechanisms of Bacterial Colonization of the Respiratory Tract. <i>Annual Review of Microbiology</i> , 2015 , 69, 425-44	17.5	103
112	Neuregulin 1 transgenic mice display reduced mismatch negativity, contextual fear conditioning and social interactions. <i>Brain Research</i> , 2009 , 1294, 116-27	3.7	103
111	Profile of auditory information-processing deficits in schizophrenia. <i>Psychiatry Research</i> , 2009 , 165, 27-3	8 3 .9	101
110	Prognostic variables at intake and long-term level of function in schizophrenia. <i>American Journal of Psychiatry</i> , 2006 , 163, 433-41	11.9	98

109	Levels-of-processing effect on frontotemporal function in schizophrenia during word encoding and recognition. <i>American Journal of Psychiatry</i> , 2005 , 162, 1840-8	11.9	94
108	Effects of strain, novelty, and NMDA blockade on auditory-evoked potentials in mice. <i>Neuropsychopharmacology</i> , 2003 , 28, 675-82	8.7	89
107	Mice with reduced NMDA receptor expression: more consistent with autism than schizophrenia?. <i>Genes, Brain and Behavior</i> , 2012 , 11, 740-50	3.6	88
106	Olfactory functioning in schizophrenia: relationship to clinical, neuropsychological, and volumetric MRI measures. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006 , 28, 1444-61	2.1	87
105	Phosphodiesterase inhibitors: a novel mechanism for receptor-independent antipsychotic medications. <i>Neuroscience</i> , 2004 , 129, 101-7	3.9	87
104	Dysbindin-1 mutant mice implicate reduced fast-phasic inhibition as a final common disease mechanism in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, E962-70	11.5	83
103	Parvalbumin cell ablation of NMDA-R1 causes increased resting network excitability with associated social and self-care deficits. <i>Neuropsychopharmacology</i> , 2014 , 39, 1603-13	8.7	81
102	PDE inhibitors in psychiatryfuture options for dementia, depression and schizophrenia?. <i>Drug Discovery Today</i> , 2007 , 12, 870-8	8.8	80
101	Synthesis and characterization of mPEG-PLA prodrug micelles. <i>Biomacromolecules</i> , 2005 , 6, 2708-17	6.9	76
100	Pyramidal cell selective ablation of N-methyl-D-aspartate receptor 1 causes increase in cellular and network excitability. <i>Biological Psychiatry</i> , 2015 , 77, 556-68	7.9	75
99	In vitro-in vivo correlations of scalable PLGA-risperidone implants for the treatment of schizophrenia. <i>Pharmaceutical Research</i> , 2010 , 27, 1730-7	4.5	75
98	Knockout of NMDA receptors in parvalbumin interneurons recreates autism-like phenotypes. <i>Autism Research</i> , 2013 , 6, 69-77	5.1	73
97	Levels-of-processing effect on word recognition in schizophrenia. <i>Biological Psychiatry</i> , 2003 , 54, 1154-	67 .9	73
96	The effects of ketamine vary among inbred mouse strains and mimic schizophrenia for the P80, but not P20 or N40 auditory ERP components. <i>Neurochemical Research</i> , 2004 , 29, 1179-88	4.6	72
95	Effects of social deprivation in prepubescent rhesus monkeys: immunohistochemical analysis of the neurofilament protein triplet in the hippocampal formation. <i>Brain Research</i> , 1993 , 619, 299-305	3.7	65
94	A novel electrophysiological model of chemotherapy-induced cognitive impairments in mice. <i>Neuroscience</i> , 2008 , 157, 95-104	3.9	64
93	Constitutive activation of Galphas within forebrain neurons causes deficits in sensorimotor gating because of PKA-dependent decreases in cAMP. <i>Neuropsychopharmacology</i> , 2007 , 32, 577-88	8.7	58
92	Development of an abbreviated schizophrenia quality of life scale using a new method. <i>Neuropsychopharmacology</i> , 2003 , 28, 773-7	8.7	57

(2015-2004)

91	Effects of chronic olanzapine and haloperidol differ on the mouse N1 auditory evoked potential. Neuropsychopharmacology, 2004 , 29, 739-46	8.7	56
90	Subchronic ketamine treatment leads to permanent changes in EEG, cognition and the astrocytic glutamate transporter EAAT2 in mice. <i>Neurobiology of Disease</i> , 2012 , 47, 338-46	7.5	55
89	Zelrix: a novel transdermal formulation of sumatriptan. <i>Headache</i> , 2009 , 49, 817-25	4.2	52
88	In vitro and in vivo demonstration of risperidone implants in mice. Schizophrenia Research, 2008, 98, 66-	78 6	52
87	Effects of nicotine vary across two auditory evoked potentials in the mouse. <i>Biological Psychiatry</i> , 2007 , 61, 23-30	7.9	52
86	Inhibition of auditory evoked potentials and prepulse inhibition of startle in DBA/2J and DBA/2Hsd inbred mouse substrains. <i>Brain Research</i> , 2003 , 992, 85-95	3.7	51
85	Association of enhanced limbic response to threat with decreased cortical facial recognition memory response in schizophrenia. <i>American Journal of Psychiatry</i> , 2010 , 167, 418-26	11.9	48
84	Effect of retrieval effort and switching demand on fMRI activation during semantic word generation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 312-23	3.6	48
83	Antipsychotic-like properties of phosphodiesterase 4 inhibitors: evaluation of 4-(3-butoxy-4-methoxybenzyl)-2-imidazolidinone (RO-20-1724) with auditory event-related potentials and prepulse inhibition of startle. <i>Journal of Pharmacology and Experimental</i>	4.7	48
82	Therapeutics, 2008, 326, 230-9 GABA-B Agonist Baclofen Normalizes Auditory-Evoked Neural Oscillations and Behavioral Deficits in the Knockout Mouse Model of Fragile X Syndrome. <i>ENeuro</i> , 2017, 4,	3.9	48
81	Mecamylamine blocks nicotine-induced enhancement of the P20 auditory event-related potential and evoked gamma. <i>Neuroscience</i> , 2007 , 144, 1314-23	3.9	47
80	Monoamine reuptake inhibition and nicotine receptor antagonism reduce amplitude and gating of auditory evoked potentials. <i>Neuroscience</i> , 2005 , 133, 729-38	3.9	44
79	Mice with subtle reduction of NMDA NR1 receptor subunit expression have a selective decrease in mismatch negativity: Implications for schizophrenia prodromal population. <i>Neurobiology of Disease</i> , 2015 , 73, 289-95	7·5	40
78	MeCP2+/- mouse model of RTT reproduces auditory phenotypes associated with Rett syndrome and replicate select EEG endophenotypes of autism spectrum disorder. <i>Neurobiology of Disease</i> , 2012 , 46, 88-92	7.5	40
77	Oxytocin reduces amygdala activity, increases social interactions, and reduces anxiety-like behavior irrespective of NMDAR antagonism. <i>Behavioral Neuroscience</i> , 2015 , 129, 389-98	2.1	40
76	TLR2 signaling decreases transmission of Streptococcus pneumoniae by limiting bacterial shedding in an infant mouse Influenza A co-infection model. <i>PLoS Pathogens</i> , 2014 , 10, e1004339	7.6	40
75	Surgically implantable long-term antipsychotic delivery systems for the treatment of schizophrenia. <i>Neuropsychopharmacology</i> , 2002 , 26, 817-23	8.7	40
74	PDE-4 inhibition rescues aberrant synaptic plasticity in Drosophila and mouse models of fragile X syndrome. <i>Journal of Neuroscience</i> , 2015 , 35, 396-408	6.6	38

73	A unique iontophoretic patch for optimal transdermal delivery of sumatriptan. <i>Pharmaceutical Research</i> , 2007 , 24, 1919-26	4.5	38
72	From provocation to aggression: the neural network. <i>BMC Neuroscience</i> , 2017 , 18, 73	3.2	35
71	Mouse Model of Chromosome 15q13.3 Microdeletion Syndrome Demonstrates Features Related to Autism Spectrum Disorder. <i>Journal of Neuroscience</i> , 2015 , 35, 16282-94	6.6	35
70	Animal Models of Psychosis: Current State and Future Directions. <i>Current Behavioral Neuroscience Reports</i> , 2014 , 1, 100-116	1.7	33
69	Chronic ketamine impairs fear conditioning and produces long-lasting reductions in auditory evoked potentials. <i>Neurobiology of Disease</i> , 2009 , 35, 311-7	7.5	33
68	The Role of Nicotine in Schizophrenia. <i>International Review of Neurobiology</i> , 2015 , 124, 23-78	4.4	31
67	Sensorimotor gating deficits in transgenic mice expressing a constitutively active form of Gs alpha. <i>Neuropsychopharmacology</i> , 2004 , 29, 494-501	8.7	30
66	A placebo-controlled trial of modafinil for nicotine dependence. <i>Drug and Alcohol Dependence</i> , 2008 , 98, 86-93	4.9	29
65	Constitutive activation of the G-protein subunit Galphas within forebrain neurons causes PKA-dependent alterations in fear conditioning and cortical Arc mRNA expression. <i>Learning and Memory</i> , 2008 , 15, 75-83	2.8	29
64	Prospective MEG biomarkers in ASD: pre-clinical evidence and clinical promise of electrophysiological signatures. <i>Yale Journal of Biology and Medicine</i> , 2015 , 88, 25-36	2.4	29
63	Mismatch negativity in preclinical models of schizophrenia. Schizophrenia Research, 2018, 191, 35-42	3.6	29
62	A roadmap for development of neuro-oscillations as translational biomarkers for treatment development in neuropsychopharmacology. <i>Neuropsychopharmacology</i> , 2020 , 45, 1411-1422	8.7	28
61	Animal models and measures of perceptual processing in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2092-8	9	28
60	Development of a new genetic model for absence epilepsy: spike-wave seizures in C3H/He and backcross mice. <i>Journal of Neuroscience</i> , 2005 , 25, 3452-8	6.6	26
59	Convergence of circuit dysfunction in ASD: a common bridge between diverse genetic and environmental risk factors and common clinical electrophysiology. <i>Frontiers in Cellular Neuroscience</i> , 2014 , 8, 414	6.1	25
58	Ketamine exposure in adult mice leads to increased cell death in C3H, DBA2 and FVB inbred mouse strains. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 217-27	4.9	25
57	EEG biomarkers of target engagement, therapeutic effect, and disease process. <i>Annals of the New York Academy of Sciences</i> , 2015 , 1344, 12-26	6.5	24
56	Clearance of Pneumococcal Colonization in Infants Is Delayed through Altered Macrophage Trafficking. <i>PLoS Pathogens</i> , 2015 , 11, e1005004	7.6	24

55	Corticosterone modulates auditory gating in mouse. Neuropsychopharmacology, 2006, 31, 897-903	8.7	23
54	Multiple Drug Treatments That Increase cAMP Signaling Restore Long-Term Memory and Aberrant Signaling in Fragile X Syndrome Models. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 136	3.5	23
53	A rapid method for creating drug implants: translating laboratory-based methods into a scalable manufacturing process. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010 , 93, 562-72	3.5	22
52	Lysosomal iron modulates NMDA receptor-mediated excitation via small GTPase, Dexras1. <i>Molecular Brain</i> , 2016 , 9, 38	4.5	22
51	mGluR5 hypofunction is integral to glutamatergic dysregulation in schizophrenia. <i>Molecular Psychiatry</i> , 2020 , 25, 750-760	15.1	21
50	The scent of salienceis there olfactory-trigeminal conditioning in humans?. <i>NeuroImage</i> , 2013 , 77, 93-1	1 0 49	20
49	Role of beta2-containing nicotinic acetylcholine receptors in auditory event-related potentials. <i>Psychopharmacology</i> , 2009 , 202, 745-51	4.7	20
48	Patient attitudes towards surgically implantable, long-term delivery of psychiatric medicine. <i>Neuropsychopharmacology</i> , 2004 , 29, 960-8	8.7	20
47	Symptom and demographic profiles in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2004 , 67, 185-94	3.6	20
46	Cannabidiol (CBD) reduces anxiety-related behavior in mice via an FMRP-independent mechanism. <i>Pharmacology Biochemistry and Behavior</i> , 2019 , 181, 93-100	3.9	19
45	The nature and consequences of cognitive deficits among tobacco smokers with HIV: a comparison to tobacco smokers without HIV. <i>Journal of NeuroVirology</i> , 2017 , 23, 550-557	3.9	18
44	Brain activity and emotional processing in smokers treated with varenicline. <i>Addiction Biology</i> , 2013 , 18, 732-8	4.6	18
43	Electrophysiological and behavioral responses to ketamine in mice with reduced Akt1 expression. <i>Psychopharmacology</i> , 2013 , 227, 639-49	4.7	17
42	Mice expressing constitutively active Gsalpha exhibit stimulus encoding deficits similar to those observed in schizophrenia patients. <i>Neuroscience</i> , 2006 , 141, 1257-64	3.9	17
41	Pharmacokinetic and behavioral characterization of a long-term antipsychotic delivery system in rodents and rabbits. <i>Psychopharmacology</i> , 2007 , 190, 201-11	4.7	16
40	Neurocognitive performance and clinical changes in olanzapine-treated patients with schizophrenia. <i>Neuropsychopharmacology</i> , 2003 , 28, 2029-36	8.7	16
39	Nicotine receptor subtype-specific effects on auditory evoked oscillations and potentials. <i>PLoS ONE</i> , 2012 , 7, e39775	3.7	15
38	cAMP response element binding protein phosphorylation in nucleus accumbens underlies sustained recovery of sensorimotor gating following repeated DElike receptor agonist treatment in rats. Riological Psychiatry 2011, 69, 288-94	7.9	14

37	Novel environment and GABA agonists alter event-related potentials in N-methyl-D-aspartate NR1 hypomorphic and wild-type mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 331, 308-18	4.7	13
36	Male and female mice differ for baseline and nicotine-induced event related potentials. <i>Behavioral Neuroscience</i> , 2008 , 122, 982-90	2.1	13
35	Release of highly hydrophilic drugs from poly(?-caprolactone) matrices. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3149-3156	2.9	13
34	Activation of the mitogen-activated protein kinase, Slt2p, at bud tips blocks a late stage of endoplasmic reticulum inheritance in Saccharomyces cerevisiae. <i>Molecular Biology of the Cell</i> , 2010 , 21, 1772-82	3.5	12
33	Mouse model predicts effects of smoking and varenicline on event-related potentials in humans. <i>Nicotine and Tobacco Research</i> , 2010 , 12, 589-97	4.9	11
32	Evaluation of in vitro release and in vivo efficacy of mPEG-PLA-haloperidol conjugate micelle-like structures. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2007 , 83, 422-30	3.5	10
31	Protocadherin 10 alters lbscillations, amino acid levels, and their coupling; baclofen partially restores these oscillatory deficits. <i>Neurobiology of Disease</i> , 2017 , 108, 324-338	7.5	9
30	The Drosophila DmGluRA is required for social interaction and memory. <i>Frontiers in Pharmacology</i> , 2013 , 4, 64	5.6	9
29	Nicotine normalizes event related potentials in COMT-Val-tg mice and increases gamma and theta spectral density. <i>Behavioral Neuroscience</i> , 2012 , 126, 332-43	2.1	9
28	Attitudes of patients and family members towards implantable psychiatric medication. <i>Schizophrenia Research</i> , 2008 , 105, 279-86	3.6	9
27	Amygdala activity associated with social choice in mice. Behavioural Brain Research, 2017, 332, 84-89	3.4	8
26	The electrophysiological signature of motivational salience in mice and implications for schizophrenia. <i>Neuropsychopharmacology</i> , 2012 , 37, 2846-54	8.7	8
25	Predator odor modulates auditory event-related potentials in mice. <i>NeuroReport</i> , 2009 , 20, 1260-4	1.7	8
24	Parvalbumin Cell Ablation of NMDA-R1 Leads to Altered Phase, But Not Amplitude, of Gamma-Band Cross-Frequency Coupling. <i>Brain Connectivity</i> , 2019 , 9, 263-272	2.7	8
23	Src deficient mice demonstrate behavioral and electrophysiological alterations relevant to psychiatric and developmental disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 84-92	5.5	7
22	Electroencephalographic changes following direct current deep brain stimulation of auditory cortex: a new model for investigating neuromodulation. <i>Neurosurgery</i> , 2013 , 72, 267-75; discussion 275	3.2	6
21	Translating basic science to improve pharmacotherapy for nicotine dependence. <i>Nicotine and Tobacco Research</i> , 2007 , 9 Suppl 4, S583-98	4.9	6
20	Antipsychotic dosing and drug delivery. Current Topics in Behavioral Neurosciences, 2010 , 4, 141-77	3.4	5

(2022-2020)

19	Sociability development in mice with cell-specific deletion of the NMDA receptor NR1 subunit gene. <i>Genes, Brain and Behavior</i> , 2020 , 19, e12624	3.6	5
18	Electroencephalographic and early communicative abnormalities in Brattleboro rats. <i>Physiological Reports</i> , 2013 , 1, e00100	2.6	4
17	Delivery systems and dosing for antipsychotics. Handbook of Experimental Pharmacology, 2012, 267-98	3.2	4
16	Extended release drug delivery strategies in psychiatry: theory to practice. <i>Psychiatry</i> , 2005 , 2, 22-31		4
15	Metabotropic Glutamate Receptor 5 as a Point of Convergence for Models of Obsessive-Compulsive Disorder and Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2016 , 80, 504-6	7.9	3
14	High-beta/low-gamma frequency activity reflects top-down predictive coding during a spatial working memory test. <i>Experimental Brain Research</i> , 2019 , 237, 1881-1888	2.3	2
13	Pyramidal cell-selective GluN1 knockout causes impairments in salience attribution and related EEG activity. <i>Experimental Brain Research</i> , 2018 , 236, 837-846	2.3	2
12	Psychiatric health care provider attitudes towards implantable medication. <i>Psychiatry Research</i> , 2010 , 177, 167-71	9.9	2
11	Patient and family attitudes toward schizophrenia treatment. Current Psychiatry Reports, 2004 , 6, 283-8	9.1	2
10	Capacity, confidentiality and consequences: balancing responsible medical care with mental health law. <i>Current Psychiatry Reports</i> , 2013 , 15, 380	9.1	1
9	What can we expect from long-acting formulations for schizophrenia?. <i>Current Psychiatry Reports</i> , 2011 , 13, 243-4	9.1	1
8	Resurgence of long-acting antipsychotic formulations. <i>Current Psychiatry Reports</i> , 2010 , 12, 276-8	9.1	1
7	Extended-release intramuscular naltrexone: a viewpoint by Steven Siegel. <i>Drugs</i> , 2006 , 66, 1752	12.1	1
6	PSYCHOSIS AND SCHIZOPHRENIA 2009 , 797-815		1
5	Early life social instability stress causes lasting cognitive decrement and elevated hippocampal stress-related gene expression <i>Experimental Neurology</i> , 2022 , 114099	5.7	1
4	Aberrant functional connectivity between reward and inhibitory control networks in pre-adolescent binge eating disorder <i>Psychological Medicine</i> , 2022 , 1-10	6.9	O
3	Regional gray matter abnormalities in pre-adolescent binge eating disorder: A voxel-based morphometry study <i>Psychiatry Research</i> , 2022 , 310, 114473	9.9	O
2	Frequency-specific medial septal nucleus deep brain stimulation improves spatial memory in MK-801-treated male rats <i>Neurobiology of Disease</i> , 2022 , 105756	7.5	О

Male and female mice differ for baseline and nicotine-induced event related potentials..

Translational Issues in Psychological Science, 2014, 1, 35-46

1.7