Brigid M Lynch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1466254/publications.pdf

Version: 2024-02-01

136 papers 5,966 citations

66343 42 h-index 70 g-index

141 all docs

141 docs citations

141 times ranked

7638 citing authors

#	Article	lF	Citations
1	The association of circadian parameters and the clustering of fatigue, depression, and sleep problems in breast cancer survivors: a latent class analysis. Journal of Cancer Survivorship, 2023, 17, 1405-1415.	2.9	4
2	Physical activity and sedentary behaviour over adulthood in relation to all-cause and cause-specific mortality: a systematic review of analytic strategies and study findings. International Journal of Epidemiology, 2022, 51, 641-667.	1.9	14
3	Linking Physical Activity to Breast Cancer via Sex Steroid Hormones, Part 2: The Effect of Sex Steroid Hormones on Breast Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 28-37.	2.5	19
4	Linking Physical Activity to Breast Cancer via Sex Hormones, Part 1: The Effect of Physical Activity on Sex Steroid Hormones. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 16-27.	2.5	12
5	Physical activity and glioma: a case–control study with follow-up for survival. Cancer Causes and Control, 2022, 33, 749.	1.8	O
6	Alcohol intake trajectories during the life course and risk of alcoholâ€related cancer: A prospective cohort study. International Journal of Cancer, 2022, 151, 56-66.	5.1	2
7	Television viewing time and all-cause mortality: interactions with BMI, physical activity, smoking, and dietary factors. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, 30.	4.6	4
8	Calibration of the Active Australia questionnaire and application to a logistic regression model. Journal of Science and Medicine in Sport, 2021, 24, 474-480.	1.3	8
9	Effects of a wearable technology-based physical activity intervention on sleep quality in breast cancer survivors: the ACTIVATE Trial. Journal of Cancer Survivorship, 2021, 15, 273-280.	2.9	21
10	1046Physical activity and sitting time in relation to breast cancer risk: A Mendelian randomization analysis. International Journal of Epidemiology, 2021, 50, .	1.9	0
11	Smoking, alcohol consumption, body fatness, and risk of myelodysplastic syndromes: A prospective study. Leukemia Research, 2021, 109, 106593.	0.8	1
12	Associations between baseline demographic, clinical and lifestyle factors, and changes in fatigue, depression, and health-related quality of life in long-term cancer survivors: a cohort study. Supportive Care in Cancer, 2021, 29, 4711-4722.	2.2	2
13	Latent Class Trajectory Modeling of Adult Body Mass Index and Risk of Obesity-Related Cancer: Findings from the Melbourne Collaborative Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 373-379.	2.5	7
14	Mortality Effects of Hypothetical Interventions on Physical Activity and TV Viewing. Medicine and Science in Sports and Exercise, 2021, 53, 316-323.	0.4	4
15	Linking Physical Activity to Breast Cancer: Text Mining Results and a Protocol for Systematically Reviewing Three Potential Mechanistic Pathways. Cancer Epidemiology Biomarkers and Prevention, 2021, , .	2.5	9
16	Adiposity and estrogen receptorâ€positive, postmenopausal breast cancer risk: Quantification of the mediating effects of fasting insulin and free estradiol. International Journal of Cancer, 2020, 146, 1541-1552.	5.1	15
17	A quantitative bias analysis to estimate measurement error-related attenuation of the association between self-reported physical activity and colorectal cancer risk. International Journal of Epidemiology, 2020, 49, 153-161.	1.9	8
18	Postdiagnosis sedentary behavior and health outcomes in cancer survivors: A systematic review and metaâ€analysis. Cancer, 2020, 126, 861-869.	4.1	34

#	Article	IF	CITATIONS
19	Social connectedness and mortality after prostate cancer diagnosis: A prospective cohort study. International Journal of Cancer, 2020, 147, 766-776.	5.1	7
20	Appraising causal relationships of dietary, nutritional and physical-activity exposures with overall and aggressive prostate cancer: two-sample Mendelian-randomization study based on 79 148 prostate-cancer cases and 61 106 controls. International Journal of Epidemiology, 2020, 49, 587-596.	1.9	36
21	Effects of the ACTIVity And TEchnology (ACTIVATE) intervention on healthâ€related quality of life and fatigue outcomes in breast cancer survivors. Psycho-Oncology, 2020, 29, 204-211.	2.3	19
22	Amount and Intensity of Leisure-Time Physical Activity and Lower Cancer Risk. Journal of Clinical Oncology, 2020, 38, 686-697.	1.6	114
23	Worldwide surveillance of self-reported sitting time: a scoping review. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 111.	4.6	52
24	Domain-Specific Physical Activity, Pain Interference, and Muscle Pain after Activity. Medicine and Science in Sports and Exercise, 2020, 52, 2145-2151.	0.4	4
25	Leisure-Time Physical Activity Versus Sedentary Behaviour in Relation to Colorectal Adenoma and Cancer: Are these Two Distinct Risk Factors?. Current Colorectal Cancer Reports, 2020, 16, 65-73.	0.5	1
26	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. Nature Communications, 2020, 11, 597.	12.8	193
27	Sedentary Behavior and Chronic Disease: Mechanisms and Future Directions. Journal of Physical Activity and Health, 2020, 17, 52-61.	2.0	67
28	Approaches to Improve Causal Inference in Physical Activity Epidemiology. Journal of Physical Activity and Health, 2020, 17, 80-84.	2.0	8
29	Introducing the Epidemiology Council of the International Society for Physical Activity and Health. Journal of Physical Activity and Health, 2020, 17, 1.	2.0	2
30	†If I Had Someone Looking Over My Shoulder†¦â€™: Exploration of Advice Received and Factors Influencing Physical Activity Among Non-metropolitan Cancer Survivors. International Journal of Behavioral Medicine, 2019, 26, 551-561.	1.7	18
31	Maintenance of physical activity and sedentary behavior change, and physical activity and sedentary behavior change after an abridged intervention: Secondary outcomes from the ACTIVATE Trial. Cancer, 2019, 125, 2856-2860.	4.1	26
32	A randomized controlled trial of a wearable technologyâ€based intervention for increasing moderate to vigorous physical activity and reducing sedentary behavior in breast cancer survivors: The ACTIVATE Trial. Cancer, 2019, 125, 2846-2855.	4.1	104
33	New MeSH for Sedentary Behavior. Journal of Physical Activity and Health, 2019, 16, 305.	2.0	3
34	Physical Activity, Television Viewing Time, and DNA Methylation in Peripheral Blood. Medicine and Science in Sports and Exercise, 2019, 51, 490-498.	0.4	16
35	Trajectories of body mass index in adulthood and all-cause and cause-specific mortality in the Melbourne Collaborative Cohort Study. BMJ Open, 2019, 9, e030078.	1.9	31
36	Controversies in the Science of Sedentary Behaviour and Health: Insights, Perspectives and Future directions from the 2018 Queensland Sedentary Behaviour Think Tank. International Journal of Environmental Research and Public Health, 2019, 16, 4762.	2.6	27

#	Article	IF	Citations
37	A Review of Accelerometer-based Activity Monitoring in Cancer Survivorship Research. Medicine and Science in Sports and Exercise, 2018, 50, 1790-1801.	0.4	47
38	MELODI: Mining Enriched Literature Objects to Derive Intermediates. International Journal of Epidemiology, 2018, 47, 369-379.	1.9	15
39	Resting heart rate, temporal changes in resting heart rate, and overall and cause-specific mortality. Heart, 2018, 104, 1076-1085.	2.9	43
40	Sedentary Behaviour and Cancer. Springer Series on Epidemiology and Public Health, 2018, , 245-298.	0.5	12
41	Effects of prescribed aerobic exercise volume on physical activity and sedentary time in postmenopausal women: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 27.	4.6	14
42	Associations of alcohol intake, smoking, physical activity and obesity with survival following colorectal cancer diagnosis by stage, anatomic site and tumor molecular subtype. International Journal of Cancer, 2018, 142, 238-250.	5.1	83
43	Study design and methods for the ACTIVity And TEchnology (ACTIVATE) trial. Contemporary Clinical Trials, 2018, 64, 112-117.	1.8	14
44	Wearable Technology and Physical Activity in Chronic Disease: Opportunities and Challenges. American Journal of Preventive Medicine, 2018, 54, 144-150.	3.0	89
45	Acceptability and utility of, and preference for wearable activity trackers amongst non-metropolitan cancer survivors. PLoS ONE, 2018, 13, e0210039.	2.5	31
46	Domain-specific physical activity and the risk of colorectal cancer: results from the Melbourne Collaborative Cohort Study. BMC Cancer, 2018, 18, 1063.	2.6	15
47	Associations of context-specific sitting time with markers of cardiometabolic risk in Australian adults. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 114.	4.6	47
48	Evaluating the Evidence on Sitting, Smoking, and Health: Is Sitting Really the New Smoking?. American Journal of Public Health, 2018, 108, 1478-1482.	2.7	41
49	Letter by Yang et al Regarding Article, "Accelerometer-Measured Physical Activity and Sedentary Behavior in Relation to All-Cause Mortality: The Women's Health Study― Circulation, 2018, 138, 114-115.	1.6	2
50	Physical Activity and Cancer Incidence in Alberta's Tomorrow Project: Results from a Prospective Cohort of 26,538 Participants. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 945-954.	2.5	7
51	The Role of Physical Activity in Managing Fatigue in Cancer Survivors. Current Nutrition Reports, 2018, 7, 59-69.	4.3	20
52	Volume and correlates of objectively measured physical activity and sedentary time in nonâ€Hodgkin lymphoma survivors. Psycho-Oncology, 2017, 26, 239-247.	2.3	15
53	"Cancer Put My Life on Hold― Cancer Nursing, 2017, 40, 160-167.	1.5	25
54	Physical Activity and Sedentary Behavior in Breast and Colon Cancer Survivors Relative to Adults Without Cancer. Mayo Clinic Proceedings, 2017, 92, 391-398.	3.0	16

#	Article	IF	CITATIONS
55	Reply to: Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortalityâ€"Methodological issues. International Journal of Cancer, 2017, 140, 2170-2171.	5.1	0
56	A qualitative evaluation of breast cancer survivors' acceptance of and preferences for consumer wearable technology activity trackers. Supportive Care in Cancer, 2017, 25, 3375-3384.	2.2	84
57	Reallocating time to sleep, sedentary, and active behaviours in non-Hodgkin lymphoma survivors: associations with patient-reported outcomes. Annals of Hematology, 2017, 96, 749-755.	1.8	21
58	Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortality. International Journal of Cancer, 2017, 140, 1538-1544.	5.1	8
59	Association between change in employment participation and quality of life in middle-aged colorectal cancer survivors compared with general population controls. Psycho-Oncology, 2017, 26, 1354-1360.	2.3	30
60	An Evaluation of the Evidence Relating to Physical Inactivity, Sedentary Behavior, and Cancer Incidence and Mortality. Current Epidemiology Reports, 2017, 4, 221-231.	2.4	32
61	Cohort Profile: The Melbourne Collaborative Cohort Study (Health 2020). International Journal of Epidemiology, 2017, 46, 1757-1757i.	1.9	123
62	Reply. Journal of Hypertension, 2017, 35, 1722-1723.	0.5	0
63	Reduced employment and financial hardship among middleâ€aged individuals with colorectal cancer. European Journal of Cancer Care, 2017, 26, e12744.	1.5	36
64	Intervening to reduce workplace sitting: mediating role of social-cognitive constructs during a cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 27.	4.6	29
65	Reallocating Time to Sleep, Sedentary Time, or Physical Activity: Associations with Waist Circumference and Body Mass Index in Breast Cancer Survivors. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 254-260.	2.5	26
66	Domain-specific physical activity and sedentary behaviour in relation to colon and rectal cancer risk: a systematic review and meta-analysis. International Journal of Epidemiology, 2017, 46, 1797-1813.	1.9	66
67	Blood pressure and risk of breast cancer, overall and by subtypes. Journal of Hypertension, 2017, 35, 1371-1380.	0.5	7
68	Associations of sedentary time and patterns of sedentary time accumulation with health-related quality of life in colorectal cancer survivors. Preventive Medicine Reports, 2016, 4, 262-269.	1.8	58
69	Physical activity and quality of life after colorectal cancer: overview of evidence and future directions. Expert Review of Quality of Life in Cancer Care, 2016, 1, 9-23.	0.6	25
70	Feasibility and acceptability of reducing workplace sitting time: a qualitative study with Australian office workers. BMC Public Health, 2016, 16, 933.	2.9	82
71	How sedentary and physically active are breast cancer survivors, and which population subgroups have higher or lower levels of these behaviors?. Supportive Care in Cancer, 2016, 24, 2181-2190.	2.2	57
72	Correlates of General and Domain-Specific Sitting Time among Older Adults. American Journal of Health Behavior, 2016, 40, 362-370.	1.4	4

#	Article	IF	CITATIONS
73	Office workers' objectively assessed total and prolonged sitting time: Individual-level correlates and worksite variations. Preventive Medicine Reports, 2016, 4, 184-191.	1.8	84
74	Taking steps to improve quality of life after cancer: the role of physical activity. Expert Review of Quality of Life in Cancer Care, 2016, 1, 261-262.	0.6	0
75	Patterns and correlates of accelerometer-assessed physical activity and sedentary time among colon cancer survivors. Cancer Causes and Control, 2016, 27, 59-68.	1.8	48
76	Sedentary behavior, gestational diabetes mellitus, and type 2 diabetes risk: where do we stand?. Endocrine, 2016, 52, 5-10.	2.3	7
77	Associations of health behaviours with return to work outcomes after colorectal cancer. Supportive Care in Cancer, 2016, 24, 865-870.	2.2	10
78	Leisure-Time Physical Activity Does not Attenuate the Association Between Occupational Sedentary Behavior and Obesity: Results From Alberta's Tomorrow Project. Journal of Physical Activity and Health, 2015, 12, 1589-1600.	2.0	15
79	Validity of a multi-context sitting questionnaire across demographically diverse population groups: AusDiab3. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 148.	4.6	50
80	Excessive sitting at work and at home: Correlates of occupational sitting and TV viewing time in working adults. BMC Public Health, 2015, 15, 899.	2.9	69
81	Associations of Overall Sedentary Time and Screen Time with Sleep Outcomes. American Journal of Health Behavior, 2015, 39, 62-67.	1.4	60
82	Accelerometer-assessed physical activity and sedentary time among colon cancer survivors: associations with psychological health outcomes. Journal of Cancer Survivorship, 2015, 9, 404-411.	2.9	38
83	Too Much Sitting and Chronic Disease Risk: Steps to Move the Science Forward. Annals of Internal Medicine, 2015, 162, 146-147.	3.9	36
84	Offering personalized health behavior feedback did not increase response rate: a randomized controlled trial. Journal of Clinical Epidemiology, 2015, 68, 1383-1384.	5.0	1
85	Predictors of physical activity in colorectal cancer survivors after participation in a telephone-delivered multiple health behavior change intervention. Journal of Cancer Survivorship, 2015, 9, 40-49.	2.9	20
86	Agreement between accelerometer-assessed and self-reported physical activity and sedentary time in colon cancer survivors. Supportive Care in Cancer, 2015, 23, 1121-1126.	2.2	57
87	Associations of change in television viewing time with biomarkers of postmenopausal breast cancer risk: the Australian Diabetes, Obesity and Lifestyle Study. Cancer Causes and Control, 2014, 25, 1309-1319.	1.8	21
88	Sedentary Behavior and Prostate Cancer Risk in the NIH–AARP Diet and Health Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 882-889.	2.5	24
89	Study design and methods for the Breast Cancer and Exercise Trial in Alberta (BETA). BMC Cancer, 2014, 14, 919.	2.6	33
90	The return to work experiences of middle-aged Australian workers diagnosed with colorectal cancer: a matched cohort study. BMC Public Health, 2014, 14, 963.	2.9	43

#	Article	IF	CITATIONS
91	A randomized controlled trial of a multiple health behavior change intervention delivered to colorectal cancer survivors: Effects on sedentary behavior. Cancer, 2014, 120, 2665-2672.	4.1	26
92	Associations of objectively assessed physical activity and sedentary time with healthâ€related quality of life among colon cancer survivors. Cancer, 2014, 120, 2919-2926.	4.1	76
93	Development and testing of a past year measure of sedentary behavior: the SIT-Q. BMC Public Health, 2014, 14, 899.	2.9	43
94	Associations of television viewing time with adults' well-being and vitality. Preventive Medicine, 2014, 69, 69-74.	3.4	31
95	Reliability and Validity of a Domain-Specific Last 7-d Sedentary Time Questionnaire. Medicine and Science in Sports and Exercise, 2014, 46, 1248-1260.	0.4	104
96	Don't take cancer sitting down. Cancer, 2013, 119, 1928-1935.	4.1	101
97	A case–control study of lifetime occupational sitting and likelihood of breast cancer. Cancer Causes and Control, 2013, 24, 1257-1262.	1.8	11
98	Applying Physical Activity in Cancer Prevention. Statistics in the Health Sciences, 2013, , 85-107.	0.2	2
99	Effects of a Telephone-Delivered Multiple Health Behavior Change Intervention (CanChange) on Health and Behavioral Outcomes in Survivors of Colorectal Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2013, 31, 2313-2321.	1.6	199
100	Can Living a Less Sedentary Life Decrease Breast Cancer Risk in Women?. Women's Health, 2012, 8, 5-7.	1.5	8
101	A structural model of the relationships among stress, coping, benefit-finding and quality of life in persons diagnosed with colorectal cancer. Psychology and Health, 2012, 27, 159-177.	2.2	16
102	Lifestyle factors associated concurrently and prospectively with co-morbid cardiovascular disease in a population-based cohort of colorectal cancer survivors. European Journal of Cancer, 2011, 47, 267-276.	2.8	70
103	Objectively assessed physical activity, sedentary time and waist circumference among prostate cancer survivors: findings from the National Health and Nutrition Examination Survey (2003-2006). European Journal of Cancer Care, 2011, 20, 514-519.	1.5	67
104	Associations of objectively-assessed physical activity and sedentary time with depression: NHANES (2005–2006). Preventive Medicine, 2011, 53, 284-288.	3.4	187
105	Associations of objectively assessed physical activity and sedentary time with biomarkers of breast cancer risk in postmenopausal women: findings from NHANES (2003–2006). Breast Cancer Research and Treatment, 2011, 130, 183-194.	2.5	103
106	Television viewing time of colorectal cancer survivors is associated prospectively with quality of life. Cancer Causes and Control, 2011, 22, 1111-1120.	1.8	50
107	The Working After Cancer Study (WACS): a population-based study of middle-aged workers diagnosed with colorectal cancer and their return to work experiences. BMC Public Health, 2011, 11, 604.	2.9	17
108	Relationships between quality of life and finding benefits in a diagnosis of colorectal cancer. British Journal of Psychology, 2010, 101, 259-275.	2.3	38

#	Article	IF	Citations
109	Perceived barriers to physical activity for colorectal cancer survivors. Supportive Care in Cancer, 2010, 18, 729-734.	2.2	43
110	Television Viewing Time and Risk of Chronic Kidney Disease in Adults: The AusDiab Study. Annals of Behavioral Medicine, 2010, 40, 265-274.	2.9	30
111	Objectively measured physical activity and sedentary time of breast cancer survivors, and associations with adiposity: findings from NHANES (2003–2006). Cancer Causes and Control, 2010, 21, 283-288.	1.8	192
112	Sedentary versus inactive: distinctions for disease prevention. Nature Reviews Cardiology, 2010, 7, 1-1.	13.7	12
113	Physical Activity and Breast Cancer Prevention. Recent Results in Cancer Research, 2010, 186, 13-42.	1.8	189
114	Sedentary Behavior and Cancer: A Systematic Review of the Literature and Proposed Biological Mechanisms. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2691-2709.	2.5	295
115	State of the epidemiological evidence on physical activity and cancer prevention. European Journal of Cancer, 2010, 46, 2593-2604.	2.8	393
116	Relationship Over Time Between Psychological Distress and Physical Activity in Colorectal Cancer Survivors. Journal of Clinical Oncology, 2009, 27, 1600-1606.	1.6	36
117	A randomised controlled trial of a tele-based lifestyle intervention for colorectal cancer survivors ('CanChange'): study protocol. BMC Cancer, 2009, 9, 286.	2.6	34
118	Television viewing time and weight gain in colorectal cancer survivors: a prospective population-based study. Cancer Causes and Control, 2009, 20, 1355-1362.	1.8	47
119	Antecedents of domainâ€specific quality of life after colorectal cancer. Psycho-Oncology, 2009, 18, 216-220.	2.3	58
120	Development, confirmation, and validation of a measure of coping with colorectal cancer: a longitudinal investigation. Psycho-Oncology, 2009, 18, 624-633.	2.3	18
121	A telephoneâ€delivered lifestyle intervention for colorectal cancer survivors â€~CanChange': a pilot study. Psycho-Oncology, 2009, 18, 449-455.	2.3	42
122	Health behaviors of Australian colorectal cancer survivors, compared with noncancer population controls. Supportive Care in Cancer, 2008, 16, 1097-1104.	2.2	56
123	Describing and predicting psychological distress after colorectal cancer. Cancer, 2008, 112, 1363-1370.	4.1	104
124	Reliability of collecting colorectal cancer stage information from pathology reports and general practitioners in Queensland. Australian and New Zealand Journal of Public Health, 2008, 32, 378-382.	1.8	13
125	Transitions in work participation after a diagnosis of colorectal cancer. Australian and New Zealand Journal of Public Health, 2008, 32, 569-574.	1.8	33
126	Self-reported information on the diagnosis of colorectal cancer was reliable but not necessarily valid. Journal of Clinical Epidemiology, 2008, 61, 498-504.	5.0	22

#	Article	IF	CITATIONS
127	Prospective Relationships of Physical Activity With Quality of Life Among Colorectal Cancer Survivors. Journal of Clinical Oncology, 2008, 26, 4480-4487.	1.6	91
128	Stoma Surgery for Colorectal Cancer. Journal of Wound, Ostomy and Continence Nursing, 2008, 35, 424-428.	1.0	27
129	Modes of presentation and pathways to diagnosis of colorectal cancer in Queensland. Medical Journal of Australia, 2007, 186, 288-291.	1.7	36
130	Physical activity, activity change, and their correlates in a population-based sample of colorectal cancer survivors. Annals of Behavioral Medicine, 2007, 34, 135-143.	2.9	53
131	Associations of leisure-time physical activity with quality of life in a large, population-based sample of colorectal cancer survivors. Cancer Causes and Control, 2007, 18, 735-742.	1.8	60
132	Reliability of a Measure of Prediagnosis Physical Activity for Cancer Survivors. Medicine and Science in Sports and Exercise, 2006, 38, 715-719.	0.4	10
133	Dimensions of quality of life and psychosocial variables most salient to colorectal cancer patients. Psycho-Oncology, 2006, 15, 20-30.	2.3	101
134	Acceptability and feasibility of a community-based screening programme for melanoma in Australia. Health Promotion International, 2004, 19, 437-444.	1.8	35
135	Quality of life and colorectal cancer: a review. Australian and New Zealand Journal of Public Health, 2003, 27, 41-53.	1.8	42
136	Scoreboard advertising at sporting events as a health promotion medium. Health Education Research, 2003, 18, 488-492.	1.9	9