

Hans Christian Wulf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1466308/publications.pdf>

Version: 2024-02-01

162
papers

7,007
citations

66343

42
h-index

64796

79
g-index

164
all docs

164
docs citations

164
times ranked

5474
citing authors

#	ARTICLE	IF	CITATIONS
1	Estimating personal solar ultraviolet radiation exposure through time spent outdoors, ambient levels and modelling approaches*. British Journal of Dermatology, 2022, 186, 266-273.	1.5	5
2	Distribution of protoporphyrin IX in erythrocytes in a case of acquired erythropoietic protoporphyria. Photodiagnosis and Photodynamic Therapy, 2022, 37, 102629.	2.6	0
3	Topical Brimonidine Delays Ultraviolet Radiation-Induced Squamous Cell Carcinoma in Hairless Mice. Photochemistry and Photobiology, 2022, 98, 1390-1394.	2.5	2
4	Identifying the psychosocial predictors of ultraviolet exposure to the face in patients with xeroderma pigmentosum: a study of the behavioural factors affecting clinical outcomes in this genetic disease. Journal of Medical Genetics, 2022, 59, 1095-1103.	3.2	2
5	Cimetidine for erythropoietic protoporphyria. Photodiagnosis and Photodynamic Therapy, 2022, 38, 102793.	2.6	5
6	Bringing the gentle properties of daylight photodynamic therapy indoors: A systematic review of efficacy and safety. Photodiagnosis and Photodynamic Therapy, 2022, 39, 102858.	2.6	10
7	Dyskeratosis follicularis cured by superficial radiotherapy: long-term follow-up of 10 patients. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e230-e232.	2.4	1
8	How Much Protoporphyrin IX Must Be Activated to Obtain Full Efficacy of Methyl Aminolevulinate Photodynamic Therapy? Implication for Treatment Modifications. Pharmaceuticals, 2021, 14, 333.	3.8	6
9	Actinic keratoses contiguous with squamous cell carcinomas are mostly non-hyperkeratotic and with severe dysplasia. Journal of Clinical Pathology, 2021, , jclinpath-2021-207497.	2.0	5
10	A Skin Cancer Prophylaxis Study in Hairless Mice Using Methylene Blue, Riboflavin, and Methyl Aminolevulinate as Photosensitizing Agents in Photodynamic Therapy. Pharmaceuticals, 2021, 14, 433.	3.8	7
11	Treatment of AIDS-related Kaposi's Sarcoma With Low-dose Radiotherapy – Follow-up on 2,305 Tumours. Anticancer Research, 2021, 41, 3871-3874.	1.1	1
12	A revised action spectrum for vitamin D synthesis by suberythral UV radiation exposure in humans in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	24
13	Few X-ray and PUVA treatments accelerate photocarcinogenesis in hairless mice. Photochemical and Photobiological Sciences, 2021, 20, 1299-1307.	2.9	1
14	The effect of vitamin D recommendations on serum 25-hydroxyvitamin D level in erythropoietic protoporphyria patients. Nutrition, 2021, 93, 111477.	2.4	4
15	Low vitamin D in dark-skinned immigrants is mainly due to clothing habits and low UVR exposure: a Danish observational study. Photochemical and Photobiological Sciences, 2021, 20, 1573-1584.	2.9	2
16	Ultraviolet exposure to the face in patients with xeroderma pigmentosum and healthy controls: applying a novel methodology to define photoprotection behaviour. British Journal of Dermatology, 2021, , .	1.5	3
17	Improving Photoprotection and Implications for 25(OH)D Formation. Anticancer Research, 2020, 40, 511-518.	1.1	3
18	Lifetime UVR Dose and Skin Cancer Risk, Determined by Their Common Relation to Solar Lentigines. Anticancer Research, 2020, 40, 557-564.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Melanin has a Small Inhibitory Effect on Cutaneous Vitamin D Synthesis: A Comparison of Extreme Phenotypes. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1418-1426.e1.	0.7	36
20	Inactivation of protoporphyrin IX in erythrocytes in patients with erythropoietic protoporphyria: A new treatment modality. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 29, 101582.	2.6	1
21	Measurements of sun sensitivity in five European countries confirm the relative nature of Fitzpatrick skin phototype scale. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2020, 36, 179-184.	1.5	8
22	Light-provoked skin symptoms on the hands of erythropoietic protoporphyria patients related to personal dosimeter measurements, skin symptoms, light protection and priming. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2020, 213, 112054.	3.8	8
23	Trends in erythrocyte protoporphyrin IX concentration by age, sex and season among patients with erythropoietic protoporphyria—20 years of follow-up. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 32, 101928.	2.6	5
24	Skin surface Protoporphyrin IX fluorescence is associated with epidermal but not dermal fluorescence intensities. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 30, 101681.	2.6	2
25	A Handful of Sunscreen for Whole-Body Application. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1268, 381-385.	1.6	5
26	Pigment genes not skin pigmentation affect UVB-induced vitamin D. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 448-458.	2.9	15
27	Adult UVR exposure changes with life stage – a 14-year follow-up study using personal electronic UVR dosimeters. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 467-476.	2.9	3
28	Daylight photodynamic therapy of actinic keratosis without curettage is as effective as with curettage: a randomized clinical trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 2058-2061.	2.4	18
29	A novel LC-MS/MS method to quantify eumelanin and pheomelanin and their relation to UVR sensitivity – A study on human skin biopsies. <i>Pigment Cell and Melanoma Research</i> , 2019, 32, 809-816.	3.3	10
30	Serum 25(OH)D levels after oral vitamin D 3 supplementation and UVB exposure correlate. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 344-353.	1.5	3
31	Optimal sunscreen use, during a sun holiday with a very high ultraviolet index, allows vitamin D synthesis without sunburn. <i>British Journal of Dermatology</i> , 2019, 181, 1052-1062.	1.5	59
32	Daylight PDT acts by continuous activation of PpIX. <i>Photodiagnosis and Photodynamic Therapy</i> , 2019, 27, A1-A2.	2.6	5
33	Visual scales are superior to questionnaires in skin phototype self-assessment by children. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 238-245.	1.5	5
34	Personal electronic UVR dosimeter measurements: specific and general uncertainties. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 1461-1470.	2.9	17
35	How the dark side of photodynamic therapy becomes bright. <i>British Journal of Dermatology</i> , 2019, 180, 695-696.	1.5	3
36	Pain and stinging associated with pretreatment in photodynamic therapy of actinic keratosis. <i>Photodiagnosis and Photodynamic Therapy</i> , 2019, 25, 225-226.	2.6	5

#	ARTICLE	IF	CITATIONS
37	Skin cancer phototype: A new classification directly related to skin cancer and based on responses from 2869 individuals. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 116-123.	1.5	16
38	Sunscreen applied at $\approx 2 \text{ mg cm}^{-2}$ during a sunny holiday prevents erythema, a biomarker of ultraviolet radiation-induced DNA damage and suppression of acquired immunity. <i>British Journal of Dermatology</i> , 2019, 180, 604-614.	1.5	29
39	Evaluation of a personalised adherence intervention to improve photoprotection in adults with Xeroderma Pigmentosum (XP): protocol for the trial of XPAND. <i>BMJ Open</i> , 2019, 9, e028577.	1.9	5
40	Children sustain high levels of skin DNA photodamage, with a modest increase of serum 25-hydroxyvitamin D ₃ , after a summer holiday in Northern Europe. <i>British Journal of Dermatology</i> , 2018, 179, 940-950.	1.5	15
41	Protoporphyrin IX formation after application of methyl aminolevulinate on the face and scalp with and without prior curettage. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018, 22, 155-157.	2.6	8
42	Photoprotection by sunscreen depends on time spent on application. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018, 34, 117-121.	1.5	14
43	Photodynamic therapy is more effective than imiquimod for actinic keratosis in organ transplant recipients: a randomized intraindividual controlled trial. <i>British Journal of Dermatology</i> , 2018, 178, 903-909.	1.5	37
44	Organ transplant recipients express enhanced skin autofluorescence and pigmentation at skin cancer sites. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 188, 1-5.	3.8	2
45	Phototype reproducibility and relation to objectively measured skin sensitivity is best when burn and tan reactivity to sun are answered separately. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018, 34, 366-373.	1.5	2
46	Photodynamic therapy of necrobiosis lipoidica using methyl aminolevulinate: A retrospective follow-up study. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018, 22, 223-226.	2.6	15
47	Sunscreen use optimized by two consecutive applications. <i>PLoS ONE</i> , 2018, 13, e0193916.	2.5	11
48	Patients with erythropoietic protoporphyria have reduced erythrocyte protoporphyrin IX from early in pregnancy. <i>British Journal of Dermatology</i> , 2017, 177, e38-e40.	1.5	6
49	Red tattoos, ultraviolet radiation and skin cancer in mice. <i>Experimental Dermatology</i> , 2017, 26, 1091-1096.	2.9	18
50	Can constitutive pigmentation be measured on upper inner arm? Correlation between arm and buttocks pigmentation. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017, 33, 233-236.	1.5	3
51	An investigation of the predictors of photoprotection and UVR dose to the face in patients with XP: a protocol using observational mixed methods. <i>BMJ Open</i> , 2017, 7, e018364.	1.9	15
52	Image Gallery: Pitfalls when measuring protoporphyrin IX during photodynamic therapy. <i>British Journal of Dermatology</i> , 2017, 177, e225.	1.5	0
53	Increased protoporphyrin IX accumulation does not improve the effect of photodynamic therapy for actinic keratosis: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2017, 176, 1241-1246.	1.5	19
54	Long-term Trend in Sunscreen Use among Beachgoers in Denmark. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1202-1205.	1.3	24

#	ARTICLE	IF	CITATIONS
55	Impact of UVR Exposure Pattern on Squamous Cell Carcinoma-A Doseâ€“Delivery and Doseâ€“Response Study in Pigmented Hairless Mice. International Journal of Molecular Sciences, 2017, 18, 2738.	4.1	7
56	Alternatives to Outdoor Daylight Illumination for Photodynamic Therapyâ€“Use of Greenhouses and Artificial Light Sources. International Journal of Molecular Sciences, 2016, 17, 309.	4.1	75
57	Pulse photodynamic therapy reduces inflammation without compromising efficacy in the treatment of multiple mild actinic keratoses of the face and scalp: a randomized clinical trial. British Journal of Dermatology, 2016, 174, 979-984.	1.5	29
58	Factors associated with cessation of sunbed use among Danish women. Photodermatology Photoimmunology and Photomedicine, 2016, 32, 191-198.	1.5	7
59	Shortâ€“term chemical pretreatment cannot replace curettage in photodynamic therapy. Photodermatology Photoimmunology and Photomedicine, 2016, 32, 146-152.	1.5	17
60	Thickness of Actinic Keratosis Does Not Predict Dysplasia Severity or P53 Expression. Scientific Reports, 2016, 6, 33952.	3.3	35
61	Hydroxychloroquine is ineffective in treatment of alopecia totalis and extensive alopecia areata: A case series of 8 patients. JAAD Case Reports, 2016, 2, 117-118.	0.8	12
62	Acute Ultraviolet Radiation Perturbs Epithelialization but not the Biomechanical Strength of Fullâ€“thickness Cutaneous Wounds. Photochemistry and Photobiology, 2016, 92, 187-192.	2.5	3
63	The European Status Quo in legal recognition and patient-care services of occupational skin cancer. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 46-51.	2.4	46
64	Protoporphyrin IX in the skin measured noninvasively predicts photosensitivity in patients with erythropoietic protoporphyria. British Journal of Dermatology, 2016, 175, 1284-1289.	1.5	16
65	Is the thin layer of methyl aminolevulinate used during photodynamic therapy sufficient?. Photodermatology Photoimmunology and Photomedicine, 2016, 32, 88-92.	1.5	4
66	Photodynamic Therapy in Daylight for Actinic Keratoses. JAMA Dermatology, 2016, 152, 631.	4.1	16
67	Sun behaviour and personal UVR exposure among Europeans on short term holidays. Journal of Photochemistry and Photobiology B: Biology, 2015, 151, 264-269.	3.8	21
68	Practical approach to the use of daylight photodynamic therapy with topical methyl aminolevulinate for actinic keratosis: a European consensus. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1718-1723.	2.4	92
69	Black tattoos protect against <scp>UVR</scp>â€“induced skin cancer in mice. Photodermatology Photoimmunology and Photomedicine, 2015, 31, 261-268.	1.5	30
70	Protoporphyrin IX formation after topical application of methyl aminolaevulinate and BF-200 aminolaevulinic acid declines with age. British Journal of Dermatology, 2015, 173, 760-766.	1.5	17
71	Personal UVR exposure of farming families in four European countries. Journal of Photochemistry and Photobiology B: Biology, 2015, 153, 267-275.	3.8	15
72	Sun exposure patterns of urban, suburban, and rural children: a dosimetry and diary study of 150 children. Photochemical and Photobiological Sciences, 2015, 14, 1282-1289.	2.9	15

#	ARTICLE	IF	CITATIONS
73	Cutaneous leishmaniasis responds to daylight-activated photodynamic therapy: proof of concept for a novel self-administered therapeutic modality. <i>British Journal of Dermatology</i> , 2015, 172, 1364-1370.	1.5	55
74	Fractional laser-mediated photodynamic therapy of high-risk basal cell carcinomas - a randomized clinical trial. <i>British Journal of Dermatology</i> , 2015, 172, 215-222.	1.5	82
75	Combination of ablative fractional laser and daylight-mediated photodynamic therapy for actinic keratosis in organ transplant recipients - a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015, 172, 467-474.	1.5	112
76	Increasing the acceptability of photodynamic therapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015, 31, 3-4.	1.5	3
77	Daylight photodynamic therapy with methyl aminolevulinate cream as a convenient, similarly effective, nearly painless alternative to conventional photodynamic therapy in actinic keratosis treatment: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2014, 171, 1164-1171.	1.5	192
78	Topical corticosteroid reduces inflammation without compromising the efficacy of photodynamic therapy for actinic keratoses: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2014, 171, 1487-1492.	1.5	28
79	Light protection of the skin after photodynamic therapy reduces inflammation: an unblinded randomized controlled study. <i>British Journal of Dermatology</i> , 2014, 171, 175-178.	1.5	33
80	Socioeconomic status and cutaneous malignant melanoma in Northern Europe. <i>British Journal of Dermatology</i> , 2014, 170, 787-793.	1.5	40
81	Daylight-mediated photodynamic therapy of basal cell carcinomas – an explorative study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 169-175.	2.4	64
82	A 3-Year Follow-up of Sun Behavior in Patients With Cutaneous Malignant Melanoma. <i>JAMA Dermatology</i> , 2014, 150, 163.	4.1	39
83	Validation of self-reported erythema: comparison of self-reports, researcher assessment and objective measurements in sun worshippers and skiers. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 214-219.	2.4	7
84	X-rays and photocarcinogenesis in hairless mice. <i>Archives of Dermatological Research</i> , 2013, 305, 529-533.	1.9	4
85	A sun holiday is a sunburn holiday. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2013, 29, 221-224.	1.5	34
86	Determinants of personal ultraviolet-radiation exposure doses on a sun holiday. <i>British Journal of Dermatology</i> , 2013, 168, 1073-1079.	1.5	34
87	Sun behaviour after cutaneous malignant melanoma: a study based on ultraviolet radiation measurements and sun diary data. <i>British Journal of Dermatology</i> , 2013, 168, 367-373.	1.5	23
88	Weather conditions and daylight-mediated photodynamic therapy: protoporphyrin IX-weighted daylight doses measured in six geographical locations. <i>British Journal of Dermatology</i> , 2013, 168, 186-191.	1.5	95
89	Increase in serum 25-hydroxyvitamin-D3 in humans after solar exposure under natural conditions compared to artificial UVB exposure of hands and face. <i>Photochemical and Photobiological Sciences</i> , 2012, 11, 1817-1824.	2.9	25
90	A small suberythemal ultraviolet B dose every second week is sufficient to maintain summer vitamin D levels: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2012, 166, 430-433.	1.5	37

#	ARTICLE	IF	CITATIONS
91	Daylight-mediated photodynamic therapy of moderate to thick actinic keratoses of the face and scalp: a randomized multicentre study. <i>British Journal of Dermatology</i> , 2012, 166, 1327-1332.	1.5	131
92	Intensified photodynamic therapy of actinic keratoses with fractional CO2 laser: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2012, 166, 1262-1269.	1.5	162
93	The relation between sunscreen layer thickness and vitamin D production after ultraviolet B exposure: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2012, 167, 391-395.	1.5	65
94	People maintain their sun exposure behaviour in a 5-7-year follow-up study using personal electronic UVR dosimeters. <i>Photochemical and Photobiological Sciences</i> , 2012, 12, 111-116.	2.9	11
95	Interdependence between body surface area and ultraviolet B dose in vitamin D production: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2011, 164, 163-169.	1.5	58
96	A randomized, multicentre study of directed daylight exposure times of 1½ vs. 2½ h in daylight-mediated photodynamic therapy with methyl aminolaevulinate in patients with multiple thin actinic keratoses of the face and scalp. <i>British Journal of Dermatology</i> , 2011, 164, 1083-1090.	1.5	157
97	Sunscreen use: controversies, challenges and regulatory aspects. <i>British Journal of Dermatology</i> , 2011, 165, 255-262.	1.5	91
98	Sun exposure before and after a diagnosis of cutaneous malignant melanoma: estimated by developments in serum vitamin D, skin pigmentation and interviews. <i>British Journal of Dermatology</i> , 2011, 165, 164-170.	1.5	14
99	Vitamin D production depends on ultraviolet-B dose but not on dose rate: A randomized controlled trial. <i>Experimental Dermatology</i> , 2011, 20, 14-18.	2.9	39
100	Variables in full-body ultraviolet B treatment of skin diseases. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 165-169.	1.5	5
101	Minimal erythema dose and minimal melanogenesis dose relate better to objectively measured skin type than to Fitzpatrick's skin type. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 280-284.	1.5	28
102	Photodynamic therapy with topical methyl- and hexylaminolevulinate for prophylaxis and treatment of UV-induced SCC in hairless mice. <i>Experimental Dermatology</i> , 2010, 19, e166-72.	2.9	24
103	Clothing reduces the sun protection factor of sunscreens. <i>British Journal of Dermatology</i> , 2010, 162, 415-419.	1.5	8
104	Photocarcinogenicity of selected topically applied dermatological drugs: calcineurin inhibitors, corticosteroids, and vitamin D analogs. <i>Dermatology Reports</i> , 2010, 2, 13.	0.8	11
105	Photodynamic therapy of actinic keratoses with 8% and 16% methyl aminolaevulinate and home-based daylight exposure: a double-blinded randomized clinical trial. <i>British Journal of Dermatology</i> , 2009, 160, 1308-1314.	1.5	158
106	Does chronic sunscreen use reduce vitamin D production to insufficient levels?. <i>British Journal of Dermatology</i> , 2009, 161, 732-736.	1.5	138
107	Short and limited effect of long-pulsed dye laser alone and in combination with photodynamic therapy for inflammatory rosacea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 200-201.	2.4	12
108	Sunscreens in human plasma and urine after repeated whole-body topical application. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 456-461.	2.4	198

#	ARTICLE	IF	CITATIONS
109	Evidence-based review of lasers, light sources and photodynamic therapy in the treatment of acne vulgaris. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 267-278.	2.4	111
110	Continuous activation of PpIX by daylight is as effective as and less painful than conventional photodynamic therapy for actinic keratoses; a randomized, controlled, single-blinded study. British Journal of Dermatology, 2008, 158, 740-746.	1.5	313
111	Pain during photodynamic therapy is associated with protoporphyrin IX fluorescence and fluence rate. British Journal of Dermatology, 2008, 158, 727-733.	1.5	120
112	Semi-automatic karyotyping facility-a clinical test. Hereditas, 2008, 105, 37-40.	1.4	1
113	The relation between sun protection factor and amount of sunscreen applied in vivo. British Journal of Dermatology, 2007, 156, 716-719.	1.5	144
114	Assessment of atopic eczema: clinical scoring and noninvasive measurements. British Journal of Dermatology, 2007, 157, 674-680.	1.5	40
115	Evidence-based review of hair removal using lasers and light sources. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 9-20.	2.4	138
116	Cheilitis - the only presentation of photosensitivity. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 766-767.	2.4	4
117	Compliance and data reliability in sun exposure studies with diaries and personal, electronic UV dosimeters. Photodermatology Photoimmunology and Photomedicine, 2006, 22, 93-99.	1.5	34
118	Phemelanin and eumelanin in human skin determined by high-performance liquid chromatography and its relation to in vivo reflectance measurements. Photodermatology Photoimmunology and Photomedicine, 2006, 22, 141-147.	1.5	35
119	Ultraviolet radiation exposure pattern in winter compared with summer based on time-stamped personal dosimeter readings. British Journal of Dermatology, 2006, 154, 133-138.	1.5	52
120	Life quality assessment among patients with atopic eczema. British Journal of Dermatology, 2006, 154, 719-725.	1.5	190
121	Photodynamic therapy of acne vulgaris using methyl aminolaevulinate: a blinded, randomized, controlled trial. British Journal of Dermatology, 2006, 154, 969-976.	1.5	169
122	Topical photodynamic therapy for prevention of new skin lesions in renal transplant recipients. Acta Dermato-Venereologica, 2006, 86, 25-28.	1.3	117
123	Sunscreen Use Related to UV Exposure, Age, Sex, and Occupation Based on Personal Dosimeter Readings and Sun-Exposure Behavior Diaries. Archives of Dermatology, 2005, 141, 967-73.	1.4	108
124	Sunburn Related to UV Radiation Exposure, Age, Sex, Occupation, and Sun Bed Use Based on Time-Stamped Personal Dosimetry and Sun Behavior Diaries. Archives of Dermatology, 2005, 141, 482-8.	1.4	45
125	Miniature Personal Electronic UVR Dosimeter with Erythema Response and Time-stamped Readings in a Wristwatch. Photochemistry and Photobiology, 2005, 81, 1138.	2.5	69
126	Ultraviolet exposure patterns of Irish and Danish gardeners during work and leisure. British Journal of Dermatology, 2005, 153, 795-801.	1.5	63

#	ARTICLE	IF	CITATIONS
127	UV Radiation Exposure Related to Age, Sex, Occupation, and Sun Behavior Based on Time-Stamped Personal Dosimeter Readings. Archives of Dermatology, 2004, 140, 197-203.	1.4	160
128	Allergic contact dermatitis to 5-aminolaevulinic acid methylester but not to 5-aminolaevulinic acid after photodynamic therapy. British Journal of Dermatology, 2004, 150, 143-145.	1.5	60
129	Minimal erythema dose after multiple UV exposures depends on pre-exposure skin pigmentation. Photodermatology Photoimmunology and Photomedicine, 2004, 20, 163-169.	1.5	26
130	Durability of the sun protection factor provided by dihydroxyacetone. Photodermatology Photoimmunology and Photomedicine, 2004, 20, 239-242.	1.5	35
131	Proportion of Lifetime UV Dose Received by Children, Teenagers and Adults Based on Time-Stamped Personal Dosimetry. Journal of Investigative Dermatology, 2004, 123, 1147-1150.	0.7	69
132	Detection of Skin Cancer by Classification of Raman Spectra. IEEE Transactions on Biomedical Engineering, 2004, 51, 1784-1793.	4.2	231
133	Skin aging and natural photoprotection. Micron, 2004, 35, 185-191.	2.2	189
134	Raman spectroscopy analysis of protein structure of hair in patients with trichothiodystrophy. British Journal of Dermatology, 2003, 148, 600-601.	1.5	6
135	Emollients and the response of facial skin to a cold environment. British Journal of Dermatology, 2003, 148, 1149-1152.	1.5	15
136	Topical methyl aminolaevulinate photodynamic therapy in patients with basal cell carcinoma prone to complications and poor cosmetic outcome with conventional treatment. British Journal of Dermatology, 2003, 149, 1242-1249.	1.5	185
137	Epidermal Thickness at Different Body Sites: Relationship to Age, Gender, Pigmentation, Blood Content, Skin Type and Smoking Habits. Acta Dermato-Venereologica, 2003, 83, 410-413.	1.3	549
138	Influence of Epidermal Thickness, Pigmentation and Redness on Skin Autofluorescence. Photochemistry and Photobiology, 2003, 77, 616-620.	2.5	3
139	Cutaneous tophi and calcinosis diagnosed in vivo by Raman spectroscopy. British Journal of Dermatology, 2001, 145, 672-674.	1.5	11
140	Measurement of the mechanical properties of skin with ballistometer and suction cup. Skin Research and Technology, 2001, 7, 122-126.	1.6	47
141	Role of mitochondria in ultraviolet-induced oxidative stress. Journal of Cellular Biochemistry, 2001, 80, 216-222.	2.6	106
142	Differences in activation of G2/M checkpoint in keratinocytes after genotoxic stress induced by hydrogen peroxide and ultraviolet a radiation. Free Radical Research, 2001, 35, 405-416.	3.3	30
143	Laser scanning cytometry for comet assay analysis. , 2000, 39, 10-15.		24
144	Optimized UVB treatment of psoriasis: a controlled, left-right comparison trial. Journal of the European Academy of Dermatology and Venereology, 2000, 14, 19-21.	2.4	5

#	ARTICLE	IF	CITATIONS
145	Recalcitrant hand and foot warts successfully treated with photodynamic therapy with topical 5-aminolaevulinic acid: a pilot study. <i>Clinical and Experimental Dermatology</i> , 1999, 24, 154-159.	1.3	102
146	Minimal erythema dose in UV-shielded and UV-exposed skin predicted by skin reflectance measured pigmentation. <i>Skin Research and Technology</i> , 1999, 5, 88-95.	1.6	14
147	The plastic sing effect of moisturizers on human skin in vivo: a measure of moisturizing potency?. <i>Skin Research and Technology</i> , 1998, 4, 88-93.	1.6	17
148	Epidermal thickness measured by light microscopy: a methodological study. <i>Skin Research and Technology</i> , 1998, 4, 174-179.	1.6	47
149	High MHC class I expression correlates with slow growth in UV-induced skin carcinomas in hairless mice. <i>Apmis</i> , 1998, 106, 1101-1107.	2.0	2
150	Impact of epidermal thickness on purpura from the pulsed dye laser. , 1998, 22, 159-164.		2
151	The changing referral pattern in Danish dermatology - Rigshospitalet, Copenhagen, 1986-1995. <i>International Journal of Dermatology</i> , 1997, 36, 453-456.	1.0	8
152	Quality assurance in dermatology - the development of a framework. <i>International Journal of Dermatology</i> , 1997, 36, 721-726.	1.0	7
153	Risk assessment of side effects from copper vapor and argon laser treatment: The importance of skin pigmentation. <i>Lasers in Surgery and Medicine</i> , 1997, 20, 84-89.	2.1	12
154	Risk assessment of side effects from copper vapor and argon laser treatment: The importance of skin pigmentation. <i>Lasers in Surgery and Medicine</i> , 1997, 20, 84-89.	2.1	1
155	Electronic UV dosimeters. <i>Skin Research and Technology</i> , 1996, 2, 103-107.	1.6	5
156	CaF ₂ :Dy and CaF ₂ crystal-based UV dosimeters. <i>Skin Research and Technology</i> , 1996, 2, 108-113.	1.6	11
157	Patient-physician consensus on quality of life in dermatology. <i>Clinical and Experimental Dermatology</i> , 1996, 21, 177-179.	1.3	54
158	A retrospective comparison of inpatient tar therapy and outpatient UVB irradiation therapy in psoriasis. <i>Journal of Dermatological Treatment</i> , 1996, 7, 239-241.	2.2	1
159	A polychromatic action spectrum for photosensitivity to orally administered 8-methoxypsoralen in humans. <i>Clinical and Experimental Dermatology</i> , 1994, 19, 12-15.	1.3	3
160	Carcinogenic Potential of Fluorescent UV Tanning Sources Can Be Estimated Using the CIE Erythema Action Spectrum. <i>International Journal of Radiation Biology</i> , 1993, 64, 445-450.	1.8	8
161	Imputating missing values in diary records of sun-exposure study. , 0, , .		2
162	Clustering of Sun exposure measurements. , 0, , .		0