
Katarzyna Bulek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1468293/publications.pdf Version: 2024-02-01



KATADZVNA RILLEK

#	Article	IF	CITATIONS
1	GSDMB is increased in IBD and regulates epithelial restitution/repair independent of pyroptosis. Cell, 2022, 185, 283-298.e17.	28.9	86
2	Editorial: The IL-17 Cytokine Family in Tissue Homeostasis and Disease. Frontiers in Immunology, 2021, 12, 641986.	4.8	2
3	Inflammation mobilizes copper metabolism to promote colon tumorigenesis via an IL-17-STEAP4-XIAP axis. Nature Communications, 2020, 11, 900.	12.8	108
4	Epithelial-derived gasdermin D mediates nonlytic IL-1β release during experimental colitis. Journal of Clinical Investigation, 2020, 130, 4218-4234.	8.2	76
5	TLR5 participates in the TLR4 receptor complex and promotes MyD88-dependent signaling in environmental lung injury. ELife, 2020, 9, .	6.0	51
6	TRAF Regulation of IL-17 Cytokine Signaling. Frontiers in Immunology, 2019, 10, 1293.	4.8	52
7	IL-17A Recruits Rab35 to IL-17R to Mediate PKCα-Dependent Stress Fiber Formation and Airway Smooth Muscle Contractility. Journal of Immunology, 2019, 202, 1540-1548.	0.8	13
8	In situ detection of DNA and mRNA of human cytomegalovirus to distinguish different forms of viral infection in leukocytes Acta Biochimica Polonica, 2019, 53, 457-461.	0.5	3
9	IL-17-receptor-associated adaptor Act1 directly stabilizes mRNAs to mediate IL-17 inflammatory signaling. Nature Immunology, 2018, 19, 354-365.	14.5	91
10	Human Adaptive Immunity Rescues an Inborn Error of Innate Immunity. Cell, 2017, 168, 789-800.e10.	28.9	68
11	IL-17 induced NOTCH1 activation in oligodendrocyte progenitor cells enhances proliferation and inflammatory gene expression. Nature Communications, 2017, 8, 15508.	12.8	71
12	IRAK2 directs stimulus-dependent nuclear export of inflammatory mRNAs. ELife, 2017, 6, .	6.0	22
13	Human Colon Tumors Express a Dominant-Negative Form ofÂSIGIRR That Promotes Inflammation and Colitis-Associated Colon Cancer in Mice. Gastroenterology, 2015, 149, 1860-1871.e8.	1.3	33
14	IKKα negatively regulates ASC-dependent inflammasome activation. Nature Communications, 2014, 5, 4977.	12.8	96
15	The psoriasis-associated D10N variant of the adaptor Act1 with impaired regulation by the molecular chaperone hsp90. Nature Immunology, 2013, 14, 72-81.	14.5	98
16	296. Cytokine, 2013, 63, 313.	3.2	1
17	IRAK-M mediates Toll-like receptor/IL-1R-induced NFκB activation and cytokine production. EMBO Journal, 2013, 32, 583-596.	7.8	103
18	HuR Is Required for IL-17–Induced Act1-Mediated CXCL1 and CXCL5 mRNA Stabilization. Journal of Immunology, 2013, 191, 640-649.	0.8	83

Katarzyna Bulek

#	Article	IF	CITATIONS
19	Inactivation of the Enzyme GSK3α by the Kinase IKKi Promotes AKT-mTOR Signaling Pathway that Mediates Interleukin-1-Induced Th17 Cell Maintenance. Immunity, 2012, 37, 800-812.	14.3	69
20	Epithelial Cell-Specific Act1 Adaptor Mediates Interleukin-25-Dependent Helminth Expulsion through Expansion of Linâ^'c-Kit+ Innate Cell Population. Immunity, 2012, 36, 821-833.	14.3	68
21	Treatment with IL-17 prolongs the half-life of chemokine CXCL1 mRNA via the adaptor TRAF5 and the splicing-regulatory factor SF2 (ASF). Nature Immunology, 2011, 12, 853-860.	14.5	199
22	SIGIRR, a negative regulator of colon tumorigenesis. Drug Discovery Today Disease Mechanisms, 2011, 8, e63-e69.	0.8	5
23	CS10-3. IKKi is required for interleukin 17-dependent signaling associated with neutrophilia and pulmonary inflammation. Cytokine, 2011, 56, 58.	3.2	0
24	T Cell-Derived Act1 Is Necessary for IL-25–Mediated Th2 Responses and Allergic Airway Inflammation. Journal of Immunology, 2011, 187, 3155-3164.	0.8	43
25	The inducible kinase IKKi is required for IL-17-dependent signaling associated with neutrophilia and pulmonary inflammation. Nature Immunology, 2011, 12, 844-852.	14.5	174
26	The Receptor SIGIRR Suppresses Th17 Cell Proliferation via Inhibition of the Interleukin-1 Receptor Pathway and mTOR Kinase Activation. Immunity, 2010, 32, 54-66.	14.3	171
27	Epithelium: the interplay between innate and Th2 immunity. Immunology and Cell Biology, 2010, 88, 257-268.	2.3	91
28	SS1-2 SIGIRR protein suppresses Th17 cell proliferation via negative regulation of the Interleukin-1 receptor pathway and inhibition of mTOR kinase activation. Cytokine, 2010, 52, 11.	3.2	1
29	Interleukin-1 Receptor-associated Kinase 2 Is Critical for Lipopolysaccharide-mediated Post-transcriptional Control. Journal of Biological Chemistry, 2009, 284, 10367-10375.	3.4	83
30	The Critical Role of Epithelial-Derived Act1 in IL-17- and IL-25-Mediated Pulmonary Inflammation. Journal of Immunology, 2009, 182, 1631-1640.	0.8	130
31	The Essential Role of Single Ig IL-1 Receptor-Related Molecule/Toll IL-1R8 in Regulation of Th2 Immune Response. Journal of Immunology, 2009, 182, 2601-2609.	0.8	143
32	T cell-specific Act1 deficiency leads to attenuated cellular and humoral allergic responses. Cytokine, 2009, 48, 40-41.	3.2	1
33	SY-16 The critical role of epithelial-derived act1 in IL-17- and IL-25-mediated pulmonary inflammation. Cytokine, 2008, 43, 279.	3.2	1
34	174 IRAK2 is critical for LPS-mediated post-transcriptional control. Cytokine, 2008, 43, 281.	3.2	0
35	A critical role for IRAK4 kinase activity in Toll-like receptor–mediated innate immunity. Journal of Experimental Medicine, 2007, 204, 1025-1036.	8.5	227
36	The Toll–Interleukin-1 Receptor Member SIGIRR Regulates Colonic Epithelial Homeostasis, Inflammation, and Tumorigenesis. Immunity, 2007, 26, 461-475.	14.3	293

#	Article	IF	CITATIONS
37	TLR5 Participates in the TLR4 Receptor Complex and Biases Towards MyD88-Dependent Signaling in Environmental Lung Injury. SSRN Electronic Journal, 0, , .	0.4	0