

# Ronny Ralf Buechel

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1468390/ronny-ralf-buechel-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

2,828  
citations

31  
h-index

47  
g-index

156  
ext. papers

3,558  
ext. citations

4.6  
avg, IF

4.83  
L-index

#	Paper	IF	Citations
142	EANM procedural guidelines for radionuclide myocardial perfusion imaging with SPECT and SPECT/CT: 2015 revision. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2015</b> , 42, 1929-40	8.8	179
141	Nuclear myocardial perfusion imaging with a cadmium-zinc-telluride detector technique: optimized protocol for scan time reduction. <i>Journal of Nuclear Medicine</i> , <b>2010</b> , 51, 46-51	8.9	174
140	Ultrafast nuclear myocardial perfusion imaging on a new gamma camera with semiconductor detector technique: first clinical validation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 773-8	8.8	144
139	Prognostic value of cardiac hybrid imaging integrating single-photon emission computed tomography with coronary computed tomography angiography. <i>European Heart Journal</i> , <b>2011</b> , 32, 1465-71	9.5	100
138	Coronary computed tomography angiography with model-based iterative reconstruction using a radiation exposure similar to chest X-ray examination. <i>European Heart Journal</i> , <b>2014</b> , 35, 1131-6	9.5	80
137	Low-dose computed tomography coronary angiography with prospective electrocardiogram triggering: feasibility in a large population. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 332-6	15.1	77
136	Accuracy of coronary CT angiography using a submillisievert fraction of radiation exposure: comparison with invasive coronary angiography. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 64, 772-80	15.1	76
135	Absolute Myocardial Blood Flow and Flow Reserve Assessed by Gated SPECT with Cadmium-Zinc-Telluride Detectors Using 99mTc-Tetrofosmin: Head-to-Head Comparison with 13N-Ammonia PET. <i>Journal of Nuclear Medicine</i> , <b>2016</b> , 57, 1887-1892	8.9	69
134	Improved outcome prediction by SPECT myocardial perfusion imaging after CT attenuation correction. <i>Journal of Nuclear Medicine</i> , <b>2011</b> , 52, 196-200	8.9	57
133	Very high coronary calcium score unmasks obstructive coronary artery disease in patients with normal SPECT MPI. <i>Heart</i> , <b>2011</b> , 97, 998-1003	5.1	55
132	Validation of CT attenuation correction for high-speed myocardial perfusion imaging using a novel cadmium-zinc-telluride detector technique. <i>Journal of Nuclear Medicine</i> , <b>2010</b> , 51, 1539-44	8.9	52
131	Inter-scan variability of coronary artery calcium scoring assessed on 64-multidetector computed tomography vs. dual-source computed tomography: a head-to-head comparison. <i>European Heart Journal</i> , <b>2011</b> , 32, 1865-74	9.5	52
130	Impact of cardiac hybrid single-photon emission computed tomography/computed tomography imaging on choice of treatment strategy in coronary artery disease. <i>European Heart Journal</i> , <b>2011</b> , 32, 2824-9	9.5	52
129	A guide for Gensini Score calculation. <i>Atherosclerosis</i> , <b>2019</b> , 287, 181-183	3.1	51
128	Multimodality Imaging in Individuals With Anomalous Coronary Arteries. <i>JACC: Cardiovascular Imaging</i> , <b>2017</b> , 10, 471-481	8.4	49
127	Semiconductor detectors allow low-dose-low-dose 1-day SPECT myocardial perfusion imaging. <i>Journal of Nuclear Medicine</i> , <b>2011</b> , 52, 1204-9	8.9	49
126	Long-term prognostic value of left ventricular dyssynchrony assessment by phase analysis from myocardial perfusion imaging. <i>Heart</i> , <b>2011</b> , 97, 33-7	5.1	46

125	New reconstruction algorithm allows shortened acquisition time for myocardial perfusion SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 750-7	8.8	43
124	Validation of deep-learning image reconstruction for coronary computed tomography angiography: Impact on noise, image quality and diagnostic accuracy. <i>Journal of Cardiovascular Computed Tomography</i> , <b>2020</b> , 14, 444-451	2.8	42
123	Validation of a new contrast material protocol adapted to body surface area for optimized low-dose CT coronary angiography with prospective ECG-triggering. <i>International Journal of Cardiovascular Imaging</i> , <b>2010</b> , 26, 591-7	2.5	41
122	Diagnosis of obstructive coronary artery disease using computed tomography angiography in patients with stable chest pain depending on clinical probability and in clinically important subgroups: meta-analysis of individual patient data. <i>BMJ, The</i> , <b>2019</b> , 365, l1945	5.9	39
121	MR-based attenuation correction for cardiac FDG PET on a hybrid PET/MRI scanner: comparison with standard CT attenuation correction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2015</b> , 42, 1574-80	8.8	39
120	Adaptive Statistical Iterative Reconstruction-V: Impact on Image Quality in Ultralow-Dose Coronary Computed Tomography Angiography. <i>Journal of Computer Assisted Tomography</i> , <b>2016</b> , 40, 958-963	2.2	36
119	Subclinical coronary artery disease in Swiss HIV-positive and HIV-negative persons. <i>European Heart Journal</i> , <b>2018</b> , 39, 2147-2154	9.5	35
118	Impact of a new motion-correction algorithm on image quality of low-dose coronary CT angiography in patients with insufficient heart rate control. <i>Academic Radiology</i> , <b>2014</b> , 21, 312-7	4.3	35
117	Functional assessment of the left atrium by real-time three-dimensional echocardiography using a novel dedicated analysis tool: initial validation studies in comparison with computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2011</b> , 12, 497-505	4.1	35
116	Minimized Radiation and Contrast Agent Exposure for Coronary Computed Tomography Angiography: First Clinical Experience on a Latest Generation 256-slice Scanner. <i>Academic Radiology</i> , <b>2016</b> , 23, 1008-14	4.3	35
115	Head-to-head comparison of two-dimensional and three-dimensional echocardiographic methods for left atrial chamber quantification with magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , <b>2013</b> , 26, 428-35	5.8	34
114	Real-time breath-hold triggering of myocardial perfusion imaging with a novel cadmium-zinc-telluride detector gamma camera. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 1903-8	8.8	33
113	Prognostic value of coronary CT angiography on long-term follow-up of 6.9 years. <i>International Journal of Cardiovascular Imaging</i> , <b>2014</b> , 30, 969-76	2.5	32
112	Ultrafast assessment of left ventricular dyssynchrony from nuclear myocardial perfusion imaging on a new high-speed gamma camera. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 2086-92	8.8	32
111	Cardiovascular management of cancer patients with chemotherapy-associated left ventricular systolic dysfunction in real-world clinical practice. <i>Journal of Cardiac Failure</i> , <b>2013</b> , 19, 629-34	3.3	31
110	First experience with single-source, dual-energy CCTA for monochromatic stent imaging. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2015</b> , 16, 507-12	4.1	29
109	Non-invasive assessment of coronary artery disease with CT coronary angiography and SPECT: a novel dose-saving fast-track algorithm. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 522-7	8.8	28
108	Usefulness of additional coronary calcium scoring in low-dose CT coronary angiography with prospective ECG-triggering impact on total effective radiation dose and diagnostic accuracy. <i>Academic Radiology</i> , <b>2010</b> , 17, 201-6	4.3	26

107	Coronary calcium score scans for attenuation correction of quantitative PET/CT 13N-ammonia myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 517-21	8.8	26
106	Strategies for radiation dose reduction in nuclear cardiology and cardiac computed tomography imaging: a report from the European Association of Cardiovascular Imaging (EACVI), the Cardiovascular Committee of European Association of Nuclear Medicine (EANM), and the European Society of Cardiovascular Radiology (ESCR). <i>European Heart Journal</i> , <b>2018</b> , 39, 286-296	9.5	25
105	Ultra-low-dose coronary artery calcium scoring using novel scoring thresholds for low tube voltage protocols-a pilot study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2018</b> , 19, 1362-1371	4.1	24
104	Hybrid CCTA/SPECT myocardial perfusion imaging findings in patients with anomalous origin of coronary arteries from the opposite sinus and suspected concomitant coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2017</b> , 24, 226-234	2.1	23
103	Outcome in middle-aged individuals with anomalous origin of the coronary artery from the opposite sinus: a matched cohort study. <i>European Heart Journal</i> , <b>2017</b> , 38, 2009-2016	9.5	23
102	Diagnosis and Management of Anomalous Coronary Arteries with a Malignant Course. <i>Interventional Cardiology Review</i> , <b>2019</b> , 14, 83-88	4.2	23
101	Non-invasive screening for coronary artery disease in asymptomatic diabetic patients: a systematic review and meta-analysis of randomised controlled trials. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2018</b> , 19, 838-846	4.1	22
100	Left ventricular dyssynchrony assessment by phase analysis from gated PET-FDG scans. <i>Journal of Nuclear Cardiology</i> , <b>2011</b> , 18, 920-5	2.1	22
99	Prevalence and characteristics of coronary artery anomalies detected by coronary computed tomography angiography in 5 634 consecutive patients in a single centre in Switzerland. <i>Swiss Medical Weekly</i> , <b>2016</b> , 146, w14294	3.1	21
98	Hybrid SPECT Perfusion Imaging and Coronary CT Angiography: Long-term Prognostic Value for Cardiovascular Outcomes. <i>Radiology</i> , <b>2018</b> , 288, 694-702	20.5	20
97	Head-to-head comparison of adaptive statistical and model-based iterative reconstruction algorithms for submillisievert coronary CT angiography. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2018</b> , 19, 193-198	4.1	18
96	Low dose in nuclear cardiology: state of the art in the era of new cadmium-zinc-telluride cameras. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2016</b> , 17, 591-5	4.1	18
95	Main pulmonary artery diameter from attenuation correction CT scans in cardiac SPECT accurately predicts pulmonary hypertension. <i>Journal of Nuclear Cardiology</i> , <b>2011</b> , 18, 634-41	2.1	17
94	Long-term prognostic performance of low-dose coronary computed tomography angiography with prospective electrocardiogram triggering. <i>European Radiology</i> , <b>2017</b> , 27, 4650-4660	8	16
93	Impact of Clinical Characteristics and Statins on Coronary Plaque Progression by Serial Computed Tomography Angiography. <i>Circulation: Cardiovascular Imaging</i> , <b>2020</b> , 13, e009750	3.9	16
92	Impact of monochromatic coronary computed tomography angiography from single-source dual-energy CT on coronary stenosis quantification. <i>Journal of Cardiovascular Computed Tomography</i> , <b>2016</b> , 10, 135-40	2.8	16
91	Non-invasive nuclear myocardial perfusion imaging improves the diagnostic yield of invasive coronary angiography. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2015</b> , 16, 842-7	4.1	16
90	Prevalence of noncardiac findings on low dose 64-slice computed tomography used for attenuation correction in myocardial perfusion imaging with SPECT. <i>International Journal of Cardiovascular Imaging</i> , <b>2009</b> , 25, 859-65	2.5	16

89	Age- and sex-dependent changes in sympathetic activity of the left ventricular apex assessed by 18F-DOPA PET imaging. <i>PLoS ONE</i> , <b>2018</b> , 13, e0202302	3.7	16
88	Coronary artery calcium quantification from contrast enhanced CT using gemstone spectral imaging and material decomposition. <i>International Journal of Cardiovascular Imaging</i> , <b>2014</b> , 30, 1399-405 <sup>2.5</sup>		15
87	Rapid cardiac hybrid imaging with minimized radiation dose for accurate non-invasive assessment of ischemic coronary artery disease. <i>International Journal of Cardiology</i> , <b>2011</b> , 153, 10-3	3.2	14
86	Fused cardiac hybrid imaging with coronary computed tomography angiography and positron emission tomography in patients with complex coronary artery anomalies. <i>Congenital Heart Disease</i> , <b>2017</b> , 12, 49-57	3.1	13
85	Impact of age and sex on left ventricular function determined by coronary computed tomographic angiography: results from the prospective multicentre CONFIRM study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2017</b> , 18, 990-1000	4.1	13
84	Assessment of left atrial functional parameters using a novel dedicated analysis tool for real-time three-dimensional echocardiography: validation in comparison to magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , <b>2013</b> , 29, 601-8	2.5	13
83	Imaging the event-prone coronary artery plaque. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 141-153	2.1	13
82	Sex Differences in the Association between Inflammation and Ischemic Heart Disease. <i>Thrombosis and Haemostasis</i> , <b>2019</b> , 119, 1471-1480	7	12
81	Association between resting amygdalar activity and abnormal cardiac function in women and men: a retrospective cohort study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 625-632	4.1	12
80	Ultra-low-dose hybrid single photon emission computed tomography and coronary computed tomography angiography: a comprehensive and non-invasive diagnostic workup of suspected coronary artery disease. <i>European Heart Journal</i> , <b>2015</b> , 36, 3345	9.5	12
79	Prognostic performance of low-dose coronary CT angiography with prospective ECG triggering. <i>Heart</i> , <b>2011</b> , 97, 1385-90	5.1	12
78	Sex differences in the long-term prognostic value of N-ammonia myocardial perfusion positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 45, 1964-1974 <sup>8.8</sup>		12
77	A low-dose and an ultra-low-dose contrast agent protocol for coronary CT angiography in a clinical setting: quantitative and qualitative comparison to a standard dose protocol. <i>British Journal of Radiology</i> , <b>2017</b> , 90, 20160933	3.4	11
76	Long-term outcome prediction by functional parameters derived from coronary computed tomography angiography. <i>International Journal of Cardiology</i> , <b>2017</b> , 243, 533-537	3.2	11
75	Conventional versus 3-D Echocardiography to Predict Arrhythmia Recurrence After Atrial Fibrillation Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2017</b> , 28, 651-658	2.7	11
74	Impact of CT attenuation correction on the viability pattern assessed by 99mTc-tetrofosmin SPECT/18F-FDG PET. <i>International Journal of Cardiovascular Imaging</i> , <b>2011</b> , 27, 913-21	2.5	10
73	Myocardial perfusion imaging with real-time respiratory triggering: impact of inspiration breath-hold on left ventricular functional parameters. <i>Journal of Nuclear Cardiology</i> , <b>2010</b> , 17, 848-52	2.1	10
72	Sex-dependent association between inflammation, neural stress responses, and impaired myocardial function. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 2010-2015	8.8	10

71	Heart rate reserve during pharmacological stress is a significant negative predictor of impaired coronary flow reserve in women. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 46, 1257-1267	8.8	10
70	Corrected coronary opacification decrease from coronary computed tomography angiography: Validation with quantitative <sup>13</sup> N-ammonia positron emission tomography. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 561-568	2.1	10
69	Heart rate reserve is a long-term risk predictor in women undergoing myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 46, 2032-2041	8.8	9
68	Discontinuation of secondary prevention medication after myocardial infarction - the role of general practitioners and patients. <i>Swiss Medical Weekly</i> , <b>2013</b> , 143, w13896	3.1	9
67	Real-time respiratory triggered SPECT myocardial perfusion imaging using CZT technology: impact of respiratory phase matching between SPECT and low-dose CT for attenuation correction. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2017</b> , 18, 31-38	4.1	8
66	Quantification of epicardial and intrathoracic fat volume does not provide an added prognostic value as an adjunct to coronary artery calcium score and myocardial perfusion single-photon emission computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2016</b> , 17, 885-91	4.1	8
65	High efficiency gamma camera enables ultra-low fixed dose stress/rest myocardial perfusion imaging. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 218-224	4.1	8
64	Sex and age differences in the association of heart rate responses to adenosine and myocardial ischemia in patients undergoing myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 159-170	2.1	8
63	Ultra-low-dose computed tomography for attenuation correction of cadmium-zinc-telluride single photon emission computed tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 228-237	2.1	8
62	"Apical thinning": Relations between myocardial wall thickness and apical left ventricular tracer uptake as assessed with positron emission tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 452-460	2.1	8
61	Role of quantitative myocardial blood flow and N-ammonia washout for viability assessment in ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 263-273	2.1	8
60	Effect of phosphodiesterase-5 inhibition with Tadalafil on SystEmic Right VEntricular size and function - A multi-center, double-blind, randomized, placebo-controlled clinical trial - SERVE trial - Rationale and design. <i>International Journal of Cardiology</i> , <b>2017</b> , 243, 354-359	3.2	7
59	Antiretroviral Drugs Associated With Subclinical Coronary Artery Disease in the Swiss Human Immunodeficiency Virus Cohort Study. <i>Clinical Infectious Diseases</i> , <b>2020</b> , 70, 884-889	11.6	7
58	Microvascular dysfunction and sympathetic hyperactivity in women with supra-normal left ventricular ejection fraction (snLVEF). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 3094-3106	8.8	7
57	Impact of cardiac hybrid imaging-guided patient management on clinical long-term outcome. <i>International Journal of Cardiology</i> , <b>2018</b> , 261, 218-222	3.2	7
56	Value of 12-lead electrocardiogram to predict myocardial scar on FDG PET in heart failure patients. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 1364-1373	2.1	7
55	Subclinical Atherosclerosis Imaging in People Living with HIV. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	7
54	Incidental detection of a pulmonary adenocarcinoma on low-dose computed tomography used for attenuation correction in myocardial perfusion imaging with SPECT. <i>Clinical Nuclear Medicine</i> , <b>2010</b> , 35, 751-2	1.7	6

53	Diagnostic criteria for left ventricular non-compaction in cardiac computed tomography. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235751	3.7	6
52	Quantification of intrathoracic fat adds prognostic value in women undergoing myocardial perfusion imaging. <i>International Journal of Cardiology</i> , <b>2019</b> , 292, 258-264	3.2	5
51	Increased long-term mortality in women with high left ventricular ejection fraction: data from the CONFIRM (COronary CT Angiography EvaluatioN For Clinical Outcomes: An InteRnational Multicenter) long-term registry. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2020</b> , 21, 363-374	4.1	5
50	Sports Behavior in Middle-Aged Individuals with Anomalous Coronary Artery from the Opposite Sinus of Valsalva. <i>Cardiology</i> , <b>2018</b> , 139, 222-230	1.6	5
49	Cardiac SPECT/CCTA hybrid imaging : One answer to two questions?. <i>Herz</i> , <b>2016</b> , 41, 391-7	2.6	5
48	No differences in rest myocardial blood flow in stunned and hibernating myocardium: insights into the pathophysiology of ischemic cardiomyopathy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 46, 2322-2328	8.8	5
47	Coronary artery volume index: a novel CCTA-derived predictor for cardiovascular events. <i>International Journal of Cardiovascular Imaging</i> , <b>2020</b> , 36, 713-722	2.5	5
46	Safety and feasibility evaluation of planning and execution of surgical revascularisation solely based on coronary CTA and FFR in patients with complex coronary artery disease: study protocol of the FASTTRACK CABG study. <i>BMJ Open</i> , <b>2020</b> , 10, e038152	3	4
45	Myocardial F-FDG Uptake Pattern for Cardiovascular Risk Stratification in Patients Undergoing Oncologic PET/CT. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	4
44	Cardiac hybrid imaging combining 3D-strain echocardiography with coronary computed tomography angiography. <i>European Heart Journal</i> , <b>2019</b> , 40, 395-396	9.5	4
43	Association between vertebral bone mineral density, myocardial perfusion, and long-term cardiovascular outcomes: A sex-specific analysis. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 726-736	2.1	4
42	Quantification of perivascular inflammation does not provide incremental prognostic value over myocardial perfusion imaging and calcium scoring. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 48, 1806-1812	8.8	4
41	Prognostic Value of Quantitative Metrics From Positron Emission Tomography in Ischemic Heart Failure. <i>JACC: Cardiovascular Imaging</i> , <b>2021</b> , 14, 454-464	8.4	4
40	Association of left bundle branch block with obstructive coronary artery disease on coronary CT angiography: a case-control study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2016</b> , 17, 765-71	4.1	3
39	Diagnostic accuracy of coronary opacification derived from coronary computed tomography angiography to detect ischemia: first validation versus single-photon emission computed tomography. <i>EJNMMI Research</i> , <b>2017</b> , 7, 92	3.6	3
38	Triple hybrid imaging of a high-risk coronary plaque: morphology, perfusion, and haemorheology. <i>European Heart Journal</i> , <b>2018</b> , 39, 2508	9.5	3
37	Enhanced radiation exposure associated with anterior-posterior x-ray tube position in young women undergoing cardiac computed tomography. <i>American Heart Journal</i> , <b>2019</b> , 215, 91-94	4.9	3
36	Heart-brain interactions in cardiac and brain diseases: why sex matters.. <i>European Heart Journal</i> , <b>2022</b> ,	9.5	3

35	Impact of Adaptive Statistical Iterative Reconstruction-V on Coronary Artery Calcium Scores Obtained From Low-Tube-Voltage Computed Tomography - A Patient Study. <i>Academic Radiology</i> , <b>2020</b> ,	4.3	3
34	Longitudinal Progression of Subclinical Coronary Atherosclerosis in Swiss HIV-Positive Compared With HIV-Negative Persons Undergoing Coronary Calcium Score Scan and CT Angiography. <i>Open Forum Infectious Diseases</i> , <b>2020</b> , 7, ofaa438	1	3
33	Myocardial blood flow and cardiac sympathetic innervation in young adults late after arterial switch operation for transposition of the great arteries. <i>International Journal of Cardiology</i> , <b>2020</b> , 299, 110-115	3.2	3
32	Splenic switch-off as a predictor for coronary adenosine response: validation against <sup>13</sup> N-ammonia during co-injection myocardial perfusion imaging on a hybrid PET/CMR scanner. <i>Journal of Cardiovascular Magnetic Resonance</i> , <b>2021</b> , 23, 3	6.9	3
31	Incidental Findings on Coronary Computed Tomography Angiography in Human Immunodeficiency Virus (HIV)-Positive and HIV-Negative Persons. <i>Open Forum Infectious Diseases</i> , <b>2018</b> , 5, ofy084	1	3
30	Metabolic Activity in Central Neural Structures of Patients With Myocardial Injury. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e013070	6	2
29	Diagnostic performance of angiography-based quantitative flow ratio for the identification of myocardial ischemia as assessed by N-ammonia myocardial perfusion imaging positron emission tomography. <i>International Journal of Cardiology</i> , <b>2020</b> , 314, 13-19	3.2	2
28	Newer generation cameras are preferred. <i>Journal of Nuclear Cardiology</i> , <b>2016</b> , 23, 790-4	2.1	2
27	Radiation dose reduction with deep-learning image reconstruction for coronary computed tomography angiography. <i>European Radiology</i> , <b>2021</b> , 1	8	2
26	Coronary artery disease in patients with human immunodeficiency virus infection. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 510-530	2.1	2
25	Low-dose CT from myocardial perfusion SPECT/CT allows the detection of anemia in preoperative patients.. <i>Journal of Nuclear Cardiology</i> , <b>2022</b> , 1	2.1	2
24	Applicability and accuracy of pretest probability calculations implemented in the NICE clinical guideline for decision making about imaging in patients with chest pain of recent onset. <i>European Radiology</i> , <b>2018</b> , 28, 4006-4017	8	1
23	Changes in left ventricle myocardial volume during stress test using cadmium-zinc-telluride cardiac imaging: Implications in coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 1623-1633	2.1	1
22	A specific plasma lipid signature associated with high triglycerides and low HDL cholesterol identifies residual CAD risk in patients with chronic coronary syndrome. <i>Atherosclerosis</i> , <b>2021</b> , 339, 1-11	3.1	1
21	Splenic switch-off as a novel marker for adenosine response in nitrogen-13 ammonia PET myocardial perfusion imaging: Cross-validation against CMR using a hybrid PET/MR device. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 1	2.1	1
20	Potential Impact of Statins on Neuronal Stress Responses in Patients at Risk for Cardiovascular Disease. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	1
19	Association between beta-adrenoceptor antagonist-induced sympathicolysis and severity of coronary artery disease as assessed by coronary computed tomography angiography (CCTA). <i>International Journal of Cardiovascular Imaging</i> , <b>2019</b> , 35, 927-936	2.5	1
18	Gated SPECT myocardial perfusion imaging with cadmium-zinc-telluride detectors allows real-time assessment of dobutamine-stress-induced wall motion abnormalities. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 1734-1742	2.1	1



17	Age- and sex-dependent changes of resting amygdalar activity in individuals free of clinical cardiovascular disease. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 427-432	2.1	1
16	Sex differences in coronary plaque changes assessed by serial computed tomography angiography. <i>International Journal of Cardiovascular Imaging</i> , <b>2021</b> , 37, 2311-2321	2.5	1
15	High-Risk Plaque Regression and Stabilization: Hybrid Noninvasive Morphological and Hemodynamic Assessment. <i>Circulation: Cardiovascular Imaging</i> , <b>2018</b> , 11, e007888	3.9	1
14	New Therapies to Modulate Post-Infarction Inflammatory Alterations in the Myocardium: State of the Art and Forthcoming Applications. <i>Current Radiopharmaceuticals</i> , <b>2021</b> , 14, 273-299	1.8	1
13	Potential of Radiation Dose Reduction by Optimizing Z-Axis Coverage in Coronary Computed Tomography Angiography on a Latest-Generation 256-Slice Scanner. <i>Journal of Computer Assisted Tomography</i> , <b>2020</b> , 44, 289-294	2.2	0
12	Transluminal attenuation gradient derived from coronary CT angiography to predict ischemia in SPECT myocardial perfusion imaging: Effect of coronary cross-sectional area. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 1	2.1	0
11	Role of cardiac CT in the diagnostic evaluation and risk stratification of patients with myocardial infarction and non-obstructive coronary arteries (MINOCA): rationale and design of the MINOCA-GR study.. <i>BMJ Open</i> , <b>2022</b> , 12, e054698	3	0
10	Prognostic value of regional myocardial flow reserve derived from N-ammonia positron emission tomography in patients with suspected coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 1	8.8	0
9	Myocardial creep-induced misalignment artifacts in PET/MR myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 48, 406-413	8.8	0
8	Coronary artery lumen volume index as a marker of flow-limiting atherosclerosis-validation against N-ammonia positron emission tomography. <i>European Radiology</i> , <b>2021</b> , 31, 5116-5126	8	0
7	Fully automated deep learning powered calcium scoring in patients undergoing myocardial perfusion imaging.. <i>Journal of Nuclear Cardiology</i> , <b>2022</b> , 1	2.1	0
6	Der Unterschied zwischen Position und Konsensus <i>Kardiologe</i> , <b>2020</b> , 14, 42-45	0.6	
5	Is There Role for 3D Modeling in Planning Acquired Heart Disease Surgery? <b>2020</b> , 75-86		
4	Kardiologische Anforderungen an die Nuklearmedizinische Untersuchung. <i>Chinese Journal of Polymer Science (English Edition)</i> , <b>2020</b> , 43, 69-74	0.1	
3	Coronary CT angiography as a guide in decision-making for left main spontaneous coronary dissection. <i>Hellenic Journal of Cardiology</i> , <b>2021</b> , 62, 320-321	2.1	
2	Convenient timing by accident Resting ischemia detected by resting myocardial perfusion imaging. <i>Imaging</i> , <b>2021</b> , 13, 84-85	0.3	
1	Computed tomography angiography versus Agatston score for diagnosis of coronary artery disease in patients with stable chest pain: individual patient data meta-analysis of the international COME-CCT Consortium.. <i>European Radiology</i> , <b>2022</b> , 1	8	