## Kazuya Saito

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1468474/publications.pdf

Version: 2024-02-01

|          |                |     | 53939        | $\epsilon$ | 54407          |  |
|----------|----------------|-----|--------------|------------|----------------|--|
| 361      | 10,789         |     | 47           |            | 83             |  |
| papers   | citations      |     | h-index      |            | g-index        |  |
|          |                |     |              |            |                |  |
|          |                | . ' |              |            |                |  |
|          |                |     |              |            |                |  |
| 365      | 365            |     | 365          |            | 5571           |  |
| all docs | docs citations |     | times ranked |            | citing authors |  |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Positive Psychology can help overcome the pernicious native speaker ideology. The European Educational Researcher, 2022, , .  | 0.2 | 9         |
| 2  | Headless Heisenberg Spin Models Preferring Twist on Triangular Lattice: Phase Transition under External Field. Journal of the Physical Society of Japan, 2022, 91, .  | 0.7 | 3         |
| 3  | How does longitudinal interaction promote second language speech learning? Roles of learner experience and proficiency levels. Second Language Research, 2021, 37, 547-571.   | 1.2 | 18        |
| 4  | Which segmental features matter for successful L2 comprehensibility? Revisiting and generalizing the pedagogical value of the functional load principle. Language Teaching Research, 2021, 25, 431-450.   | 2.1 | 35        |
| 5  | Reversible Supraâ€Folding of Userâ€Programmed Functional DNA Nanostructures on Fuzzy Cationic Substrates. Angewandte Chemie - International Edition, 2021, 60, 15214-15219.   | 7.2 | 3         |
| 6  | Interplay between Melt and Cold Crystallization in a Smectic Liquid Crystal, 4-Pentylphenyl 4-( <i>trans</i> -4-Pentylcyclohexyl)benzoate. Crystal Growth and Design, 2021, 21, 2777-2785.  | 1.4 | 10        |
| 7  | Reversible Supraâ€Folding of Userâ€Programmed Functional DNA Nanostructures on Fuzzy Cationic Substrates. Angewandte Chemie, 2021, 133, 15342-15347.  | 1.6 | 0         |
| 8  | Frontispiece: Reversible Supraâ€Folding of Userâ€Programmed Functional DNA Nanostructures on Fuzzy Cationic Substrates. Angewandte Chemie - International Edition, 2021, 60, .  | 7.2 | 0         |
| 9  | Frontispiz: Reversible Supraâ€Folding of Userâ€Programmed Functional DNA Nanostructures on Fuzzy<br>Cationic Substrates. Angewandte Chemie, 2021, 133, .  | 1.6 | O         |
| 10 | Stabilization of Bicontinuous Cubic Phase and Its Twoâ€Sided Nature Produced by Use of Siloxane Tails and Introduction of Molecular Nonsymmetry. Chemistry - A European Journal, 2021, 27, 10293-10302.   | 1.7 | 2         |
| 11 | Various Stacking Patterns of Twoâ€Dimensional Molecular Assemblies in Hydrogenâ€Bonded Cocrystals:<br>Insight into Competitive Intermolecular Interactions and Control of Stacking Patterns. Angewandte<br>Chemie - International Edition, 2021, 60, 22839-22848. | 7.2 | 13        |
| 12 | Various Stacking Patterns of Twoâ€Dimensional Molecular Assemblies in Hydrogenâ€Bonded Cocrystals: Insight into Competitive Intermolecular Interactions and Control of Stacking Patterns. Angewandte Chemie, 2021, 133, 23021.                                    | 1.6 | 1         |
| 13 | Two-Dimensional Spin Model Possibly Undergoing a Phase Transition: Heisenberg Model of Headless<br>Spins Preferring Twist on Triangular Lattice. Journal of the Physical Society of Japan, 2021, 90, .  | 0.7 | 3         |
| 14 | Interleaflet coupling of <i>n</i> -alkane incorporated bilayers. Physical Chemistry Chemical Physics, 2020, 22, 5418-5426.  | 1.3 | 14        |
| 15 | The effects of perception- vs. production-based pronunciation instruction. System, 2020, 88, 102185.  | 1.7 | 26        |
| 16 | Chemical Physics of Molecular Condensed Matter. Lecture Notes in Quantum Chemistry II, 2020, , .  | 0.3 | 7         |
| 17 | Positive definite distortion term of the extended Landau-de Gennes model. Molecular Crystals and Liquid Crystals, 2020, 702, 87-91.   | 0.4 | 1         |
| 18 | Designing the disorder: the kinetics of nonisothermal crystallization of the orientationally disordered crystalline phase in a nematic mesogen. Physical Chemistry Chemical Physics, 2020, 22, 24236-24248.   | 1.3 | 14        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | Phase Transition from the Interdigitated to Bilayer Membrane of a Cationic Surfactant Induced by Addition of Hydrophobic Molecules. Langmuir, 2020, 36, 14699-14709.  | 1.6 | 2         |
| 20 | Ordering Phase Transition with Symmetry-Breaking from Disorder over Non-Equivalent Sites: Calorimetric and Crystallographic Study of Crystalline d-Sorbose. Crystals, 2020, 10, 361.                                      | 1.0 | 4         |
| 21 | Multi―or Singleâ€Word Units? The Role of Collocation Use in Comprehensible and Contextually Appropriate Second Language Speech. Language Learning, 2020, 70, 548-588.   | 1.4 | 36        |
| 22 | Molecules and Intermolecular Interactions. Lecture Notes in Quantum Chemistry II, 2020, , 1-29.   | 0.3 | 0         |
| 23 | Molecular Glasses. Lecture Notes in Quantum Chemistry II, 2020, , 161-176.  | 0.3 | 0         |
| 24 | Importance of Molecular Crystals. Lecture Notes in Quantum Chemistry II, 2020, , 199-220.   | 0.3 | 0         |
| 25 | Melting of Molecular Crystals. Lecture Notes in Quantum Chemistry II, 2020, , 119-141.  | 0.3 | 0         |
| 26 | Molecular Flexibility and Material Properties. Lecture Notes in Quantum Chemistry II, 2020, , 177-198.  | 0.3 | 0         |
| 27 | Structural Thermodynamics of Real Liquid Crystals – Cause of Stability and The Beyond. Membrane, 2020, 45, 200-205.   | 0.0 | 0         |
| 28 | Molecular Liquids. Lecture Notes in Quantum Chemistry II, 2020, , 53-64.  | 0.3 | 1         |
| 29 | Molecular Crystals. Lecture Notes in Quantum Chemistry II, 2020, , 65-83.   | 0.3 | 0         |
| 30 | To What Extent Does Longâ€Term Foreign Language Education Help Improve Spoken Second Language Lexical Proficiency?. TESOL Quarterly, 2019, 53, 82-107.  | 1.5 | 10        |
| 31 | Exploring the Dynamic Nature of Second Language Listeners' Perceived Fluency: A Mixedâ€Methods<br>Approach. TESOL Quarterly, 2019, 53, 1139-1150.   | 1.5 | 14        |
| 32 | HOW DO SECOND LANGUAGE LISTENERS PERCEIVE THE COMPREHENSIBILITY OF FOREIGN-ACCENTED SPEECH?. Studies in Second Language Acquisition, 2019, 41, 1133-1149.   | 1.8 | 30        |
| 33 | Effects of Second Language Pronunciation Teaching Revisited: A Proposed Measurement Framework and Metaâ€Analysis. Language Learning, 2019, 69, 652-708.   | 1.4 | 122       |
| 34 | Successful second language learning is tied to robust domain-general auditory processing and stable neural representation of sound. Brain and Language, 2019, 192, 15-24.   | 0.8 | 34        |
| 35 | The Effect of Perception of Teacher Characteristics on Spanish EFL Learners' Anxiety and Enjoyment.<br>Modern Language Journal, 2019, 103, 412-427.   | 1.3 | 156       |
| 36 | Phase separation of a ternary lipid vesicle including <i>n</i> -alkane: Rugged vesicle and bilayer flakes formed by separation between highly rigid and flexible domains. Journal of Chemical Physics, 2019, 150, 064904. | 1.2 | 4         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Molecular packing in two bicontinuous <i>la</i> 3Ì,, <i>d</i> gyroid phases of calamitic cubic mesogens BABH( <i>n</i> ): roles in structural stability and reentrant behavior. Physical Chemistry Chemical Physics, 2019, 21, 23705-23712.     | 1.3 | 16        |
| 38 | Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose. Journal of Chemical Thermodynamics, 2019, 131, 420-430.                                | 1.0 | 7         |
| 39 | The role of aptitude in second language segmental learning: The case of Japanese learners' English /ɹ/<br>pronunciation attainment in classroom settings. Applied Psycholinguistics, 2019, 40, 183-204.   | 0.8 | 12        |
| 40 | The relationship between multilingual raters' language background and their perceptions of accentedness and comprehensibility of second language speech. International Journal of Bilingual Education and Bilingualism, 2019, 22, 849-869.      | 1.1 | 6         |
| 41 | APTITUDE, EXPERIENCE, AND SECOND LANGUAGE PRONUNCIATION PROFICIENCY DEVELOPMENT IN CLASSROOM SETTINGS. Studies in Second Language Acquisition, 2019, 41, 201-225.   | 1.8 | 36        |
| 42 | Individual differences in second language speech learning in classroom settings: Roles of awareness in the longitudinal development of Japanese learners' English /ɹ/ pronunciation. Second Language Research, 2019, 35, 149-172.               | 1.2 | 18        |
| 43 | Exploring the relationship between productive vocabulary knowledge and second language oral ability. Language Learning Journal, 2019, 47, 64-75.  | 1.4 | 41        |
| 44 | Lexical aspects of comprehensibility and nativeness from the perspective of native-speaking English raters. ITL - International Journal of Applied Linguistics (Belgium), 2019, 170, 24-52.   | 0.8 | 8         |
| 45 | Acoustic characteristics and learner profiles of low-, mid- and high-level second language fluency. Applied Psycholinguistics, 2018, 39, 593-617.   | 0.8 | 33        |
| 46 | Insight into Structural Demand for Cold Crystallization of a Small Molecule. A Case Study for Schiff Base Compounds that Exhibit Prototropic Tautomerization. Bulletin of the Chemical Society of Japan, 2018, 91, 669-677.                     | 2.0 | 19        |
| 47 | Unusual photoresponses in the upper critical solution temperature of polymer solutions mediated by changes in intermolecular interactions in an azo-doped liquid crystalline solvent. Physical Chemistry Chemical Physics, 2018, 20, 5850-5855. | 1.3 | 1         |
| 48 | Synthesis of PEOâ€based physical gels with tunable viscoelastic properties. Journal of Polymer Science Part A, 2018, 56, 1033-1038.   | 2.5 | 13        |
| 49 | The role of input in second language oral ability development in foreign language classrooms: A longitudinal study. Language Teaching Research, 2018, 22, 398-417.  | 2.1 | 31        |
| 50 | Effects of Videoâ€Based Interaction on the Development of Second Language Listening Comprehension Ability: A Longitudinal Study. TESOL Quarterly, 2018, 52, 163-176.  | 1.5 | 6         |
| 51 | Foreign language enjoyment and anxiety: The effect of teacher and learner variables. Language Teaching Research, 2018, 22, 676-697.   | 2.1 | 371       |
| 52 | LINGUISTIC DIMENSIONS OF L2 ACCENTEDNESS AND COMPREHENSIBILITY VARY ACROSS SPEAKING TASKS. Studies in Second Language Acquisition, 2018, 40, 443-457.   | 1.8 | 43        |
| 53 | Common Effects of Incorporated <i>n</i> -Alkane Derivatives on Molecular Packing and Phase Behavior of DPPC Bilayers. Chemistry Letters, 2018, 47, 1512-1514.   | 0.7 | 6         |
| 54 | Optical Switching between Liquid-Crystalline Assemblies with Different Structural Symmetries and Molecular Orders. Bulletin of the Chemical Society of Japan, 2018, 91, 1652-1659.  | 2.0 | 8         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | Reduction of Shear Viscosity in Phospholipid Vesicle Dispersions by Self-organized Ripple Structures of Vesicle Surfaces. Chemistry Letters, 2018, 47, 240-242.   | 0.7 | 3         |
| 56 | Motivation, Emotion, Learning Experience, and Second Language Comprehensibility Development in Classroom Settings: A Crossâ€Sectional and Longitudinal Study. Language Learning, 2018, 68, 709-743.   | 1.4 | 197       |
| 57 | The perception–production link revisited: The case of Japanese learners' English /ɹ/ performance. International Journal of Applied Linguistics, 2018, 28, 3-17.   | 0.4 | 16        |
| 58 | Vibrational dynamics of glass forming: 2-phenylbutan-1-ol (BEP), 2-(trifluoromethyl)phenethyl alcohol (2TFMP) and 4-(trifluoromethyl)phenethyl alcohol (4TFMP) in their thermodynamic phases. Phase Transitions, 2018, 91, 170-185.   | 0.6 | 5         |
| 59 | Differential effects of instruction on the development of second language comprehensibility, word stress, rhythm, and intonation: The case of inexperienced Japanese EFL learners. Language Teaching Research, 2017, 21, 589-608.   | 2.1 | 44        |
| 60 | Videoâ€Based Interaction, Negotiation for Comprehensibility, and Second Language Speech Learning: A Longitudinal Study. Language Learning, 2017, 67, 43-74.   | 1.4 | 74        |
| 61 | X-ray study of molecular association in alcohols having bulky substituents. Chemical Physics Letters, 2017, 673, 74-77.   | 1.2 | 2         |
| 62 | Interrelationship among Fe–His Bond Strengths, Oxygen Affinities, and Intersubunit Hydrogen Bonding Changes upon Ligand Binding in the l² Subunit of Human Hemoglobin: The Alkaline Bohr Effect. Biochemistry, 2017, 56, 1261-1273.   | 1.2 | 10        |
| 63 | A Longitudinal Investigation of the Relationship between Motivation and Late Second Language Speech Learning in Classroom Settings. Language and Speech, 2017, 60, 614-632.   | 0.6 | 24        |
| 64 | Oddâ $\in$ "Even Effect on Nematic SmA <sub>d</sub> Phase Boundary and SmA <sub>d</sub> Structure in Homologous Binary Systems of Cyanobiphenyl Mesogens: 4-Alkyl-4â $\in$ 2-cyanobiphenyl ( <i>n</i> CB) and 4-Alkoxy-4â $\in$ 2-cyanobiphenyl ( <i>n</i> OCB). Journal of Physical Chemistry B, 2017, 121, 1438-1447. | 1.2 | 25        |
| 65 | Heterogeneity between Two α Subunits of α <sub>2</sub> β <sub>2</sub> Human Hemoglobin and O <sub>2</sub> Binding Properties: Raman, <sup>1</sup> H Nuclear Magnetic Resonance, and Terahertz Spectra. Biochemistry, 2017, 56, 6125-6136.   | 1.2 | 9         |
| 66 | Cell-quintupling: Structural phase transition in a molecular crystal, bis( <i>trans</i> -4–butylcyclohexyl)methanol. Journal of Chemical Physics, 2017, 146, 074503.  | 1.2 | 3         |
| 67 | Electrostatic double-layer interaction between stacked charged bilayers. Physical Review E, 2017, 96, 040601.   | 0.8 | 17        |
| 68 | Examination of molecular packing in orthogonal smectic liquid crystal phases: a guide for molecular design of functional smectic phases. Physical Chemistry Chemical Physics, 2017, 19, 25518-25526.  | 1.3 | 14        |
| 69 | Structure and molecular packing in smectic B <sub>Cr</sub> and A <sub>d</sub> phases of Schiff base liquid crystal compounds through the analyses of layer spacing, entropy and crystal structure. Physical Chemistry Chemical Physics, 2017, 19, 19434-19441.  | 1.3 | 14        |
| 70 | Orders Exhibited by Ensemble of Headless Spins Preferring Twisted Alignment: Phase Diagram of Extended Maier–Saupe Model on Simple Cubic Lattice. Journal of the Physical Society of Japan, 2017, 86, 084602.   | 0.7 | 9         |
| 71 | Effects of Sound, Vocabulary, and Grammar Learning Aptitude on Adult Second Language Speech Attainment in Foreign Language Classrooms. Language Learning, 2017, 67, 665-693.  | 1.4 | 47        |
| 72 | Dimensional Crossover and Its Interplay with In-Plane Anisotropy of Upper Critical Field in β-(BDA-TTP) <sub>2</sub> SbF <sub>6</sub> . Journal of the Physical Society of Japan, 2017, 86, 084704.   | 0.7 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Effects of recasts and prompts on L2 pronunciation development: Teaching English $ \acute{E}^1 $ to Korean adult EFL learners. System, 2016, 60, 117-127.  | 1.7 | 41        |
| 74 | Do Native Speakers of North American and Singapore English Differentially Perceive Comprehensibility in Second Language Speech?. TESOL Quarterly, 2016, 50, 421-446.   | 1.5 | 33        |
| 75 | LEXICAL PROFILES OF COMPREHENSIBLE SECOND LANGUAGE SPEECH. Studies in Second Language Acquisition, 2016, 38, 677-701.  | 1.8 | 56        |
| 76 | Developing second language oral ability in foreign language classrooms: The role of the length and focus of instruction and individual differences. Applied Psycholinguistics, 2016, 37, 813-840.  | 0.8 | 42        |
| 77 | Communication: Rigidification of a lipid bilayer by an incorporated <i>n</i> -alkane. Journal of Chemical Physics, 2016, 144, 041103.  | 1.2 | 13        |
| 78 | Lexical correlates of comprehensibility versus accentedness in second language speech. Bilingualism, 2016, 19, 597-609.  | 1.0 | 24        |
| 79 | Mirror symmetry breaking by mixing of equimolar amounts of two gyroid phase-forming achiral molecules. Physical Chemistry Chemical Physics, 2016, 18, 17341-17344.   | 1.3 | 20        |
| 80 | Stabilization of the bicontinuous cubic phase in siloxane-terminated mesogens, 1,2-bis[4′-(n-(oligodimethylsiloxyl)alkoxy)benzoyl]hydrazine. Physical Chemistry Chemical Physics, 2016, 18, 9013-9020.   | 1.3 | 12        |
| 81 | Photoinduced Bilayer-to-Nonbilayer Phase Transition of POPE by Photoisomerization of Added Stilbene Molecules. Langmuir, 2016, 32, 7647-7653.  | 1.6 | 6         |
| 82 | Salt Effects on Lamellar Structure of Nonionic Surfactants. Journal of Solution Chemistry, 2016, 45, 1612-1619.  | 0.6 | 3         |
| 83 | Foreign accentedness revisited: Canadian and Singaporean raters' perception of Japanese-accented English. Language Awareness, 2016, 25, 305-317.   | 0.9 | 4         |
| 84 | Three Gel States of Colloidal Composites Consisting of Polymer-Brush-Afforded Silica Particles and a Nematic Liquid Crystal with Distinct Viscoelastic and Optical Properties. ACS Applied Materials & Samp; Interfaces, 2016, 8, 29649-29657. | 4.0 | 6         |
| 85 | Development of Comprehensibility and its Linguistic Correlates: A Longitudinal Study of Videoâ€Mediated Telecollaboration. Modern Language Journal, 2016, 100, 585-609.  | 1.3 | 24        |
| 86 | Contrasting Effects of a Rigid Core and an Alkyl Chain in nCB on the Phase Behavior of Lipid Bilayers. Langmuir, 2016, 32, 5966-5972.  | 1.6 | 7         |
| 87 | A structural model of the chiral "lm3m―cubic phase. Physical Chemistry Chemical Physics, 2016, 18, 3280-3284.  | 1.3 | 34        |
| 88 | Flawed self-assessment: Investigating self- and other-perception of second language speech.<br>Bilingualism, 2016, 19, 122-140.  | 1.0 | 49        |
| 89 | Second language speech production: Investigating linguistic correlates of comprehensibility and accentedness for learners at different ability levels. Applied Psycholinguistics, 2016, 37, 217-240.   | 0.8 | 123       |
| 90 | Ultraslow Oscillation of Nematic Disclination after Abrupt Switching of DC Voltage. Journal of the Physical Society of Japan, 2015, 84, 033601.  | 0.7 | 0         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | Structural Isomerization and Cold Crystallization of Bis[1-(2-propyl)iminomethylnaphthalen-2-olato]nickel(II) by Thermal Analysis, X-ray Diffraction, and FT-IR. Bulletin of the Chemical Society of Japan, 2015, 88, 989-995.  | 2.0 | 12        |
| 92  | THE ROLE OF AGE OF ACQUISITION IN LATE SECOND LANGUAGE ORAL PROFICIENCY ATTAINMENT. Studies in Second Language Acquisition, 2015, 37, 713-743.  | 1.8 | 49        |
| 93  | Experience Effects on the Development of Late Second Language Learners' Oral Proficiency. Language<br>Learning, 2015, 65, 563-595.  | 1.4 | 51        |
| 94  | Communicative focus on second language phonetic form: Teaching Japanese learners to perceive and produce English $ \acute{E}^1 $ without explicit instruction. Applied Psycholinguistics, 2015, 36, 377-409.  | 0.8 | 21        |
| 95  | Effect of n-alkanes on lipid bilayers depending on headgroups. Chemistry and Physics of Lipids, 2015, 188, 61-67.   | 1.5 | 15        |
| 96  | Communication: Salt-induced water orientation at a surface of non-ionic surfactant in relation to a mechanism of Hofmeister effect. Journal of Chemical Physics, 2015, 142, 171101.   | 1.2 | 17        |
| 97  | Effects of the lateral substituent on the cubic phase formation of two analogous compounds, $4\hat{E}^1$ -n-hexadecyloxy- $3\hat{E}^1$ -cyanobiphenyl-4-carboxylic acid (ACBC-16) and its $3\hat{E}^1$ -nitro compound (ANBC-16). Liquid Crystals, 2015, 42, 143-157. | 0.9 | 3         |
| 98  | Does a Speaking Task Affect Second Language Comprehensibility?. Modern Language Journal, 2015, 99, 80-95.   | 1.3 | 73        |
| 99  | A possible critical point for nematic order on the basis of Landau free energy having dual instabilities for nano-segregated smectic liquid crystals. Soft Matter, 2015, 11, 8493-8498.   | 1.2 | 3         |
| 100 | Variables affecting the effects of recasts on L2 pronunciation development. Language Teaching Research, 2015, 19, 276-300.  | 2.1 | 17        |
| 101 | Second Language Comprehensibility Revisited: Investigating the Effects of Learner Background. TESOL Quarterly, 2015, 49, 814-837.   | 1.5 | 85        |
| 102 | Phase behaviour of a thermotropic cubic mesogen of 1,2-bis(4′-n-hexyloxybenzoyl)hydrazine under pressure. Liquid Crystals, 2014, 41, 731-737.   | 0.9 | 3         |
| 103 | Cold Crystallization in Schiff-Base Nickel(II) Complexes Derived from Three Toluidine Isomers. Journal of Physical Chemistry C, 2014, 118, 27664-27671.   | 1.5 | 30        |
| 104 | The Early Phase of $ \acute{E}^1 $ Production Development in Adult Japanese Learners of English. Language and Speech, 2014, 57, 451-469.  | 0.6 | 15        |
| 105 | COMMUNICATIVE FOCUS ON FORM AND SECOND LANGUAGE SUPRASEGMENTAL LEARNING. Studies in Second Language Acquisition, 2014, 36, 647-680.   | 1.8 | 37        |
| 106 | Cooperativity between Water and Lipids in Lamellar to Inverted-Hexagonal Phase Transition. Journal of the Physical Society of Japan, 2014, 83, 044801.  | 0.7 | 25        |
| 107 | Salt Effects on Lamellar Repeat Distance Depending on Head Groups of Neutrally Charged Lipids.<br>Langmuir, 2014, 30, 10583-10589.  | 1.6 | 16        |
| 108 | Liquid-crystallinity of cubic phase of BABH(6) through thermal analysis of solid–solid phase transitions. Thermochimica Acta, 2014, 590, 160-164.   | 1.2 | 0         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Reentrant nematic phase in 4-alkyl-4′-cyanobiphenyl ( <i>n</i> CB) binary mixtures. Liquid Crystals, 2014, 41, 927-932.   | 0.9 | 29        |
| 110 | Experienced teachers' perspectives on priorities for improved intelligible pronunciation: The case of <scp>J</scp> apanese learners of <scp>E</scp> nglish. International Journal of Applied Linguistics, 2014, 250-277.  | 0.4 | 26        |
| 111 | Interplay between Phase Transition of DPPC Bilayer and Photoisomerization of Doped Stilbene Molecules. Chemistry Letters, 2014, 43, 1352-1354.  | 0.7 | 7         |
| 112 | Calorimetric Studies on Quasi-One-Dimensional MMX Complexes, M <sub>2</sub> (RCS <sub>2</sub> ) <sub>4</sub> 1. Current Inorganic Chemistry, 2014, 4, 74-84.  | 0.2 | 4         |
| 113 | Revisiting Smectic E Structure through Swollen Smectic E Phase in Binary System of 4-Nonyl-4′-isothiocyanatobiphenyl (9TCB) and ⟨i⟩n⟨/i⟩-Nonane. Journal of Physical Chemistry B, 2013, 117, 8293-8299.                   | 1.2 | 38        |
| 114 | The Acquisitional Value of Recasts in Instructed Second Language Speech Learning: Teaching the Perception and Production of English $ \acute{\rm E}^1 $ to Adult Japanese Learners. Language Learning, 2013, 63, 499-529. | 1.4 | 59        |
| 115 | Reassessment of structure of smectic phases: Nano-segregation in smectic E phase in 4-⟨i⟩n⟨ i⟩-alkyl-4′-isothiocyanato-1,1′-biphenyls. Journal of Chemical Physics, 2013, 139, 114902.                                    | 1.2 | 30        |
| 116 | Age effects on late bilingualism: The production development of $ \acute{E}^1 $ by high-proficiency Japanese learners of English. Journal of Memory and Language, 2013, 69, 546-562.                                      | 1.1 | 25        |
| 117 | REEXAMINING EFFECTS OF FORM-FOCUSED INSTRUCTION ON L2 PRONUNCIATION DEVELOPMENT. Studies in Second Language Acquisition, 2013, 35, 1-29.  | 1.8 | 104       |
| 118 | Oral corrective feedback in second language classrooms. Language Teaching, 2013, 46, 1-40.  | 1.6 | 423       |
| 119 | Thermodynamic properties of saponite, nontronite, and vermiculite derived from calorimetric measurements. American Mineralogist, 2013, 98, 1834-1847.   | 0.9 | 21        |
| 120 | Universality of Molten State of Alkyl Chain in Liquid-Crystalline Mesophases: Smectic E Phase of 6-Alkyl-2-phenylazulene. Bulletin of the Chemical Society of Japan, 2013, 86, 1022-1027.                                 | 2.0 | 34        |
| 121 | Scrutinizing the role of length of residence and age of acquisition in the interlanguage pronunciation development of English $ \dot{E}^1 $ by late Japanese bilinguals. Bilingualism, 2013, 16, 847-863.                 | 1.0 | 24        |
| 122 | Anisotropic Josephson-Vortex Dynamics in Layered Organic Superconductor with <i>d &lt; /i&gt; -Wave Pairing Symmetry. Journal of the Physical Society of Japan, 2013, 82, 064716.</i>                                     | 0.7 | 7         |
| 123 | Identification of Hydrogen-Bonded Oligomers in Associating Liquid by 1H NMR: 1-Phenyl-1-cyclohexanol.<br>Bulletin of the Chemical Society of Japan, 2013, 86, 569-576.  | 2.0 | 8         |
| 124 | Cold Crystallization in Bis[1-(3-methylphenyl)iminomethylnaphthalen-2-olato]nickel(II) Studied by Thermal Analysis and X-ray Diffraction. Chemistry Letters, 2013, 42, 1040-1042.   | 0.7 | 9         |
| 125 | Cell Gap Dependence of Nematic Backflow around Annihilating Disclination Pair. Journal of the Physical Society of Japan, 2012, 81, 074603.  | 0.7 | 3         |
| 126 | What roles do alkyl chains of mesogens play?. Proceedings of SPIE, 2012, , .  | 0.8 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Small Fermi Pocket in Layered Organic Superconductor $\hat{l}^2$ -(BDA-TTP)2SbF6. Journal of the Physical Society of Japan, 2012, 81, 035006.   | 0.7 | 3         |
| 128 | New Organic Ferroelectrics: Cocrystal of 5,5′-Dimethyl-2,2′-bipyridine and Bromanilic Acid. Chemistry Letters, 2012, 41, 119-121.   | 0.7 | 14        |
| 129 | Molecular Mechanism Responsible for Reentrance to <i>la3d</i> Gyroid Phase in Cubic Mesogen BABH( <i>n</i> ). Journal of the Physical Society of Japan, 2012, 81, 094601.   | 0.7 | 42        |
| 130 | Backflow-Induced Asymmetric Annihilation of Nematic Disclinations under Strong Anchoring Condition. Journal of the Physical Society of Japan, 2012, 81, 034601.   | 0.7 | 7         |
| 131 | Effects of Instruction on L2 Pronunciation Development: A Synthesis of 15 Quasiâ€Experimental Intervention Studies. TESOL Quarterly, 2012, 46, 842-854.   | 1.5 | 130       |
| 132 | Pronunciation-specific adjustment strategies for intelligibility in L2 teacher talk: results and implications of a questionnaire study. Language Awareness, 2012, 21, 369-385.  | 0.9 | 19        |
| 133 | Real-Space Distribution of Local WO4 Ordering in Negative Thermal Expansive ZrW2O8. Journal of the American Chemical Society, 2012, 134, 13942-13945.   | 6.6 | 14        |
| 134 | Calorimetric Study of Glass Transition in Molecular Liquids Consisting of Globular Associates: Dicyclorohexylmethanol and Tricyclohexylmethanol. Journal of Physical Chemistry B, 2012, 116, 3938-3943.   | 1.2 | 22        |
| 135 | Comparative Study of Imidazolium- and Pyrrolidinium-Based Ionic Liquids: Thermodynamic Properties. Journal of Physical Chemistry B, 2012, 116, 5406-5413.   | 1.2 | 34        |
| 136 | Comprehensive characterisation of the E phase of 6-octyl-2-phenylazulene. Liquid Crystals, 2012, 39, 1340-1344.   | 0.9 | 12        |
| 137 | Investigating the Pedagogical Potential of Recasts for L2 Vowel Acquisition. TESOL Quarterly, 2012, 46, 387-398.  | 1.5 | 31        |
| 138 | Calorimetric and Spectroscopic Evidence of Chain-Melting in Smectic E and Smectic A Phases of 4-Alkyl-4′-isothiocyanatobiphenyl ( <i>n</i> TCB). Journal of Physical Chemistry B, 2012, 116, 9255-9260.   | 1.2 | 56        |
| 139 | Effects of Formâ€Focused Instruction and Corrective Feedback on L2 Pronunciation Development of /ɹ/ by Japanese Learners of English. Language Learning, 2012, 62, 595-633.  | 1.4 | 237       |
| 140 | Negative thermal expansion emerging upon structural phase transition in ZrV2O7 and HfV2O7. Dalton Transactions, 2011, 40, 2242.   | 1.6 | 40        |
| 141 | Effect of Cisand Trans Double Bonds on Conformational Disordering of the Hydrocarbon Chain of Lipid, Unsaturated Monoacylglycerols, in the Lamellar Phase of a Binary System with Water. Journal of Physical Chemistry B, 2011, 115, 14963-14968. | 1.2 | 1         |
| 142 | Identifying Problematic Segmental Features to Acquire Comprehensible Pronunciation in EFL Settings: The Case of Japanese Learners of English. RELC Journal, 2011, 42, 363-378.  | 1.9 | 22        |
| 143 | Computational study on photo- and thermo-reactions between tetra-tert-butyl-substituted cyclobutadiene and tetrahedrane. Computational and Theoretical Chemistry, 2011, 969, 44-52.   | 1.1 | 4         |
| 144 | Study of Polymorphism of 4-Hexyl-4′-isothiocyanatobiphenyl by Complementary Methods. Journal of Physical Chemistry B, 2011, 115, 12327-12335.   | 1.2 | 30        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | Non-Debye excess heat capacity and boson peak of binary lithium borate glasses. Journal of Non-Crystalline Solids, 2011, 357, 534-537.  | 1.5 | 6         |
| 146 | Polarization reversal by intramolecular disordering in organic ferroelectrics: trichloroacetamide. CrystEngComm, 2011, 13, 2693.  | 1.3 | 14        |
| 147 | Self-assembly of Compact Molecules Possessing Two Carboxy and One Amide Groups into Tubular Nanostructures in Liquid Crystal Phases. Chemistry Letters, 2011, 40, 1278-1279.  | 0.7 | 1         |
| 148 | Experimental assessment of quasi-binary picture of thermotropics: Induced smectic A phase in 7CBâ€" <i>n</i> -heptane system. Journal of Chemical Physics, 2011, 135, 044705.   | 1.2 | 31        |
| 149 | Thermal Conductivity of YBCO Coated Conductors Reinforced by Metal Tape. IEEE Transactions on Applied Superconductivity, 2011, 21, 3037-3040.   | 1.1 | 16        |
| 150 | Cyanideâ€Bridged [Fe <sub>8</sub> M <sub>6</sub> ] Clusters Displaying Singleâ€Molecule Magnetism (M=Ni) and Electronâ€Transferâ€Coupled Spin Transitions (M=Co). Chemistry - A European Journal, 2011, 17, 9612-9618.                        | 1.7 | 59        |
| 151 | Examining the role of explicit phonetic instruction in native-like and comprehensible pronunciation development: an instructed SLA approach to L2 phonology. Language Awareness, 2011, 20, 45-59.   | 0.9 | 78        |
| 152 | Calorimetric Study of Correlated Ligand Dynamics in Mixed-Valence MMX Chain Complex [{Ni2( <i>n</i> -BuCS2)4}I]. Bulletin of the Chemical Society of Japan, 2010, 83, 261-266.  | 2.0 | 11        |
| 153 | ORAL FEEDBACK IN CLASSROOM SLA. Studies in Second Language Acquisition, 2010, 32, 265-302.  | 1.8 | 536       |
| 154 | Tetra-radical and ionic S1/S0 conical intersections of cyclobutadiene. Chemical Physics, 2010, 371, 30-35.  | 0.9 | 9         |
| 155 | Ground state potential energy surface between cyclobutadiene and tetrahedrane looked down from S1/S0 conical intersections. Tetrahedron, 2010, 66, 5212-5217.   | 1.0 | 6         |
| 156 | Anisotropic Josephson-vortex dynamics in layered organic superconductors. Physica B: Condensed Matter, 2010, 405, S288-S290.  | 1.3 | 12        |
| 157 | The aggregation structures of Ia3d and Im3m cubic phases formed by rod-shaped mesogens ANBC and BABH. Proceedings of SPIE, 2010, , .  | 0.8 | 0         |
| 158 | Entropic Contribution of Flexible Terminals to Mesophase Formation Revealed by Thermodynamic Analysis of 4-Alkyl-4′-isothiocyanatobiphenyl ( <i>n</i> TCB). Journal of Physical Chemistry B, 2010, 114, 4870-4875.                            | 1.2 | 50        |
| 159 | Multiple Bistability and Tristability with Dual Spin-State Conversions in $[Fe(dpp) < sub > 2 < / sub > 1[Ni(mnt) < sub > 2 < / sub > 1. Journal of the American Chemical Society, 2010, 132, 3553-3560.$ | 6.6 | 135       |
| 160 | Temperature-Jump Time-Resolved X-ray Diffraction Study of Cubicâ^'Cubic Phase-Transition Kinetics in Thermotropic Cubic Mesogen 1,2-Bis(4′- <i>n</i> -alkoxybenzoyl)hydrazines (BABH- <i>n</i> ). Langmuir, 2010, 26, 11605-11608.            | 1.6 | 4         |
| 161 | Calorimetric and dielectric study of organic ferroelectrics, phenazine-chloranilic acid, and its bromo analog. Journal of Chemical Physics, 2009, 130, 034503.  | 1.2 | 24        |
| 162 | Microphase-separated multicontinuous phase in low-molecular-mass thermotropic liquid crystals. Pure and Applied Chemistry, 2009, 81, 1783-1798.   | 0.9 | 10        |

| #   | Article   | IF         | CITATIONS |
|-----|---|------------|-----------|
| 163 | Thermodynamic symptom of coexistence of two aggregation modes in the Im3m cubic phase formed in thermotropic mesogen, ANBC(n). Chemical Physics Letters, 2009, 469, 157-160.  | 1.2        | 5         |
| 164 | Is the liquid or the solid phase responsible for the low melting points of ionic liquids? Alkyl-chain-length dependence of thermodynamic properties of [C mim][Tf2N]. Chemical Physics Letters, 2009, 470, 295-299.   | 1.2        | 57        |
| 165 | Neat Liquid Consisting of Hydrogen-Bonded Tetramers: Dicyclohexylmethanol. Journal of Physical Chemistry B, 2009, 113, 10077-10080.   | 1.2        | 24        |
| 166 | Infrared Spectroscopic and X-ray Studies of the 4-Propyl-4′-isothiocyanatobiphenyl (3TCB). Journal of Physical Chemistry B, 2009, 113, 7435-7442.   | 1.2        | 31        |
| 167 | Characteristic Phonon Spectrum of Negative Thermal Expansion Materials with Framework Structure through Calorimetric Study of $Sc2M3O12(M = W and Mo). Chemistry of Materials, 2009, 21, 3008-3016.$  | 3.2        | 50        |
| 168 | Acceleration of the Z to E photoisomerization of penta-2,4-dieniminium by hydrogen out-of-plane motion: theoretical study on a model system of retinal protonated Schiff base. Physical Chemistry Chemical Physics, 2009, 11, 6406.   | 1.3        | 21        |
| 169 | Heat Capacity of a Layered Molecule-Based Ferrimagnet [Mn <sup>II</sup> (CN) <sub>6</sub> ]·2H <sub>2</sub> O. Journal of the Physical Society of Japan, 2009, 78, 065001.  | . 0.7      | O         |
| 170 | Effects of Alkyl Length in Ligands in Mixed Valence MMX Complexes: Properties of Pt2( $\langle i\rangle n\langle i\rangle -HexCS2$ )4I ( $\langle i\rangle n\langle i\rangle -Hex=\langle i\rangle n\langle i\rangle -Hexyl Group$ ). Chemistry Letters, 2009, 38, 1190-1191.   | 0.7        | 11        |
| 171 | Calorimetric Study of MMX Chain Complexes Having Alkyl Groups, Ni <sub>2</sub> (EtCS <sub>2</sub> ) <sub>4</sub> 1 and Ni <sub>2</sub> ( <i>n</i> -PrCS <sub>2</sub> ) <sub>4</sub> 1. Journal of the Physical Society of Japan, 2009. 78. 094704.  | 0.7        | 7         |
| 172 | Deduction of channel-length distribution from isothermal thermogravimetry. Journal of Thermal Analysis and Calorimetry, 2008, 92, 391-394.  | 2.0        | 0         |
| 173 | Coexistence of Two Aggregation Modes in Exotic Liquid-Crystalline Superstructure: Systematic Maximum Entropy Analysis for Cubic Mesogen, 1,2-Bis(4′-⟨i⟩n⟨ i⟩-alkoxybenzoyl)hydrazine [BABH(⟨i⟩n⟨ i⟩)]. Journal of Physical Chemistry B, 2008, 112, 12179-12181.   | 1.2        | 51        |
| 174 | Revisiting the $\langle i \rangle S \langle  i \rangle \langle sub \rangle 1 \langle  sub \rangle   \langle i \rangle S \langle  i \rangle \langle sub \rangle 0 \langle  sub \rangle$ Degeneracy Space along the Exocyclic Methylene Twist Motion of Fulvene through a Two-Step Procedure. Journal of Chemical Theory and Computation, 2008, 4, 42-48. | 2.3        | 8         |
| 175 | Thermodynamic Relationship between Structural Isomers of the Thermochromic Compound Bis( <i>N</i> Isopropyl-5,6-benzosalicylideneiminato)nickel(II). Journal of Physical Chemistry B, 2008, 112, 11039-11048.   | 1.2        | 20        |
| 176 | Cubic Phase Formation and Interplay between Alkyl Chains and Hydrogen Bonds in 1,2-Bis(4′- <i>n</i> -alkoxybenzoyl)hydrazines (BABH- <i>n</i> ). Chemistry of Materials, 2008, 20, 3675-3687.   | 3.2        | 55        |
| 177 | Calorimetric Study of Correlated Disordering in [Hdamel] <sub>2</sub> ]Â-2THF Crystal. Journal of Physical Chemistry A, 2008, 112, 4465-4469.   | 1.1        | 10        |
| 178 | Possible Formation of Multicontinuous Structures by Rodlike Particles. Journal of the Physical Society of Japan, 2008, 77, 093601.  | 0.7        | 21        |
| 179 | Rich polymorphism in 4â€propylâ€4′â€thiocyanatoâ€1,1′â€biphenyl (3TCB) revealed by adiabatic calorimetr<br>Crystals, 2008, 35, 179-186.   | ry, Liquid | 16        |
| 180 | One-dimensional correlation in the dipolar Ising crystal tricyclohexylmethanol: crystal structure revisited and heat capacity. Journal of Physics Condensed Matter, 2007, 19, 176219.   | 0.7        | 14        |

| #   | Article   | IF        | Citations     |
|-----|---|-----------|---------------|
| 181 | Effects of Thermal History on Thermal Anomaly in Solid of Ionic Liquid Compound, [C4mim][Tf2N]. Chemistry Letters, 2007, 36, 1484-1485.   | 0.7       | 31            |
| 182 | Spin Crossover Phenomenon Accompanying Orderâ 'Disorder Phase Transition in the Ligand of [Fell(DAPP)(abpt)](ClO4)2 Compound (DAPP = Bis(3-aminopropyl)(2-pyridylmethyl)amine, abpt =) Tj ETQq0 0 0 rs              | gBT/Over  | lock 10 Tf 50 |
|     | Chemistry B, 2007, 111, 12508-12517.  Pageible Dhange Dengity of States of High Temperature Phage Structure of the Nagative Thormal   |           |               |
| 183 | Possible Phonon Density of States of High-Temperature Phase Structure of the Negative Thermal Expansion Compound ZrW2O8. Journal of the Physical Society of Japan, 2007, 76, 123603.                                | 0.7       | 3             |
| 184 | X-ray studies of the self-organized structure formed by 1,2-bis(4'-n-alkoxybenzoyl)hydrazine (BABH-n) homologues. 1. la3d-gyroid structure. Journal of Applied Crystallography, 2007, 40, s279-s282.                | 1.9       | 26            |
| 185 | Cubic phase of 4′â€nâ€Hexadecyloxyâ€3′â€cyanobiphenylâ€4â€carboxylic acid (ACBCâ€16). Liquid Crystal<br>75-84.  | s,2006, 3 | 310           |
| 186 | Ab Initio Study on One-Way Photoisomerization of the Maleic Acid and Fumaric Acid Anion Radical System as a Model System of Their Esters. Journal of Physical Chemistry A, 2006, 110, 12276-12281.                  | 1.1       | 4             |
| 187 | Hydrogen-Bonded Porous Coordination Polymers:Â Structural Transformation, Sorption Properties, and Particle Size from Kinetic Studies. Journal of the American Chemical Society, 2006, 128, 16122-16130.            | 6.6       | 104           |
| 188 | Low-Temperature Heat Capacity of Room-Temperature Ionic Liquid, 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide. Journal of Physical Chemistry B, 2006, 110, 13970-13975.                             | 1.2       | 88            |
| 189 | Two Cubic Phases of 1,2-Bis(4′-n-alkoxybenzoyl)hydrazines (BABH-n). Chemistry Letters, 2006, 35, 362-363.   | 0.7       | 29            |
| 190 | Low-Temperature Phase Transitions of an Organic Ferroelectrics, Phenazine–Chloranilic Acid. Journal of the Physical Society of Japan, 2006, 75, 033601.   | 0.7       | 19            |
| 191 | Thermodynamic Study of an Incommensurate Organic Superconductor (MDT-TSF)(AuI2)0.436. Journal of the Physical Society of Japan, 2006, 75, 074606.   | 0.7       | 7             |
| 192 | Theoretical study on hula-twist motion of penta-2,4-dieniminium on the S1 surface under isolated condition by the complete active space self-consistent field theory. Chemical Physics Letters, 2006, 424, 374-378. | 1.2       | 13            |
| 193 | Specific heat capacity and magnetic susceptibility of superconducting Ba24Si100. Journal of Physics and Chemistry of Solids, 2006, 67, 1334-1337.   | 1.9       | 2             |
| 194 | Perturbative approach to the structure of a planar interface in the Landau–de Gennes model. Physical Review E, 2006, 74, 041705.  | 0.8       | 1             |
| 195 | Configurational entropy and possible plateau smaller than Rln2 in complex crystals. Thermochimica Acta, 2005, 431, 21-23.   | 1.2       | 10            |
| 196 | Entropic evidence for cooperation of multiple instabilities upon a metal–insulator transition in (EDO-TTF)2PF6. Chemical Physics Letters, 2005, 401, 76-79.   | 1.2       | 17            |
| 197 | Successive phase transitions of p-methylbenzyl alcohol crystal studied by X-ray and adiabatic calorimetry. Journal of Thermal Analysis and Calorimetry, 2005, 81, 511-521.  | 2.0       | 4             |
| 198 | Thermodynamic aspect of reversible structural conversion induced by guest adsorption/desorption based on infinite Co(NCS)2Py4 (Py=pyridine) system. Journal of Thermal Analysis and Calorimetry, 2005, 81, 529-532. | 2.0       | 19            |

| #   | Article  | IF       | Citations  |
|-----|--|----------|------------|
| 199 | Unusual low-temperature thermodynamic properties of pellet samples of (DMe-DCNQI)2M (M=Li, Ag). Journal of Thermal Analysis and Calorimetry, 2005, 81, 587-590.  | 2.0      | 2          |
| 200 | Drastic cooling rate dependence of thermal anomaly associated with the superconducting transition in k-(BEDT-TTF)4Hg2.89Br8. Journal of Thermal Analysis and Calorimetry, 2005, 81, 591-594.                 | 2.0      | 8          |
| 201 | Phase separation behavior of aqueous solutions of a thermoresponsive polymer. Journal of Polymer Science, Part B: Polymer Physics, 2005, 43, 2937-2949.  | 2.4      | 23         |
| 202 | Effect of Pressure on Phase Behavior of Thermotropic Cubic Mesogens 1,2-bis-(4- <i>n</i> -alkyloxybenzoyl)hydrazine. Molecular Crystals and Liquid Crystals, 2005, 436, 177/[1131]-201/[1155].               | 0.4      | 3          |
| 203 | Superconductivity and physical properties of Ba24Si100 determined from electric transport, specific-heat capacity, and magnetic susceptibility measurements. Physical Review B, 2005, 72, .                  | 1.1      | 47         |
| 204 | Cooperativity of dynamics of 18-crown-6 molecule forming one-dimensional chain in Cs2(18-crown-6)3[Ni(dmit)2]2. Journal of Chemical Physics, 2005, 123, 044514.  | 1.2      | 18         |
| 205 | Anomalous enhancement of electronic heat capacity in the organic conductorsl®â°'(BEDTâ^'TTF)4Hg3â^'ÎX8(X=Br,Cl). Physical Review B, 2005, 71, .  | 1.1      | 22         |
| 206 | Alkyl Group as Entropy Reservoir in an MMX Chain Complex, Pt2(n-PenCS2)4lâ€. Journal of Physical Chemistry B, 2005, 109, 2956-2961.  | 1.2      | 22         |
| 207 | Molecular Dynamics and Residual Entropy in the Soft Crystal, SmE Phase, of<br>4-Butyl-4â€~-isothiocyano-1,1â€~-biphenyl. Journal of Physical Chemistry B, 2005, 109, 10020-10024.                            | 1.2      | 24         |
| 208 | Molecular Rotor of Cs2([18]crown-6)3in the Solid State Coupled with the Magnetism of [Ni(dmit)2]. Journal of the American Chemical Society, 2005, 127, 4397-4402.  | 6.6      | 116        |
| 209 | Heat capacity and order–disorder phase transition in negative thermal expansion compound ZrW2O8.<br>Journal of Chemical Thermodynamics, 2004, 36, 525-531.   | 1.0      | 28         |
| 210 | Fast suppression of antiferromagnetism inCu1â^'xLixO. Physical Review B, 2004, 69, .   | 1.1      | 17         |
| 211 | Thermodynamic Study on a Chiral Glass Former, 4-(1-Methylheptyloxy)-4â€~-cyanobiphenyl. Journal of Physical Chemistry B, 2004, 108, 5785-5790.   | 1.2      | 24         |
| 212 | Freezing of Crankshaft Motion of trans-Stilbene Molecule in Charge-Transfer Complexes, STB-TCNQ and STB-TCNQF4. Journal of Physical Chemistry B, 2004, 108, 1314-1320.                                       | 1.2      | 12         |
| 213 | Calorimetric Study of a Halogen-Bridged MMX Chain Complex Having Alkyl Chains, Pt2(n-PrCS2)4I (n-Pr) Tj ETQq1  | 1.0.7843 | 14 rgBT /O |
| 214 | A Contrivance for a Dynamic Porous Framework:Â Cooperative Guest Adsorption Based on Square Grids Connected by Amideâ^'Amide Hydrogen Bonds. Journal of the American Chemical Society, 2004, 126, 3817-3828. | 6.6      | 291        |
| 215 | Phase diagram of lithium-doped copper oxide, Cu1â^'xLixO. Solid State Communications, 2003, 125, 23-26.  | 0.9      | 8          |
| 216 | Low-temperature heat capacity measurements of îº-(BEDT-TTF)4Hg2.89Br8. Physica C: Superconductivity and Its Applications, 2003, 388-389, 595-596.  | 0.6      | 3          |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 217 | Thermodynamic Study of Phase Transitions in Lyotropic Systems:  Adiabatic Calorimetry on Nonionic Surfactant C16E8â^'Water System. Journal of Physical Chemistry B, 2003, 107, 7854-7860.    | 1.2 | 4         |
| 218 | Alkyl chains acting as entropy reservoir in liquid crystalline materials. Chemical Record, 2003, 3, 29-39.   | 2.9 | 81        |
| 219 | Phase behaviour of the thermotropic cubic mesogen 1,2-bis-(4- n -octyloxybenzoyl)hydrazine under pressure. Liquid Crystals, 2003, 30, 1139-1149.   | 0.9 | 12        |
| 220 | Calorimetric study of the cubic mesogen, ACBC(16). Liquid Crystals, 2003, 30, 861-869.   | 0.9 | 9         |
| 221 | Spin-Peierls transition of the quasi-one-dimensional electronic system(DMeâ^'DCNQI)2M(M=Li,Ag)probed by heat capacity. Physical Review B, 2003, 68, .  | 1.1 | 23        |
| 222 | Chemical pressure effect on bandwidth and dimensionality of quasi-one-dimensional organic conductors:â€,(DMET)2X[X=Au(CN)2,AuI2,AuCl2,IBr2,I3,AuBr2,and SCN]. Physical Review B, 2003, 67, . | 1.1 | 15        |
| 223 | Degree of disorder in cubic mesophases in thermotropics: Thermodynamic study of a liquid crystal showing two cubic mesophases. Physical Review E, 2002, 65, 031719.                          | 0.8 | 47        |
| 224 | Calorimetric study of the halogen-bridged mixed-valence binuclear metal chain complexPt2(nâ^BuCS2)4I(Bu=butyl chain). Physical Review B, 2002, 66, .   | 1.1 | 34        |
| 225 | Thermodynamic Investigation of the Charge-Ordered Insulating State of the Quasi-One-Dimensional Organic System(Dlâ^DCNQI)2Ag. Physical Review Letters, 2002, 88, 076402.                     | 2.9 | 10        |
| 226 | Observation of Superconductivity in Heavy-Fermion Compounds of Ce2CoIn8. Journal of the Physical Society of Japan, 2002, 71, 2836-2838.  | 0.7 | 70        |
| 227 | Low-temperature heat capacities and Raman spectra of negative thermal expansion compoundsZrW2O8andHfW2O8. Physical Review B, 2002, 66, .   | 1.1 | 58        |
| 228 | Heat Capacity of the Halogen-Bridged Mixed-Valence Complex Pt2(dta)4I (dta = CH3CS2-). Journal of Physical Chemistry B, 2002, 106, 197-202.  | 1.2 | 31        |
| 229 | Electrical properties of organic conductors at high temperature. Molecular Crystals and Liquid Crystals, 2002, 380, 239-244.   | 0.4 | 1         |
| 230 | Heat capacity and $Gr\tilde{A}^{1}/_{4}$ neisen function of negative thermal expansion compound HfW2O8. Solid State Communications, 2002, 121, 213-217.                                      | 0.9 | 23        |
| 231 | Heat capacity and magnetic phase transitions of rare-earth orthoferrite HoFeO3. Journal of Physics and Chemistry of Solids, 2002, 63, 569-574.   | 1.9 | 28        |
| 232 | Complex phase transitions in stable thiazyl radicals: spin-gap, antiferromagnetic ordering and double melting. Chemical Physics Letters, 2002, 352, 348-352.                                 | 1.2 | 60        |
| 233 | Quasi-binary picture of thermotropic liquid crystals and its application to cubic mesophases.<br>Chemical Physics Letters, 2002, 366, 56-61.   | 1.2 | 64        |
| 234 | Thermodynamic implication of the dependence of mesomorphic transition entropy on chain-length. Magyar Apróvad Közlemények, 2002, 70, 345-352.  | 1.4 | 22        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 235 | Glass transition in κ-(BEDT-TTF)2Cu[N(CN)2]X (X = Br and Cl). Synthetic Metals, 2001, 120, 1035-1036.  | 2.1 | 11        |
| 236 | Magnetic-Field-Dependent Heat Capacity of the Single-Molecule Magnet [Mn12O12(O2CEt)16(H2O)3]#. Inorganic Chemistry, 2001, 40, 6632-6636.  | 1.9 | 23        |
| 237 | Thermodynamic Study of Phase Transitions in Lyotropic Liquid Crystals: Adiabatic Calorimetry on Nonionic Surfactant C12E6â^'Water Systemâ€. Journal of Physical Chemistry B, 2001, 105, 2987-2992.                           | 1.2 | 21        |
| 238 | ac Calorimetry and EPR Study on Metal–Insulator Transition and Glass Transition in an Organic Conductor with Double-Column Structure, (DIMET)2BF4*. Journal of the Physical Society of Japan, 2001, 70, 1635-1641.           | 0.7 | 5         |
| 239 | Heat Capacity and Glass Transition of Crystalline Pentachloronitrobenzene. Bulletin of the Chemical Society of Japan, 2001, 74, 1221-1224.   | 2.0 | 11        |
| 240 | The charge-transfer complextrans-STB–TCNQF4. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 564-565.  | 0.4 | 6         |
| 241 | Anomalous lattice heat capacity of orientationally glassy crystal of p-chloronitrobenzene at low temperatures. Solid State Communications, 2001, 118, 611-614.   | 0.9 | 9         |
| 242 | High-precision detection of the heat-capacity anomaly due to spin reorientation in TmFeO3 and HoFeO3. Solid State Communications, 2001, 120, 129-132.  | 0.9 | 16        |
| 243 | Heat-capacity anomaly due to spin reorientation and thermodynamic functions of ErFeO3 and TmFeO3. Journal of Magnetism and Magnetic Materials, 2001, 225, 381-388.   | 1.0 | 19        |
| 244 | Twist Phase Transition in Poly(p-phenylene) Oligomers: Heat Capacity ofp-Quinquephenyl. Bulletin of the Chemical Society of Japan, 2000, 73, 2713-2718.  | 2.0 | 13        |
| 245 | Apparent Violation of the Third Law without a Detectable Glass Transition in Simple Molecular Solids: Calorimetric Entropy ofp-Bromochlorobenzene. Bulletin of the Chemical Society of Japan, 2000, 73, 2279-2282.           | 2.0 | 9         |
| 246 | Heat capacity and thermodynamic functions of crystalline poly(p-phenylenebenzobisoxazole), the synthetic polymer with the highest Young's modulus. Journal of Polymer Science, Part B: Polymer Physics, 2000, 38, 1584-1588. | 2.4 | 6         |
| 247 | Can the molecule involved in a CT interaction reorient itself in the crystal lattice? Phase transition and glass transition in trans-stilbene-TCNQ. Chemical Physics Letters, 2000, 318, 75-78.                              | 1.2 | 24        |
| 248 | Magnetic field dependent heat capacity of the molecule-based magnetic material NBu4[FellFellI(ox)3] (Bu=n-C4H9+, ox=oxalate). Solid State Communications, 2000, 113, 543-548.  | 0.9 | 10        |
| 249 | Calorimetric Study on Optically Isotropic Liquid Crystals. Molecular Crystals and Liquid Crystals, 2000, 347, 249-256.   | 0.3 | 11        |
| 250 | Thermodynamic study of a phase transition between the ordered and disordered phases and orientational disorder in crystalline p-chloronitrobenzene. Journal of Chemical Physics, 2000, 112, 2355-2360.                       | 1.2 | 12        |
| 251 | Phase behavior of the organic superconductorsîºâ^'(BEDTâ^'TTF)2Cu[N(CN)2]X(X=Brand Cl) studied by ac calorimetry. Physical Review B, 2000, 61, 4346-4352.  | 1.1 | 77        |
| 252 | Towards the molecular-statistical modelling of the optically isotropic mesophase in neat systems: from the thermodynamic point of view. Liquid Crystals, 2000, 27, 1555-1559.  | 0.9 | 32        |

| #   | Article   | IF       | CITATIONS        |
|-----|---|----------|------------------|
| 253 | Japan, 2000, 69, 3602-3606.   | 0.7      | 11               |
| 254 | Metal–Insulator, SDW, and Glass Transitions in the Organic Conductors, (DMET)2BF4and (DMET)2ClO4, Studied by ac CalorimetryÂ[rf:1]. Journal of the Physical Society of Japan, 1999, 68, 1968-1974.                                    | 0.7      | 27               |
| 255 | Glass transition in the organic superconductor with the highest Tc under ambient pressure, κ-(ET)2Cu[N(CN)2]Br. Solid State Communications, 1999, 111, 471-475.   | 0.9      | 38               |
| 256 | Heat capacity of high-purity bis (4-chlorophenyl) methanone below room temperature. Journal of Physics and Chemistry of Solids, 1999, 60, 723-727.  | 1.9      | 3                |
| 257 | Heat Capacity of Intercalated Layered Materials FexNbS2 at Low Temperature. Magyar Apróvad Közlemények, 1999, 57, 839-846.  | 1.4      | 8                |
| 258 | Possibility of isostructural condensed states of matter in the D phase of ANBC and the cubic mesophase of BABH: heat capacity of 4'-n-octadecyloxy-3'-nitrobiphenyl-4-carboxlic acid, ANBC(18). Liquid Crystals, 1999, 26, 1185-1195. | 0.9      | 63               |
| 259 | Heat Capacity of TTF–TCNQ and TSF–TCNQ*. Journal of the Physical Society of Japan, 1999, 68, 1277-1285.   | 0.7      | 17               |
| 260 | Thermodynamic Metal-Insulator Transition in a Hydrogen-Bonded Organic-Inorganic Hybrid 3592-3599.   | 0.7      | 9                |
| 261 | Large impurity effect on phase behavior of a molecular crystal: Heat capacity of high purity bis (4-fluorophenyl) methanone. Journal of Physics and Chemistry of Solids, 1998, 59, 159-166.   | 1.9      | 5                |
| 262 | Temperatureâ€"pressure phase diagrams of double-column organic conductors: (DMET)2BF4, (DMET)2ClO4 and (DIMET)2BF4. Synthetic Metals, 1998, 96, 19-27.  | 2.1      | 5                |
| 263 | Entropic evidence of the order-disorder nature of the phase transition inp-terphenyl crystal. Journal of Physics Condensed Matter, 1998, 10, 3359-3366.   | 0.7      | 9                |
| 264 | Disappearance of a Displacive Phase Transition in Crystalline Biphenyl by a Small Amount of Impurity*. Journal of the Physical Society of Japan, 1998, 67, 1649-1654.   | 0.7      | 13               |
| 265 | Do alkoxy chains behave like a solvent in the D phase? DSC study of binary systems, ANBC (nC) (nC = $8$ ,) Tj ETQq1   | 1.0.7843 | 14 rgBT /0<br>67 |
| 266 | Distortion of Local Order Parameter Caused by Impurities in Displacive Phase Transition*. Journal of the Physical Society of Japan, 1998, 67, 3137-3140.  | 0.7      | 5                |
| 267 | Fine Structure of In-Plane Angular Effect of Magnetoresistance of (DMET)2I3. Journal of the Physical Society of Japan, 1997, 66, 2248-2251.   | 0.7      | 14               |
| 268 | In-Plane Angular Effect of Magnetoresistance of Quasi-One-Dimensional Organic Metals, (DMET)2AuBr2and (TMTSF)2ClO4. Journal of the Physical Society of Japan, 1997, 66, 2410-2418.  | 0.7      | 35               |
| 269 | Charge-transfer complex and radical cation salt of a new donor EDT-TTFCL2: unique conductivities and crystal structures. Journal of Materials Chemistry, 1996, 6, 501.  | 6.7      | 21               |
| 270 | Field-orientation dependence of magnetoresistance of a double-column organic conductor, (DMET)2ClO4. Synthetic Metals, 1996, 82, 83-88.   | 2.1      | 4                |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 271 | Sharp Anomaly in Magnetoresistance of the Spin-Density-Wave State of (TMTSF) 2PF6. Journal of the Physical Society of Japan, 1996, 65, 3127-3130.                             | 0.7 | 6         |
| 272 | Lattice-Dynamical Study of the Abnormally Short Bond-Length intrans-Stilbene Molecules in a Crystal. Bulletin of the Chemical Society of Japan, 1996, 69, 909-913.            | 2.0 | 9         |
| 273 | Deuterium-induced phase transition of crystalline tolane-d10. Chemical Physics Letters, 1996, 256, 317-320.   | 1.2 | 2         |
| 274 | Heat capacity and thermodynamic functions of crystalline 4,4‴-difluoro-p-quaterphenyl. Thermochimica Acta, 1996, 287, 35-42.  | 1.2 | 0         |
| 275 | Phonon and the intramolecular motions in crystalline trans-stilbene. Physica B: Condensed Matter, 1996, 219-220, 417-419.   | 1.3 | 1         |
| 276 | SolidC76: NMR studies of molecular dynamics. Physical Review B, 1996, 53, 14196-14199.  | 1.1 | 5         |
| 277 | Anomalous Angular Dependence of Magnetoresistance of an Organic Superconductor, (DMET)2I3. Journal of the Physical Society of Japan, 1995, 64, 2307-2310.                     | 0.7 | 42        |
| 278 | Organic Metal (DIMET)2BF4. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 1656-1658.   | 0.4 | 3         |
| 279 | Heat capacity measurements and phase transition of crystalline 4,4″-difluoro-p-terphenyl. Journal of Physics and Chemistry of Solids, 1995, 56, 107-115.                      | 1.9 | 59        |
| 280 | Glass transition due to freezing of intramolecular motion: Crystalline trans-azobenzene and trans-stilbene. Journal of Physics and Chemistry of Solids, 1995, 56, 849-857.    | 1.9 | 30        |
| 281 | Metal—insulator transitions in double-column salts: (DMET)2BF4, (DMET)2ClO4 and (DIMET)2BF4. Synthetic Metals, 1995, 72, 141-146.   | 2.1 | 10        |
| 282 | Novel conducting copper complexes derived from thiophene-fused DCNQIs and copper(I) iodide. Journal of Materials Chemistry, 1995, 5, 1625.                                    | 6.7 | 5         |
| 283 | The search for a possible twist phase transition in a biphenyl analogue: heat capacity of crystalline tolane. Journal of Physics Condensed Matter, 1995, 7, 8919-8926.        | 0.7 | 4         |
| 284 | Special Issue-Dynamics of Molecular Crystals. Molecular Motion and Phase Transition in Molecular Crystals Nihon Kessho Gakkaishi, 1995, 37, 26-34.                            | 0.0 | 0         |
| 285 | Low Temperature Phase Transition in C70and Solvation Effects. Fullerenes, Nanotubes, and Carbon Nanostructures, 1994, 2, 121-127.   | 0.6 | 3         |
| 286 | Nuclear Magnetic Resonance (NMR) and Electron Spin Resonance (ESR) Characterization of Sublimed \$f C_{60}\$ Solid. Japanese Journal of Applied Physics, 1994, 33, L173-L176. | 0.8 | 19        |
| 287 | Heat capacity and an incommensurate phase transition of crystalline bis(4-chlorophenyl)sulfone. Journal of Chemical Thermodynamics, 1994, 26, 1231-1239.                      | 1.0 | 31        |
| 288 | X-ray study on structural phase transitions of 4,4″-difluoro-p-terphenyl and 4,4‴-difluoro-p-quaterphenyl. Solid State Communications, 1994, 91, 89-92.                       | 0.9 | 17        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 289 | Phase transition in crystalline p-polyphenyls: Heat capacity of 4,4‴-difluoro-p-quaterphenyl. Solid State Communications, 1994, 92, 495-499.   | 0.9  | 23        |
| 290 | Isolation and characterization of the metallofullerene LaC82. Chemical Physics Letters, 1993, 216, 67-71.  | 1.2  | 226       |
| 291 | Phase transition associated with molecular twisting in crystalline 4,4″-difluoro-p-terphenyl displacive or order-disorder transition?. Solid State Communications, 1993, 87, 903-906.  | 0.9  | 19        |
| 292 | Anomalous temperature dependence in resistivity and thermopower of some radical salts in SDW state. Synthetic Metals, 1993, 56, 2791-2796.   | 2.1  | 2         |
| 293 | NMR investigation on molecular dynamics of C60 and C70 solids. Synthetic Metals, 1993, 56, 3057-3062.  | 2.1  | 6         |
| 294 | Determination of band-filling in radical salts with plural types of columns from anisotropy. Synthetic Metals, 1993, 56, 1756-1761.  | 2.1  | 6         |
| 295 | Higher fullerenes; separation and molecular structures. Synthetic Metals, 1993, 56, 3208-3213.   | 2.1  | 13        |
| 296 | De Haas-van Alphen effect in κ-(DMET)2AuBr2. Synthetic Metals, 1993, 56, 2309-2313.  | 2.1  | 4         |
| 297 | Single-Crystal Structural Study offccandhcpC60from 107 to 298 K Using Synchrotron X-Rays. Japanese Journal of Applied Physics, 1993, 32, L424-L427.  | 0.8  | 26        |
| 298 | Crystal Structures of the Room-Temperature Phase of 4,4 $\hat{a}\in^3$ -Difluoro-p-terphenyl and 4,4 $\hat{a}\in^3$ $\hat{a}\in^2$ -Difluoro-p-quaterphenyl. Bulletin of the Chemical Society of Japan, 1993, 66, 2847-2853. | 2.0  | 22        |
| 299 | Solid C70: Anisotropic Molecular Rotation and Orientational Ordering Transition. Journal of the Physical Society of Japan, 1993, 62, 1131-1134.  | 0.7  | 34        |
| 300 | Critical Anomaly in Thermopower near the Spin-Density-Wave Transition in Quasi-One-Dimensional Conductors, (DMET)2Aul2and (DMET)2Au(CN)2. Journal of the Physical Society of Japan, 1993, 62, 1001-1005.                     | 0.7  | 11        |
| 301 | Cation radical salts of bis(2,5-dimethylthieno)tetratellurafulvalene: electrical conductivites and a cystal structure. Journal of the Chemical Society Chemical Communications, 1992, , 1198.                                | 2.0  | 9         |
| 302 | Crystal structures and physical properties of DIMET triiodides. Synthetic Metals, 1992, 52, 87-100.  | 2.1  | 8         |
| 303 | NMR characterization of isomers of C78, C82 and C84 fullerenes. Nature, 1992, 357, 142-145.  | 13.7 | 519       |
| 304 | Incommensurate crystal-instability and a role of internal degrees of freedom in bis (4-chlorophenyl) sulfone molecules. Solid State Communications, 1992, 81, 241-243.   | 0.9  | 25        |
| 305 | Heat capacity and orientational phase transition of solid C60 prepared with different solvents. Chemical Physics Letters, 1992, 196, 321-324.  | 1.2  | 49        |
| 306 | Isolation and identification of fullerene family: C76, C78, C82, C84, C90 and C96. Chemical Physics Letters, 1992, 188, 177-180.   | 1.2  | 250       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Thermoelectric power of (DMET)2X. Synthetic Metals, 1991, 42, 2395-2398.   | 2.1 | 4         |
| 308 | Novel copper complexes based on thiophene-fused DCNQI. Synthetic Metals, 1991, 42, 1847-1850.  | 2.1 | 4         |
| 309 | Antiferromagnetic transitions in the organic conductors based on asymmetric donors. Synthetic Metals, 1991, 42, 1679-1682.                                       | 2.1 | 2         |
| 310 | Reflectance spectra of (DMET)2X. Synthetic Metals, 1991, 42, 2275-2280.  | 2.1 | 7         |
| 311 | Conducting salts based on some unsymmetrical donors. Synthetic Metals, 1991, 42, 1921-1924.  | 2.1 | 2         |
| 312 | Hall effect in (DMET)2I3 under pressure. Synthetic Metals, 1991, 42, 2167-2170.  | 2.1 | 1         |
| 313 | Separation, Detection, and UV/Visible Absorption Spectra of Fullerenes; C76, C78, and C84. Chemistry Letters, 1991, 20, 1607-1610.                               | 0.7 | 94        |
| 314 | Crystal Structure of the Organic Metal (DMET)2BF4with Two Columns along Two Crystallographic Axes. Bulletin of the Chemical Society of Japan, 1991, 64, 212-215. | 2.0 | 16        |
| 315 | Novel Conducting Copper Complexes Based on Thiophene-fused DCNQI. Chemistry Letters, 1991, 20, 1033-1036.  | 0.7 | 4         |
| 316 | Hall effect of the organic superconductors of (TMTSF)2X, (DMET)2X and (BEDT-TTF)2X. Physica C: Superconductivity and Its Applications, 1991, 185-189, 2685-2686. | 0.6 | 1         |
| 317 | Structure and superconductivity of single crystalline C60. Physica C: Superconductivity and Its Applications, 1991, 185-189, 415-416.                            | 0.6 | 47        |
| 318 | Heat capacity measurements and thermodynamic studies of the new compound C60. Physica C: Superconductivity and Its Applications, 1991, 185-189, 427-428.         | 0.6 | 72        |
| 319 | Tetramerized Structure of (DMET)2ReO4and Its Apparent Metallic Behavior in Resistivity. Bulletin of the Chemical Society of Japan, 1990, 63, 1865-1870.          | 2.0 | 5         |
| 320 | Structure of the organic superconductor (DMET)2AuCl2. Acta Crystallographica Section C: Crystal Structure Communications, 1990, 46, 1652-1655.                   | 0.4 | 3         |
| 321 | Thermodynamic study of the incommensurate phase transitions in crystalline bis(4-chlorophenyl)sulfone. Thermochimica Acta, 1990, 163, 241-248.                   | 1.2 | 11        |
| 322 | Low-Temperature Heat Capacity of Cubic Boron Nitride. Japanese Journal of Applied Physics, 1990, 29, L1869-L1870.  | 0.8 | 8         |
| 323 | Organic Superconductors, (DMET)2X. Molecular Crystals and Liquid Crystals Incorporating Nonlinear Optics, 1990, 181, 185-195.                                    | 0.3 | 6         |
| 324 | Crystal Structures and Physical Properties of DMET Superconductors. NATO ASI Series Series B: Physics, 1990, , 223-226.  | 0.2 | 0         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 325 | Thermoelectric Power and an Order-Parameter Associated with the Phase Transition at 180 K of the Organic Metal, (DMET)2Au(CN)2. Journal of the Physical Society of Japan, 1989, 58, 4093-4097.                | 0.7 | 13        |
| 326 | EPR studies of a new family of organic conductors: Dimethyl(ethylenedithio)diselenadithiafulvalene compounds (DMET)2X [X=PF6,BF4, Au(CN)2,I3, andAuBr2]. Physical Review B, 1989, 39, 3996-4003.              | 1.1 | 21        |
| 327 | Phase transition of (DMET)2Au(CN)2at 180 K. Journal of Physics Condensed Matter, 1989, 1, 8823-8828.  | 0.7 | 5         |
| 328 | Structure of the organic superconductor (DMET)2Aul2. Acta Crystallographica Section C: Crystal Structure Communications, 1989, 45, 572-575.   | 0.4 | 8         |
| 329 | First unsymmetrical donor which gives organic superconductors: DMET. Acta Crystallographica Section C: Crystal Structure Communications, 1989, 45, 1403-1406.   | 0.4 | 7         |
| 330 | Anomalous spin dynamics of conduction electrons in the organic conductor, [dimethyl(ethylenedithio)diselenadithiafulvalene]2AuBr2 [(DMET)2AuBr2]. Solid State Communications, 1989, 69, 415-418.              | 0.9 | 7         |
| 331 | Phase diagram of superconductivity and spin density wave in (DMET)2Au(CN)2. Solid State Communications, 1989, 71, 1087-1092.  | 0.9 | 15        |
| 332 | Structure of 4,5-dimethyl-9,10-ethylenedithio-1,3-diselena-6,8-dithiafulvalene dicyanoaurate(I) (2:1), (DMET)2Au(CN)2. Acta Crystallographica Section C: Crystal Structure Communications, 1988, 44, 466-468. | 0.4 | 11        |
| 333 | Polymorphism and electrical conductivity of the organic superconductor (DMET)2AuBr2. Solid State Communications, 1988, 66, 405-408.   | 0.9 | 75        |
| 334 | Phase relation and dehydration behavior of barium nitrite hydrates. Thermochimica Acta, 1988, 127, 201-208.   | 1.2 | 2         |
| 335 | Physical properties of (DMET)2X. Synthetic Metals, 1988, 27, 269-274.   | 2.1 | 28        |
| 336 | EPR studies of organic conductors (DMET)2X. Synthetic Metals, 1988, 27, 385-390.  | 2.1 | 17        |
| 337 | Crystal structures of (DMET)2X. Synthetic Metals, 1988, 27, 391-396.  | 2.1 | 23        |
| 338 | NMR and EPR studies of the organic conductor [dimethyl(ethylenedithio)diselenadithiafulvalene]2Au(CN)2: Evidence of a spin-density-wave transition. Physical Review B, 1988, 38, 39-43.                       | 1.1 | 26        |
| 339 | Thermodynamic Studies on Order-Disorder Phase Transitions ofp-Terphenyl andp-Terphenyl-d14.<br>Bulletin of the Chemical Society of Japan, 1988, 61, 2327-2336.  | 2.0 | 34        |
| 340 | Incommensurate Phase Transitions and Anomalous Lattice Heat Capacities of Biphenyl. Bulletin of the Chemical Society of Japan, 1988, 61, 679-688.   | 2.0 | 39        |
| 341 | New Series of Organic Metal. Radical Salts of Unsymmetrical Donors Containing Pyrazino Group.<br>Bulletin of the Chemical Society of Japan, 1988, 61, 741-743.  | 2.0 | 6         |
| 342 | On Ambient-Pressure Superconductivity in Organic Conductors: Electrical Properties of (DMET)2I3, (DMET)2I2Br and (DMET)2IBr2. Journal of the Physical Society of Japan, 1987, 56, 3436-3439.                  | 0.7 | 69        |

| #   | Article  | IF        | CITATIONS |
|-----|--|-----------|-----------|
| 343 | New Organic Superconductor, (DMET)2Au(CN)2. Chemistry Letters, 1987, 16, 931-932.  | 0.7       | 77        |
| 344 | Superconductivity in (DMET)2AuCl2and (DMET)2AuI2. Journal of the Physical Society of Japan, 1987, 56, 4241-4244.   | 0.7       | 54        |
| 345 | Superconductivity and the Possibility of Semiconductor-Metal Transition in (DMET)2AuBr2. Journal of the Physical Society of Japan, 1987, 56, 2627-2628.                                    | 0.7       | 52        |
| 346 | Possible Appearance of Spin-Density Waves in the Insulating Phase of the Organic Conductors, (DMET)2Au(CN)2and (DMET)2AuI2. Journal of the Physical Society of Japan, 1987, 56, 3783-3785. | 0.7       | 17        |
| 347 | Calorimetric studies of successive phase transitions in crystalline biphenyl-d10. Journal of Chemical Thermodynamics, 1987, 19, 633-644.   | 1.0       | 14        |
| 348 | Perfluorobiphenyl and perchlorobiphenyl: heat capacities and intramolecular twisting vibrations. Journal of Chemical Thermodynamics, 1987, 19, 9-18.                                       | 1.0       | 1         |
| 349 | Stability of a planar molecular conformation in a 4,4'-difluorobiphenyl crystal. Acta<br>Crystallographica Section B: Structural Science, 1987, 43, 383-385.                               | 1.8       | 15        |
| 350 | Thermodynamic studies of p-polyphenyls: heat capacity of p,p'-biphenol. Thermochimica Acta, 1986, 109, 45-54.  | 1.2       | 6         |
| 351 | Theoretical analysis of peak height in classical DTA, power-compensated DSC and heat-flux DSC. Thermochimica Acta, 1986, 107, 277-282.   | 1.2       | 15        |
| 352 | Base line drawing for the determination of the enthalpy of transition in classical dta, power-compensated dsc and heat-flux dsc. Thermochimica Acta, 1986, 104, 275-283.                   | 1.2       | 17        |
| 353 | Theoretical analysis of heat-flux differential scanning calorimetry based on a general model. Thermochimica Acta, 1986, 99, 299-307.   | 1.2       | 50        |
| 354 | Phase transition at 211 K in crystalline barium nitrite hemihydrate. Journal of Physics and Chemistry of Solids, 1986, 47, 1085-1088.  | 1.9       | 3         |
| 355 | Thermodynamic studies of p-polyphenyls: heat capacity of 4,4′-difluorobiphenyl. Journal of Chemical Thermodynamics, 1986, 18, 407-414.   | 1.0       | 27        |
| 356 | Molar heat capacity and thermodynamic properties of p-quaterphenyl. Journal of Chemical Thermodynamics, 1985, 17, 539-548.   | 1.0       | 45        |
| 357 | Thermodynamic Studies on Incommensurate Biphenyl and Related Substances. Japanese Journal of Applied Physics, 1985, 24, 838.   | 0.8       | 7         |
| 358 | CROSSOVER OF THE LOW TEMPERATURE HEAT CAPACITIES OF BIPHENYL AND p-TERPHENYL. Chemistry Letters, 1984, 13, 531-534.  | 0.7       | 9         |
| 359 | LOW TEMPERATURE HEAT CAPACITIES OF 1,1′-BIPHENYL AND 1,1′-BIPHENYL-d10. Chemistry Letters, 1983, 493-496.  | 12<br>0.7 | 14        |
| 360 | Using Listener Judgments to Investigate Linguistic Influences on L2 Comprehensibility and Accentedness: A Validation and Generalization Study. Applied Linguistics, 0, , amv047.           | 1.1       | 60        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | How teacher behaviour shapes foreign language learners' enjoyment, anxiety and<br>attitudes/motivation: A mixed modelling longitudinal investigation. Language Teaching Research, 0, ,<br>136216882210896. | 2.1 | 24        |