

Piotr Przybylski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1472145/piotr-przybylski-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

2,086
citations

25
h-index

37
g-index

123
ext. papers

2,292
ext. citations

3.5
avg, IF

4.71
L-index

#	Paper	IF	Citations
118	An Approach to Modify 14-Membered Lactone Macrolide Antibiotic Scaffolds.. <i>Journal of Organic Chemistry</i> , 2022 ,	4.2	1
117	Regioselective approach to colchicine tropolone ring functionalization at C(9) and C(10) yielding new anticancer hybrid derivatives containing heterocyclic structural motifs.. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2022 , 37, 597-605	5.6	1
116	Tandem construction of biological relevant aliphatic 5-membered N-heterocycles.. <i>European Journal of Medicinal Chemistry</i> , 2022 , 235, 114303	6.8	3
115	Cascade synthetic strategies opening access to medicinal-relevant aliphatic 3- and 4-membered N-heterocyclic scaffolds.. <i>European Journal of Medicinal Chemistry</i> , 2022 , 238, 114438	6.8	1
114	Anticancer activity and toxicity of new quaternary ammonium geldanamycin derivative salts and their mixtures with potentiators. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021 , 36, 1898-1904	5.6	2
113	Synthesis and Antibacterial Activity of New N-Alkylammonium and Carbonate-Triazole Derivatives within Desosamine of 14- and 15-Membered Lactone Macrolides. <i>ChemMedChem</i> , 2020 , 15, 1529-1551	3.7	2
112	Synthesis, structure and anticancer activity of new geldanamycin amine analogs containing C(17)- or C(20)- flexible and rigid arms as well as closed or open ansa-bridges. <i>European Journal of Medicinal Chemistry</i> , 2020 , 202, 112624	6.8	3
111	Specific Interactions between Rifamycin Antibiotics and Water Influencing Ability To Overcome Natural Cell Barriers and the Range of Antibacterial Potency. <i>ACS Infectious Diseases</i> , 2019 , 5, 1754-1763	5.5	6
110	14- and 15-membered lactone macrolides and their analogues and hybrids: structure, molecular mechanism of action and biological activity. <i>European Journal of Medicinal Chemistry</i> , 2019 , 182, 111662	6.8	27
109	Synthesis, docking and antibacterial studies of more potent amine and hydrazone rifamycin congeners than rifampicin. <i>European Journal of Medicinal Chemistry</i> , 2019 , 167, 96-104	6.8	17
108	Toward Designing Sweet Ionic Liquids Containing a Natural Terpene Moiety as Effective Wood Preservatives. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 15628-15639	8.3	10
107	Antifungal, anticancer, and docking studies of colchicine complexes with monovalent metal cation salts. <i>Chemical Biology and Drug Design</i> , 2019 , 94, 1930-1943	2.9	9
106	Solvates of Zwitterionic Rifampicin: Recurring Packing Motifs via Nonspecific Interactions. <i>Crystal Growth and Design</i> , 2018 , 18, 742-754	3.5	12
105	Cascade reactions as efficient and universal tools for construction and modification of 6-, 5-, 4- and 3-membered sulfur heterocycles of biological relevance. <i>Tetrahedron</i> , 2018 , 74, 6335-6365	2.4	17
104	The mechanism of activation of amidobenzylidene ruthenium chelates - latent catalysts of olefin metathesis. <i>Dalton Transactions</i> , 2017 , 46, 1277-1282	4.3	8
103	Chiral ionic liquids with a (1R)-menthol component as wood preservatives. <i>Holzforschung</i> , 2017 , 71, 751-757	2.2	6
102	16-Membered Macrolide Lactone Derivatives Bearing a Triazole-Functionalized Arm at the Aglycone C13 Position as Antibacterial and Anticancer Agents. <i>ChemMedChem</i> , 2016 , 11, 1886-91	3.7	6

101	Conversion of leucomycin-A3 antibiotic into novel triazole analogues via regio- and diastereoselective SN1? substitution with allylic rearrangement and 1,3-dipolar cycloaddition of CuAAC type. <i>Tetrahedron Letters</i> , 2016 , 57, 1661-1666	2	4
100	Structure-activity relationship studies of new rifamycins containing l-amino acid esters as inhibitors of bacterial RNA polymerases. <i>European Journal of Medicinal Chemistry</i> , 2016 , 116, 216-221	6.8	10
99	Synthesis, Antibacterial, and Anticancer Evaluation of Novel Spiramycin-Like Conjugates Containing C(5) Triazole Arm. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 7963-73	8.3	14
98	Synthesis, structure and antimicrobial evaluation of a new gossypol triazole conjugates functionalized with aliphatic chains and benzyloxy groups. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 4322-6	2.9	6
97	Regio- and Stereoselective Functionalization of 16-Membered Lactone Aglycone of Spiramycin via Cascade Strategy. <i>Journal of Organic Chemistry</i> , 2015 , 80, 7040-9	4.2	5
96	The effect of complexation of 3-formylrifamycin SV macrocyclic ether derivatives with metal cations and small nitrogen-containing organic molecules on antibacterial activity against <i>S. aureus</i> and <i>S. epidermidis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 3903-9	2.9	2
95	Regioselective long-range proton transfer in new rifamycin antibiotics: a process in which crown ethers act as stronger Brønsted bases than amines. <i>ChemPhysChem</i> , 2015 , 16, 938-42	3.2	4
94	Aryloxybenzylidene Ruthenium Chelates: Synthesis, Structure and Catalytic Activity in Olefin Metathesis. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 1131-1136	2.3	9
93	¹³ C and ¹⁵ N CP/MAS, ¹ H- ¹⁵ N SCT CP/MAS and FTIR spectroscopy as tools for qualitative detection of the presence of zwitterionic and non-ionic forms of ansa-macrolide 3-formylrifamycin SV and its derivatives in solid state. <i>Magnetic Resonance in Chemistry</i> , 2014 , 52, 10-21	2.1	6
92	Structure and evaluation of antibacterial and antitubercular properties of new basic and heterocyclic 3-formylrifamycin SV derivatives obtained via 'click chemistry' approach. <i>European Journal of Medicinal Chemistry</i> , 2014 , 84, 651-76	6.8	28
91	Impact of metal cation complexation and protonation on tautomeric and resonance forms of the oxalkyl Schiff bases derived from 5-substituted salicylaldehyde and 2-hydroxy-1-naphthaldehyde. <i>Structural Chemistry</i> , 2014 , 25, 1733-1746	1.8	3
90	Redetermination of rifampicin pentahydrate revealing a zwitterionic form of the antibiotic. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2012 , 68, o209-12		15
89	Intramolecular proton transfer impact on antibacterial properties of ansamycin antibiotic rifampicin and its new amino analogues. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 2385-8	3.9	26
88	A new model of binding of rifampicin and its amino analogues as zwitterions to bacterial RNA polymerase. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 8283-97	3.9	23
87	Transformation of josamycin in alkaline solution: intramolecular SN2 substitution or E1cB elimination and intramolecular Michael addition?. <i>Tetrahedron Letters</i> , 2011 , 52, 6275-6280	2	4
86	MALDI-TOF tandem mass spectrometric analysis of novel aza-analogues of semi-synthetic ansamycin antibiotic--rifampicin. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 751-6	2.2	1
85	Modifications and Biological Activity of Natural and Semisynthetic 16-Membered Macrolide Antibiotics. <i>Current Organic Chemistry</i> , 2011 , 15, 328-374	1.7	19
84	The influence of protonation on molecular structure and physico-chemical properties of gossypol Schiff bases. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 5511-8	3.9	13

83	Structure and atropisomerisation of new diastereomeric gossypol Schiff bases with (R)-(+)-2-amino-3-benzyloxy-1-propanol studied by NMR, ECD and DFT methods. <i>Tetrahedron: Asymmetry</i> , 2010 , 21, 973-981		5
82	Structure elucidation, complete NMR assignment and PM5 theoretical studies of new hydroxy-aminoalkyl- α,β -unsaturated derivatives of the macrolide antibiotic josamycin. <i>Magnetic Resonance in Chemistry</i> , 2010 , 48, 286-96	2.1	3
81	Spectroscopic and theoretical studies of the protonation of N-(5-nitrosalicylidene)-ethylamine. <i>Journal of Molecular Structure</i> , 2010 , 967, 140-146	3.4	15
80	X-ray, spectroscopic and computational studies of the tautomeric structure of a new hydrazone of 5-nitrosalicylaldehyde with indole-3-acetic hydrazide. <i>Journal of Molecular Structure</i> , 2010 , 970, 147-154	3.4	27
79	Schiff Bases in Biological Systems. <i>Current Organic Chemistry</i> , 2009 , 13, 241-249	1.7	46
78	Biological Properties of Schiff Bases and Azo Derivatives of Phenols. <i>Current Organic Chemistry</i> , 2009 , 13, 124-148	1.7	259
77	Complexes of heterocyclic aza-derivatives of phytoalexin from cotton plant-gossypol with alkali metal cations and perchlorate anion studied by ESI mass spectrometric method in the positive and negative modes. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 838-46	2.2	1
76	Fragmentation pathways of new aza derivatives of 16-membered macrolide antibiotic--analog of Josamycin investigated by ESI and FAB mass spectrometric methods. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 1395-401	2.2	3
75	Synthesis, crystal structures and antibacterial activity studies of aza-derivatives of phytoalexin from cotton plant--gossypol. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 4393-403	6.8	25
74	Unexpected β -unsaturated products of reductive amination of the macrolide antibiotic josamycin. <i>Tetrahedron Letters</i> , 2009 , 50, 6203-6207	2	12
73	Antifungal activity of alkyl and heterocyclic aza-derivatives of gossypol as well as their complexes with NaClO ₄ against <i>Fusarium oxysporum</i> f. sp. lupini. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1996-2000	2.9	15
72	FT-IR, ESI and EPR studies of a Dy(III) Schiff base podand complex. <i>Journal of Non-Crystalline Solids</i> , 2009 , 355, 1355-1359	3.9	6
71	Molecular structures and stability constants of gossypol and its aza-derivative complexes with silver(I) cations studied by potentiometric, ESI MS, NMR, and AM1d semiempirical methods. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 8061-9	2.8	15
70	The synthesis and structural studies of a new Kemp β triacid oxaalkyl ester and its complexes with Li ⁺ , Na ⁺ and K ⁺ cations. <i>Journal of Molecular Structure</i> , 2008 , 892, 470-476	3.4	
69	X-ray, FT-IR, ESI MS and PM5 studies of Schiff base of gossypol with allylamine and its complexes with alkali metal cations and perchlorate anion. <i>Structural Chemistry</i> , 2008 , 19, 983-995	1.8	16
68	EI MS and ESI MS studies of the bissequiterpene from cotton seeds: Gossypol and its Aza-derivatives. <i>Journal of Mass Spectrometry</i> , 2008 , 43, 680-6	2.2	4
67	CP/MAS spectroscopy in the determination of the tautomeric forms of gossypol, its Schiff bases and hydrazones in the solid state. <i>Magnetic Resonance in Chemistry</i> , 2008 , 46, 534-44	2.1	12
66	Structure of a new Schiff base of gossypol with 1-(3-aminopropyl)-2-pyrrolidinone studied by the X-ray, FT-IR, NMR, ESI-MS and PM5 methods. <i>Journal of Molecular Structure</i> , 2008 , 889, 332-343	3.4	12

65	Synthesis and antimicrobial properties of monensin A esters. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 2585-9	2.9	44
64	Structural and semiempirical investigation of hydrazone of gossypol and its protonated species. <i>Journal of Molecular Structure</i> , 2008 , 878, 71-77	3-4	5
63	ESI MS, spectroscopic and semiempirical characterization of a macrobicyclic complex with Er (III) cation. <i>Journal of Molecular Structure</i> , 2008 , 878, 95-103	3-4	2
62	NMR, FTIR, ESI-MS and semiempirical study of a new 2-(2-hydroxyethoxy)ethyl ester of monensin A and its complexes with alkali metal cations. <i>Tetrahedron</i> , 2007 , 63, 8831-8839	2.4	18
61	¹³ C, ¹⁵ N CP-MAS as well as FT-IR studies of gossypol derivatives with aromatic substituents in solid. <i>Journal of Molecular Structure</i> , 2007 , 826, 150-155	3-4	11
60	The structures of monensin A derivatives and its complexes with some monovalent cations studied by the AM1d, PM3 as well as PM5 semiempirical methods. <i>Journal of Molecular Structure</i> , 2007 , 826, 156-164	3-4	38
59	Oligomycin A complex structures with some divalent metal cations studied by ESI MS and PM5 semiempirical methods. <i>Journal of Molecular Structure</i> , 2007 , 830, 58-71	3-4	5
58	Spectroscopic and PM5 semiempirical studies of the proton accepting properties of 1,8-bis(tetramethylguanidino)naphthalene. <i>Journal of Molecular Structure</i> , 2007 , 844-845, 157-165	3-4	3
57	Spectroscopic, mass spectrometry and semiempirical investigation of a new Monensin A allyl ester and its complexes with Li ⁺ , Na ⁺ and K ⁺ cations. <i>Journal of Molecular Structure</i> , 2007 , 828, 130-141	3-4	14
56	Investigation of complex structures of a new 2-hydroxyethyl ester of Monensin A with Mg ²⁺ , Ca ²⁺ , Sr ²⁺ , Ba ²⁺ cations using electrospray ionization mass spectrometry and semiempirical PM5 methods. <i>Journal of Molecular Structure</i> , 2007 , 829, 111-119	3-4	20
55	Spectroscopic studies and PM5 semiempirical calculations of new hydrazone of gossypol with 3,6,9-trioxadecylhydrazine. <i>Journal of Molecular Structure</i> , 2007 , 830, 72-77	3-4	5
54	Spectroscopic, semiempirical and X-ray structural study of the 2:1 complex of a cyclic diamide of o-phthalic acid with water molecule. <i>Journal of Molecular Structure</i> , 2007 , 840, 22-28	3-4	5
53	ESI MS, spectroscopic and PM5 semiempirical studies of Colchicine complexes with lithium, sodium and potassium salts. <i>Journal of Molecular Structure</i> , 2007 , 846, 13-22	3-4	6
52	Structure and electrochemical reactivity of 3-[tris(2-methoxyethoxy)silyl]-propanethiol adsorbed on silver surface. <i>Thin Solid Films</i> , 2006 , 515, 152-157	2.2	3
51	Spectroscopic, mass spectrometry, and semiempirical investigation of a new ester of Monensin A with ethylene glycol and its complexes with monovalent metal cations. <i>Biopolymers</i> , 2006 , 82, 491-503	2.2	25
50	¹ H- and ¹³ C-NMR, FTIR, UV-VIS, ESI-MS, and PM5 studies as well as emission properties of a new Schiff base of gossypol with 5-methoxytryptamine and a new hydrazone of gossypol with dansylhydrazine. <i>Biopolymers</i> , 2006 , 82, 521-35	2.2	23
49	Multinuclear magnetic resonance, electrospray ionization-mass spectroscopy, and parametric method 5 studies of a new derivative of gossypol with 2-thiophenecarbohydrazide as well as its complexes with Li ⁺ , Na ⁺ , K ⁺ , Rb ⁺ , and Cs ⁺ cations. <i>Biopolymers</i> , 2006 , 83, 213-25	2.2	8
48	Monensin A methyl ester complexes with Li ⁺ , Na ⁺ , and K ⁺ cations studied by ESI-MS, ¹ H- and ¹³ C-NMR, FTIR, as well as PM5 semiempirical method. <i>Biopolymers</i> , 2006 , 81, 282-94	2.2	32

47	Spectroscopic and semiempirical studies of a proton channel formed by the methyl ester of monensin A. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 15615-23	3-4	21
46	Mass spectrometric and PM5 study of some piperidine-N-methyldiphosphonic acids and their complexes with alkali cations. <i>Journal of Molecular Structure</i> , 2006 , 782, 183-190	3-4	3
45	Complexes of monensin A methyl ester with Mg ²⁺ , Ca ²⁺ , Sr ²⁺ , Ba ²⁺ cations studied by electrospray ionization mass spectrometry and PM5 semiempirical method. <i>Journal of Molecular Structure</i> , 2006 , 788, 176-183	3-4	28
44	Potentiometric and AM1d studies of silicon and boron podandsilver (I) complexes. <i>Journal of Molecular Structure</i> , 2006 , 788, 184-189	3-4	9
43	Kinetics and mechanism of the reaction between 2,3,4,5,6-pentafluorophenylacetonitrile and guanidine-like bases and the structure of the products. <i>Journal of Molecular Structure</i> , 2006 , 794, 230-236	3-4	3
42	Spectroscopic and PM5 studies of a new Schiff base of Gossypol with 4?-aminobenzo-15-crown-5 in solution. <i>Journal of Molecular Structure</i> , 2006 , 794, 237-243	3-4	8
41	¹ H, ¹³ C and ¹⁵ N NMR, FT-IR as well as PM5 studies of a new Schiff base of gossypol with 3,6-dioxadecylamine in solution. <i>Journal of Molecular Structure</i> , 2006 , 797, 92-98	3-4	22
40	Monensin A benzyl ester and its complexes with monovalent metal cations studied by spectroscopic, mass spectrometry and semiempirical methods. <i>Journal of Molecular Structure</i> , 2006 , 797, 99-110	3-4	19
39	The reaction heats and PM5 semiempirical studies of complexes formed between silicon podand and monovalent cations. <i>Journal of Molecular Structure</i> , 2005 , 733, 231-237	3-4	9
38	NMR, FT-IR as well as PM5 semiempirical studies of new hydrazone of gossypol with 3-oxa-n-butylhydrazine. <i>Journal of Molecular Structure</i> , 2005 , 734, 45-49	3-4	19
37	¹ H, ¹³ C NMR, FT-IR as well as PM5 semiempirical studies of new hydrazone of gossypol with 2,2'-diethoxyethyl hydrazine. <i>Journal of Molecular Structure</i> , 2005 , 743, 145-149	3-4	15
36	Mass spectrometric and PM5 study of N-(2-pyridyl)-aminomethyldiphosphonic acids and their complexes with alkali cations. <i>Journal of Molecular Structure</i> , 2005 , 750, 142-151	3-4	1
35	Spectroscopic and semiempirical studies of new Schiff base of gossypol with allylamine in solution. <i>Journal of Molecular Structure</i> , 2005 , 750, 152-157	3-4	24
34	¹³ C, ¹⁵ N NMR and CP-MAS as well as FT-IR and PM5 studies of Schiff base of gossypol with l-phenylalanine methyl ester in solution and solid. <i>Journal of Molecular Structure</i> , 2005 , 734, 123-128	3-4	26
33	ESI MS, NMR and PM5 semiempirical studies of oligomycin A and its complexes with Li ⁺ and Na ⁺ cations. <i>Journal of Molecular Structure</i> , 2005 , 738, 261-270	3-4	11
32	¹³ C, ¹⁵ N CP-MAS, FTIR and PM5 studies of some Schiff bases of gossypol in solid. <i>Journal of Molecular Structure</i> , 2005 , 748, 111-117	3-4	25
31	Potentiometric and AM1d studies of silicon podandsilver(I) complexes. <i>Journal of Molecular Structure</i> , 2005 , 738, 227-231	3-4	11
30	The reaction heats and PM5 semiempirical studies of complexes formed between silicon podand and Li ⁺ cations. <i>Journal of Molecular Structure</i> , 2005 , 741, 11-17	3-4	8

29	Potentiometric and AM1d studies of silicon and phosphorous podands-silver (I) complexes. <i>Journal of Molecular Structure</i> , 2005 , 749, 122-127	3-4	11
28	CP-MAS and FT-IR spectroscopic studies of new derivatives of gossypol in solid. <i>Journal of Molecular Structure</i> , 2005 , 751, 151-155	3-4	12
27	Spectroscopic and PM5 semiempirical studies of new hydrazone of gossypol with 3,6-dioxahexylhydrazine. <i>Journal of Molecular Structure</i> , 2005 , 754, 31-36	3-4	11
26	Schiff base of gossypol with 3,6,9-trioxa-decylamine complexes with monovalent cations studied by mass spectrometry, (1)H-NMR, FTIR, and PM5 semiempirical methods. <i>Biopolymers</i> , 2004 , 73, 470-83	2-2	22
25	The schiff base of gossypol with 3,6,9,12,15,18,21,24-octaoxa-pentacosylamine complexes and monovalent cations studied by electrospray ionization-mass spectrometry, (1)H nuclear magnetic resonance, Fourier transform infrared, as well as PM5 semiempirical methods. <i>Biopolymers</i> , 2004 , 74, 273-86	2-2	20
24	Lasalocid polyoxaalkyl esters complexes with Li ⁺ , Na ⁺ , K ⁺ , Rb ⁺ and Cs ⁺ cations studied by ESI MS and semiempirical methods. <i>Journal of Molecular Structure</i> , 2004 , 688, 171-176	3-4	17
23	Spectroscopic studies and PM5 semiempirical calculations of tautomeric forms of gossypol schiff base with (R)-tetrahydrofurfurylamine. <i>Journal of Molecular Structure</i> , 2004 , 691, 227-234	3-4	30
22	Multinuclear NMR, FT-IR, ESI MS studies and PM5 semiempirical calculations of new ethylene glycol ester of lasalocid acid and their complexes with K ⁺ cation. <i>Journal of Molecular Structure</i> , 2004 , 694, 55-61	3-4	18
21	ESI MS and PM5 semiempirical studies of gossypol schiff base with (R)-tetrahydrofurfurylamine complexes and monovalent cations. <i>Journal of Molecular Structure</i> , 2004 , 693, 95-102	3-4	18
20	NMR, FT-IR, ESI MS studies and PM5 semiempirical calculations of lasalocid ethylene glycol ester complexes with Li ⁺ and Na ⁺ cations. <i>Journal of Molecular Structure</i> , 2004 , 694, 155-163	3-4	17
19	The Schiff base of gossypol with 2-(aminomethyl)-18-crown-6 complexes and H ⁺ , Li ⁺ , Na ⁺ , K ⁺ , Rb ⁺ , Cs ⁺ cations studied by ESI MS, 1H NMR, FT-IR and PM5 semiempirical methods. <i>Journal of Molecular Structure</i> , 2004 , 699, 65-77	3-4	23
18	FTIR studies of the interactions of 1,3,5-triazabicyclo[4.4.0]dec-5-ene with 4-tert-butylphenol and 4-cyanophenol. <i>Journal of Molecular Structure</i> , 2003 , 661-662, 171-182	3-4	11
17	Spectroscopic study and PM5 semiempirical calculations of tautomeric forms of gossypol Schiff base with n-butylamine in the solid state and in the solution. <i>Journal of Molecular Structure</i> , 2003 , 646, 161-168	3-4	41
16	Spectroscopic studies of Schiff bases of 2,2'-dihydroxybiphenyl-3-carbaldehyde and para substituted anilines. <i>Journal of Molecular Structure</i> , 2003 , 649, 197-205	3-4	34
15	Crystal structure of Schiff base derivative of 2,2'-dihydroxybiphenyl-3-carbaldehyde with n-butylamine. <i>Journal of Molecular Structure</i> , 2003 , 650, 191-199	3-4	37
14	The complexes between Schiff base of gossypol with l-phenylalanine methyl ester and some monovalent cations studied by 1H NMR, ESI MS, FT-IR as well as PM5 semi-empirical methods. <i>Journal of Molecular Structure</i> , 2003 , 654, 167-176	3-4	29
13	Complexes of Schiff base of gossypol with 5-hydroxy-3-oxapentylamine and some monovalent cations studied by ESI MS as well as PM5 semiempirical methods. <i>Journal of Molecular Structure</i> , 2003 , 654, 245-252	3-4	23
12	Reactions of fluoronitrobenzenes with MTBD strong base in acetonitrile in the presence of water molecules. <i>Journal of Molecular Structure</i> , 2003 , 655, 259-267	3-4	4

11	Crystal structure of Schiff base derivative of gossypol with 3,6,9-trioxa-decylamine. <i>Journal of Molecular Structure</i> , 2003 , 655, 293-300	3-4	35
10	Complexes of Schiff base of gossypol with n-butylamine and some monovalent or bivalent cations studied by ESI MS, NMR, FT-IR as well as PM5 semiempirical methods. <i>Journal of Molecular Structure</i> , 2003 , 658, 193-205	3-4	21
9	Complexes of Schiff base of gossypol with 5-hydroxy-3-oxapentylamine and Ca ²⁺ , Ba ²⁺ or Pb ²⁺ cations studied by NMR, FT-IR, ESI MS as well as PM5 semiempirical methods. <i>Journal of Molecular Structure</i> , 2003 , 658, 115-124	3-4	26
8	¹ H NMR, FT-IR and MS studies and PM5 semiempirical calculations of complexes between the Schiff base of gossypol with 2-(aminomethyl)-15-crown-5 and Ca ²⁺ , Pb ²⁺ and Ba ²⁺ cations. <i>Journal of Physical Organic Chemistry</i> , 2003 , 16, 289-297	2.1	33
7	Spectroscopic studies and PM3 semiempirical calculations of Schiff bases of gossypol with L-amino acid methyl esters. <i>Biopolymers</i> , 2002 , 67, 61-9	2.2	58
6	Spectroscopic studies and PM5 semiempirical calculations of new Schiff bases of gossypol with polyoxaalkylamines. <i>Biopolymers</i> , 2002 , 65, 111-20	2.2	43
5	Spectroscopic studies and PM5 semiempirical calculations of new Schiff bases of gossypol with amino derivatives of crown ethers. <i>Journal of Molecular Structure</i> , 2002 , 611, 193-201	3-4	52
4	Kinetic studies of complexation reaction of polyoxaalkyl phosphates with Fe(III) in ethanol. <i>Journal of Molecular Structure</i> , 2002 , 643, 9-19	3-4	6
3	Spectroscopic studies of new Schiff and SchiffMannich bases of ortho-derivatives of 4-bromophenol. <i>Journal of Molecular Structure</i> , 2002 , 643, 115-121	3-4	37
2	The Schiff base of gossypol with 2-(aminomethyl)-15-crown-5 complexes with monovalent cations studied by MS, ¹ H NMR, FT-IR and PM5 semiempirical methods. <i>Physical Chemistry Chemical Physics</i> , 2002 , 4, 6137-6143	3.6	38
1	Spectroscopic and semiempirical studies of gossypol complexes with Fe ²⁺ and Fe ³⁺ cations. <i>Journal of Molecular Structure</i> , 2001 , 569, 147-155	3-4	30