

# Jean-Philippe Ranjeva

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1472390/jean-philippe-ranjeva-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132  
papers

4,153  
citations

37  
h-index

60  
g-index

138  
ext. papers

4,953  
ext. citations

5.3  
avg, IF

4.76  
L-index

#	Paper	IF	Citations
132	Decreased basal fMRI functional connectivity in epileptogenic networks and contralateral compensatory mechanisms. <i>Human Brain Mapping</i> , <b>2009</b> , 30, 1580-91	5.9	288
131	Compensatory cortical activation observed by fMRI during a cognitive task at the earliest stage of MS. <i>Human Brain Mapping</i> , <b>2003</b> , 20, 51-8	5.9	201
130	Magnetic resonance study of the influence of tissue damage and cortical reorganization on PASAT performance at the earliest stage of multiple sclerosis. <i>Human Brain Mapping</i> , <b>2005</b> , 24, 216-28	5.9	140
129	Role of resting state functional connectivity MRI in presurgical investigation of mesial temporal lobe epilepsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2010</b> , 81, 1147-54	5.5	136
128	Brain morphometry reproducibility in multi-center 3T MRI studies: a comparison of cross-sectional and longitudinal segmentations. <i>NeuroImage</i> , <b>2013</b> , 83, 472-84	7.9	129
127	Atrophy mainly affects the limbic system and the deep grey matter at the first stage of multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2010</b> , 81, 690-5	5.5	121
126	Assessing brain connectivity at rest is clinically relevant in early multiple sclerosis. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 1251-8	5	111
125	Imaging structural and functional connectivity: towards a unified definition of human brain organization?. <i>Current Opinion in Neurology</i> , <b>2008</b> , 21, 393-403	7.1	109
124	Distribution of brain sodium accumulation correlates with disability in multiple sclerosis: a cross-sectional <sup>23</sup> Na MR imaging study. <i>Radiology</i> , <b>2012</b> , 264, 859-67	20.5	87
123	Use of proton magnetic resonance spectroscopy of the brain to differentiate gliomatosis cerebri from low-grade glioma. <i>Journal of Neurosurgery</i> , <b>2003</b> , 98, 269-76	3.2	87
122	Altered functional connectivity related to white matter changes inside the working memory network at the very early stage of MS. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2005</b> , 25, 1245-53	7.3	87
121	Interictal functional connectivity of human epileptic networks assessed by intracerebral EEG and BOLD signal fluctuations. <i>PLoS ONE</i> , <b>2011</b> , 6, e20071	3.7	84
120	Structure of WM bundles constituting the working memory system in early multiple sclerosis: a quantitative DTI tractography study. <i>NeuroImage</i> , <b>2007</b> , 36, 1324-30	7.9	83
119	Functional connectivity changes differ in early and late-onset Alzheimer's disease. <i>Human Brain Mapping</i> , <b>2014</b> , 35, 2978-94	5.9	75
118	Spinal cord involvement in multiple sclerosis and neuromyelitis optica spectrum disorders. <i>Lancet Neurology</i> , <b>2019</b> , 18, 185-197	24.1	74
117	Multisite longitudinal reliability of tract-based spatial statistics in diffusion tensor imaging of healthy elderly subjects. <i>NeuroImage</i> , <b>2014</b> , 101, 390-403	7.9	70
116	Inflammatory multiple-sclerosis plaques generate characteristic metabolic profiles in cerebrospinal fluid. <i>PLoS ONE</i> , <b>2007</b> , 2, e595	3.7	68

115	Voxel-based analysis of MTR images: a method to locate gray matter abnormalities in patients at the earliest stage of multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2004</b> , 20, 765-71	5.6	68
114	Basal functional connectivity within the anterior temporal network is associated with performance on declarative memory tasks. <i>NeuroImage</i> , <b>2011</b> , 58, 687-97	7.9	67
113	Diffusion tensor imaging in multiple sclerosis: a tool for monitoring changes in normal-appearing white matter. <i>Multiple Sclerosis Journal</i> , <b>2004</b> , 10, 188-96	5	66
112	The right temporal lobe variant of frontotemporal dementia: cognitive and neuroanatomical profile of three patients. <i>Journal of Neurology</i> , <b>2006</b> , 253, 1447-58	5.5	61
111	Longitudinal reproducibility of default-mode network connectivity in healthy elderly participants: A multicentric resting-state fMRI study. <i>NeuroImage</i> , <b>2016</b> , 124, 442-454	7.9	58
110	Noninvasive diagnostic assessment of brain tumors using combined in vivo MR imaging and spectroscopy. <i>Magnetic Resonance in Medicine</i> , <b>2006</b> , 55, 1236-45	4.4	58
109	Extent and neural basis of semantic memory impairment in mild cognitive impairment. <i>Journal of Alzheimers Disease</i> , <b>2012</b> , 28, 823-37	4.3	56
108	Local tissue damage assessed with statistical mapping analysis of brain magnetization transfer ratio: relationship with functional status of patients in the earliest stage of multiple sclerosis. <i>American Journal of Neuroradiology</i> , <b>2005</b> , 26, 119-27	4.4	56
107	Free water elimination improves test-retest reproducibility of diffusion tensor imaging indices in the brain: A longitudinal multisite study of healthy elderly subjects. <i>Human Brain Mapping</i> , <b>2017</b> , 38, 12-26	5.9	51
106	Functional magnetic resonance imaging and cognition at the very early stage of MS. <i>Journal of the Neurological Sciences</i> , <b>2006</b> , 245, 87-91	3.2	49
105	Tract-specific and age-related variations of the spinal cord microstructure: a multi-parametric MRI study using diffusion tensor imaging (DTI) and inhomogeneous magnetization transfer (ihMT). <i>NMR in Biomedicine</i> , <b>2016</b> , 29, 817-32	4.4	45
104	Anatomic consistencies across epilepsies: a stereotactic-EEG informed high-resolution structural connectivity study. <i>Brain</i> , <b>2017</b> , 140, 2639-2652	11.2	45
103	(1)H MR spectroscopy of human brain tumours: a practical approach. <i>European Journal of Radiology</i> , <b>2008</b> , 67, 268-274	4.7	45
102	Early-onset and late-onset Alzheimer's disease are associated with distinct patterns of memory impairment. <i>Cortex</i> , <b>2016</b> , 74, 217-32	3.8	44
101	Morphometrics of the entire human spinal cord and spinal canal measured from in vivo high-resolution anatomical magnetic resonance imaging. <i>Spine</i> , <b>2014</b> , 39, E262-9	3.3	44
100	Association between CSF biomarkers, hippocampal volume and cognitive function in patients with amnesic mild cognitive impairment (MCI). <i>Neurobiology of Aging</i> , <b>2017</b> , 53, 1-10	5.6	43
99	Topography of brain sodium accumulation in progressive multiple sclerosis. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2014</b> , 27, 53-62	2.8	41
98	Contribution of Sinerem used as blood-pool contrast agent: detection of cerebral blood volume changes during apnea in the rabbit. <i>Magnetic Resonance in Medicine</i> , <b>1996</b> , 36, 415-9	4.4	39

97	Construction of an in vivo human spinal cord atlas based on high-resolution MR images at cervical and thoracic levels: preliminary results. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2014</b> , 27, 257-67	2.8	38
96	Structural and functional surrogates of cognitive impairment at the very early stage of multiple sclerosis. <i>Journal of the Neurological Sciences</i> , <b>2006</b> , 245, 161-7	3.2	38
95	Depletion of brain functional connectivity enhancement leads to disability progression in multiple sclerosis: A longitudinal resting-state fMRI study. <i>Multiple Sclerosis Journal</i> , <b>2016</b> , 22, 1695-1708	5	36
94	Metabolic and electrophysiological alterations in subtypes of temporal lobe epilepsy: a combined proton magnetic resonance spectroscopic imaging and depth electrodes study. <i>Epilepsia</i> , <b>2002</b> , 43, 1197-209	6.4	36
93	High-resolution multi-parametric quantitative magnetic resonance imaging of the human cervical spinal cord at 7T. <i>NeuroImage</i> , <b>2016</b> , 143, 58-69	7.9	35
92	Prevalence of grey matter pathology in early multiple sclerosis assessed by magnetization transfer ratio imaging. <i>PLoS ONE</i> , <b>2011</b> , 6, e24969	3.7	35
91	Whole-brain analytic measures of network communication reveal increased structure-function correlation in right temporal lobe epilepsy. <i>NeuroImage: Clinical</i> , <b>2016</b> , 11, 707-718	5.3	34
90	Longitudinal reproducibility of automatically segmented hippocampal subfields: A multisite European 3T study on healthy elderly. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 3516-27	5.9	31
89	Relationships between gray matter metabolic abnormalities and white matter inflammation in patients at the very early stage of MS : a MRSI study. <i>Journal of Neurology</i> , <b>2007</b> , 254, 914-23	5.5	31
88	White matter damage impairs access to consciousness in multiple sclerosis. <i>NeuroImage</i> , <b>2009</b> , 44, 590-97.9		30
87	A reliable spatially normalized template of the human spinal cord--Applications to automated white matter/gray matter segmentation and tensor-based morphometry (TBM) mapping of gray matter alterations occurring with age. <i>NeuroImage</i> , <b>2015</b> , 117, 20-8	7.9	28
86	Test-retest reliability of the default mode network in a multi-centric fMRI study of healthy elderly: Effects of data-driven physiological noise correction techniques. <i>Human Brain Mapping</i> , <b>2016</b> , 37, 2114-32.9	5.9	27
85	Improvement of spasticity following intermittent theta burst stimulation in multiple sclerosis is associated with modulation of resting-state functional connectivity of the primary motor cortices. <i>Multiple Sclerosis Journal</i> , <b>2017</b> , 23, 855-863	5	27
84	Nodal approach reveals differential impact of lateralized focal epilepsies on hub reorganization. <i>NeuroImage</i> , <b>2015</b> , 118, 39-48	7.9	26
83	Whole-brain quantitative mapping of metabolites using short echo three-dimensional proton MRSI. <i>Journal of Magnetic Resonance Imaging</i> , <b>2015</b> , 42, 280-9	5.6	26
82	Complementary contributions of concurrent EEG and fMRI connectivity for predicting structural connectivity. <i>NeuroImage</i> , <b>2017</b> , 161, 251-260	7.9	26
81	Increased total sodium concentration in gray matter better explains cognition than atrophy in MS. <i>Neurology</i> , <b>2017</b> , 88, 289-295	6.5	25
80	Distribution of brain sodium long and short relaxation times and concentrations: a multi-echo ultra-high field Na MRI study. <i>Scientific Reports</i> , <b>2018</b> , 8, 4357	4.9	25

79	Region-specific impairment of the cervical spinal cord (SC) in amyotrophic lateral sclerosis: A preliminary study using SC templates and quantitative MRI (diffusion tensor imaging/inhomogeneous magnetization transfer). <i>NMR in Biomedicine</i> , <b>2017</b> , 30, e3801	4.4	25
78	Unfolding the long-term pathophysiological processes following an acute inflammatory demyelinating lesion of multiple sclerosis. <i>Magnetic Resonance Imaging</i> , <b>2010</b> , 28, 477-86	3.3	25
77	Regional metabolite levels of the normal posterior fossa studied by proton chemical shift imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2001</b> , 13, 127-33	2.8	25
76	Metabolic voxel-based analysis of the complete human brain using fast 3D-MRSI: Proof of concept in multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2016</b> , 44, 411-9	5.6	25
75	Simultaneous Intracranial EEG-fMRI Shows Inter-Modality Correlation in Time-Resolved Connectivity Within Normal Areas but Not Within Epileptic Regions. <i>Brain Topography</i> , <b>2017</b> , 30, 639-655	4.3	24
74	Hypoperfusion of the thalamus is associated with disability in relapsing remitting multiple sclerosis. <i>Journal of Neuroradiology</i> , <b>2017</b> , 44, 158-164	3.1	23
73	Hyperactivation of parahippocampal region and fusiform gyrus associated with successful encoding in medial temporal lobe epilepsy. <i>Epilepsia</i> , <b>2011</b> , 52, 1100-9	6.4	23
72	Whole brain inhomogeneous magnetization transfer (ihMT) imaging: Sensitivity enhancement within a steady-state gradient echo sequence. <i>Magnetic Resonance in Medicine</i> , <b>2018</b> , 79, 2607-2619	4.4	22
71	Intact subliminal processing and delayed conscious access in multiple sclerosis. <i>Neuropsychologia</i> , <b>2007</b> , 45, 2683-91	3.2	22
70	Difference in imaging biomarkers of neurodegeneration between early and late-onset amnesic Alzheimer's disease. <i>Neurobiology of Aging</i> , <b>2017</b> , 54, 22-30	5.6	21
69	Specific brain activation patterns associated with two neuromuscular electrical stimulation protocols. <i>Scientific Reports</i> , <b>2017</b> , 7, 2742	4.9	21
68	Cognitive impairment at the onset of multiple sclerosis: relationship to lesion location. <i>Multiple Sclerosis Journal</i> , <b>2011</b> , 17, 755-8	5	21
67	Evaluation of the Sensitivity of Inhomogeneous Magnetization Transfer (ihMT) MRI for Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , <b>2018</b> , 39, 634-641	4.4	19
66	Single-trial EEG-informed fMRI reveals spatial dependency of BOLD signal on early and late IC-ERP amplitudes during face recognition. <i>NeuroImage</i> , <b>2014</b> , 100, 325-36	7.9	19
65	Association between structural and functional corticospinal involvement in amyotrophic lateral sclerosis assessed by diffusion tensor MRI and triple stimulation technique. <i>Muscle and Nerve</i> , <b>2014</b> , 49, 551-7	3.4	19
64	MR imaging and MR spectroscopy in rhizomelic chondrodysplasia punctata. <i>American Journal of Neuroradiology</i> , <b>2002</b> , 23, 480-3	4.4	19
63	Brain Networks are Independently Modulated by Donepezil, Sleep, and Sleep Deprivation. <i>Brain Topography</i> , <b>2018</b> , 31, 380-391	4.3	19
62	Predictive value of imaging markers at multiple sclerosis disease onset based on gadolinium- and USPIO-enhanced MRI and machine learning. <i>PLoS ONE</i> , <b>2014</b> , 9, e93024	3.7	18

61	A branched-chain organic acid linked to multiple sclerosis: first identification by NMR spectroscopy of CSF. <i>Biochemical and Biophysical Research Communications</i> , <b>2007</b> , 354, 160-4	3.4	18
60	Brain sodium MRI in human epilepsy: Disturbances of ionic homeostasis reflect the organization of pathological regions. <i>NeuroImage</i> , <b>2017</b> , 157, 173-183	7.9	16
59	7T Epilepsy Task Force Consensus Recommendations on the Use of 7T MRI in Clinical Practice. <i>Neurology</i> , <b>2021</b> , 96, 327-341	6.5	16
58	Ultra-small superparamagnetic iron oxide enhancement is associated with higher loss of brain tissue structure in clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , <b>2016</b> , 22, 1032-9	5	15
57	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated volumetry across different MRI sites and vendors. <i>NeuroImage</i> , <b>2020</b> , 218, 116932	7.9	15
56	Neural substrate of quality of life in patients with schizophrenia: a magnetisation transfer imaging study. <i>Scientific Reports</i> , <b>2015</b> , 5, 17650	4.9	15
55	Occurrence of neuronal dysfunction during the first 5 years of multiple sclerosis is associated with cognitive deterioration. <i>Journal of Neurology</i> , <b>2011</b> , 258, 811-9	5.5	15
54	Feasibility of single-shot multi-level multi-angle diffusion tensor imaging of the human cervical spinal cord at 7T. <i>Magnetic Resonance in Medicine</i> , <b>2018</b> , 80, 947-957	4.4	13
53	Individual voxel-based analysis of brain magnetization transfer maps shows great variability of gray matter injury in the first stage of multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2010</b> , 32, 424-8	5.6	13
52	Modular slowing of resting-state dynamic functional connectivity as a marker of cognitive dysfunction induced by sleep deprivation. <i>NeuroImage</i> , <b>2020</b> , 222, 117155	7.9	11
51	Longitudinal study of functional brain network reorganization in clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , <b>2020</b> , 26, 188-200	5	11
50	Quantitative Brain Sodium MRI Depicts Corticospinal Impairment in Amyotrophic Lateral Sclerosis. <i>Radiology</i> , <b>2019</b> , 292, 422-428	20.5	10
49	Voxelwise analysis of conventional magnetic resonance imaging to predict future disability in early relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 1585-91	5	10
48	An MRI evaluation of grey matter damage in African Americans with MS. <i>Multiple Sclerosis and Related Disorders</i> , <b>2018</b> , 25, 29-36	4	9
47	Motor cortical reorganization is present after a single attack of multiple sclerosis devoid of cortico-spinal dysfunction. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2011</b> , 24, 77-84	2.8	9
46	Diffusion and perfusion MRI, measurements of acute stroke events and outcome: present practice and future hope. <i>Cerebrovascular Diseases</i> , <b>1998</b> , 8 Suppl 2, 8-16	3.2	9
45	Structural Connectivity Alterations in Amyotrophic Lateral Sclerosis: A Graph Theory Based Imaging Study. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 1044	5.1	8
44	Brain functional plasticity at rest and during action in multiple sclerosis patients. <i>Journal of Clinical Neuroscience</i> , <b>2015</b> , 22, 1438-43	2.2	8

43	Alien Hand, Restless Brain: Salience Network and Interhemispheric Connectivity Disruption Parallel Emergence and Extinction of Diagonistic Dyspraxia. <i>Frontiers in Human Neuroscience</i> , <b>2016</b> , 10, 307	3.3	8
42	High levels of serum soluble TWEAK are associated with neuroinflammation during multiple sclerosis. <i>Journal of Translational Medicine</i> , <b>2019</b> , 17, 51	8.5	7
41	Regional T mapping of the whole cervical spinal cord using an optimized MP2RAGE sequence. <i>NMR in Biomedicine</i> , <b>2019</b> , 32, e4142	4.4	7
40	Cued recall measure predicts the progression of gray matter atrophy in patients with amnesic mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2013</b> , 36, 197-210	2.6	7
39	CSF cutoffs for MCI due to AD depend on APOE $\epsilon$ 4 carrier status. <i>Neurobiology of Aging</i> , <b>2020</b> , 89, 55-62	5.6	7
38	Accuracy and reproducibility of automated white matter hyperintensities segmentation with lesion segmentation tool: A European multi-site 3T study. <i>Magnetic Resonance Imaging</i> , <b>2021</b> , 76, 108-115	3.3	7
37	Metabolic counterparts of sodium accumulation in multiple sclerosis: A whole brain Na-MRI and fast H-MRSI study. <i>Multiple Sclerosis Journal</i> , <b>2019</b> , 25, 39-47	5	6
36	An Alzheimer Disease Challenge Model: 24-Hour Sleep Deprivation in Healthy Volunteers, Impact on Working Memory, and Reversal Effect of Pharmacological Intervention: A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. <i>Journal of Clinical Psychopharmacology</i> , <b>2020</b> , 40, 888-898	1.7	5
35	Evidencing different neurochemical profiles between thalamic nuclei using high resolution 2D-PRESS semi-LASER (1)H-MRSI at 7 T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2016</b> , 29, 491-501	2.8	4
34	Modular slowing of resting-state dynamic Functional Connectivity as a marker of cognitive dysfunction induced by sleep deprivation		4
33	Dynamic Na MRI - A non-invasive window on neuroglial-vascular mechanisms underlying brain function. <i>NeuroImage</i> , <b>2019</b> , 184, 771-780	7.9	4
32	Fast water concentration mapping to normalize (1)H MR spectroscopic imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2015</b> , 28, 87-100	2.8	3
31	Sensitivity of the Inhomogeneous Magnetization Transfer Imaging Technique to Spinal Cord Damage in Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , <b>2020</b> , 41, 929-937	4.4	3
30	Connectivity strength, time lag structure and the epilepsy network in resting-state fMRI. <i>NeuroImage: Clinical</i> , <b>2019</b> , 24, 102035	5.3	3
29	Aerobic Exercise Induces Functional and Structural Reorganization of CNS Networks in Multiple Sclerosis: A Randomized Controlled Trial. <i>Frontiers in Human Neuroscience</i> , <b>2020</b> , 14, 255	3.3	3
28	Aquaporin 4 distribution in the brain and its relevance for the radiological appearance of neuromyelitis optica spectrum disease. <i>Journal of Neuroradiology</i> , <b>2021</b> , 48, 170-175	3.1	3
27	Diffusion MRI abnormalities detection with orientation distribution functions: a multiple sclerosis longitudinal study. <i>Medical Image Analysis</i> , <b>2015</b> , 22, 114-23	15.4	2
26	Trimmed autocalibrating k-space estimation based on structured matrix completion. <i>Magnetic Resonance Imaging</i> , <b>2017</b> , 43, 88-94	3.3	2

25	P2-188: Characterization of cognitive function with the cantab in individuals with amnesic mild cognitive impairment in relation to hippocampal volume, amyloid, and tau status: Preliminary baseline results from the PharmaCog/european-ADNI study <b>2015</b> , 11, P564-P564		2
24	Advanced magnetic resonance imaging techniques to better understand multiple sclerosis. <i>Biophysical Reviews</i> , <b>2010</b> , 2, 83-90	3.7	2
23	Comparison of single-voxel H-cardiovascular magnetic resonance spectroscopy techniques for in vivo measurement of myocardial creatine and triglycerides at 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , <b>2021</b> , 23, 53	6.9	2
22	USPIO-positive MS lesions are associated with greater tissue damage than gadolinium-positive-only lesions during 3-year follow-up. <i>Multiple Sclerosis Journal</i> , <b>2018</b> , 24, 1852-1861	5	1
21	IC-P-039: Impairment of Resting-State Functional Connectivity in The Default-Mode Network Closely Tracks CSF Biomarkers In MCI <b>2016</b> , 12, P34-P34		1
20	P3-101: CROSS-SECTIONAL BIOMARKER CHARACTERIZATION OF MILD COGNITIVE IMPAIRMENT PATIENTS IN WP5 PHARMACOG/E-ADNI STUDY <b>2014</b> , 10, P665-P665		1
19	Automatic segmentation of Deep Grey Nuclei using a high-resolution 7T MRI Atlas - quantification of T1 values in healthy volunteers.. <i>European Journal of Neuroscience</i> , <b>2021</b> ,	3.5	1
18	T1-Based Synthetic Magnetic Resonance Contrasts Improve Multiple Sclerosis and Focal Epilepsy Imaging at 7 T. <i>Investigative Radiology</i> , <b>2021</b> , 56, 127-133	10.1	1
17	Delayed access to conscious processing in multiple sclerosis: Reduced cortical activation and impaired structural connectivity. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 3379-3395	5.9	1
16	P2-302: CSF Beta-Amyloid- and APOE $\epsilon$ -Related Decline in Episodic Memory Over 12 Months Measured using the Cantab in Individuals with Amnesic MCI: Results from the European ADNI Study <b>2016</b> , 12, P751-P751		1
15	P3-315: Differential Effects of Apoe and CSF Amyloid on Memory Impairment in Individuals with Amnesic MCI Using the Cantab Cognitive Battery: Results from the European-Adni Study <b>2016</b> , 12, P964-P965 <sup>1</sup>		1
14	IC-P-126: VOLUMETRIC ACCURACY OF A FULLY AUTOMATIC TOOL FOR WHITE MATTER HYPERINTENSITIES (WMHS) SEGMENTATION <b>2018</b> , 14, P105-P106		1
13	Increased Sodium Concentration in Substantia Nigra in Early Parkinson's Disease: A Preliminary Study With Ultra-High Field (7T) MRI. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 715618	4.1	0
12	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated segmentation in old and young healthy volunteers. <i>Alzheimers and Dementia</i> , <b>2020</b> , 16, e040322	1.2	
11	[IC-P-167]: ACROSS-SESSION REPRODUCIBILITY OF AUTOMATIC WHITE MATTER HYPERINTENSITIES SEGMENTATION: A EUROPEAN MULTI-SITE 3T STUDY <b>2017</b> , 13, P126-P127		
10	What can sodium MRI reveal about sodium accumulation in the brain: implications for multiple sclerosis. <i>Imaging in Medicine</i> , <b>2012</b> , 4, 585-587	1	
9	Epileptogenic networks in drug-resistant epilepsy with amygdala enlargement: Assessment with stereo-EEG and 7 T MRI. <i>Clinical Neurophysiology</i> , <b>2021</b> , 133, 94-103	4.3	
8	Méthodes de RMN avancées et explorations intérieures <b>2010</b> , 165-175		



- 7 IC-P-122: Structural and Diffusion Tensor Imaging in MCI Subjects With Intermediate Risk of Alzheimer's Disease Based on CSF Profile **2016**, 12, P90-P91
- 6 P2-263: Association between Brain MRI Diffusion Alterations and CSF Biomarkers in Amnestic MCI **2016**, 12, P728-P728
- 5 IC-P-148: Association Between Volumes Alterations and CSF Biomarkers in Amnestic MCI **2016**, 12, P110-P110
- 4 O2-04-01: Cognitive Composite Measures in Amnestic MCI by Different AMYLOID/TAU Pathology **2016**, 12, P229-P229
- 3 P4-350: Biomarkers of Short Term Disease Progression in Mild Cognitive Impairment Patients with ad Pathology **2016**, 12, P1171-P1172
- 2 Contributions of PET and MRI imaging in the evaluation of CNS drugs in human neurodegenerative diseases. *Therapie*, **2021**, 76, 121-126 3.8
- 1 O1-13-01: ROLE OF THE INFLAMMASOME COMPLEX IN AD-RELATED HIPPOCAMPAL NEURODEGENERATION IN MCI PATIENTS WITH AD PATHOLOGY **2018**, 14, P251-P252