

# Florent Rivals

List of PR Articles by Year  
in descending order

Source: [//exaly.com/author-pdf/1473253/publications.pdf](https://exaly.com/author-pdf/1473253/publications.pdf)

Version: 2025-02-01

137

PR articles

3,797

PR citations

89004

34

PR h-index

105932

59

g-index

155

documents

4658

doc citations

79788

38

h-index

2308

citing authors

#	ARTICLE	IF	PR CITATIONS
1	Differentiating taphonomic features from trampling and dietary microwear, an experimental approach. <i>Historical Biology</i> , 2024, 36, 760-782.	1.2	19
2	A deep learning-based taphonomical approach to distinguish the modifying agent in the Late Pleistocene site of Toll Cave (Barcelona, Spain). <i>Historical Biology</i> , 2024, 36, 2114-2123.	1.2	7
3	Simulating taphonomic processes on teeth: The impact of sediment pressure and thermal alteration on dental microwear. <i>Quaternary Science Advances</i> , 2024, 14, 100195.	2.0	2
4	Using horse teeth to shape stone tools: an experimental approach to characterise use-wear traces. <i>Archaeological and Anthropological Sciences</i> , 2024, 16, .	1.6	1
5	Neanderthal hunting grounds: The case of Teixoneres Cave (Spain) and PiÃ© Lombard rockshelter (France). <i>Journal of Archaeological Science</i> , 2024, 168, 106007.	2.5	7
6	Death at the water hole: Opportunistic hunting and scavenging events in the upper sequence of Middle Paleolithic Neshar Ramla, Israel. <i>Quaternary Science Reviews</i> , 2024, 339, 108852.	3.2	8
7	Arid, mosaic environments during the Plio-Pleistocene transition and early hominin dispersals in northern Africa. <i>Nature Communications</i> , 2024, 15, .	13.9	7
8	Dietary traits of the ungulates from the Middle Pleistocene sequence of Lazaret Cave: palaeoecological and archaeological implications. <i>Archaeological and Anthropological Sciences</i> , 2023, 15, .	1.6	3
9	Browsing into a Panamanian tropical rainforest: micro- and mesowear study of Central American red brocket deer. <i>Mammal Research</i> , 2023, 68, 203-214.	1.3	1
10	The Exceptional Presence of <i>Megaloceros giganteus</i> in North-Eastern Iberia and Its Palaeoecological Implications: The Case of Teixoneres Cave (MoiÃ©, Barcelona, Spain). <i>Diversity</i> , 2023, 15, 299.	1.8	3
11	Seasonality and mobility of Epipaleolithic groups in the north-east of the Iberian Peninsula: tooth wear analysis of ungulates from Balma del Gai. <i>Archaeological and Anthropological Sciences</i> , 2023, 15, .	1.6	0
12	DIETARY TRAITS OF LATE MIOCENE HIPPARIONS FROM MARAGHEH REVEALED THROUGH DENTAL WEAR. <i>RIVISTA ITALIANA DI PALEONTOLOGIA E STRATIGRAFIA</i> , 2023, 129, .	0.5	0
13	Palaeoecological reconstruction of Plio-Pleistocene herbivores from the Ahl al Oughlam site (Casablanca, Morocco): Insights from dental wear and stable isotopes. <i>Quaternary Science Reviews</i> , 2023, 319, 108341.	3.2	3
14	Too good to go? Neanderthal subsistence strategies at Prado Vargas Cave (Burgos, Spain). <i>Archaeological and Anthropological Sciences</i> , 2023, 15, .	1.6	3
15	Where and when? Combining dental wear and death seasons to improve paleoenvironmental reconstruction through ungulate diets. <i>Journal of Archaeological Science: Reports</i> , 2023, 52, 104258.	0.5	1
16	Paleodiet and niche partitioning among the easternmost European cave bears based on tooth wear analysis. <i>Historical Biology</i> , 2022, 34, 1063-1071.	1.2	15
17	Abundance or stress? Faunal exploitation patterns and subsistence strategies: The case study of Brush Hut 1 at Ohalo II, a submerged 23,000-year-old camp in the Sea of Galilee, Israel. <i>PLoS ONE</i> , 2022, 17, e0262434.	2.4	14
18	Caprine dental microwear reveals livestock management and exploitation of landscape during the Middle and Late Bronze Age of the Balearic Islands (ca. 1500â€”850 cal. BC). <i>Archaeological and Anthropological Sciences</i> , 2022, 14, .	1.6	4

#	ARTICLE	IF	PR CITATIONS
19	Neanderthals' hunting seasonality inferred from combined cementochronology, mesowear, and microwear analysis: case studies from the Alpine foreland in Italy. <i>Archaeological and Anthropological Sciences</i> , 2022, 14, .	1.6	14
20	New insights in Neanderthal palaeoecology using stable oxygen isotopes preserved in small mammals as palaeoclimatic tracers in Teixoneres Cave (Moia, northeastern Iberia). <i>Archaeological and Anthropological Sciences</i> , 2022, 14, .	1.6	12
21	Human ecological impacts on islands: Exemplified by a dwarf deer ( <i>Cervidae: Mazama sp.</i> ) on Pedro Gonzalez Island, Pearl Island Archipelago, Pacific Panama (6.2–5.6 kya). <i>Journal of Archaeological Science</i> , 2022, 143, 105613.	2.5	6
22	Examining Neanderthal and carnivore occupations of Teixoneres Cave (Moia, Barcelona, Spain) using archaeostratigraphic and intra-site spatial analysis. <i>Scientific Reports</i> , 2021, 11, .	3.5	38
23	Late Neanderthal short-term and specialized occupations at the Abri du Maras (South-East France,). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	1.6	25
24	Upper Paleolithic animal exploitation in the Armenian Highlands: The zooarchaeology of Aghitu-3 Cave. <i>Quaternary International</i> , 2021, 587-588, 400-414.	1.6	12
25	Quantitative Dental Mesowear Analysis in Domestic Caprids: a New Method to Reconstruct Management Strategies. <i>Journal of Archaeological Method and Theory</i> , 2021, 29, 540-560.	2.0	6
26	Sheep husbandry in the early Neolithic of the Pyrenees: New data on feeding and reproduction in the cave of Chaves. <i>Journal of Archaeological Science: Reports</i> , 2021, 37, 102935.	0.5	10
27	The impact of sediment abrasion on tooth microwear analysis: an experimental study. <i>Archaeological and Anthropological Sciences</i> , 2021, 13, .	1.6	33
28	Seasonality, duration of the hominin occupations and hunting grounds at Middle Pleistocene Qesem Cave (Israel). <i>Archaeological and Anthropological Sciences</i> , 2021, 13, .	1.6	13
29	Feeding practices and management of domestic mammals during the Neolithic in the Iberian Peninsula through dental microwear. <i>Historical Biology</i> , 2021, 33, 3241-3253.	1.2	3
30	Dietary habits of the cave bear from the Late Pleistocene in the northeast of the Iberian Peninsula. <i>Quaternary International</i> , 2020, 557, 63-69.	1.6	13
31	Behind white-tailed deer teeth: A micro- and mesowear analysis from three Panamanian pre-Columbian archaeological sites. <i>Quaternary International</i> , 2020, 557, 70-79.	1.6	4
32	Neanderthal mobile toolkit in short-term occupations at Teixoneres Cave (Moia, Spain). <i>Journal of Archaeological Science: Reports</i> , 2020, 29, 102165.	0.5	11
33	Who peeled the bones? An actualistic and taphonomic study of axial elements from the Toll Cave Level 4, Barcelona, Spain. <i>Quaternary Science Reviews</i> , 2020, 250, 106661.	3.2	15
34	Neanderthal faunal exploitation and settlement dynamics at the Abri du Maras, level 5 (south-eastern). <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	3.2	28
35	The Late Quaternary pollen sequence of Toll Cave, a palaeontological site with evidence of human activities in northeastern Spain. <i>Quaternary International</i> , 2020, 554, 1-14.	1.6	20
36	Palaeoenvironmental and seasonal context of the Late Middle and Early Upper Palaeolithic occupations in Crimea: an approach using dental wear patterns in ungulates. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, .	1.6	7

#	ARTICLE	IF	PR CITATIONS
37	Seasonality of the Final Natufian occupation at Eynan/Ain Mallaha (Israel): an approach combining dental ageing, mesowear and microwear. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, .	1.6	14
38	High-resolution Neanderthal settlements in mediterranean Iberian Peninsula: A matter of altitude?. <i>Quaternary Science Reviews</i> , 2020, 247, 106523.	3.2	12
39	First occurrence of musk ox <i>Ovibos moschatus</i> in the Late Pleistocene (MIS 3) record from NW Iberia: Paleobiogeographic and paleoenvironmental implications. <i>Quaternary Science Reviews</i> , 2020, 238, 106336.	3.2	4
40	Dramatic change in the diet of a late Pleistocene <i>Elasmotherium</i> population during its last days of life: Implications for its catastrophic mortality in the Saratov region of Russia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 556, 109898.	2.6	9
41	Neanderthals in a highly diverse, mediterranean-Eurosiberian forest ecotone: The pleistocene pollen record of Teixoneres Cave, northeastern Spain. <i>Quaternary Science Reviews</i> , 2020, 241, 106429.	3.2	32
42	Dietary traits of ungulates in northeastern Iberian Peninsula: Did these Neanderthal preys show adaptive behaviour to local habitats during the Middle Palaeolithic?. <i>Quaternary International</i> , 2020, 557, 47-62.	1.6	18
43	Fantastic beasts and what they ate: Revealing feeding habits and ecological niche of late Quaternary <i>Macraucheniiidae</i> from South America. <i>Quaternary Science Reviews</i> , 2020, 231, 106178.	3.2	13
44	A new species of rhinoceros from the site of Bethlehem: <i>Dihoplusâ™ bethlehemsis</i> sp. nov. (Mammalia,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	1.6	8
45	Dietary traits and habitats of the reindeer ( <i>Rangifer tarandus</i> ) during the Late Glacial of Northern Europe. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, .	1.6	9
46	Among goats and bears: A taphonomic study of the faunal accumulation from Tritons Cave (Lleida,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.5	5
47	Reconstruction of Caprine Management and Landscape Use Through Dental Microwear Analysis: The Case of the Iron Age Site of El TurÃ³ de la Font de la Canya (Barcelona, Spain). <i>Environmental Archaeology</i> , 2019, 24, 306-316.	1.5	12
48	Feeding traits and dietary variation in Pleistocene proboscideans: A tooth microwear review. <i>Quaternary Science Reviews</i> , 2019, 219, 145-153.	3.2	26
49	Neanderthal logistic mobility during MIS3: Zooarchaeological perspective of Abric RomanÃ³-level P (Spain). <i>Quaternary Science Reviews</i> , 2019, 225, 106033.	3.2	46
50	Erq el Ahmar Elephant Site â€“ A mammoth skeleton at a rare and controversial Plio-Pleistocene site along the mammal migration route out of Africa. <i>Quaternary Science Reviews</i> , 2019, 221, 105885.	3.2	7
51	The use of bones as retouchers at Unit III of Teixoneres Cave (MIS 3; MoirÃ³, Barcelona, Spain). <i>Journal of Archaeological Science: Reports</i> , 2019, 27, 101980.	0.5	8
52	Combined dental wear and cementum analyses in ungulates reveal the seasonality of Neanderthal occupations in Covalejos Cave (Northern Iberia). <i>Scientific Reports</i> , 2019, 9, .	3.5	26
53	Microwear and isotopic analyses on cave bear remains from Toll Cave reveal both short-term and long-term dietary habits. <i>Scientific Reports</i> , 2019, 9, .	3.5	24
54	The Role of Grass vs. Exogenous Abrasives in the Paleodietary Patterns of North American Ungulates. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	2.2	40

#	ARTICLE	IF	PR CITATIONS
55	The bears from Dmanisi and the first dispersal of early Homo out of Africa. <i>Scientific Reports</i> , 2019, 9, .	3.5	23
56	Hunting strategy and seasonality in the last interglacial occupation of Cueva Antón (Murcia, Spain). <i>Archaeological and Anthropological Sciences</i> , 2019, 11, 3577-3594.	1.6	10
57	The bear necessities: A new dental microwear database for the interpretation of palaeodiet in fossil Ursidae. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 168-188.	2.6	21
58	High-resolution paleoenvironmental context for human occupations during the Middle Pleistocene in Europe (MIS 11, Germany). <i>Quaternary Science Reviews</i> , 2018, 188, 136-142.	3.2	16
59	Straight from the horse's mouth: High-resolution proxies for the study of horse diet and its relation to the seasonal occupation patterns at Divnogor'ye 9 (Middle Don, Central Russia). <i>Quaternary International</i> , 2018, 474, 146-155.	1.6	11
60	Ungulate dietary traits and plasticity in zones of ecological transition inferred from late Pleistocene assemblages at Jou Puerta and Rexidora in the Cantabrian Region of northern Spain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 499, 123-130.	2.6	17
61	Dietary traits of the ungulates from the HWK EE site at Olduvai Gorge (Tanzania): Diachronic changes and seasonality. <i>Journal of Human Evolution</i> , 2018, 120, 203-214.	2.7	30
62	Large mammal diets and paleoecology across the Oldowan–Acheulean transition at Olduvai Gorge, Tanzania from stable isotope and tooth wear analyses. <i>Journal of Human Evolution</i> , 2018, 120, 76-91.	2.7	54
63	Multiproxy evidence for leaf-browsing and closed habitats in extinct proboscideans (Mammalia,) Tj ETQq1 1 0.784314 rgBT /Overlock States of America, 2018, 115, 9258-9263.	7.6	41
64	Fauna, environment and human presence during MIS5 in the North of Spain: The new site of Valdavara 3. <i>Comptes Rendus - Palevol</i> , 2018, 17, 557-593.	0.4	20
65	Bears in the scene: Pleistocene complex interactions with implications concerning the study of Neanderthal behavior. <i>Quaternary International</i> , 2017, 435, 237-246.	1.6	25
66	Late Villafranchian <i>Ursus etruscus</i> and other large carnivorans from the Orce sites (Guadix-Baza) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 context. <i>Quaternary International</i> , 2017, 431, 20-41.	1.6	38
67	A resilient landscape at Teixoneres Cave (MIS 3; Moià, Barcelona, Spain): The Neanderthals as disrupting agent. <i>Quaternary International</i> , 2017, 435, 195-210.	1.6	38
68	Faunal dietary response to the Heinrich Event 4 in southwestern Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 473, 123-130.	2.6	33
69	Hunted or Scavenged Neanderthals? Taphonomic Approach to Hominin Fossils with Carnivore Damage. <i>International Journal of Osteoarchaeology</i> , 2017, 27, 606-620.	1.0	19
70	Ungulates from Teixoneres Cave (Moià, Barcelona, Spain): Presence of cold-adapted elements in NE Iberia during the MIS 3. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 466, 287-302.	2.6	56
71	Quantitative and qualitative analysis for the study of Middle Paleolithic retouched artifacts: Unit III of Teixoneres cave (Barcelona, Spain). <i>Journal of Archaeological Science: Reports</i> , 2017, 12, 658-672.	0.5	5
72	Paleoecology ( $\delta^{13}C$ and $\delta^{18}O$ stable isotopes analysis) of a mammalian assemblage from the late Pleistocene of Hidalgo, central Mexico and implications for a better understanding of environmental conditions in temperate North America ( $18^{\circ}$ – $36^{\circ}$ N Lat.). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 632-643.	2.6	20

#	ARTICLE	IF	PR CITATIONS
73	Latitude matters: an examination of behavioural plasticity in dietary traits amongst extant and Pleistocene <i>Rangifer tarandus</i> . <i>Boreas</i> , 2017, 46, 254-263.	2.4	23
74	Neanderthal selective hunting of reindeer? The case study of Abri du Maras (south-eastern France). <i>Archaeological and Anthropological Sciences</i> , 2017, 11, 985-1011.	1.6	50
75	Relation between morphology and dietary traits in horse jugal upper teeth during the middle pleistocene in Southern France. <i>Quaternaire</i> , 2017, , 303-312.	0.2	11
76	Tale of two timescales: Combining tooth wear methods with different temporal resolutions to detect seasonality of Palaeolithic hominin occupational patterns. <i>Journal of Archaeological Science: Reports</i> , 2016, 6, 790-797.	0.5	28
77	The Radiocarbon Approach to Neanderthals in a Carnivore Den Site: a Well-Defined Chronology for Teixoneres Cave (Moià, Barcelona, Spain). <i>Radiocarbon</i> , 2016, 58, 247-265.	1.6	37
78	Season of bison mortality in TD10.2 bone bed at Gran Dolina site (Atapuerca): Integrating tooth eruption, wear, and microwear methods. <i>Journal of Archaeological Science: Reports</i> , 2016, 6, 780-789.	0.5	16
79	First reconstruction of the dietary traits of the Mediterranean deer ( <i>Haploidoceros mediterraneus</i> ) from the Cova del Rinoceront (NE Iberian Peninsula). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 101-107.	2.6	12
80	Paleoenvironment in East Java during the last 25,000 years as inferred from bovid and cervid dental wear analyses. <i>Journal of Archaeological Science: Reports</i> , 2016, 10, 155-165.	0.5	12
81	Dietary flexibility and niche partitioning of large herbivores through the Pleistocene of Britain. <i>Quaternary Science Reviews</i> , 2016, 146, 116-133.	3.2	106
82	Puzzling out a palimpsest: Testing an interdisciplinary study in level Oâ of Abri RomanÃ. <i>Quaternary International</i> , 2016, 417, 51-65.	1.6	79
83	The evolution of Paleolithic homininâ€carnivore interaction written in teeth: Stories from the Swabian Jura (Germany). <i>Journal of Archaeological Science: Reports</i> , 2016, 6, 798-809.	0.5	25
84	Paleodietary reconstruction of fossil horses from the Eocene through Pleistocene of North America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 442, 110-127.	2.6	78
85	Dietary reconstruction of pygmy mammoths from Santa Rosa Island of California. <i>Quaternary International</i> , 2016, 406, 123-136.	1.6	33
86	Who eats whom? Taphonomic analysis of the avian record from the Middle Paleolithic site of Teixoneres Cave (Moià, Barcelona, Spain). <i>Quaternary International</i> , 2016, 421, 103-115.	1.6	24
87	Variations in <i>Microtus arvalis</i> and <i>Microtus agrestis</i> (Arvicolinae, Rodentia) Dental Morphologies in an Archaeological Context: the Case of Teixoneres Cave (Late Pleistocene, North-Eastern Iberia). <i>Journal of Mammalian Evolution</i> , 2016, 24, 495-503.	1.8	15
88	Unraveling a Neanderthal palimpsest from a zooarcheological and taphonomic perspective. <i>Archaeological and Anthropological Sciences</i> , 2016, 10, 197-222.	1.6	39
89	A tool for determining duration of mortality events in archaeological assemblages using extant ungulate microwear. <i>Scientific Reports</i> , 2015, 5, .	3.5	60
90	Resource partitioning and niche separation between mammoths ( <i>Mammuthus rumanus</i> and <i>Mammuthus trogonensis</i> ) in the Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 67 T Europe. <i>Quaternary International</i> , 2015, 379, 164-170.	1.6	30

#	ARTICLE	IF	PR CITATIONS
91	Within-island local variations in tooth wear of sika deer ( <i>Cervus nippon centralis</i> ) in northern Japan. <i>Mammalian Biology</i> , 2015, 80, 333-339.	1.7	10
92	The late Early Pleistocene suid remains from the paleoanthropological site of Buia (Eritrea): Systematics, biochronology and eco-geographical context. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 431, 26-42.	2.6	15
93	A new approach for deciphering between single and multiple accumulation events using intra-tooth isotopic variations: Application to the Middle Pleistocene bone bed of Schöningen 13 II-4. <i>Journal of Human Evolution</i> , 2015, 89, 114-128.	2.7	36
94	Investigation of equid paleodiet from Schöningen 13 II-4 through dental wear and isotopic analyses: Archaeological implications. <i>Journal of Human Evolution</i> , 2015, 89, 129-137.	2.7	96
95	Large carnivore attacks on hominins during the Pleistocene: a forensic approach with a Neanderthal example. <i>Archaeological and Anthropological Sciences</i> , 2015, 8, 635-646.	1.6	36
96	Bamboo feeding and tooth wear of three sika deer ( <i>Cervus nippon</i> ) populations from northern Japan. <i>Journal of Mammalogy</i> , 2014, 95, 1043-1053.	1.3	36
97	Behavioural ecology of Late Pleistocene bears ( <i>Ursus spelaeus</i> , <i>Ursus ingressus</i> ): Insight from stable isotopes (C, N, O) and tooth microwear. <i>Quaternary International</i> , 2014, 339-340, 148-163.	1.6	48
98	Leporids as a potential resource for predators (hominins, mammalian carnivores, raptors): An example of mixed contribution from level III of Teixoneres Cave (MIS 3, Barcelona, Spain). <i>Comptes Rendus - Palevol</i> , 2014, 13, 665-680.	0.4	53
99	Short, but repeated Neanderthal visits to Teixoneres Cave (MIS 3, Barcelona, Spain): a combined analysis of tooth microwear patterns and seasonality. <i>Journal of Archaeological Science</i> , 2014, 49, 317-325.	2.5	52
100	Middle Pleistocene ecology and Neanderthal subsistence: Insights from stable isotope analyses in Payre (Ardèche, southeastern France). <i>Journal of Human Evolution</i> , 2013, 65, 363-373.	2.7	78
101	Large carnivores as taphonomic agents of space modification: an experimental approach with archaeological implications. <i>Journal of Archaeological Science</i> , 2013, 40, 1361-1368.	2.5	63
102	Dietary ecology of extant guanaco ( <i>Lama guanicoe</i> ) from Southern Patagonia: seasonal leaf browsing and its archaeological implications. <i>Journal of Archaeological Science</i> , 2013, 40, 2971-2980.	2.5	44
103	A zooarchaeological contribution to establish occupational patterns at Level J of Abric Romaní (Barcelona, Spain). <i>Quaternary International</i> , 2012, 247, 69-84.	1.6	67
104	Palaeoecology of Neanderthals during Dansgaard-Oeschger cycles in northeastern Iberia (Abric Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.6	92
105	An examination of dietary diversity patterns in Pleistocene proboscideans ( <i>Mammuthus</i> ). <i>Quaternary International</i> , 2012, 255, 188-195.	1.6	97
106	A multidisciplinary approach to reconstructing the chronology and environment of southwestern European Neanderthals: the contribution of Teixoneres cave (Moià, Barcelona, Spain). <i>Quaternary Science Reviews</i> , 2012, 43, 33-44.	3.2	69
107	Ungulate feeding ecology and middle Pleistocene paleoenvironments at Hundsheim and Deutsch-Altenburg 1 (eastern Austria). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 317-318, 27-31.	2.6	16
108	Paleoindian subsistence strategies and late Pleistocene paleoenvironments in the northeastern and southwestern United States: a tooth wear analysis. <i>Journal of Archaeological Science</i> , 2012, 39, 1608-1617.	2.5	20

#	ARTICLE	IF	PR CITATIONS
109	Diet of Mongolian gazelles and Tibetan antelopes from steppe habitats using premaxillary shape, tooth mesowear and microwear analyses. <i>Mammalian Biology</i> , 2011, 76, 358-364.	1.7	39
110	Domestic and wild ungulate dietary traits at Kouphovouno (Sparta, Greece): implications for livestock management and paleoenvironment in the Neolithic. <i>Journal of Archaeological Science</i> , 2011, 38, 528-537.	2.5	21
111	Dietary plasticity in ungulates: Insight from tooth microwear analysis. <i>Quaternary International</i> , 2011, 245, 279-284.	1.6	60
112	ON THE QUESTION OF SHORT-TERM NEANDERTHAL SITE OCCUPATIONS: Payre, France (MIS 8-7), and Taubach/Weimar, Germany (MIS 5). <i>Journal of Anthropological Research</i> , 2011, 67, 47-75.	1.2	44
113	What can incisor microwear reveal about the diet of ungulates?. <i>Mammalia</i> , 2010, 74, 401-406.	0.7	13
114	Dietary interpretation and paleoecology of herbivores from Pikermi and Samos (late Miocene of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	2.2	72
115	Palaeoecology of the Mammoth Steppe fauna from the late Pleistocene of the North Sea and Alaska: Separating species preferences from geographic influence in paleoecological dental wear analysis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 286, 42-54.	2.6	95
116	Trends in the paleodietary habits of fossil camels from the Tertiary and Quaternary of North America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 295, 131-145.	2.6	85
117	Les faunes des sites du Pléistocène supérieur du Caucase méridional: Grotte de Sakaçhka, Grotte de Ortvala et Grotte du Bronze (République de Géorgie). <i>Anthropologie</i> , 2010, 114, 305-323.	0.5	4
118	A stop along the way: the role of Neanderthal groups at level III of Teixoneres Cave (Moià, Barcelona,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	0.2	23
119	Intra-site changes in seasonality and their consequences on the faunal assemblages from Abric Romaní (Middle Palaeolithic, Spain). <i>Quaternaire</i> , 2010, , 155-163.	0.2	25
120	A new application of dental wear analyses: estimation of duration of hominid occupations in archaeological localities. <i>Journal of Human Evolution</i> , 2009, 56, 329-339.	2.7	68
121	Late and middle Pleistocene ungulates dietary diversity in Western Europe indicate variations of Neanderthal paleoenvironments through time and space. <i>Quaternary Science Reviews</i> , 2009, 28, 3388-3400.	3.2	82
122	Seasonality and intra-site variation of Neanderthal occupations in the Middle Palaeolithic locality of Payre (Ardèche, France) using dental wear analyses. <i>Journal of Archaeological Science</i> , 2009, 36, 1070-1078.	2.5	78
123	Climate-related dietary diversity of the ungulate faunas from the middle Pleistocene succession (OIS) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 5	2.2	58
124	Dietary adaptations in an ungulate community from the late Pliocene of Greece. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 265, 134-139.	2.6	38
125	Presence of <i>Hemitragus aff. cedrensis</i> (Mammalia, Bovidae) in the Iberian Peninsula: Biochronological and biogeographical implications of its discovery at Bolomor Cave (Valencia, Spain). <i>Comptes Rendus - Palevol</i> , 2008, 7, 391-399.	0.4	12
126	Was grass more prevalent in the pronghorn past? An assessment of the dietary adaptations of Miocene to Recent Antilocapridae (Mammalia: Artiodactyla). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 253, 332-347.	2.6	151

#	ARTICLE	IF	PR CITATIONS
127	Effect of ontogenetic-age distribution in fossil and modern samples on the interpretation of ungulate paleodiets using the mesowear method. <i>Journal of Vertebrate Paleontology</i> , 2007, 27, 763-767.	1.1	152
128	Evidence for geographic variation in the diets of late Pleistocene and early Holocene <i>Bison</i> in North America, and differences from the diets of recent <i>Bison</i> . <i>Quaternary Research</i> , 2007, 68, 338-346.	1.6	157
129	Differences in Tooth Microwear of Populations of Caribou ( <i>Rangifer tarandus</i> , Ruminantia, Mammalia) and Implications to Ecology, Migration, Glaciations and Dental Evolution. <i>Journal of Mammalian Evolution</i> , 2007, 14, 182-192.	1.8	43
130	Un petit boeuf mÃ©diÃ©val identifiÃ© dans un silo. <i>ArchÃ©ologie Du Midi MÃ©diÃ©val</i> , 2007, 25, 181-187.	0.0	1
131	Les faunes de grands mammifÃ©res de la Caune de l'Arago (Tautavel) dans le cadre biochronologique des faunes du PliocÃ©ne moyen italien. <i>Anthropologie</i> , 2006, 110, 788-831.	0.5	98
132	Un nouveau gisement palÃ©ontologique <i>Capra caucasica praepyrenaica</i> : la grotte de l'Arche Ã Bugarach (Aude, France). <i>Comptes Rendus - Palevol</i> , 2006, 5, 711-719.	0.4	6
133	DÃ©couverte de <i>Capra caucasica</i> et <i>Hemitragus cedrensis</i> (Mammalia, Bovidae) dans les niveaux du PliocÃ©ne supÃ©rieur de la Caune de l'Arago (Tautavel, France): implication biochronologique dans le contexte du Bassin MÃ©diterranÃ©en. <i>Geobios</i> , 2006, 39, 85-102.	1.3	10
134	Investigation of human hunting seasonality through dental microwear analysis of two Caprinae in late Pleistocene localities in Southern France. <i>Journal of Archaeological Science</i> , 2005, 32, 1603-1612.	2.5	37
135	Artiodactyls, favourite game of prehistoric hunters at the Caune de l'Arago Cave (Tautavel, France). Opportunistic or selective hunting strategies?. <i>European Journal of Wildlife Research</i> , 2004, 50, 25-32.	1.5	28
136	Habitat et mode de vie des chasseurs palÃ©olithiques de la Caune de l'Arago (600 000-400 000 ans). <i>Anthropologie</i> , 2004, 108, 159-184.	0.5	49
137	Dental microwear analysis for investigating the diet of an argali population ( <i>Ovis ammon antiqua</i> ) of mid-Pleistocene age, Caune de l'Arago cave, eastern Pyrenees, France. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 193, 443-455.	2.6	44