

Julien V Brugniaux

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1474220/julien-v-brugniaux-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

1,990
citations

25
h-index

44
g-index

49
ext. papers

2,284
ext. citations

4.4
avg, IF

4.33
L-index

#	Paper	IF	Citations
45	Blood viscosity and its determinants in the highest city in the world. <i>Journal of Physiology</i> , 2020 , 598, 4121-4130	3.9	9
44	Long-term Exercise Confers Equivalent Neuroprotection in Females Despite Lower Cardiorespiratory Fitness. <i>Neuroscience</i> , 2020 , 427, 58-63	3.9	3
43	Exaggerated systemic oxidative-inflammatory-nitrosative stress in chronic mountain sickness is associated with cognitive decline and depression. <i>Journal of Physiology</i> , 2019 , 597, 611-629	3.9	35
42	Highs and lows of hyperoxia: physiological, performance, and clinical aspects. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 315, R1-R27	3.2	39
41	Commentaries on Viewpoint: V _o is an acceptable estimate of cardiorespiratory fitness but not V _o . <i>Journal of Applied Physiology</i> , 2018 , 125, 233-240	3.7	9
40	Redox-regulation of haemostasis in hypoxic exercising humans: a randomised double-blind placebo-controlled antioxidant study. <i>Journal of Physiology</i> , 2018 , 596, 4879-4891	3.9	8
39	Post-prandial hyperlipidaemia results in systemic nitrosative stress and impaired cerebrovascular function in the aged. <i>Clinical Science</i> , 2017 , 131, 2807-2812	6.5	7
38	What role for hypercapnia in obstructive sleep apnea?. <i>Journal of Applied Physiology</i> , 2016 , 121, 362	3.7	
37	Effects of exercise intensity on clot microstructure and mechanical properties in healthy individuals. <i>Thrombosis Research</i> , 2016 , 143, 130-6	8.2	6
36	Studying cerebral hemodynamics and metabolism using simultaneous near-infrared spectroscopy and transcranial Doppler ultrasound: a hyperventilation and caffeine study. <i>Physiological Reports</i> , 2015 , 3, e12378	2.6	7
35	Acute exercise stress reveals cerebrovascular benefits associated with moderate gains in cardiorespiratory fitness. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014 , 34, 1873-6	7.3	35
34	Improvement of energy expenditure prediction from heart rate during running. <i>Physiological Measurement</i> , 2014 , 35, 253-66	2.9	22
33	Impaired cerebral haemodynamic function associated with chronic traumatic brain injury in professional boxers. <i>Clinical Science</i> , 2013 , 124, 177-89	6.5	96
32	Elevated aerobic fitness sustained throughout the adult lifespan is associated with improved cerebral hemodynamics. <i>Stroke</i> , 2013 , 44, 3235-8	6.7	129
31	Redox regulation of neurovascular function by acetazolamide: complementary insight into mechanisms underlying high-altitude acclimatisation. <i>Journal of Physiology</i> , 2012 , 590, 3627-8	3.9	4
30	Point: Hypobaric hypoxia induces different physiological responses from normobaric hypoxia. <i>Journal of Applied Physiology</i> , 2012 , 112, 1783-4	3.7	124
29	Last word on Counterpoint: Hypobaric hypoxia does not induce different physiological responses from normobaric hypoxia. <i>Journal of Applied Physiology</i> , 2012 , 112, 1796	3.7	10

28	Counterpoint: Hypobaric hypoxia does not induce different responses from normobaric hypoxia. <i>Journal of Applied Physiology</i> , 2012 , 112, 1784-6	3.7	44
27	Commentaries on Viewpoint: Expending our physical activity (measurement) budget wisely. <i>Journal of Applied Physiology</i> , 2011 , 111, 608; discussion 614	3.7	1
26	Sea-level assessment of dynamic cerebral autoregulation predicts susceptibility to acute mountain sickness at high altitude. <i>Stroke</i> , 2011 , 42, 3628-30	6.7	15
25	Effects of intermittent hypoxia on erythropoietin, soluble erythropoietin receptor and ventilation in humans. <i>European Respiratory Journal</i> , 2011 , 37, 880-7	13.6	32
24	Cerebral and myocardial blood flow responses to hypercapnia and hypoxia in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H1678-86	5.2	34
23	Polar Activity Watch 200: a new device to accurately assess energy expenditure. <i>British Journal of Sports Medicine</i> , 2010 , 44, 245-9	10.3	34
22	Antioxidant status of elite athletes remains impaired 2 weeks after a simulated altitude training camp. <i>European Journal of Nutrition</i> , 2010 , 49, 285-92	5.2	29
21	Effects of exposure to intermittent hypoxia on oxidative stress and acute hypoxic ventilatory response in humans. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009 , 180, 1002-9	10.2	133
20	Interchangeability between heart rate and photoplethysmography variabilities during sympathetic stimulations. <i>Physiological Measurement</i> , 2009 , 30, 1357-69	2.9	59
19	Oxidative stress and HIF-1 alpha modulate hypoxic ventilatory responses after hypoxic training on athletes. <i>Respiratory Physiology and Neurobiology</i> , 2009 , 167, 217-20	2.8	22
18	Thirteen days of "live high-train low" does not affect prooxidant/antioxidant balance in elite swimmers. <i>European Journal of Applied Physiology</i> , 2009 , 106, 517-24	3.4	19
17	Hemoglobin and hematocrit are not such good candidates to detect autologous blood doping. <i>International Journal of Hematology</i> , 2009 , 89, 714-5	2.3	8
16	Cardiovascular and cerebrovascular responses to acute hypoxia following exposure to intermittent hypoxia in healthy humans. <i>Journal of Physiology</i> , 2009 , 587, 3287-99	3.9	72
15	Effects of the live high-train low method on prooxidant/antioxidant balance on elite athletes. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 756-62	5.2	31
14	Altitude, heart rate variability and aerobic capacities. <i>International Journal of Sports Medicine</i> , 2008 , 29, 300-6	3.6	15
13	Effect of 4 days of intermittent hypoxia on oxidative stress in healthy men. <i>FASEB Journal</i> , 2008 , 22, 960.3	0.9	2
12	Determining an erythropoietin threshold is not sufficient for accelerating erythrocyte production. <i>European Journal of Applied Physiology</i> , 2007 , 99, 325-6; author reply 327-8	3.4	2
11	Cerebrovascular responses to altitude. <i>Respiratory Physiology and Neurobiology</i> , 2007 , 158, 212-23	2.8	86

10	Eighteen days of "living high, training low" stimulate erythropoiesis and enhance aerobic performance in elite middle-distance runners. <i>Journal of Applied Physiology</i> , 2006 , 100, 203-11	3.7	101
9	Living high-training low: tolerance and acclimatization in elite endurance athletes. <i>European Journal of Applied Physiology</i> , 2006 , 96, 66-77	3.4	54
8	Living high-training low: effect on erythropoiesis and aerobic performance in highly-trained swimmers. <i>European Journal of Applied Physiology</i> , 2006 , 96, 423-33	3.4	66
7	Influence of "living high-training low" on aerobic performance and economy of work in elite athletes. <i>European Journal of Applied Physiology</i> , 2006 , 97, 627-36	3.4	56
6	Living high-training low: effect on erythropoiesis and maximal aerobic performance in elite Nordic skiers. <i>European Journal of Applied Physiology</i> , 2006 , 97, 695-705	3.4	62
5	Autonomic adaptations in andean trained participants to a 4220-m altitude marathon. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 2148-53	1.2	14
4	Effects of intermittent hypoxia on heart rate variability during rest and exercise. <i>High Altitude Medicine and Biology</i> , 2005 , 6, 215-25	1.9	33
3	Sildenafil inhibits altitude-induced hypoxemia and pulmonary hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 171, 275-81	10.2	193
2	Autonomic control of the cardiovascular system during acclimatization to high altitude: effects of sildenafil. <i>Journal of Applied Physiology</i> , 2004 , 97, 935-40	3.7	57
1	Neuromuscular fatigue during a long-duration cycling exercise. <i>Journal of Applied Physiology</i> , 2002 , 92, 1487-93	3.7	170