

Wing Yee So

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1475056/publications.pdf>

Version: 2024-02-01

36
papers

3,653
citations

331670

21
h-index

361022

35
g-index

36
all docs

36
docs citations

36
times ranked

8628
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	21.4	959
2	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016, 536, 41-47.	27.8	952
3	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	27.8	282
4	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. <i>Nature</i> , 2019, 570, 71-76.	27.8	248
5	Glomerular Filtration Rate, Cardiorenal End Points, and All-Cause Mortality in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2006, 29, 2046-2052.	8.6	196
6	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.6	136
7	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019, 95, 178-187.	5.2	105
8	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018, 41, 1312-1320.	8.6	81
9	Testosterone level in men with type 2 diabetes mellitus and related metabolic effects: A review of current evidence. <i>Journal of Diabetes Investigation</i> , 2015, 6, 112-123.	2.4	73
10	Genome-Wide Association Meta-analysis Identifies Novel Variants Associated With Fasting Plasma Glucose in East Asians. <i>Diabetes</i> , 2015, 64, 291-298.	0.6	59
11	Risk factors in U-shaped risk associations with all-cause mortality in type 2 diabetes – The Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 238-246.	4.0	51
12	Determinants of penetrance and variable expressivity in monogenic metabolic conditions across 77,184 exomes. <i>Nature Communications</i> , 2021, 12, 3505.	12.8	49
13	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis. <i>Diabetes Care</i> , 2022, 45, 701-709.	8.6	37
14	Use of Net Reclassification Improvement (NRI) Method Confirms The Utility of Combined Genetic Risk Score to Predict Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e83093.	2.5	34
15	Effect of Angiotensin-Converting Enzyme Inhibition on Survival in 3773 Chinese Type 2 Diabetic Patients. <i>Hypertension</i> , 2004, 44, 294-299.	2.7	33
16	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017, 4, 170179.	5.3	31
17	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020, 43, 2257-2265.	8.6	31
18	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	8.4	31

#	ARTICLE	IF	CITATIONS
19	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002–2016. <i>Diabetes Care</i> , 2020, 43, 2967-2974.	8.6	29
20	Effects of protocol-driven care versus usual outpatient clinic care on survival rates in patients with type 2 diabetes. <i>American Journal of Managed Care</i> , 2003, 9, 606-15.	1.1	26
21	Insulin glargine 300 U/mL for basal insulin therapy in type 1 and type 2 diabetes mellitus. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2017, Volume 10, 273-284.	2.4	25
22	Rare coding variants in 35 genes associate with circulating lipid levels—A multi-ancestry analysis of 170,000 exomes. <i>American Journal of Human Genetics</i> , 2022, 109, 81-96.	6.2	24
23	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016, 89, 411-420.	5.2	22
24	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021, 64, 1990-2000.	6.3	22
25	Familial Young-Onset Diabetes, Pre-Diabetes and Cardiovascular Disease Are Associated with Genetic Variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014, 9, e84770.	2.5	16
26	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1561-1571.	3.0	15
27	Practical considerations for the use of sodium–glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2016, 32, 1097-1108.	1.9	14
28	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021, 64, 1760-1765.	6.3	13
29	Nonalbuminuric Diabetic Kidney Disease and Risk of All-Cause Mortality and Cardiovascular and Kidney Outcomes in Type 2 Diabetes: Findings From the Hong Kong Diabetes Biobank. <i>American Journal of Kidney Diseases</i> , 2022, 80, 196-206.e1.	1.9	12
30	Skin autofluorescence is associated with progression of kidney disease in type 2 diabetes: A prospective cohort study from the Hong Kong diabetes biobank. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 436-446.	2.6	11
31	Relative leucocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2022, 65, 375-386.	6.3	11
32	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes-analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108649.	2.8	10
33	Long-term maternal cardiometabolic outcomes 22 years after gestational diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 985-993.	2.4	6
34	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapy—The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016, 112, 57-64.	2.8	5
35	Cross-sectional survey of biosimilar insulin utilization in Asia: The Joint Asia Diabetes Evaluation Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1312-1322.	2.4	3
36	Variable selection and prediction of clinical outcome with multiply-imputed data via Bayesian model averaging. , 2016, , .		1