

Wing Yee So

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1475056/publications.pdf>

Version: 2024-02-01

36
papers

3,653
citations

377584

21
h-index

406436

35
g-index

36
all docs

36
docs citations

36
times ranked

9590
citing authors

#	ARTICLE	IF	CITATIONS
1	Skin autofluorescence is associated with progression of kidney disease in type 2 diabetes: A prospective cohort study from the Hong Kong diabetes biobank. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 436-446.	1.1	11
2	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis. <i>Diabetes Care</i> , 2022, 45, 701-709.	4.3	37
3	Nonalbuminuric Diabetic Kidney Disease and Risk of All-Cause Mortality and Cardiovascular and Kidney Outcomes in Type 2 Diabetes: Findings From the Hong Kong Diabetes Biobank. <i>American Journal of Kidney Diseases</i> , 2022, 80, 196-206.e1.	2.1	12
4	Rare coding variants in 35 genes associate with circulating lipid levels—A multi-ancestry analysis of 170,000 exomes. <i>American Journal of Human Genetics</i> , 2022, 109, 81-96.	2.6	24
5	Relative leucocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2022, 65, 375-386.	2.9	11
6	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes—analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108649.	1.1	10
7	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021, 64, 1760-1765.	2.9	13
8	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021, 64, 1990-2000.	2.9	22
9	Determinants of penetrance and variable expressivity in monogenic metabolic conditions across 77,184 exomes. <i>Nature Communications</i> , 2021, 12, 3505.	5.8	49
10	Long-term maternal cardiometabolic outcomes 22 years after gestational diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 985-993.	1.1	6
11	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002–2016. <i>Diabetes Care</i> , 2020, 43, 2967-2974.	4.3	29
12	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020, 43, 2257-2265.	4.3	31
13	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	3.9	31
14	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	13.7	282
15	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. <i>Nature</i> , 2019, 570, 71-76.	13.7	248
16	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019, 95, 178-187.	2.6	105
17	Cross-sectional survey of biosimilar insulin utilization in Asia: The Joint Asia Diabetes Evaluation Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1312-1322.	1.1	3
18	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.3	136

#	ARTICLE	IF	CITATIONS
19	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1561-1571.	1.5	15
20	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018, 41, 1312-1320.	4.3	81
21	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017, 4, 170179.	2.4	31
22	Insulin glargine 300 U/mL for basal insulin therapy in type 1 and type 2 diabetes mellitus. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2017, Volume 10, 273-284.	1.1	25
23	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016, 536, 41-47.	13.7	952
24	Variable selection and prediction of clinical outcome with multiply-imputed data via Bayesian model averaging. , 2016, , .		1
25	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapyâ€”The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016, 112, 57-64.	1.1	5
26	Genetic and clinical variables identify predictors forÂchronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016, 89, 411-420.	2.6	22
27	Practical considerations for the use of sodiumâ€“glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2016, 32, 1097-1108.	0.9	14
28	Genome-Wide Association Meta-analysis Identifies Novel Variants Associated With Fasting Plasma Glucose in East Asians. <i>Diabetes</i> , 2015, 64, 291-298.	0.3	59
29	Testosterone level in men with typeÂ2 diabetes mellitus and related metabolic effects: A review of current evidence. <i>Journal of Diabetes Investigation</i> , 2015, 6, 112-123.	1.1	73
30	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	9.4	959
31	Familial Young-Onset Diabetes, Pre-Diabetes and Cardiovascular Disease Are Associated with Genetic Variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014, 9, e84770.	1.1	16
32	Use of Net Reclassification Improvement (NRI) Method Confirms The Utility of Combined Genetic Risk Score to Predict Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e83093.	1.1	34
33	Risk factors in Vâ€shaped risk associations with allâ€cause mortality in type 2 diabetesâ€”The Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 238-246.	1.7	51
34	Glomerular Filtration Rate, Cardiorenal End Points, and All-Cause Mortality in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2006, 29, 2046-2052.	4.3	196
35	Effect of Angiotensin-Converting Enzyme Inhibition on Survival in 3773 Chinese Type 2 Diabetic Patients. <i>Hypertension</i> , 2004, 44, 294-299.	1.3	33
36	Effects of protocol-driven care versus usual outpatient clinic care on survival rates in patients with type 2 diabetes. <i>American Journal of Managed Care</i> , 2003, 9, 606-15.	0.8	26