

Tinte Itinteang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1475600/publications.pdf>

Version: 2024-02-01

86
papers

2,636
citations

230014

27
h-index

232693

48
g-index

91
all docs

91
docs citations

91
times ranked

2378
citing authors

#	ARTICLE	IF	CITATIONS
1	Cancer Stem Cells in Metastatic Head and Neck Cutaneous Squamous Cell Carcinoma Express Components of the Renin-Angiotensin System. <i>Cells</i> , 2021, 10, 243.	1.8	13
2	Expression of Components of the Renin-Angiotensin System by Cancer Stem Cells in Renal Clear Cell Carcinoma. <i>Biomolecules</i> , 2021, 11, 537.	1.8	12
3	Expression of Angiotensin II Receptor 2 in Microcystic Lymphatic Malformation. <i>Journal of Vascular Anomalies</i> , 2021, 2, e020.	0.1	2
4	Cell Populations Expressing Stemness-Associated Markers in Lung Adenocarcinoma. <i>Life</i> , 2021, 11, 1106.	1.1	6
5	Proliferating infantile hemangioma promotes α -fetoprotein production by HepG2 cells. <i>Pediatric Research</i> , 2020, 87, 3-6.	1.1	1
6	A Large Dermoid Cyst Causing Plagiocephaly. <i>Journal of Craniofacial Surgery</i> , 2020, 31, e155-e156.	0.3	0
7	Cancer Stem Cell Subpopulations Are Present Within Metastatic Head and Neck Cutaneous Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 1091.	1.3	13
8	Expression of Cathepsins B, D, and G in Microcystic Lymphatic Malformation. <i>Lymphatic Research and Biology</i> , 2020, 19, 347-354.	0.5	3
9	Identification of Cancer Stem Cell Subpopulations in Head and Neck Metastatic Malignant Melanoma. <i>Cells</i> , 2020, 9, 324.	1.8	20
10	Proliferating Infantile Hemangioma Tissues and Primary Cell Lines Express Markers Associated with Endothelial-to-Mesenchymal Transition. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2598.	0.3	1
11	Cancer Stem Cells in Head and Neck Cutaneous Squamous Cell Carcinoma Express Cathepsins. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e3042.	0.3	9
12	Stem Cells in Keloid Lesions: A Review. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2228.	0.3	29
13	Cancer stem cell subpopulations in moderately differentiated head and neck cutaneous squamous cell carcinoma. <i>Heliyon</i> , 2019, 5, e02257.	1.4	23
14	Cancer stem cell subpopulations in primary colon adenocarcinoma. <i>PLoS ONE</i> , 2019, 14, e0221963.	1.1	25
15	Expression of Components of the Renin-Angiotensin System by the Putative Stem Cell Population Within WHO Grade I Meningioma. <i>Frontiers in Surgery</i> , 2019, 6, 23.	0.6	6
16	Expression of (pro)renin receptor and its effect on endothelial cell proliferation in infantile hemangioma. <i>Pediatric Research</i> , 2019, 86, 202-207.	1.1	13
17	Expression of Components of the Renin-Angiotensin System in Pyogenic Granuloma. <i>Frontiers in Surgery</i> , 2019, 6, 13.	0.6	12
18	Expression of Embryonic Stem Cell Markers in Microcystic Lymphatic Malformation. <i>Lymphatic Research and Biology</i> , 2019, 17, 496-503.	0.5	9

#	ARTICLE	IF	CITATIONS
19	Expression of Cathepsins B, D, and G in WHO Grade I Meningioma. <i>Frontiers in Surgery</i> , 2019, 6, 6.	0.6	12
20	Expression of Components of the Renin-Angiotensin System by the Embryonic Stem Cell-Like Population within Keloid Lesions. <i>Plastic and Reconstructive Surgery</i> , 2019, 144, 372-384.	0.7	11
21	Embryonic Stem Cell-like Population within Venous Malformation Expresses the Renin-Angiotensin System. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2170.	0.3	8
22	Expression of Cathepsins B, D, and G by the Embryonic Stem Cell-Like Population within Human Keloid Tissues and Keloid-Derived Primary Cell Lines. <i>Plastic and Reconstructive Surgery</i> , 2019, 144, 1338-1349.	0.7	9
23	Cancer stem cells within moderately differentiated head and neck cutaneous squamous cell carcinoma express components of the renin-angiotensin system. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019, 72, 1484-1493.	0.5	16
24	Circulating tumor stem cells and glioblastoma: A review. <i>Journal of Clinical Neuroscience</i> , 2019, 61, 5-9.	0.8	24
25	Expression of cancer stem cell markers in metastatic melanoma to the brain. <i>Journal of Clinical Neuroscience</i> , 2019, 60, 112-116.	0.8	24
26	Keloid-associated lymphoid tissues in keloid lesions express vitamin D receptor. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 3027-3031.	0.5	2
27	Expression and Localization of Cathepsins B, D, and G in Dupuytren's Disease. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2018, 6, e1686.	0.3	23
28	Cancer stem cells in colorectal cancer: a review. <i>Journal of Clinical Pathology</i> , 2018, 71, 110-116.	1.0	228
29	Subcellular localisation of the stem cell markers OCT4, SOX2, NANOG, KLF4 and c-MYC in cancer: a review. <i>Journal of Clinical Pathology</i> , 2018, 71, 88-91.	1.0	146
30	Tumour stem cells in meningioma: A review. <i>Journal of Clinical Neuroscience</i> , 2018, 47, 66-71.	0.8	29
31	Expression of Embryonic Stem Cell Markers on the Microvessels of WHO Grade I Meningioma. <i>Frontiers in Surgery</i> , 2018, 5, 65.	0.6	15
32	The Role of Stem Cells in Dupuytren's Disease. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2018, 6, e1777.	0.3	8
33	Expression and Localization of Cathepsins B, D and G in Cancer Stem Cells in Liver Metastasis From Colon Adenocarcinoma. <i>Frontiers in Surgery</i> , 2018, 5, 40.	0.6	25
34	Phosphorylated Forms of STAT1, STAT3 and STAT5 Are Expressed in Proliferating but Not Involved Infantile Hemangioma. <i>Frontiers in Surgery</i> , 2018, 5, 31.	0.6	4
35	Embryonic Stem Cell-Like Population in Dupuytren's Disease Expresses Components of the Renin-Angiotensin System. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1422.	0.3	17
36	Neuropeptide Y receptor 1 is expressed by B and T lymphocytes and mast cells in infantile haemangiomas. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 292-297.	0.7	13

#	ARTICLE	IF	CITATIONS
37	The Identification of Three Cancer Stem Cell Subpopulations within Moderately Differentiated Lip Squamous Cell Carcinoma. <i>Frontiers in Surgery</i> , 2017, 4, 12.	0.6	31
38	Expression of Cathepsins B, D, and G in Isocitrate Dehydrogenase-Wildtype Glioblastoma. <i>Frontiers in Surgery</i> , 2017, 4, 28.	0.6	37
39	Cancer Stem Cells in Moderately Differentiated Lip Squamous Cell Carcinoma Express Components of the Renin-Angiotensin System. <i>Frontiers in Surgery</i> , 2017, 4, 30.	0.6	24
40	Expression and Localization of Cathepsins B, D, and G in Two Cancer Stem Cell Subpopulations in Moderately Differentiated Oral Tongue Squamous Cell Carcinoma. <i>Frontiers in Medicine</i> , 2017, 4, 100.	1.2	32
41	Embryonic Stem Cell-Like Subpopulations in Venous Malformation. <i>Frontiers in Medicine</i> , 2017, 4, 162.	1.2	12
42	Cancer Stem Cells in Oral Cavity Squamous Cell Carcinoma: A Review. <i>Frontiers in Oncology</i> , 2017, 7, 112.	1.3	106
43	Characterization of Cancer Stem Cells in Colon Adenocarcinoma Metastasis to the Liver. <i>Frontiers in Surgery</i> , 2017, 4, 76.	0.6	31
44	Elevated Serum Levels of Alpha-Fetoprotein in Patients with Infantile Hemangioma Are Not Derived from within the Tumor. <i>Frontiers in Surgery</i> , 2016, 3, 5.	0.6	9
45	Cancer Stem Cell Hierarchy in Glioblastoma Multiforme. <i>Frontiers in Surgery</i> , 2016, 3, 21.	0.6	204
46	Expression of the Components of the Renin-Angiotensin System in Venous Malformation. <i>Frontiers in Surgery</i> , 2016, 3, 24.	0.6	18
47	Characterization of Cancer Stem Cells in Moderately Differentiated Buccal Mucosal Squamous Cell Carcinoma. <i>Frontiers in Surgery</i> , 2016, 3, 46.	0.6	45
48	Cancer Stem Cells in Glioblastoma Multiforme. <i>Frontiers in Surgery</i> , 2016, 3, 48.	0.6	66
49	Glioblastoma Multiforme Cancer Stem Cells Express Components of the Renin-Angiotensin System. <i>Frontiers in Surgery</i> , 2016, 3, 51.	0.6	40
50	Cancer Stem Cells in Moderately Differentiated Buccal Mucosal Squamous Cell Carcinoma Express Components of the Renin-Angiotensin System. <i>Frontiers in Surgery</i> , 2016, 3, 52.	0.6	37
51	Expression of embryonic stem cell markers in keloid-associated lymphoid tissue. <i>Journal of Clinical Pathology</i> , 2016, 69, 643-646.	1.0	26
52	Cancer stem cells in moderately differentiated oral tongue squamous cell carcinoma express components of the renin-angiotensin system. <i>Journal of Clinical Pathology</i> , 2016, 69, 942-945.	1.0	40
53	Cancer stem cells in moderately differentiated oral tongue squamous cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016, 69, 742-744.	1.0	39
54	Expression of embryonic stem cell markers in pyogenic granuloma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1096-1101.	0.7	21

#	ARTICLE	IF	CITATIONS
55	Angiolymphoid hyperplasia with eosinophilia developing within a port wine stain. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 53-56.	0.7	4
56	Embryonic Stem Cell-like Population in Dupuytren's Disease. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016, 4, e1064.	0.3	17
57	PHACE syndrome – clinical features, aetiology and management. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 145-153.	0.7	21
58	Does hypoxia play a role in infantile hemangioma?. <i>Archives of Dermatological Research</i> , 2016, 308, 219-227.	1.1	63
59	Infantile Hemangiomas Exhibit Neural Crest and Pericyte Markers. <i>Annals of Plastic Surgery</i> , 2015, 74, 383.	0.5	4
60	Finger soft tissue myoepithelioma: a rare entity. <i>ANZ Journal of Surgery</i> , 2015, 85, 883-884.	0.3	0
61	PHACE(S) Syndrome With Absent Intracranial Internal Carotid Artery and Anomalous Circle of Willis. <i>Journal of Craniofacial Surgery</i> , 2015, 26, e315-e317.	0.3	6
62	Expression of Cathepsins B, D, and G in Infantile Hemangioma. <i>Frontiers in Surgery</i> , 2015, 2, 26.	0.6	24
63	Characterisation of subpopulations of myeloid cells in infantile haemangioma. <i>Journal of Clinical Pathology</i> , 2015, 68, 571-574.	1.0	27
64	Characterisation of lymphocyte subpopulations in infantile haemangioma. <i>Journal of Clinical Pathology</i> , 2015, 68, 812-818.	1.0	20
65	Low-dose propranolol regimen for infantile haemangioma. <i>Journal of Paediatrics and Child Health</i> , 2015, 51, 419-424.	0.4	42
66	Angiotensin II causes cellular proliferation in infantile haemangioma via angiotensin II receptor 2 activation. <i>Journal of Clinical Pathology</i> , 2015, 68, 346-350.	1.0	38
67	Biology of Infantile Hemangioma. <i>Frontiers in Surgery</i> , 2014, 1, 38.	0.6	86
68	Gold weight implantation and lateral tarsorrhaphy for upper eyelid paralysis. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013, 41, e49-e53.	0.7	13
69	Verrucous hemangioma expresses primitive markers. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 391-396.	0.7	21
70	Mast cells in infantile haemangioma possess a primitive myeloid phenotype. <i>Journal of Clinical Pathology</i> , 2013, 66, 597-600.	1.0	20
71	Infantile haemangioma expresses embryonic stem cell markers. <i>Journal of Clinical Pathology</i> , 2012, 65, 394-398.	1.0	47
72	Spontaneously Reduced Isolated Orbital Roof Fracture. <i>Journal of Craniofacial Surgery</i> , 2012, 23, 1200.	0.3	5

#	ARTICLE	IF	CITATIONS
73	Reply to the letter to the Editor on "Low-dose propranolol for infantile haemangioma"; Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, 1124-1126.	0.5	0
74	Low-dose propranolol for infantile haemangioma. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2011, 64, 292-299.	0.5	107
75	Expression of components of the renin-angiotensin system in proliferating infantile haemangioma may account for the propranolol-induced accelerated involution. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2011, 64, 759-765.	0.5	150
76	Pharmacologic Therapies for Infantile Hemangioma: Is There a Rational Basis?. Plastic and Reconstructive Surgery, 2011, 128, 499-507.	0.7	51
77	Infantile haemangioma expresses tumour necrosis factor-related apoptosis-inducing ligand (TRAIL), TRAIL receptors, osteoprotegerin and receptor activator for nuclear factor κ B ligand (RANKL). Histopathology, 2011, 59, 397-406.	1.6	6
78	A placental chorionic villous mesenchymal core cellular origin for infantile haemangioma. Journal of Clinical Pathology, 2011, 64, 870-874.	1.0	36
79	Mesenchymal stem cells in infantile haemangioma. Journal of Clinical Pathology, 2011, 64, 232-236.	1.0	34
80	Low-Dose Propranolol for Multiple Hepatic and Cutaneous Hemangiomas With Deranged Liver Function. Pediatrics, 2011, 127, e772-e776.	1.0	37
81	Primitive mesodermal cells with a neural crest stem cell phenotype predominate proliferating infantile haemangioma. Journal of Clinical Pathology, 2010, 63, 771-776.	1.0	50
82	Haemogenic endothelium in infantile haemangioma. Journal of Clinical Pathology, 2010, 63, 982-986.	1.0	54
83	Infantile Hemangioma: A Tumor Involving Hemogenic Endothelium with Erythropoetic Potential. Blood, 2010, 116, 4305-4305.	0.6	0
84	Thoracic splenosis: a treatment approach. Medical Journal of Australia, 2006, 184, 416-416.	0.8	2
85	Cancer stem cells in liver metastasis from colon adenocarcinoma express components of the renin-angiotensin system. Journal of Cancer Metastasis and Treatment, 0, 2019, .	0.5	10
86	Cancer stem cell subpopulations in metastatic melanoma to the brain express components of the renin-angiotensin system. Journal of Cancer Metastasis and Treatment, 0, 2019, .	0.5	8