
## Ghorbanali Rahimian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1475922/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The biological functions of IL-17 in different clinical expressions of Helicobacter pylori-infection. Microbial Pathogenesis, 2015, 81, 33-38.	2.9	65
2	Comparative Immune Response in Children and Adults with <i>H. pylori</i> Infection. Journal of Immunology Research, 2015, 2015, 1-6.	2.2	56
3	Downregulated regulatory T cell function is associated with increased peptic ulcer in Helicobacter pylori-infection. Microbial Pathogenesis, 2017, 110, 165-175.	2.9	49
4	Association between virulence factors of helicobacter pylori and gastric mucosal interleukin-18 mRNA expression in dyspeptic patients. Microbial Pathogenesis, 2013, 65, 7-13.	2.9	48
5	Virulence factors of Helicobacter pylori vacA increase markedly gastric mucosal TGF-β1 mRNA expression in gastritis patients. Microbial Pathogenesis, 2014, 67-68, 1-7.	2.9	47
6	Role of Regulatory T-cells in Different Clinical Expressions of Helicobacter pylori Infection. Archives of Medical Research, 2016, 47, 245-254.	3.3	44
7	Frequency of virulence factors in Helicobacter pylori-infected patients with gastritis. Microbial Pathogenesis, 2015, 80, 67-72.	2.9	43
8	Up-regulated Th17 cell function is associated with increased peptic ulcer disease in Helicobacter pylori -infection. Infection, Genetics and Evolution, 2018, 60, 117-125.	2.3	40
9	Clinical relevance of Helicobacter pylori virulence factors in Iranian patients with gastrointestinal diseases. Microbial Pathogenesis, 2016, 100, 154-162.	2.9	28
10	The regulatory role of Nrf2 in antioxidants phase2 enzymes and IL-17A expression in patients with ulcerative colitis. Pathology Research and Practice, 2018, 214, 1149-1155.	2.3	27
11	Associations of a TLR4 single-nucleotide polymorphism with H.Âpylori associated gastric diseases in iranian patients. Clinics and Research in Hepatology and Gastroenterology, 2014, 38, 366-371.	1.5	26
12	Association of the virulence factors of Helicobacter pylori and gastric mucosal interleukin-17/23 mRNA expression in dyspeptic patients. EXCLI Journal, 2013, 12, 5-14.	0.7	26
13	Role of Th22 cells in Helicobacter pylori-related gastritis and peptic ulcer diseases. Molecular Biology Reports, 2019, 46, 5703-5712.	2.3	24
14	Clinical immunology Mucosal interleukin-21 mRNA expression level is high in patients with Helicobacter pylori and is associated with the severity of gastritis. Central-European Journal of Immunology, 2015, 1, 61-67.	1.2	22
15	The protective effects of resveratrol on ulcerative colitis via changing the profile of Nrf2 and IL-1β protein. Molecular Biology Reports, 2020, 47, 6941-6947.	2.3	19
16	Effect of licorice versus bismuth on eradication of Helicobacter pylori in patients with peptic ulcer disease. Pharmacognosy Research (discontinued), 2014, 6, 341.	0.6	18
17	Intensified Th9 Response is Associated with the Immunopathogenesis of Active Ulcerative Colitis. Immunological Investigations, 2018, 47, 700-711.	2.0	18
18	Enhanced Frequency of CD19+IL-10+B Cells in Human Gastric Mucosa Infected by Helicobacter pylori. American Journal of the Medical Sciences, 2020, 359, 347-353.	1.1	18

GHORBANALI RAHIMIAN

#	Article	IF	CITATIONS
19	Altered Th17 Cytokine Expression in <i>Helicobacter pylori</i> Patients with TLR4 (D299G) Polymorphism. Immunological Investigations, 2016, 45, 161-171.	2.0	17
20	Prevalence and risk factors of non-alcoholic fatty liver disease in southwest Iran: a population-based case-control study. Clinical and Experimental Hepatology, 2019, 5, 224-231.	1.3	16
21	The expression analysis of Fra-1 gene and IL-11 protein in Iranian patients with ulcerative colitis. BMC Immunology, 2018, 19, 17.	2.2	15
22	T-bet+ Cells Polarization in Patients Infected with Helicobacter pylori Increase the Risk of Peptic Ulcer Development. Archives of Medical Research, 2019, 50, 113-121.	3.3	14
23	Increased Indoleamine 2, 3-Dioxygenase expression modulates Th1/Th17/Th22 and Treg pathway in humans with Helicobacter Pylori-Infected gastric mucosa. Human Immunology, 2021, 82, 46-53.	2.4	11
24	Correlation between expression of MMP-9 and MMP-3 in Helicobacter pylori infected patients with different gastroduodenal diseases. Arab Journal of Gastroenterology, 2018, 19, 148-154.	0.9	10
25	Up-regulated CCL18, CCL28 and CXCL13 Expression is Associated with the Risk of Gastritis and Peptic Ulcer Disease in Helicobacter Pylori infection. American Journal of the Medical Sciences, 2021, 361, 43-54.	1.1	10
26	Determination of CagA EPIYA motif in Helicobacter pylori strains isolated from patients with digestive disorder. Heliyon, 2020, 6, e04971.	3.2	8
27	New insights into regulatory B cells biology in viral, bacterial, and parasitic infections. Infection, Genetics and Evolution, 2021, 89, 104753.	2.3	7
28	<i>cag</i> Pathogenicity island-dependent upregulation of matrix metalloproteinase-7 in infected patients with <i>Helicobacter pylori</i> . Journal of Immunoassay and Immunochemistry, 2017, 38, 595-607.	1.1	5
29	Correlation between clarithromycin resistance, virulence factors and clinical characteristics of the disease in Helicobacter pylori infected patients in Shahrekord, Southwest Iran. AMB Express, 2021, 11, 147.	3.0	4
30	Frequency of virulence-associated genotypes of Helicobacter pylori and their correlation with clinical outcome and histological parameters in infected patients. Heliyon, 2021, 7, e07610.	3.2	2
31	Associations of a NLRP3 rs10754558 Polymorphism with Helicobacter pylori-Infected Patients with Gastritis and Peptic Ulcer Disease. Jundishapur Journal of Microbiology, 2019, In Press, .	0.5	2
32	Risk Factors for Ulcerative Colitis in Shahrekord, Iran: A Case-Control Study. International Journal of Epidemiologic Research, 2019, 6, 144-148.	0.4	0