

Silver Bahendeka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1476015/publications.pdf>

Version: 2024-02-01

95
papers

2,775
citations

236833

25
h-index

206029

48
g-index

97
all docs

97
docs citations

97
times ranked

3718
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychosocial stressors among Ghanaians in rural and urban Ghana and Ghanaian migrants in Europe. <i>Journal of Health Psychology</i> , 2022, 27, 674-685.	1.3	4
2	C-reactive protein and hypertension among Ghanaian migrants and their homeland counterparts: the Research on Obesity and Diabetes among African Migrants study. <i>Journal of Hypertension</i> , 2022, 40, 283-291.	0.3	3
3	Serum potassium concentration and its association with hypertension among Ghanaian migrants and non-migrants: The RODAM study. <i>Atherosclerosis</i> , 2022, 342, 36-43.	0.4	2
4	Hypertension determinants among Ghanaians differ according to location of residence: RODAM study. <i>Journal of Hypertension</i> , 2022, 40, 1010-1018.	0.3	2
5	Use of statins for the prevention of cardiovascular disease in 41 low-income and middle-income countries: a cross-sectional study of nationally representative, individual-level data. <i>The Lancet Global Health</i> , 2022, 10, e369-e379.	2.9	41
6	Data Resource Profile: The Global Health and Population Project on Access to Care for Cardiometabolic Diseases (HPACC). <i>International Journal of Epidemiology</i> , 2022, 51, e337-e349.	0.9	6
7	African Cuisine-Centered Insulin Therapy: Expert Opinion on the Management of Hyperglycaemia in Adult Patients with Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2021, 12, 37-54.	1.2	4
8	Food intake and cardiometabolic risk factors in rural Uganda. <i>Archives of Public Health</i> , 2021, 79, 24.	1.0	1
9	Effect of a nurse-led lifestyle choice and coaching intervention on systolic blood pressure among type 2 diabetic patients with a high atherosclerotic cardiovascular risk: study protocol for a cluster-randomized trial. <i>Trials</i> , 2021, 22, 133.	0.7	1
10	Variation in the Proportion of Adults in Need of Blood Pressure“Lowering Medications by Hypertension Care Guideline in Low- and Middle-Income Countries. <i>Circulation</i> , 2021, 143, 991-1001.	1.6	13
11	Anthropometric indices and their cut-off points in relation to type 2 diabetes among Ghanaian migrants and non-migrants: The RODAM study. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108687.	1.1	7
12	Cardiovascular disease risk profile and management practices in 45 low-income and middle-income countries: A cross-sectional study of nationally representative individual-level survey data. <i>PLoS Medicine</i> , 2021, 18, e1003485.	3.9	27
13	Association between Practising Religion and Cardiovascular Disease Risk among Ghanaian Non-Migrants and Migrants in Europe: The RODAM Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2451.	1.2	2
14	DNA methylation as the link between migration and the“major noncommunicable diseases: the RODAM study. <i>Epigenomics</i> , 2021, 13, 653-666.	1.0	5
15	Carbohydrate-dense snacks are a key feature of the nutrition transition among Ghanaian adults “ findings from the RODAM study. <i>Food and Nutrition Research</i> , 2021, 65, .	1.2	0
16	Metabolic-associated Fatty Liver Disease as Assessed by the Fatty Liver Index Among Migrant and Non-migrant Ghanaian Populations. <i>Journal of Clinical and Translational Hepatology</i> , 2021, 000, 000-000.	0.7	4
17	Genome-wide DNA methylation analysis on C-reactive protein among Ghanaians suggests molecular links to the emerging risk of cardiovascular diseases. <i>Npj Genomic Medicine</i> , 2021, 6, 46.	1.7	4
18	The state of diabetes treatment coverage in 55 low-income and middle-income countries: a cross-sectional study of nationally representative, individual-level data in 680“%102 adults. <i>The Lancet Healthy Longevity</i> , 2021, 2, e340-e351.	2.0	108

#	ARTICLE	IF	CITATIONS
19	Targeting Hypertension Screening in Low- and Middle-income Countries: A Cross-sectional Analysis of 1.2 Million Adults in 56 Countries. <i>Journal of the American Heart Association</i> , 2021, 10, e021063.	1.6	4
20	Body-mass index and diabetes risk in 57 low-income and middle-income countries: a cross-sectional study of nationally representative, individual-level data in 685 616 adults. <i>Lancet, The</i> , 2021, 398, 238-248.	6.3	77
21	Reduced Rank Regression-Derived Dietary Patterns Related to the Fatty Liver Index and Associations with Type 2 Diabetes Mellitus among Ghanaian Populations under Transition: The RODAM Study. <i>Nutrients</i> , 2021, 13, 3679.	1.7	3
22	The Magnitude and Directions of the Associations between Early Life Factors and Metabolic Syndrome Differ across Geographical Locations among Migrant and Non-Migrant Ghanaians- The RODAM Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11996.	1.2	3
23	Health service delivery for type 1 diabetes during the lockdown in Uganda following the coronavirus disease 2019 pandemic. <i>Healthcare in Low-resource Settings</i> , 2021, 9, .	0.0	0
24	Multimorbidity Among Migrant and Non-Migrant Ghanaians: The RODAM Study. <i>International Journal of Public Health</i> , 2021, 66, 1604056.	1.0	4
25	Differential associations between psychosocial stress and obesity among Ghanaians in Europe and in Ghana: findings from the RODAM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 45-56.	1.6	10
26	Early-life exposures and cardiovascular disease risk among Ghanaian migrant and home populations: the RODAM study. <i>Journal of Developmental Origins of Health and Disease</i> , 2020, 11, 250-263.	0.7	3
27	Higher prevalence of peripheral arterial disease in Ghana compared to Ghanaian migrants in Europe: The RODAM study. <i>International Journal of Cardiology</i> , 2020, 305, 127-134.	0.8	8
28	Physical Inactivity among Ghanaians in Ghana and Ghanaian Migrants in Europe. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2152-2161.	0.2	8
29	Alcohol consumption, hypertension and obesity: Relationship patterns along different age groups in Uganda. <i>Preventive Medicine Reports</i> , 2020, 19, 101141.	0.8	10
30	Prevalence and sex-specific patterns of metabolic syndrome in rural Uganda. <i>BMJ Nutrition, Prevention and Health</i> , 2020, 3, 11-17.	1.9	18
31	Inverse Association between Iron Deficiency and Glycated Hemoglobin Levels in Ghanaian Adults- the RODAM Study. <i>Journal of Nutrition</i> , 2020, 150, 1899-1908.	1.3	1
32	Sociodemographic inequities associated with participation in leisure-time physical activity in sub-Saharan Africa: an individual participant data meta-analysis. <i>BMC Public Health</i> , 2020, 20, 927.	1.2	16
33	Diabetes Prevalence and Its Relationship With Education, Wealth, and BMI in 29 Low- and Middle-Income Countries. <i>Diabetes Care</i> , 2020, 43, 767-775.	4.3	86
34	COVID-19 and type 1 diabetes: Challenges and actions. <i>Diabetes Research and Clinical Practice</i> , 2020, 166, 108275.	1.1	22
35	Association between country preparedness indicators and quality clinical care for cardiovascular disease risk factors in 44 lower- and middle-income countries: A multicountry analysis of survey data. <i>PLoS Medicine</i> , 2020, 17, e1003268.	3.9	14
36	Title is missing!. , 2020, 17, e1003268.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 17, e1003268.		0
38	Title is missing!. , 2020, 17, e1003268.		0
39	Title is missing!. , 2020, 17, e1003268.		0
40	Title is missing!. , 2020, 17, e1003268.		0
41	Title is missing!. , 2020, 17, e1003268.		0
42	Epigenome-wide association study in whole blood on type 2 diabetes among sub-Saharan African individuals: findings from the RODAM study. <i>International Journal of Epidemiology</i> , 2019, 48, 58-70.	0.9	62
43	The state of hypertension care in 44 low-income and middle-income countries: a cross-sectional study of nationally representative individual-level data from 1.1 million adults. <i>Lancet, The</i> , 2019, 394, 652-662.	6.3	319
44	Early-life factors are associated with waist circumference and type 2 diabetes among Ghanaian adults: The RODAM Study. <i>Scientific Reports</i> , 2019, 9, 10848.	1.6	9
45	Glucocronology of Modern Sulfonylureas: Clinical Evidence and Practice-Based Opinion from an International Expert Group. <i>Diabetes Therapy</i> , 2019, 10, 1577-1593.	1.2	5
46	Prevalence and determinants of type 2 diabetes among lean African migrants and non-migrants: the RODAM study. <i>Journal of Global Health</i> , 2019, 9, 020426.	1.2	20
47	The prevalence of metabolic syndrome among Ghanaian migrants and their homeland counterparts: the Research on Obesity and type 2 Diabetes among African Migrants (RODAM) study. <i>European Journal of Public Health</i> , 2019, 29, 906-913.	0.1	13
48	Microvascular and macrovascular complications in type 2 diabetes Ghanaian residents in Ghana and Europe: The RODAM study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 572-578.	1.2	25
49	BE-SMART (Basal Early Strategies to Maximize HbA1c Reduction with Oral Therapy): Expert Opinion. <i>Diabetes Therapy</i> , 2019, 10, 1189-1204.	1.2	6
50	Dietary Patterns Are Associated with Predicted 10-Year Risk of Cardiovascular Disease Among Ghanaian Populations: the Research on Obesity and Diabetes in African Migrants (RODAM) Study. <i>Journal of Nutrition</i> , 2019, 149, 755-769.	1.3	15
51	Euthymia in Diabetes: Clinical Evidence and Practice-Based Opinion from an International Expert Group. <i>Diabetes Therapy</i> , 2019, 10, 791-804.	1.2	8
52	Healthcare delivery for paediatric and adolescent diabetes in low resource settings: Type 1 diabetes clinics in Uganda. <i>Global Public Health</i> , 2019, 14, 1869-1883.	1.0	15
53	Dyslipidaemia among Ghanaian migrants in three European countries and their compatriots in rural and urban Ghana: The RODAM study. <i>Atherosclerosis</i> , 2019, 284, 83-91.	0.4	8
54	Health system performance for people with diabetes in 28 low- and middle-income countries: A cross-sectional study of nationally representative surveys. <i>PLoS Medicine</i> , 2019, 16, e1002751.	3.9	179

#	ARTICLE	IF	CITATIONS
55	Is social support associated with hypertension control among Ghanaian migrants in Europe and non-migrants in Ghana? The RODAM study. <i>Internal and Emergency Medicine</i> , 2019, 14, 957-966.	1.0	6
56	Diabetes management and treatment approaches outside of North America and West Europe in 2006 and 2015. <i>Acta Diabetologica</i> , 2019, 56, 889-897.	1.2	4
57	Low consumption of fruits and vegetables among adults in Uganda: findings from a countrywide cross-sectional survey. <i>Archives of Public Health</i> , 2019, 77, 4.	1.0	30
58	EADSG Guidelines: Insulin Storage and Optimisation of Injection Technique in Diabetes Management. <i>Diabetes Therapy</i> , 2019, 10, 341-366.	1.2	56
59	Cross-sectional study of association between socioeconomic indicators and chronic kidney disease in rural-urban Ghana: the RODAM study. <i>BMJ Open</i> , 2019, 9, e022610.	0.8	3
60	Psychosocial factors and hypertension prevalence among Ghanaians in Ghana and Ghanaian migrants in Europe: The RODAM study. <i>Health Psychology Open</i> , 2019, 6, 205510291988575.	0.7	7
61	Perceived discrimination and stressful life events are associated with cardiovascular risk score in migrant and non-migrant populations: The RODAM study. <i>International Journal of Cardiology</i> , 2019, 286, 169-174.	0.8	21
62	Autoantibodies and HLA class II DR-DQ genotypes in Ugandan children and adolescents with type 1 diabetes mellitus. <i>International Journal of Diabetes in Developing Countries</i> , 2019, 39, 39-46.	0.3	5
63	Markers of Oxidative Stress and Inflammation in only Diabetic and Obese Ghanaian Populations: The RODAM Study. <i>The Open Diabetes Journal</i> , 2019, 9, 8-15.	0.4	1
64	EADSG Guidelines: Insulin Therapy in Diabetes. <i>Diabetes Therapy</i> , 2018, 9, 449-492.	1.2	103
65	Cardiovascular disease risk prediction in sub-Saharan African populations – Comparative analysis of risk algorithms in the RODAM study. <i>International Journal of Cardiology</i> , 2018, 254, 310-315.	0.8	34
66	Chronic kidney disease burden among African migrants in three European countries and in urban and rural Ghana: the RODAM cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1812-1822.	0.4	30
67	Type 2 diabetes mellitus management among Ghanaian migrants resident in three European countries and their compatriots in rural and urban Ghana – The RODAM study. <i>Diabetes Research and Clinical Practice</i> , 2018, 136, 32-38.	1.1	7
68	Variations in hypertension awareness, treatment, and control among Ghanaian migrants living in Amsterdam, Berlin, London, and nonmigrant Ghanaians living in rural and urban Ghana – the RODAM study. <i>Journal of Hypertension</i> , 2018, 36, 169-177.	0.3	47
69	Prevalence and correlates of abdominal obesity among adults in Uganda: findings from a national cross-sectional, population based survey 2014. <i>BMC Obesity</i> , 2018, 5, 40.	3.1	22
70	Expert Opinion: Patient Selection for Premixed Insulin Formulations in Diabetes Care. <i>Diabetes Therapy</i> , 2018, 9, 2185-2199.	1.2	19
71	Ideal cardiovascular health among Ghanaian populations in three European countries and rural and urban Ghana: the RODAM study. <i>Internal and Emergency Medicine</i> , 2018, 13, 845-856.	1.0	19
72	Consensus recommendations on sulfonylurea and sulfonylurea combinations in the management of Type 2 diabetes mellitus – International Task Force. <i>Indian Journal of Endocrinology and Metabolism</i> , 2018, 22, 132.	0.2	49

#	ARTICLE	IF	CITATIONS
73	Accessing diabetes care in rural Uganda: Economic and social resources. <i>Global Public Health</i> , 2017, 12, 892-908.	1.0	6
74	Peripheral insulin resistance rather than beta cell dysfunction accounts for geographical differences in impaired fasting blood glucose among sub-Saharan African individuals: findings from the RODAM study. <i>Diabetologia</i> , 2017, 60, 854-864.	2.9	22
75	Innovative ways of studying the effect of migration on obesity and diabetes beyond the common designs: lessons from the RODAM study. <i>Annals of the New York Academy of Sciences</i> , 2017, 1391, 54-70.	1.8	21
76	Migration and Cardiovascular Disease Risk Among Ghanaian Populations in Europe: Cardiovascular Quality and Outcomes, 2017, 10, .	0.9	26
77	Food consumption, nutrient intake, and dietary patterns in Ghanaian migrants in Europe and their compatriots in Ghana. <i>Food and Nutrition Research</i> , 2017, 61, 1341809.	1.2	78
78	Diabetes in sub-Saharan Africa: let us not forget type 1. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 575-577.	5.5	14
79	Prevalence of hyperglycaemia first detected during pregnancy and subsequent obstetric outcomes at St. Francis Hospital Nsambya. <i>BMC Research Notes</i> , 2017, 10, 174.	0.6	23
80	Household and familial resemblance in risk factors for type 2 diabetes and related cardiometabolic diseases in rural Uganda: a cross-sectional community sample. <i>BMJ Open</i> , 2017, 7, e015214.	0.8	6
81	Smoking prevalence differs by location of residence among Ghanaians in Africa and Europe: The RODAM study. <i>PLoS ONE</i> , 2017, 12, e0177291.	1.1	19
82	An epigenome-wide association study in whole blood of measures of adiposity among Ghanaians: the RODAM study. <i>Clinical Epigenetics</i> , 2017, 9, 103.	1.8	55
83	Permanent neonatal diabetes mellitus - a case report of a rare cause of diabetes mellitus in East Africa. <i>African Health Sciences</i> , 2016, 15, 1339.	0.3	8
84	Prevalence and correlates of diabetes mellitus in Uganda: a population-based national survey. <i>Tropical Medicine and International Health</i> , 2016, 21, 405-416.	1.0	107
85	Alcohol use among adults in Uganda: findings from the countrywide non-communicable diseases risk factor cross-sectional survey. <i>Global Health Action</i> , 2016, 9, 31302.	0.7	71
86	Diabetes Treatment as "Homework". <i>Health Education and Behavior</i> , 2016, 43, 100S-111S.	1.3	8
87	Physical Activity Levels Among Adults in Uganda: Findings From a Countrywide Cross-Sectional Survey. <i>Journal of Physical Activity and Health</i> , 2016, 13, 938-945.	1.0	36
88	Obesity and type 2 diabetes in sub-Saharan Africans "Is the burden in today's Africa similar to African migrants in Europe? The RODAM study. <i>BMC Medicine</i> , 2016, 14, 166.	2.3	132
89	Diabetes diagnosis and care in sub-Saharan Africa: pooled analysis of individual data from 12 countries. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 903-912.	5.5	108
90	Burden of cumulative risk factors associated with non-communicable diseases among adults in Uganda: evidence from a national baseline survey. <i>International Journal for Equity in Health</i> , 2016, 15, 195.	1.5	30

#	ARTICLE	IF	CITATIONS
91	A Comparison of Cardiometabolic Risk Factors in Households in Rural Uganda With and Without a Resident With Type 2 Diabetes, 2012â€“2013. Preventing Chronic Disease, 2015, 12, E44.	1.7	7
92	Rationale and cross-sectional study design of the Research on Obesity and type 2 Diabetes among African Migrants: the RODAM study. BMJ Open, 2015, 4, e004877.	0.8	94
93	The Epidemiology of Hypertension in Uganda: Findings from the National Non-Communicable Diseases Risk Factor Survey. PLoS ONE, 2015, 10, e0138991.	1.1	148
94	Gastric inhibitory polypeptide, dietary-induced thermogenesis, and obesity. Canadian Journal of Physiology and Pharmacology, 1987, 65, 1242-1247.	0.7	7
95	Further experience in treating patients with hepatocellular carcinoma in Uganda. Cancer, 1980, 46, 2717-2722.	2.0	80