

Jolanta Lukasiewicz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1476473/jolanta-lukasiewicz-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

759
citations

17
h-index

26
g-index

46
ext. papers

900
ext. citations

4.9
avg, IF

3.53
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 43 | The Mutation in Gene Cluster Selected by Phage-Borne Depolymerase Abolishes Capsule Production and Diminishes the Virulence of. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 3 |
| 42 | Human Gb3/CD77 synthase produces P1 glycotope-capped N-glycans, which mediate Shiga toxin 1 but not Shiga toxin 2 cell entry. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100299 | 5.4 | 5 |
| 41 | De-O-acylated lipoooligosaccharide of <i>E. coli</i> B reduces the number of metastatic foci via downregulation of myeloid cell activity. <i>Oncology Reports</i> , 2020 , 43, 270-281 | 3.5 | |
| 40 | Structural Studies of the Lipopolysaccharide Isolated from O22:H3 (CNCTC 90/89). <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 3 |
| 39 | Lipopolysaccharide-Linked Enterobacterial Common Antigen (ECA) Occurs in Rough Strains of R1, R2, and R4. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 8 |
| 38 | The Impact of Insertion Sequences on O-Serotype Phenotype and Its O-Locus-Based Prediction in O2 and O1. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 1 |
| 37 | Interaction of Mannose-Binding Lectin With Lipopolysaccharide Outer Core Region and Its Biological Consequences. <i>Frontiers in Immunology</i> , 2018 , 9, 1498 | 8.4 | 14 |
| 36 | Cross-specificity of protective human antibodies against <i>Klebsiella pneumoniae</i> LPS O-antigen. <i>Nature Immunology</i> , 2018 , 19, 617-624 | 19.1 | 64 |
| 35 | Discovery of monoclonal antibodies cross-reactive to novel subserotypes of <i>K. pneumoniae</i> O3. <i>Scientific Reports</i> , 2017 , 7, 6635 | 4.9 | 14 |
| 34 | Structure-Activity Relationship of Lipid A to the Production of TNF-βIL-1βand IL-6 by Human and Murine Macrophages. <i>Frontiers in Immunology</i> , 2017 , 8, 1741 | 8.4 | 3 |
| 33 | Identification of d-Galactan-III As Part of the Lipopolysaccharide of Serotype O1. <i>Frontiers in Microbiology</i> , 2017 , 8, 684 | 5.7 | 15 |
| 32 | Both clades of the epidemic KPC-producing <i>Klebsiella pneumoniae</i> clone ST258 share a modified galactan O-antigen type. <i>International Journal of Medical Microbiology</i> , 2016 , 306, 89-98 | 3.7 | 34 |
| 31 | A New Ligand-Based Method for Purifying Active Human Plasma-Derived Ficolin-3 Complexes Supports the Phenomenon of Crosstalk between Pattern-Recognition Molecules and Immunoglobulins. <i>PLoS ONE</i> , 2016 , 11, e0156691 | 3.7 | 2 |
| 30 | Fractionation and analysis of lipopolysaccharide-derived oligosaccharides by zwitterionic-type hydrophilic interaction liquid chromatography coupled with electrospray ionisation mass spectrometry. <i>Carbohydrate Research</i> , 2016 , 427, 29-37 | 2.9 | 4 |
| 29 | The structures of glycophorin C N-glycans, a putative component of the GPC receptor site for <i>Plasmodium falciparum</i> EBA-140 ligand. <i>Glycobiology</i> , 2015 , 25, 570-81 | 5.8 | 12 |
| 28 | The baculovirus-expressed binding region of <i>Plasmodium falciparum</i> EBA-140 ligand and its glycophorin C binding specificity. <i>PLoS ONE</i> , 2015 , 10, e0115437 | 3.7 | 14 |
| 27 | Occurrence of glycine in the core oligosaccharides of <i>Hafnia alvei</i> lipopolysaccharides--identification of disubstituted glycoform. <i>Carbohydrate Research</i> , 2015 , 408, 119-26 ^{2.9} | 2.9 | 5 |

| | | | |
|----|---|-----|----|
| 26 | Core oligosaccharide of Escherichia coli B-the structure required for bacteriophage T4 recognition. <i>Carbohydrate Research</i> , 2015 , 413, 51-4 | 2.9 | 6 |
| 25 | Ficolin-3 activity towards the opportunistic pathogen, <i>Hafnia alvei</i> . <i>Immunobiology</i> , 2015 , 220, 117-23 | 3.4 | 20 |
| 24 | Studies of a murine monoclonal antibody directed against DARC: reappraisal of its specificity. <i>PLoS ONE</i> , 2015 , 10, e0116472 | 3.7 | 4 |
| 23 | Structural Analysis of the Core Oligosaccharide and the O-Specific Polysaccharide from the <i>Plesiomonas shigelloides</i> O33:H3 (Strain CNCTC 34/89) Lipopolysaccharide. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 1241-1252 | 3.2 | 4 |
| 22 | Diagnostic potential of monoclonal antibodies specific to the unique O-antigen of multidrug-resistant epidemic <i>Escherichia coli</i> clone ST131-O25b:H4. <i>Vaccine Journal</i> , 2014 , 21, 930-9 | | 19 |
| 21 | Selective detection of carbohydrates and their peptide conjugates by ESI-MS using synthetic quaternary ammonium salt derivatives of phenylboronic acids. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 966-76 | 3.5 | 14 |
| 20 | First evidence for a covalent linkage between enterobacterial common antigen and lipopolysaccharide in <i>Shigella sonnei</i> phase II ECALPS. <i>Journal of Biological Chemistry</i> , 2014 , 289, 2745-54 | 5.4 | 15 |
| 19 | Ficolin-2 and ficolin-3 in women with malignant and benign ovarian tumours. <i>Cancer Immunology, Immunotherapy</i> , 2013 , 62, 1411-9 | 7.4 | 28 |
| 18 | The unique structure of complete lipopolysaccharide isolated from semi-rough <i>Plesiomonas shigelloides</i> O37 (strain CNCTC 39/89) containing (2S)-O-(4-oxopentanoic acid)-ED-GlcP (ED-Lenose). <i>Carbohydrate Research</i> , 2013 , 378, 98-107 | 2.9 | 11 |
| 17 | A single point mutation in the gene encoding Gb3/CD77 synthase causes a rare inherited polyagglutination syndrome.. <i>Journal of Biological Chemistry</i> , 2013 , 288, 294 | 5.4 | 78 |
| 16 | Core oligosaccharide of <i>Plesiomonas shigelloides</i> PCM 2231 (Serotype O17) lipopolysaccharide--structural and serological analysis. <i>Marine Drugs</i> , 2013 , 11, 440-54 | 6 | 8 |
| 15 | A single point mutation in the gene encoding Gb3/CD77 synthase causes a rare inherited polyagglutination syndrome. <i>Journal of Biological Chemistry</i> , 2012 , 287, 38220-30 | 5.4 | 33 |
| 14 | H-ficolin (ficolin-3) concentrations and FCN3 gene polymorphism in neonates. <i>Immunobiology</i> , 2012 , 217, 730-7 | 3.4 | 33 |
| 13 | New functional ligands for ficolin-3 among lipopolysaccharides of <i>Hafnia alvei</i> . <i>Glycobiology</i> , 2012 , 22, 267-80 | 5.8 | 37 |
| 12 | Structural analysis of the lipid A isolated from <i>Hafnia alvei</i> 32 and PCM 1192 lipopolysaccharides. <i>Journal of Lipid Research</i> , 2010 , 51, 564-74 | 6.3 | 30 |
| 11 | Structures of two novel, serologically nonrelated core oligosaccharides of <i>Yokenella regensburgei</i> lipopolysaccharides differing only by a single hexose substitution. <i>Glycobiology</i> , 2010 , 20, 207-14 | 5.8 | 3 |
| 10 | Two Kdo-heptose regions identified in <i>Hafnia alvei</i> 32 lipopolysaccharide: the complete core structure and serological screening of different <i>Hafnia</i> O serotypes. <i>Journal of Bacteriology</i> , 2009 , 191, 533-44 | 3.5 | 13 |
| 9 | Structural analysis of the O-specific polysaccharide isolated from <i>Plesiomonas shigelloides</i> O51 lipopolysaccharide. <i>Carbohydrate Research</i> , 2009 , 344, 894-900 | 2.9 | 19 |

| | | | |
|---|---|-----|----|
| 8 | Structure of the lipid A-inner core region and biological activity of <i>Plesiomonas shigelloides</i> O54 (strain CNCTC 113/92) lipopolysaccharide. <i>Glycobiology</i> , 2006 , 16, 538-50 | 5.8 | 17 |
| 7 | Complete lipopolysaccharide of <i>Plesiomonas shigelloides</i> O74:H5 (strain CNCTC 144/92). 1. Structural analysis of the highly hydrophobic lipopolysaccharide, including the O-antigen, its biological repeating unit, the core oligosaccharide, and the linkage between them. <i>Biochemistry</i> , 2006 , 45, 10393-10400 | 3.2 | 29 |
| 6 | Complete lipopolysaccharide of <i>Plesiomonas shigelloides</i> O74:H5 (strain CNCTC 144/92). 2. Lipid A, its structural variability, the linkage to the core oligosaccharide, and the biological activity of the lipopolysaccharide. <i>Biochemistry</i> , 2006 , 45, 10434-47 | 3.2 | 20 |
| 5 | A complex of lactoferrin with monophosphoryl lipid A is an efficient adjuvant of the humoral and cellular immune response in mice. <i>Medical Microbiology and Immunology</i> , 2006 , 195, 207-16 | 4 | 25 |
| 4 | Epitope of the vaccine-type <i>Bordetella pertussis</i> strain 186 lipooligosaccharide and antiendotoxin activity of antibodies directed against the terminal pentasaccharide-tetanus toxoid conjugate. <i>Infection and Immunity</i> , 2005 , 73, 7381-9 | 3.7 | 21 |
| 3 | The O-acetylation patterns in the O-antigens of <i>Hafnia alvei</i> strains PCM 1200 and 1203, serologically closely related to PCM 1205. <i>Carbohydrate Research</i> , 2004 , 339, 2521-7 | 2.9 | 12 |
| 2 | Serological characterization of anti-endotoxin serum directed against the conjugate of oligosaccharide core of <i>Escherichia coli</i> type R4 with tetanus toxoid. <i>FEMS Immunology and Medical Microbiology</i> , 2003 , 37, 59-67 | | 12 |
| 1 | Core oligosaccharides of <i>Plesiomonas shigelloides</i> O54:H2 (strain CNCTC 113/92): structural and serological analysis of the lipopolysaccharide core region, the O-antigen biological repeating unit, and the linkage between them. <i>Journal of Biological Chemistry</i> , 2002 , 277, 11653-63 | 5.4 | 41 |