

Aynur Aptula

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/14765/publications.pdf>

Version: 2024-02-01

26
papers

3,833
citations

279701

23
h-index

526166

27
g-index

27
all docs

27
docs citations

27
times ranked

1528
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanistic Applicability Domain Classification of a Local Lymph Node Assay Dataset for Skin Sensitization. <i>Chemical Research in Toxicology</i> , 2007, 20, 1019-1030.	1.7	1,334
2	Alternative (non-animal) methods for cosmetics testing: current status and future prospectsâ€”2010. <i>Archives of Toxicology</i> , 2011, 85, 367-485.	1.9	488
3	Refinement of the Dermal Sensitisation Threshold (DST) approach using a larger dataset and incorporating mechanistic chemistry domains. <i>Regulatory Toxicology and Pharmacology</i> , 2011, 60, 218-224.	1.3	371
4	Local Lymph Node Data for the Evaluation of Skin Sensitization Alternatives: A Second Compilation. <i>Dermatitis</i> , 2010, 21, 8-32.	0.8	168
5	Skin Sensitization:Â Reaction Mechanistic Applicability Domains for Structureâ~Activity Relationships. <i>Chemical Research in Toxicology</i> , 2005, 18, 1420-1426.	1.7	165
6	In silico toxicology protocols. <i>Regulatory Toxicology and Pharmacology</i> , 2018, 96, 1-17.	1.3	159
7	Electrophilic Chemistry Related to Skin Sensitization. Reaction Mechanistic Applicability Domain Classification for a Published Data Set of 106 Chemicals Tested in the Mouse Local Lymph Node Assay. <i>Chemical Research in Toxicology</i> , 2007, 20, 44-60.	1.7	142
8	Mechanistic Applicability Domains for Non-Animal Based Prediction of Toxicological Endpoints. QSAR Analysis of the Schiff Base Applicability Domain for Skin Sensitization. <i>Chemical Research in Toxicology</i> , 2006, 19, 1228-1233.	1.7	141
9	Reactivity Profiling: Covalent Modification of Single Nucleophile Peptides for Skin Sensitization Risk Assessment. <i>Toxicological Sciences</i> , 2009, 108, 401-411.	1.4	98
10	Non-enzymatic glutathione reactivity and in vitro toxicity: A non-animal approach to skin sensitization. <i>Toxicology in Vitro</i> , 2006, 20, 239-247.	1.1	91
11	TIMES-SSâ€”A promising tool for the assessment of skin sensitization hazard. A characterization with respect to the OECD validation principles for (Q)SARs and an external evaluation for predictivity. <i>Regulatory Toxicology and Pharmacology</i> , 2007, 48, 225-239.	1.3	91
12	An evaluation of selected global (Q)SARs/expert systems for the prediction of skin sensitisation potential. <i>SAR and QSAR in Environmental Research</i> , 2007, 18, 515-541.	1.0	77
13	TIMES-SSâ€”A Mechanistic Evaluation of an External Validation Study Using Reaction Chemistry Principles. <i>Chemical Research in Toxicology</i> , 2007, 20, 1321-1330.	1.7	56
14	Prediction of hERG K+ blocking potency: Application of structural knowledge. <i>SAR and QSAR in Environmental Research</i> , 2004, 15, 399-411.	1.0	52
15	Guiding principles for the implementation of non-animal safety assessment approaches for cosmetics: Skin sensitisation. <i>Regulatory Toxicology and Pharmacology</i> , 2012, 63, 40-52.	1.3	45
16	A Minireview of Available Skin Sensitization (Q)SARs/Expert Systems. <i>QSAR and Combinatorial Science</i> , 2008, 27, 60-76.	1.5	44
17	Global (Q)SARs for skin sensitisationâ€”assessment against OECD principlesâ€”. <i>SAR and QSAR in Environmental Research</i> , 2007, 18, 343-365.	1.0	39
18	Chemistry-Based Risk Assessment for Skin Sensitization: Quantitative Mechanistic Modeling for the SNAr Domain. <i>Chemical Research in Toxicology</i> , 2011, 24, 1003-1011.	1.7	34

#	ARTICLE	IF	CITATIONS
19	Electrophilic Reactivity and Skin Sensitization Potency of S _N Ar Electrophiles. <i>Chemical Research in Toxicology</i> , 2014, 27, 240-246.	1.7	34
20	Structure-activity relationships for abiotic thiol reactivity and aquatic toxicity of halo-substituted carbonyl compounds. <i>SAR and QSAR in Environmental Research</i> , 2007, 18, 21-29.	1.0	33
21	Identifying the Structural Requirements for Chromosomal Aberration by Incorporating Molecular Flexibility and Metabolic Activation of Chemicals. <i>Chemical Research in Toxicology</i> , 2007, 20, 1927-1941.	1.7	31
22	Partial Least Squares Modelling of the Acute Toxicity of Aliphatic Compounds to <i>Tetrahymena pyriformis</i> . <i>SAR and QSAR in Environmental Research</i> , 2003, 14, 265-283.	1.0	28
23	Assuring Consumer Safety without Animal Testing: A Feasibility Case Study for Skin Sensitisation. <i>ATLA Alternatives To Laboratory Animals</i> , 2008, 36, 557-568.	0.7	21
24	A practical guidance for Cramer class determination. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 73, 971-984.	1.3	21
25	Structure-Potency Relationships for Epoxides in Allergic Contact Dermatitis. <i>Chemical Research in Toxicology</i> , 2017, 30, 524-531.	1.7	16
26	Reactivity-based toxicity modelling of five-membered heterocyclic compounds: Application to <i>Tetrahymena pyriformis</i> . <i>SAR and QSAR in Environmental Research</i> , 2010, 21, 681-691.	1.0	15