

Martin Täubel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1476639/publications.pdf>

Version: 2024-02-01

83
papers

2,741
citations

172457

29
h-index

189892

50
g-index

87
all docs

87
docs citations

87
times ranked

3182
citing authors

#	ARTICLE	IF	CITATIONS
1	Toxicological transcriptome of human airway constructs after exposure to indoor air particulate matter: In search of relevant pathways of moisture damage-associated health effects. <i>Environment International</i> , 2022, 158, 106997.	10.0	6
2	Interplay between natural environment, human microbiota and immune system: A scoping review of interventions and future perspectives towards allergy prevention. <i>Science of the Total Environment</i> , 2022, 821, 153422.	8.0	16
3	Indoor green can modify the indoor dust microbial communities. <i>Indoor Air</i> , 2022, 32, e13011.	4.3	7
4	Practitioner-driven research for improving the outcomes of mold inspection and remediation. <i>Science of the Total Environment</i> , 2021, 762, 144190.	8.0	1
5	Associations between dog keeping and indoor dust microbiota. <i>Scientific Reports</i> , 2021, 11, 5341.	3.3	10
6	Microbial diversity in homes and the risk of allergic rhinitis and inhalant atopy in two European birth cohorts. <i>Environmental Research</i> , 2021, 196, 110835.	7.5	19
7	Microbial exposures in moisture-damaged schools and associations with respiratory symptoms in students: A multi-country environmental exposure study. <i>Indoor Air</i> , 2021, 31, 1952-1966.	4.3	13
8	Toxicological and microbiological characterization of cow stable dust. <i>Toxicology in Vitro</i> , 2021, 75, 105202.	2.4	3
9	Residential green space can shape the indoor microbial environment. <i>Environmental Research</i> , 2021, 201, 111543.	7.5	18
10	Particle Resuspension Dynamics in the Infant Near-Floor Microenvironment. <i>Environmental Science & Technology</i> , 2021, 55, 1864-1875.	10.0	14
11	Human airway construct model is suitable for studying transcriptome changes associated with indoor air particulate matter toxicity. <i>Indoor Air</i> , 2020, 30, 433-444.	4.3	10
12	Indoor air pollution, physical and comfort parameters related to schoolchildren's health: Data from the European SINPHONIE study. <i>Science of the Total Environment</i> , 2020, 739, 139870.	8.0	94
13	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1307-1308.	2.9	0
14	Activation of toxicology-related genes in human airway constructs after exposure to indoor air particulate matter from moisture-damaged houses. , 2020, , .		0
15	Active eukaryotes in drinking water distribution systems of ground and surface waterworks. <i>Microbiome</i> , 2019, 7, 99.	11.1	25
16	Indoor bacterial microbiota and development of asthma by 10.5 years of age. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1402-1410.	2.9	50
17	Farm-like indoor microbiota in non-farm homes protects children from asthma development. <i>Nature Medicine</i> , 2019, 25, 1089-1095.	30.7	219
18	Effects of energy retrofits on Indoor Air Quality in multifamily buildings. <i>Indoor Air</i> , 2019, 29, 686-697.	4.3	28

#	ARTICLE	IF	CITATIONS
19	Oxidative capacity and hemolytic activity of settled dust from moisture-damaged schools. <i>Indoor Air</i> , 2019, 29, 299-307.	4.3	6
20	Early life home microbiome and hyperactivity/inattention in school-age children. <i>Scientific Reports</i> , 2019, 9, 17355.	3.3	12
21	The environmental microbiota and asthma. , 2019, , 216-239.		2
22	Indoor bacteria and asthma in adults: a multicentre case-control study within ECRHS II. <i>European Respiratory Journal</i> , 2018, 51, 1701241.	6.7	21
23	Microbial characteristics in homes of asthmatic and non-asthmatic adults in the ECRHS cohort. <i>Indoor Air</i> , 2018, 28, 16-27.	4.3	16
24	Quantitative assessment of microbes from samples of indoor air and dust. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 231-241.	3.9	55
25	Microbial growth in building material samples and occupants' health in severely moisture-damaged homes. <i>Indoor Air</i> , 2018, 28, 287-297.	4.3	16
26	Infant and Adult Inhalation Exposure to Resuspended Biological Particulate Matter. <i>Environmental Science & Technology</i> , 2018, 52, 237-247.	10.0	57
27	Indoor visible mold and mold odor are associated with new-onset childhood wheeze in a dose-dependent manner. <i>Indoor Air</i> , 2018, 28, 6-15.	4.3	51
28	Integrating farm and air pollution studies in search for immunoregulatory mechanisms operating in protective and high-risk environments. <i>Pediatric Allergy and Immunology</i> , 2018, 29, 815-822.	2.6	21
29	Nasal mucosa and blood cell transcriptome profiles do not reflect respiratory symptoms associated with moisture damage. <i>Indoor Air</i> , 2018, 28, 721-731.	4.3	2
30	Crawling-induced floor dust resuspension affects the microbiota of the infant breathing zone. <i>Microbiome</i> , 2018, 6, 25.	11.1	40
31	Breast-milk microbes and risk of asthma by 6 years of age. , 2018, , .		1
32	Microbiota as in farm homes protect children from asthma. , 2018, , .		1
33	Indoor microbial diversity and risk of different wheezing phenotypes. , 2018, , .		0
34	Early life home indoor bacterial and fungal microbiota measured with amplicon sequencing and risk of asthma by the age of 10.5 years. , 2018, , .		0
35	Synergistic proinflammatory interactions of microbial toxins and structural components characteristic to moisture-damaged buildings. <i>Indoor Air</i> , 2017, 27, 13-23.	4.3	35
36	School attendance and daily respiratory symptoms in children: influence of moisture damage. <i>Indoor Air</i> , 2017, 27, 303-310.	4.3	10

#	ARTICLE	IF	CITATIONS
37	Floor dust bacteria and fungi and their coexistence with PAHs in Jordanian indoor environments. <i>Science of the Total Environment</i> , 2017, 601-602, 940-945.	8.0	18
38	Toxicity of airborne dust as an indicator of moisture problems in school buildings. <i>Inhalation Toxicology</i> , 2017, 29, 75-81.	1.6	3
39	An emerging paradox: Toward a better understanding of the potential benefits and adversity of microbe exposures in the indoor environment. <i>Indoor Air</i> , 2017, 27, 3-5.	4.3	12
40	Analysis Approaches for Fungi in Indoor Environmental Assessments. , 2017, , 109-127.		2
41	Microbial Exposures in Schools and Daycare Centers. , 2017, , 253-287.		5
42	Indoor microbiota in severely moisture damaged homes and the impact of interventions. <i>Microbiome</i> , 2017, 5, 138.	11.1	40
43	Birth cohort studies on farm-like indoor microbiota and asthma: the importance of composition and taxonomic resolution. , 2017, , .		0
44	Comparison of sampling methods of indoor air particulate matter for in vitro exposure studies. , 2017, , .		0
45	Occurrence of Mycotoxins in Indoor Environments. , 2016, , 299-323.		6
46	Inflammatory potential in relation to the microbial content of settled dust samples collected from moisture-damaged and reference schools: results of HITEA study. <i>Indoor Air</i> , 2016, 26, 380-390.	4.3	22
47	Pediatric Asthma and the Indoor Microbial Environment. <i>Current Environmental Health Reports</i> , 2016, 3, 238-249.	6.7	22
48	Microbial secondary metabolites in homes in association with moisture damage and asthma. <i>Indoor Air</i> , 2016, 26, 448-456.	4.3	31
49	Evaluation of sampling methods for toxicological testing of indoor air particulate matter. <i>Inhalation Toxicology</i> , 2016, 28, 500-507.	1.6	6
50	Author response to Dr Wise's letter. <i>Occupational and Environmental Medicine</i> , 2016, 73, 215.2-216.	2.8	0
51	Objective assessment of domestic mold contamination using quantitative PCR. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 622-624.	2.9	13
52	Application of the Environmental Relative Moldiness Index in Finland. <i>Applied and Environmental Microbiology</i> , 2016, 82, 578-584.	3.1	24
53	Comparison of methods for assessing temporal variation of growth of fungi on building materials. <i>Microbiology (United Kingdom)</i> , 2016, 162, 1895-1903.	1.8	13
54	Bacterial Exposures and Associations with Atopy and Asthma in Children. <i>PLoS ONE</i> , 2015, 10, e0131594.	2.5	41

#	ARTICLE	IF	CITATIONS
55	Passive dust collectors for assessing airborne microbial material. <i>Microbiome</i> , 2015, 3, 46.	11.1	55
56	Indoor fungi: companions and contaminants. <i>Indoor Air</i> , 2015, 25, 125-156.	4.3	174
57	Evolution of the indoor biome. <i>Trends in Ecology and Evolution</i> , 2015, 30, 223-232.	8.7	75
58	Domestic use of bleach and infections in children: a multicentre cross-sectional study. <i>Occupational and Environmental Medicine</i> , 2015, 72, 602-604.	2.8	22
59	Predictors of microbial agents in dust and respiratory health in the Ecrhs. <i>BMC Pulmonary Medicine</i> , 2015, 15, 48.	2.0	29
60	Determinants, reproducibility, and seasonal variation of bacterial cell wall components and viable counts in house dust. <i>Indoor Air</i> , 2015, 25, 260-272.	4.3	8
61	Indoor air quality in London schools. Part 2: long-term integrated assessment. <i>Intelligent Buildings International</i> , 2015, 7, 130-146.	2.3	13
62	Toxicological responses of normal human bronchial epithelium (NHBE) model exposed to settled dust samples from moisture damaged and reference schools. , 2015, , .		0
63	Quantity and diversity of environmental microbial exposure and development of asthma: a birth cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 1092-1101.	5.7	65
64	Endotoxin levels in settled airborne dust in European schools: the HITEA school study. <i>Indoor Air</i> , 2014, 24, 148-157.	4.3	35
65	Dampness, bacterial and fungal components in dust in primary schools and respiratory health in schoolchildren across Europe. <i>Occupational and Environmental Medicine</i> , 2014, 71, 704-712.	2.8	51
66	Determinants, reproducibility, and seasonal variation of ergosterol levels in house dust. <i>Indoor Air</i> , 2014, 24, 248-259.	4.3	22
67	The effect of assay type and sample matrix on detected cytokine concentrations in human blood serum and nasal lavage fluid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 96, 151-155.	2.8	5
68	Early life exposures to home dampness, pet ownership and farm animal contact and neuropsychological development in 4 year old children: A prospective birth cohort study. <i>International Journal of Hygiene and Environmental Health</i> , 2013, 216, 690-697.	4.3	10
69	Dampness and mould in schools and respiratory symptoms in children: the HITEA study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 681-687.	2.8	58
70	Winter Ventilation Rates at Primary Schools: Comparison Between Portugal and Finland. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2013, 76, 400-408.	2.3	47
71	Microbial secondary metabolites in school buildings inspected for moisture damage in Finland, The Netherlands and Spain. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2044.	2.1	48
72	Microbial Communities Associated with House Dust. <i>Advances in Applied Microbiology</i> , 2012, 78, 75-120.	2.4	86

#	ARTICLE	IF	CITATIONS
73	Geographical variation and the determinants of domestic endotoxin levels in mattress dust in Europe. <i>Indoor Air</i> , 2012, 22, 24-32.	4.3	38
74	Occurrence of moisture problems in schools in three countries from different climatic regions of Europe based on questionnaires and building inspections - the HITEA study. <i>Indoor Air</i> , 2012, 22, 457-466.	4.3	62
75	Evaluation of settled floor dust for the presence of microbial metabolites and volatile anthropogenic chemicals in indoor environments by LC-MS/MS and GC-MS methods. <i>Talanta</i> , 2011, 85, 2027-2038.	5.5	22
76	Co-occurrence of toxic bacterial and fungal secondary metabolites in moisture-damaged indoor environments. <i>Indoor Air</i> , 2011, 21, 368-375.	4.3	59
77	The occupant as a source of house dust bacteria. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 834-840.e47.	2.9	180
78	Lactobacillus rhamnosus Strain GG Modulates Intestinal Absorption, Fecal Excretion, and Toxicity of Aflatoxin B1 in Rats. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7398-7400.	3.1	99
79	Lactobacillus rhamnosus strain GG modulates toxicity and kinetics of orally administered AFB1 in rats. <i>Toxicology Letters</i> , 2006, 164, S153.	0.8	0
80	Microbiologicals for deactivating mycotoxins. <i>Molecular Nutrition and Food Research</i> , 2006, 50, 543-551.	3.3	197
81	Determination of fumonisins and hydrolyzed fumonisin B1 in microbial culture media by LC/ESI-MS. <i>Mycotoxin Research</i> , 2003, 19, 198-202.	2.3	1
82	Bacillus barbaricus sp. nov., isolated from an experimental wall painting. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 725-730.	1.7	51
83	Staphylococcus nepalensis sp. nov., isolated from goats of the Himalayan region. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2007-2011.	1.7	48