

Xia Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1477591/xia-zhang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,103
citations

21
h-index

29
g-index

76
ext. papers

1,427
ext. citations

4
avg, IF

4.68
L-index

#	Paper	IF	Citations
72	Preparation, performance and adsorption activity of TiO ₂ nanoparticles entrapped PVDF hybrid membranes. <i>Applied Surface Science</i> , 2012 , 263, 660-665	6.7	55
71	A new MOFs/polymer hybrid membrane: MIL-68(Al)/PVDF, fabrication and application in high-efficient removal of p-nitrophenol and methylene blue. <i>Separation and Purification Technology</i> , 2019 , 215, 217-226	8.3	55
70	Immobilization of lysozyme proteins on a hierarchical zeolitic imidazolate framework (ZIF-8). <i>Dalton Transactions</i> , 2017 , 46, 2114-2121	4.3	46
69	A facile strategy for fabricating Ag MIL-53(Fe) composites: superior interfacial contact and enhanced visible light photocatalytic performance. <i>New Journal of Chemistry</i> , 2018 , 42, 3799-3807	3.6	39
68	Adsorption behavior of Rhodamine B on nanoporous polymers. <i>RSC Advances</i> , 2015 , 5, 104915-104922	3.7	39
67	Eu/Tb functionalized Bi-based metal-organic frameworks toward tunable white-light emission and fluorescence sensing applications. <i>Dalton Transactions</i> , 2018 , 47, 16696-16703	4.3	38
66	A Unique Optical and Electrical Multifunctional Metal-Organic Framework Based on Polynuclear Rod-Shaped Secondary Building Units Constructed from a Three Birds with One Stone in Situ Reaction Process. <i>Crystal Growth and Design</i> , 2010 , 10, 2272-2277	3.5	37
65	Polyethyleneimine (PEI) incorporated Cu-BTC composites: Extended applications in ultra-high efficient removal of congo red. <i>Journal of Solid State Chemistry</i> , 2019 , 270, 231-241	3.3	37
64	Dual-Emissive CsPbBr ₃ @Eu-BTC Composite for Self-Calibrating Temperature Sensing Application. <i>Crystal Growth and Design</i> , 2020 , 20, 454-459	3.5	36
63	Fabrication of hybrid magnetic HKUST-1 and its highly efficient adsorption performance for Congo red dye. <i>RSC Advances</i> , 2015 , 5, 19199-19202	3.7	35
62	Fabrication of NH ₂ -MIL-125(Ti) incorporated TiO ₂ nanotube arrays composite anodes for highly efficient PEC water splitting. <i>Separation and Purification Technology</i> , 2019 , 228, 115764	8.3	33
61	Magnetization of a Cu(II)-1,3,5-benzenetricarboxylate metal-organic framework for efficient solid-phase extraction of Congo Red. <i>Mikrochimica Acta</i> , 2015 , 182, 2313-2320	5.8	29
60	Synthesis, characterization, and photocatalytic degradation properties of ZnO/ZnFe ₂ O ₄ magnetic heterostructures. <i>New Journal of Chemistry</i> , 2017 , 41, 15433-15438	3.6	28
59	Two 2D-3D entangled coordination polymers with polycatenated and polythreaded features based on 44-sql layers. <i>CrystEngComm</i> , 2012 , 14, 3264	3.3	28
58	Fabrication of noble-metal-free g-C ₃ N ₄ -MIL-53(Fe) composite for enhanced photocatalytic H ₂ -generation performance. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4597	3.1	28
57	Ag nanoparticle-functionalized ZnO micro-flowers for enhanced photodegradation of herbicide derivatives. <i>Chemical Physics Letters</i> , 2017 , 679, 119-126	2.5	26
56	Enhanced photocatalytic activity of BiOI under visible light irradiation by the modification of MoS ₂ . <i>RSC Advances</i> , 2017 , 7, 42398-42406	3.7	25

55	Efficient and selective removal of congo red by mesoporous amino-modified MIL-101(Cr) nanoadsorbents. <i>Powder Technology</i> , 2019 , 356, 162-169	5.2	22
54	Fabrication of nanocomposites composed of silver cyanamide and titania for improved photocatalytic hydrogen generation. <i>Dalton Transactions</i> , 2015 , 44, 19948-55	4.3	22
53	In- situ solid-phase fabrication of Ag/AgX (X=Cl, Br, I)/g-C ₃ N ₄ composites for enhanced visible-light hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 21397-21405	6.7	21
52	Coumarin 7 functionalized europium-based metalorganic-framework luminescent composites for dual-mode optical thermometry. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13328-13335	7.1	21
51	Enhanced selective acetone-sensing performance of hierarchical hollow SnO ₂ /Fe ₂ O ₃ microcubes. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11984-11990	7.1	19
50	Adsorption behavior of methylene blue on Fe ₃ O ₄ -embedded hybrid magnetic metalorganic framework. <i>Desalination and Water Treatment</i> , 2016 , 57, 25216-25225		18
49	Hierarchical Fe ₂ O ₃ microcubes supported on Ni foam as non-enzymatic glucose sensor. <i>Applied Surface Science</i> , 2020 , 512, 145710	6.7	17
48	Fabrication of AgI/MIL-53(Fe) Composites with Enhanced Photocatalytic Activity for Rhodamine B Degradation under Visible Light Irradiation. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4325	3.1	17
47	Rapid magnetic solid-phase extraction of Congo Red and Basic Red 2 from aqueous solution by ZIF-8@CoFe ₂ O ₄ hybrid composites. <i>Journal of Separation Science</i> , 2016 , 39, 3647-54	3.4	17
46	Controlled Synthesis of Porous Hierarchical ZnFeO Micro-/Nanostructures with Multifunctional Photocatalytic Performance. <i>Inorganic Chemistry</i> , 2018 , 57, 15481-15488	5.1	17
45	Surface functionalization of MIL-101(Cr) by aminated mesoporous silica and improved adsorption selectivity toward special metal ions. <i>Dalton Transactions</i> , 2019 , 48, 5384-5396	4.3	16
44	A facile synthesis of a ZIF-derived ZnS/ZnInS heterojunction and enhanced photocatalytic hydrogen evolution. <i>Dalton Transactions</i> , 2020 , 49, 10816-10823	4.3	15
43	Hierarchical spinel Ni Co ₁ -Fe ₂ O ₄ microcubes derived from Fe-based MOF for high-sensitive acetone sensor. <i>Ceramics International</i> , 2018 , 44, 19390-19396	5.1	15
42	Immobilization of cellulase proteins on zeolitic imidazolate framework (ZIF-8)/polyvinylidene fluoride hybrid membranes. <i>New Journal of Chemistry</i> , 2018 , 42, 17429-17438	3.6	15
41	Ag ₃ PO ₄ -MIL-53(Fe) Composites with Visible-Light-Enhanced Photocatalytic Activities for Rhodamine B Degradation. <i>ChemistrySelect</i> , 2018 , 3, 8045-8050	1.8	14
40	Photochromic inorganicorganic complex derived from low-cost deep eutectic solvents with tunable photocurrent responses and photocatalytic properties. <i>CrystEngComm</i> , 2020 , 22, 1078-1085	3.3	14
39	Fabrication of organicinorganic hybrid membranes composed of poly(vinylidene fluoride) and silver cyanamide and their high photocatalytic activity under visible light irradiation. <i>RSC Advances</i> , 2016 , 6, 61920-61926	3.7	13
38	Construction of an Aminated MIL-53(Al)-Functionalized Carbon Nanotube for the Efficient Removal of Bisphenol AF and Metribuzin. <i>Inorganic Chemistry</i> , 2020 , 59, 2667-2679	5.1	12

37	Fabrication of ternary polyaniline-graphene oxide-TiO ₂ hybrid films with enhanced activity for photoelectrocatalytic hydrogen production. <i>Separation and Purification Technology</i> , 2018 , 193, 358-367	8.3	12
36	BiOBr-assisted hydrothermal synthesis of hierarchical Bi ₄ (GeO ₄) ₃ /Zn ₂ GeO ₄ microspheres for optical sensor application. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9778-9785	7.1	12
35	Synthesis, structure, and photoluminescence of a series of lanthanide coordination polymers constructed from nitrogen containing organic ligands. <i>Journal of Coordination Chemistry</i> , 2009 , 62, 2755-2763	1.6	11
34	Unravelling the role of active-site isolation in reactivity and reaction pathway control for acetylene hydrogenation. <i>Chemical Communications</i> , 2020 , 56, 6372-6375	5.8	10
33	Yolk-shell (Cu,Zn)FeO ferrite nano-microspheres with highly selective triethylamine gas-sensing properties. <i>Dalton Transactions</i> , 2020 , 49, 14475-14482	4.3	10
32	Semiconductor Pb ₂ P ₂ S ₆ and size-dependent band gap energy of its nanoparticles. <i>RSC Advances</i> , 2014 , 4, 34288-34293	3.7	9
31	Aminated metal-organic framework (NH ₂ -MIL-101(Cr)) incorporated polyvinylidene (PVDF) hybrid membranes: Synthesis and application in efficient removal of Congo red from aqueous solution. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5281	3.1	9
30	Surface functionalization of zirconium dioxide nano-adsorbents with 3-aminopropyl triethoxysilane and promoted adsorption activity for bovine serum albumin. <i>Materials Chemistry and Physics</i> , 2016 , 176, 129-135	4.4	9
29	Coordination polymers constructed from d10 ions, saturated or unsaturated aliphatic carboxylic acids, and bidentate nitrogen ligands: synthesis, characterization, and fluorescence. <i>Journal of Coordination Chemistry</i> , 2010 , 63, 1313-1326	1.6	8
28	Lipase immobilization on UiO-66/poly(vinylidene fluoride) hybrid membranes and active catalysis in the vegetable oil hydrolysis. <i>New Journal of Chemistry</i> , 2020 , 44, 14379-14388	3.6	8
27	Enhanced photocatalytic hydrogen evolution over a heterojunction composed of silver cyanamide and graphitic carbon nitride. <i>New Journal of Chemistry</i> , 2018 , 42, 16005-16012	3.6	8
26	Optimizing electronic structure and charge transport of sulfur/potassium co-doped graphitic carbon nitride with efficient photocatalytic hydrogen evolution performance. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5163	3.1	7
25	Fabrication of PVDF membranes entrapped with oleic acid modified TiO ₂ and selective adsorption toward bovine hemoglobin. <i>RSC Advances</i> , 2015 , 5, 48607-48614	3.7	7
24	Selective adsorption of bovine hemoglobin on functional TiO ₂ nano-adsorbents: surface physic-chemical properties determined adsorption activity. <i>Materials Research Express</i> , 2015 , 2, 045101	1.7	6
23	Synergetic Effect of Tetraethylammonium Bromide Addition on the Morphology Evolution and Enhanced Photoluminescence of Rare-Earth Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2020 , 59, 14318-14325	5.1	6
22	Two supramolecular isomers with different structural features: reversible transformation and fluorescence properties. <i>Journal of Coordination Chemistry</i> , 2013 , 66, 1107-1117	1.6	5
21	Effects of solvent-induced morphology evolution of Zn ₂ GeO ₄ on photocatalytic activities of g-C ₃ N ₄ /Zn ₂ GeO ₄ composites. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 6517-6528	3.8	4
20	A novel hybrid electrode of zeolitic imidazolate framework-derived carbon encapsulated in reduced-TiO ₂ nanotube arrays: Fabrication and photoelectrocatalytic activity. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5791	3.1	4

19	Ag ₂ CO ₃ -derived Ag/g-C ₃ N ₄ composite with enhanced visible-light photocatalytic activity for hydrogen production from water splitting. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 20851-20858	6.7	4
18	Photocatalytic active silver organic framework: Ag(I)-MOF and its hybrids with silver cyanamide. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5972	3.1	4
17	CdS/AgS/g-CN ternary composites with superior photocatalytic performance for hydrogen evolution under visible light irradiation. <i>Dalton Transactions</i> , 2021 , 50, 3253-3260	4.3	4
16	Dual cocatalysts decorated three dimensionally ordered mesoporous g-C ₃ N ₄ with homogeneous wall thickness for enhanced photocatalytic performance. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5552	3.1	3
15	Study on the enhanced adsorption properties of lysozyme on polyacrylic acid modified TiO ₂ nano-adsorbents. <i>Materials Research Express</i> , 2018 , 5, 015402	1.7	3
14	Nickel Ammine Complex-derived NiO Modified g-C ₃ N ₄ Composites with Enhanced Visible-light Photocatalytic H ₂ Evolution Performance. <i>ChemistrySelect</i> , 2019 , 4, 8095-8103	1.8	3
13	Ionothermal synthesis of a photochromic inorganic-organic complex for colorimetric and portable UV index indication and UVB detection.. <i>RSC Advances</i> , 2020 , 10, 41720-41726	3.7	3
12	Selective adsorption of malachite green (MG) and fuchsin acid (FA) by ZIF-67 hybridized polyvinylidene fluoride (PVDF) membranes. <i>Dalton Transactions</i> , 2021 , 50, 8927-8937	4.3	3
11	Synthesis, characterization and magnetic properties of coordination polymers of manganese with 1,1'-biphenyl-2,2'-dicarboxylic acid ligands. <i>Transition Metal Chemistry</i> , 2009 , 34, 827-833	2.1	2
10	Synthesis, characterization and magnetic properties of supramolecular metal-organic complexes constructed from flexible-rigid mixed ligands. <i>Transition Metal Chemistry</i> , 2010 , 35, 501-506	2.1	2
9	Flocculent VS nanoparticle aggregate-modified NiCo ₂ S ₄ nanoglass arrays for electrocatalytic water splitting. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 3858-3866	5.8	2
8	Nanosized CuO encapsulated Ni/Co bimetal Prussian blue with high anti-interference and stability for electrochemical non-enzymatic glucose detection. <i>Dalton Transactions</i> , 2021 , 50, 13748-13755	4.3	2
7	Synthesis, Characterization and Fluorescent Property of Two Mixed Ligand Coordination Polymers Constructed from 4-Cyclohexene-1,2-dicarboxylate and Nitrogen-Containing Ligands. <i>Journal of Chemical Crystallography</i> , 2011 , 41, 453-457	0.5	1
6	Self-assembly of reduced molybdophosphate-based supramolecular architectures and the study of their magnetic properties. <i>Transition Metal Chemistry</i> , 2009 , 34, 571-577	2.1	1
5	Two-step in situ synthesis of CsPbX ₃ @TS-1 zeolite (X = Cl, Br, I) nanocomposites for optical thermometric, latent fingerprints and anti-counterfeiting applications. <i>Materials Chemistry Frontiers</i> ,	7.8	1
4	Highly-efficient adsorption behavior of mesoporous Co-HDIPT toward both anionic and cationic organic dyes. <i>Journal of Porous Materials</i> ,1	2.4	1
3	Efficient immobilization of catalase on mesoporous MIL-101 (Cr) and its catalytic activity assay.. <i>Enzyme and Microbial Technology</i> , 2022 , 156, 110005	3.8	0
2	A hierarchical hollow Ni/Co-functionalized MoS ₂ architecture with highly sensitive non-enzymatic glucose sensing activity. <i>Dalton Transactions</i> , 2021 , 50, 10059-10066	4.3	0

- 1 High efficient removal of synthetic cationic and anionic dyes from water by using functional Al-BTB as adsorbent. *Separation Science and Technology*,1-14 2.5