

# Francesco Di Blasi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1478412/publications.pdf>

Version: 2024-02-01

18  
papers

856  
citations

567144

15  
h-index

839398

18  
g-index

18  
all docs

18  
docs citations

18  
times ranked

1244  
citing authors

#	ARTICLE	IF	CITATIONS
1	Halloysite nanotubes-carbon dots hybrids multifunctional nanocarrier with positive cell target ability as a potential non-viral vector for oral gene therapy. <i>Journal of Colloid and Interface Science</i> , 2019, 552, 236-246.	5.0	47
2	Multifunctional Carrier Based on Halloysite/Laponite Hybrid Hydrogel for Kartogenin Delivery. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 419-424.	1.3	39
3	An Albanian Open Source Telemedicine Platform. <i>Telemedicine Journal and E-Health</i> , 2014, 20, 673-677.	1.6	6
4	Exploring the anticancer potential of pyrazolo[1,2-a]benzo[1,2,3,4]tetrazin-3-one derivatives: The effect on apoptosis induction, cell cycle and proliferation. <i>European Journal of Medicinal Chemistry</i> , 2013, 64, 345-356.	2.6	19
5	BRAFV600E mutation, TIMP-1 upregulation, and NF- $\kappa$ B activation: closing the loop on the papillary thyroid cancer trilogy. <i>Endocrine-Related Cancer</i> , 2011, 18, 669-685.	1.6	60
6	IKK- $\hat{I}^2$ inhibitors: An analysis of drug- $\hat{I}^2$ receptor interaction by using Molecular Docking and Pharmacophore 3D-QSAR approaches. <i>Journal of Molecular Graphics and Modelling</i> , 2010, 29, 72-81.	1.3	39
7	Transcriptional Effects of Glucocorticoid Receptors in the Dentate Gyrus Increase Anxiety-Related Behaviors. <i>PLoS ONE</i> , 2009, 4, e7704.	1.1	24
8	The MAPK pathway and Egr-1 mediate stress-related behavioral effects of glucocorticoids. <i>Nature Neuroscience</i> , 2005, 8, 664-672.	7.1	207
9	A Specific Limbic Circuit Underlies Opiate Withdrawal Memories. <i>Journal of Neuroscience</i> , 2005, 25, 1366-1374.	1.7	105
10	Differences between brain structures in nuclear translocation and DNA binding of the glucocorticoid receptor during stress and the circadian cycle. <i>European Journal of Neuroscience</i> , 2004, 19, 1837-1846.	1.2	91
11	Differential Regulation of Fas-Mediated Apoptosis in Both Thyrocyte and Lymphocyte Cellular Compartments Correlates with Opposite Phenotypic Manifestations of Autoimmune Thyroid Disease. <i>Thyroid</i> , 2001, 11, 233-244.	2.4	48
12	Inhibitory effect of neuraminidase on SP-induced histamine release and TNF- $\hat{I}^{\pm}$ mRNA in rat mast cells: evidence of a receptor-independent mechanism. <i>Journal of Neuroimmunology</i> , 1997, 75, 9-18.	1.1	30
13	A factor secreted by human embryo stimulates cytokine release by uterine mast cell. <i>Molecular Human Reproduction</i> , 1996, 2, 781-791.	1.3	25
14	Effect of Substance P on uterine mast cell cytokine release during the reproductive cycle. <i>Journal of Neuroimmunology</i> , 1995, 60, 107-115.	1.1	40
15	TheSCH9 protein kinase mRNA contains a long 5 $\hat{I}^2$ leader with a small open reading frame. <i>Yeast</i> , 1993, 9, 21-32.	0.8	12
16	Smouldering hepatitis B virus replication in patients with chronic liver disease and hepatitis delta virus superinfection. <i>Journal of Hepatology</i> , 1991, 12, 64-69.	1.8	28
17	Role of glycine-82 as a pivot point during the transition from the inactive to the active form of the yeast Ras2 protein. <i>FEBS Letters</i> , 1991, 281, 235-239.	1.3	23
18	Interleukin-2, interleukin-2 receptor and $\hat{I}^3$ -interferon synthesis by peripheral blood mononuclear cells in chronic hepatitis delta virus infection. <i>Journal of Hepatology</i> , 1989, 8, 358-366.	1.8	13