

# Jian Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1478864/publications.pdf>

Version: 2024-02-01

63  
papers

2,011  
citations

236925

25  
h-index

243625

44  
g-index

67  
all docs

67  
docs citations

67  
times ranked

2115  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oriented BN/Silicone rubber composite thermal interface materials with high out-of-plane thermal conductivity and flexibility. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 152, 106681.	7.6	59
2	Synergistic effect of electric field and temperature on POSS modified natural ester insulating oil: A molecular dynamics study. <i>Journal of Molecular Liquids</i> , 2022, 355, 118923.	4.9	5
3	Dynamic evolution of liquid phase disturbance and its critical influence on pre-breakdown process. <i>Physics of Fluids</i> , 2022, 34, .	4.0	5
4	Strong anharmonicity induced low lattice thermal conductivity and high thermoelectric performance in $(\text{CuInTe})_{1-x}(\text{AgSbTe})_x$ system. <i>Applied Physics Letters</i> , 2022, 121, 013903.	3.3	1
5	Secondary electron emission behavior of nanostructured fluorocarbon film. <i>Surfaces and Interfaces</i> , 2022, 33, 102195.	3.0	2
6	Transition-Metal Carbides as Hydrogen Evolution Reduction Electrocatalysts: Synthetic Methods and Optimization Strategies. <i>Chemistry - A European Journal</i> , 2021, 27, 5074-5090.	3.3	41
7	Suppressing ion aggregation on cellulose surface by bio-dielectric liquids: Insights from molecular dynamics simulations. <i>Journal of Molecular Liquids</i> , 2021, 327, 114805.	4.9	1
8	Branching Initial Streamers to Inhibit the Streamer Propagation in Natural Ester-based Nanofluid. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2021, 28, 116-123.	2.9	8
9	Design of 3D printed bioinspired nacre-like structured materials with significantly enhanced thermal conductivity. <i>Applied Physics Letters</i> , 2021, 118, .	3.3	18
10	Frontispiece: Transition-Metal Carbides as Hydrogen Evolution Reduction Electrocatalysts: Synthetic Methods and Optimization Strategies. <i>Chemistry - A European Journal</i> , 2021, 27, .	3.3	0
11	A critical review of plant-based insulating fluids for transformer: 30-year development. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 141, 110783.	16.4	112
12	Pre-breakdown processes in water under ultra-long pulses: Bubble-streamer dynamics and their transition. <i>Physics of Fluids</i> , 2021, 33, .	4.0	8
13	Molecular-level evaluation of ionic transport under external electric fields in biological dielectric liquids. <i>Journal of Molecular Liquids</i> , 2021, 340, 116883.	4.9	5
14	Exponentially reduced carrier mobility of natural ester via blocking effect of 2D hexagonal boron nitride nanosheets. <i>High Voltage</i> , 2021, 6, 219-229.	4.7	8
15	DLP 3D Printing of High-Performance Epoxy Resin Via Dual Curing. , 2021, , .		3
16	Anomaly detection for wind turbines based on the reconstruction of condition parameters using stacked denoising autoencoders. <i>Renewable Energy</i> , 2020, 147, 1469-1480.	8.9	59
17	Simulation of the effect of carrier density fluctuations on initial streamer branching in natural ester during pulsed positive discharges. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020, 27, 1604-1610.	2.9	10
18	Molecular dynamics simulations of performance degradation of cellulose nanofibers (CNFs) under hygrothermal environments. <i>Molecular Simulation</i> , 2020, 46, 1172-1180.	2.0	5

#	ARTICLE	IF	CITATIONS
19	3D porous graphene/NiCo <sub>2</sub> O <sub>4</sub> hybrid film as an advanced electrode for supercapacitors. Applied Surface Science, 2020, 534, 147598.	6.1	23
20	Relationship between the Electrical Characteristics of Molecules and Fast Streamers in Ester Insulation Oil. International Journal of Molecular Sciences, 2020, 21, 974.	4.1	16
21	Self-ejections of multiple isolated slushes on disorderly grooved superhydrophobic surfaces. Applied Physics Letters, 2020, 116, 053702.	3.3	2
22	Significantly Enhanced Electrical Performances of Eco-Friendly Dielectric Liquids for Harsh Conditions with Fullerene. Nanomaterials, 2019, 9, 989.	4.1	24
23	Surface-Induced Electron Coupling for Efficient Hydrogen Evolution. Angewandte Chemie, 2019, 131, 17873-17881.	2.0	8
24	Surface-Induced Electron Coupling for Efficient Hydrogen Evolution. Angewandte Chemie - International Edition, 2019, 58, 17709-17717.	13.8	42
25	Effect of Sputtering Temperature on Fluorocarbon Films: Surface Nanostructure and Fluorine/Carbon Ratio. Nanomaterials, 2019, 9, 848.	4.1	17
26	New vesicular carbon-based rhenium phosphides with all-pH range electrocatalytic hydrogen evolution activity. Applied Catalysis B: Environmental, 2019, 256, 117851.	20.2	32
27	Electrical and thermal properties of insulating oil-based nanofluids: a comprehensive overview. IET Nanodielectrics, 2019, 2, 27-40.	4.1	57
28	Component-controllable cobalt telluride nanoparticles encapsulated in nitrogen-doped carbon frameworks for efficient hydrogen evolution in alkaline conditions. Applied Catalysis B: Environmental, 2019, 244, 568-575.	20.2	60
29	Epitaxial growth of graphene on V8C7 nanomeshes for highly efficient and stable hydrogen evolution reaction. Journal of Catalysis, 2019, 369, 47-53.	6.2	40
30	Gas diffusion behavior in green camellia insulating oils. AIP Advances, 2018, 8, 115127.	1.3	0
31	Streamer characteristics of dielectric natural ester-based liquids under long gap distances. AIP Advances, 2018, 8, .	1.3	24
32	One-Step Preparation of Durable Super-Hydrophobic MSR/SiO <sub>2</sub> Coatings by Suspension Air Spraying. Micromachines, 2018, 9, 677.	2.9	7
33	Effect of nanoparticles on streamer propagation and breakdown of vegetable oil-pressboard interface in non-uniform electric field. AIP Advances, 2018, 8, 085211.	1.3	5
34	Phenomenon analysis and state classification of surface discharge on oil-impregnated pressboard under AC-DC combined voltage. AIP Advances, 2018, 8, 105023.	1.3	1
35	Ganoderma-Like MoS <sub>2</sub> /NiS <sub>2</sub> with Single Platinum Atoms Doping as an Efficient and Stable Hydrogen Evolution Reaction Catalyst. Small, 2018, 14, e1800697.	10.0	60
36	Selectively anchoring Pt single atoms at hetero-interfaces of $\gamma$ -Al <sub>2</sub> O <sub>3</sub> /NiS to promote the hydrogen evolution reaction. Journal of Materials Chemistry A, 2018, 6, 11783-11789.	10.3	49

#	ARTICLE	IF	CITATIONS
37	A New Platinum-Like Efficient Electrocatalyst for Hydrogen Evolution Reaction at All pH: Single-Crystal Metallic Interweaved V <sub>8</sub> C <sub>7</sub> Networks. <i>Advanced Energy Materials</i> , 2018, 8, 1800575.	19.5	62
38	Enhanced Electrical Insulation and Heat Transfer Performance of Vegetable Oil Based Nanofluids. <i>Journal of Nanomaterials</i> , 2018, 2018, 1-12.	2.7	26
39	Electronic Properties of Typical Molecules and the Discharge Mechanism of Vegetable and Mineral Insulating Oils. <i>Energies</i> , 2018, 11, 523.	3.1	25
40	Electrohydrodynamic behavior of water droplets on a horizontal super hydrophobic surface and its self-cleaning application. <i>Applied Surface Science</i> , 2017, 403, 133-140.	6.1	72
41	Hybrid energy harvesting for condition monitoring sensors in power grids. <i>Energy</i> , 2017, 118, 435-445.	8.8	47
42	A study on ionization potential and electron trap of vegetable insulating oil related to streamer inception and propagation. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017, 381, 3732-3738.	2.1	26
43	Comparison of Dissolved Gases in Mineral and Vegetable Insulating Oils under Typical Electrical and Thermal Faults. <i>Energies</i> , 2016, 9, 312.	3.1	35
44	Droplet condensation on superhydrophobic surfaces with enhanced dewetting under a tangential AC electric field. <i>Applied Physics Letters</i> , 2016, 109, .	3.3	20
45	Influences of temperature on partial discharge behavior in oil-paper bounded gas cavity under pulsating DC voltage. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016, 23, 1482-1490.	2.9	23
46	An OH-PDMS-modified nano-silica/carbon hybrid coating for anti-icing of insulators part ii: anti-icing performance. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016, 23, 2165-2173.	2.9	13
47	Investigation of the electric field driven self-propelled motion of water droplets on a super-hydrophobic surface. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016, 23, 3007-3015.	2.9	18
48	An OH-PDMS-modified nano-silica/carbon hybrid coating for anti-icing of insulators part I: Fabrication and small-scale testing. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016, 23, 935-942.	2.9	8
49	The effect of nanoparticle surfactant polarization on trapping depth of vegetable insulating oil-based nanofluids. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2016, 380, 604-608.	2.1	43
50	A generalized model for wind turbine anomaly identification based on SCADA data. <i>Applied Energy</i> , 2016, 168, 550-567.	10.1	127
51	Influence of Monodisperse Fe <sub>3</sub> O <sub>4</sub> Nanoparticle Size on Electrical Properties of Vegetable Oil-Based Nanofluids. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-9.	2.7	19
52	One-step preparation of transparent superhydrophobic coatings using atmospheric arc discharge. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	18
53	Electrical driven rolling behavior of water droplet on a super hydrophobic surface. , 2014, , .		1
54	Normal Behavior Models for the Condition Assessment of Wind Turbine Generator Systems. <i>Electric Power Components and Systems</i> , 2014, 42, 1201-1212.	1.8	27

#	ARTICLE	IF	CITATIONS
55	LIGHTNING IMPULSE BREAKDOWN CHARACTERISTICS AND ELECTRODYNAMIC PROCESS OF INSULATING VEGETABLE OIL-BASED NANOFLUID. <i>Modern Physics Letters B</i> , 2012, 26, 1250095.	1.9	11
56	Comparison of ageing results for transformer oil-paper insulation subjected to thermal ageing in mineral oil and ageing in retardant oil. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2012, 19, 225-232.	2.9	49
57	Anti-icing Performance of a Superhydrophobic PDMS/Modified Nano-silica Hybrid Coating for Insulators. <i>Journal of Adhesion Science and Technology</i> , 2012, 26, 665-679.	2.6	90
58	Characteristics of moisture diffusion in vegetable oil-paper insulation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2012, 19, 1650-1656.	2.9	41
59	Preparation of a vegetable oil-based nanofluid and investigation of its breakdown and dielectric properties. <i>IEEE Electrical Insulation Magazine</i> , 2012, 28, 43-50.	0.8	200
60	DIELECTRIC PROPERTIES AND ELECTRODYNAMIC PROCESS OF NATURAL ESTER-BASED INSULATING NANOFLUID. <i>Modern Physics Letters B</i> , 2011, 25, 2021-2031.	1.9	36
61	Fabrication of Super-Hydrophobic Surfaces with Long-Term Stability. <i>Journal of Dispersion Science and Technology</i> , 2011, 32, 969-974.	2.4	25
62	Oil-paper aging evaluation by fuzzy clustering and factor analysis to statistical parameters of partial discharges. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2010, 17, 756-763.	2.9	45
63	Macroporous fluoropolymeric films templated by silica colloidal assembly: A possible route to super-hydrophobic surfaces. <i>Applied Surface Science</i> , 2006, 252, 2229-2234.	6.1	87