

# Lian-ming Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1480060/publications.pdf>

Version: 2024-02-01

42  
papers

968  
citations

471509

17  
h-index

434195

31  
g-index

43  
all docs

43  
docs citations

43  
times ranked

1631  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regioselectively switchable alkyne cyclotrimerization catalyzed by a Ni( $\eta^5$ -P-ligand)/Zn system with ZnI <sub>2</sub> as an additive. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2357-2367.	4.5	5
2	Full-Electrochemical Construction of High-Performance Polypyrrole/Tellurium Thermoelectrical Nanocomposites. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 10815-10824.	8.0	9
3	Fine-Tuning Active Layer Morphology via Modification of Both Side Chains and Terminal Groups toward High-Performance Organic Solar Cells. <i>Energy Technology</i> , 2022, 10, .	3.8	4
4	In-situ pulse electropolymerization of pyrrole on single-walled carbon nanotubes for thermoelectric composite materials. <i>Chemical Engineering Journal</i> , 2022, 443, 136536.	12.7	12
5	Terminal groups play an important role in enhancing the performance of organic solar cells based on non-fused electron acceptors. <i>New Journal of Chemistry</i> , 2022, 46, 10048-10054.	2.8	4
6	High performance achieved via core engineering and side-chain engineering in organic solar cells based on the penta-fused-ring acceptor. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7724-7730.	5.5	1
7	A type non-fullerene acceptors based on the benzotriazole (BTA) unfused core for organic solar cells. <i>New Journal of Chemistry</i> , 2021, 45, 12802-12807.	2.8	12
8	Pseudo in situ construction of high-performance thermoelectric composites with a dioxothiopyrone-based A polymer coating on SWCNTs. <i>RSC Advances</i> , 2021, 11, 8664-8673.	3.6	2
9	Facile Modification of a Noncovalently Fused-Ring Electron Acceptor Enables Efficient Organic Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 45806-45814.	8.0	27
10	Organic-inorganic hybrid perovskite for low-cost and high-performance xerographic photoreceptors. <i>RSC Advances</i> , 2021, 11, 21754-21759.	3.6	1
11	Two-step electrochemical modification for improving thermoelectric performance of polypyrrole films. <i>Synthetic Metals</i> , 2021, 282, 116949.	3.9	9
12	Methylamine-assisted growth of uniaxial-oriented perovskite thin films with millimeter-sized grains. <i>Nature Communications</i> , 2020, 11, 5402.	12.8	71
13	From 1D to 3D: Fabrication of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Solar Cell Thin Films from (Pyrrolidinium)PbI <sub>3</sub> via Organic Cation Exchange Approach. <i>Energy Technology</i> , 2020, 8, 2000148.	3.8	4
14	Trihydrazine Dihydriodide-Assisted Fabrication of Efficient Formamidinium Tin Iodide Perovskite Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1900285.	5.8	34
15	A Cation-Exchange Approach for the Fabrication of Efficient Methylammonium Tin Iodide Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2019, 131, 6760-6764.	2.0	11
16	A Cation-Exchange Approach for the Fabrication of Efficient Methylammonium Tin Iodide Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 6688-6692.	13.8	150
17	<i>t</i> -BuOK-catalysed alkylation of fluorene with alcohols: a highly green route to 9-monoalkylfluorene derivatives. <i>RSC Advances</i> , 2019, 9, 35913-35916.	3.6	3
18	Non-fullerene acceptor engineering with three-dimensional thiophene/selenophene-annulated perylene diimides for high performance polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12601-12607.	5.5	21

#	ARTICLE	IF	CITATIONS
19	A Novel Strategy for Scalable High-Efficiency Planar Perovskite Solar Cells with New Precursors and Cation Displacement Approach. <i>Advanced Materials</i> , 2018, 30, e1804454.	21.0	25
20	Pyran-annulated perylene diimide derivatives as non-fullerene acceptors for high performance organic solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 11111-11117.	5.5	16
21	Fabrication of methylammonium bismuth iodide through interdiffusion of solution-processed BiI <sub>3</sub> /CH <sub>3</sub> NH <sub>3</sub> I stacking layers. <i>RSC Advances</i> , 2017, 7, 43826-43830.	3.6	40
22	A triptycene-cored perylenediimide derivative and its application in organic solar cells as a non-fullerene acceptor. <i>New Journal of Chemistry</i> , 2017, 41, 10237-10244.	2.8	6
23	Direct Conversion of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> from Electrodeposited PbO for Highly Efficient Planar Perovskite Solar Cells. <i>Scientific Reports</i> , 2015, 5, 15889.	3.3	83
24	Pyrazino-[2,3-f][1,10]phenanthroline as a new anchoring group of organic dyes for dye-sensitized solar cells. <i>RSC Advances</i> , 2015, 5, 46206-46209.	3.6	5
25	Ni(ii) source as a pre-catalyst for the cross-coupling of benzylic pivalates with arylboronic acids: facile access to tri- and diarylmethanes. <i>RSC Advances</i> , 2015, 5, 15338-15340.	3.6	22
26	Homo-Coupling of Terminal Alkynes Using a Simple, Cheap Ni(dppe)Cl <sub>2</sub> /Ag <sub>2</sub> O Catalyst System. <i>Synthetic Communications</i> , 2015, 45, 824-830.	2.1	7
27	A push-pull thienoquinoidal chromophore for highly efficient p-type dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7695-7698.	10.3	36
28	Small molecular thienoquinoidal dyes as electron donors for solution processable organic photovoltaic cells. <i>RSC Advances</i> , 2015, 5, 76666-76669.	3.6	3
29	Nickel-catalyzed cross-coupling of carboxylic anhydrides with arylboronic acids. <i>RSC Advances</i> , 2014, 4, 53885-53890.	3.6	31
30	Nickel-catalyzed N-arylation of benzophenone hydrazone with bromoarenes. <i>RSC Advances</i> , 2014, 4, 3364-3367.	3.6	11
31	Pyrazino[2,3-g]quinoxaline dyes for solar cell applications. <i>Journal of Materials Chemistry A</i> , 2014, 2, 14852-14857.	10.3	28
32	An Easy Route to N,N-Diarylhydrazines by Cu-Catalyzed Arylation of Pyridine-carbaldehyde Hydrazones with Aryl Halides. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 862-867.	2.4	9
33	A novel compact DPP dye with enhanced light harvesting and charge transfer properties for highly efficient DSCs. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4858.	10.3	47
34	Room-Temperature Nickel-Catalysed Suzuki-Miyaura Reactions of Aryl Sulfonates/Halides with Arylboronic Acids. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 1467-1471.	2.4	61
35	Fluorescent Nanotubes of Iodine-A Dyes Formed at the Air/Water Interface. <i>Journal of Dispersion Science and Technology</i> , 2011, 32, 265-268.	2.4	1
36	Ni <sup>II</sup> -( <i>l</i> -Aryl) Complex Catalyzed Suzuki Reaction of Aryl Tosylates with Arylboronic Acids. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 2457-2460.	2.4	49

#	ARTICLE	IF	CITATIONS
37	Photoelectric Response from Dye's Langmuir-Blodgett Monolayer Film Modified Indium-Tin Oxide Electrode. <i>Journal of Dispersion Science and Technology</i> , 2010, 32, 56-59.	2.4	0
38	Triphenylamine-modified quinoxaline derivatives as two-photon photoinitiators. <i>New Journal of Chemistry</i> , 2009, 33, 1578.	2.8	29
39	Molecular design of triarylamine-based organic dyes for efficient dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2009, 33, 868.	2.8	43
40	A novel ruthenium-free TiO <sub>2</sub> sensitizer consisting of di-p-tolylaminophenyl ethylenedioxythiophene and cyanoacrylate groups. <i>New Journal of Chemistry</i> , 2009, 33, 1973.	2.8	16
41	Synthesis and Properties of Upper Rim Schiff Base Calix[4]arenes. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2000, 36, 327-333.	1.6	16
42	Nickel-catalyzed synthesis of 9-monoalkylated fluorenes from 9-fluorenone hydrazone and alcohols. <i>Synthetic Communications</i> , 0, , 1-8.	2.1	0