

Tomoyuki Furuyashiki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1480344/publications.pdf>

Version: 2024-02-01

82
papers

4,392
citations

136740

32
h-index

110170

64
g-index

91
all docs

91
docs citations

91
times ranked

5881
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of stress on immune systems and its relevance to mental illness. <i>Neuroscience Research</i> , 2022, 175, 16-24.	1.0	17
2	Analysis of aging-induced neural dysfunctions and their biological basis. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2022, 95, 1-SS-43.	0.0	0
3	Deficient Autophagy in Microglia Aggravates Repeated Social Defeat Stress-Induced Social Avoidance. <i>Neural Plasticity</i> , 2022, 2022, 1-13.	1.0	19
4	Single-Cell RNA Sequencing Reveals a Distinct Immune Landscape of Myeloid Cells in Coronary Culprit Plaques Causing Acute Coronary Syndrome. <i>Circulation</i> , 2022, 145, 1434-1436.	1.6	14
5	Single-Shot 10K Proteome Approach: Over 10,000 Protein Identifications by Data-Independent Acquisition-Based Single-Shot Proteomics with Ion Mobility Spectrometry. <i>Journal of Proteome Research</i> , 2022, 21, 1418-1427.	1.8	37
6	The transcription factor Hhex regulates inflammation-related genes in microglia. <i>Journal of Pharmacological Sciences</i> , 2022, 149, 166-171.	1.1	5
7	Chronic social defeat stress increases the amounts of 12-lipoxygenase lipid metabolites in the nucleus accumbens of stress-resilient mice. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
8	Repeated social defeat stress induces neutrophil mobilization in mice: maintenance after cessation of stress and strain-dependent difference in response. <i>British Journal of Pharmacology</i> , 2021, 178, 827-844.	2.7	20
9	Mobilization efficiency is critically regulated by fat via marrow PPAR γ . <i>Haematologica</i> , 2021, 106, 1671-1683.	1.7	13
10	Resting-state dopaminergic cell firing in the ventral tegmental area negatively regulates affiliative social interactions in a developmental animal model of schizophrenia. <i>Translational Psychiatry</i> , 2021, 11, 236.	2.4	14
11	Correlation Between Lactic Acid Bacteria Beverage Intake and Stress Resilience. <i>Kobe Journal of Medical Sciences</i> , 2021, 67, E1-E6.	0.2	0
12	Stress-induced sleep-like inactivity modulates stress susceptibility in mice. <i>Scientific Reports</i> , 2020, 10, 19800.	1.6	10
13	Hop Bitter Acids Increase Hippocampal Dopaminergic Activity in a Mouse Model of Social Defeat Stress. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9612.	1.8	6
14	Social defeat stress increased interfaces between microglia and neurons in the medial prefrontal cortex of mice. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 2-P-171.	0.0	0
15	Improvement of PTSD-like behavior by the forgetting effect of hippocampal neurogenesis enhancer memantine in a social defeat stress paradigm. <i>Molecular Brain</i> , 2019, 12, 68.	1.3	26
16	The Lacto-Tetrapeptide Gly α -Thr α -Trp α -Tyr, β -Lactolin, Improves Spatial Memory Functions via Dopamine Release and D1 Receptor Activation in the Hippocampus. <i>Nutrients</i> , 2019, 11, 2469.	1.7	15
17	Social defeat stress-specific increase in c-Fos expression in the extended amygdala in mice: Involvement of dopamine D1 receptor in the medial prefrontal cortex. <i>Scientific Reports</i> , 2019, 9, 16670.	1.6	41
18	Leucine α -Histidine Dipeptide Attenuates Microglial Activation and Emotional Disturbances Induced by Brain Inflammation and Repeated Social Defeat Stress. <i>Nutrients</i> , 2019, 11, 2161.	1.7	19

#	ARTICLE	IF	CITATIONS
19	Neural mechanisms underlying adaptive and maladaptive consequences of stress: Roles of dopaminergic and inflammatory responses. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 669-675.	1.0	21
20	Tryptophan-Tyrosine Dipeptide, the Core Sequence of β -Lactolin, Improves Memory by Modulating the Dopamine System. <i>Nutrients</i> , 2019, 11, 348.	1.7	22
21	Roles of multiple lipid mediators in stress and depression. <i>International Immunology</i> , 2019, 31, 579-587.	1.8	41
22	Social defeat stress induces phosphorylation of extracellular signal-regulated kinase in the leptomeninges in mice. <i>Neuropsychopharmacology Reports</i> , 2019, 39, 134-139.	1.1	7
23	Roles of Toll-like receptor 2/4, monoacylglycerol lipase, and cyclooxygenase in social defeat stress-induced prostaglandin E2 synthesis in the brain and their behavioral relevance. <i>Scientific Reports</i> , 2019, 9, 17548.	1.6	15
24	Isoflavonoids, the bitter components of beer, improve hippocampus-dependent memory through vagus nerve activation. <i>FASEB Journal</i> , 2019, 33, 4987-4995.	0.2	23
25	Three-dimensional fluorescence imaging using the transport of intensity equation. <i>Journal of Biomedical Optics</i> , 2019, 25, 1.	1.4	19
26	Dopamine D1 receptor subtype mediates acute stress-induced dendritic growth in excitatory neurons of the medial prefrontal cortex and contributes to suppression of stress susceptibility in mice. <i>Molecular Psychiatry</i> , 2018, 23, 1717-1730.	4.1	82
27	Repeated social defeat stress impairs attentional set shifting irrespective of social avoidance and increases female preference associated with heightened anxiety. <i>Scientific Reports</i> , 2018, 8, 10454.	1.6	20
28	The Innate Immune Receptors TLR2/4 Mediate Repeated Social Defeat Stress-Induced Social Avoidance through Prefrontal Microglial Activation. <i>Neuron</i> , 2018, 99, 464-479.e7.	3.8	202
29	Ulk2 controls cortical excitatory-inhibitory balance via autophagic regulation of p62 and GABAA receptor trafficking in pyramidal neurons. <i>Human Molecular Genetics</i> , 2018, 27, 3165-3176.	1.4	39
30	Depressive-Like Behaviors Are Regulated by NOX1/NADPH Oxidase by Redox Modification of NMDA Receptor 1. <i>Journal of Neuroscience</i> , 2017, 37, 4200-4212.	1.7	50
31	G-CSF-induced sympathetic tone provokes fever and primes antimobilizing functions of neutrophils via PGE2. <i>Blood</i> , 2017, 129, 587-597.	0.6	45
32	mDia and ROCK Mediate Actin-Dependent Presynaptic Remodeling Regulating Synaptic Efficacy and Anxiety. <i>Cell Reports</i> , 2016, 17, 2405-2417.	2.9	32
33	Roles of dopaminergic systems and inflammation-related molecules derived from microglia in stress-induced behavioral changes. <i>Pain Research</i> , 2016, 31, 1-8.	0.1	0
34	The Loss of Lam2 and Npr2-Npr3 Diminishes the Vacuolar Localization of Gtr1-Gtr2 and Disinhibits TORC1 Activity in Fission Yeast. <i>PLoS ONE</i> , 2016, 11, e0156239.	1.1	8
35	Genetic Interactions among AMPK Catalytic Subunit Ssp2 and Glycogen Synthase Kinases Gsk3 and Gsk31 in <i>Schizosaccharomyces Pombe</i> . <i>Kobe Journal of Medical Sciences</i> , 2016, 62, E70-8.	0.2	2
36	Azoles activate Atf1-mediated transcription through MAP kinase pathway for antifungal effects in fission yeast. <i>Genes To Cells</i> , 2015, 20, 695-705.	0.5	4

#	ARTICLE	IF	CITATIONS
37	The combined effect of clothianidin and environmental stress on the behavioral and reproductive function in male mice. <i>Journal of Veterinary Medical Science</i> , 2015, 77, 1207-1215.	0.3	64
38	Constitutive Tor2 Activity Promotes Retention of the Amino Acid Transporter Agp3 at Trans-Golgi/Endosomes in Fission Yeast. <i>PLoS ONE</i> , 2015, 10, e0139045.	1.1	14
39	Tor Signaling Regulates Transcription of Amino Acid Permeases through a GATA Transcription Factor Gaf1 in Fission Yeast. <i>PLoS ONE</i> , 2015, 10, e0144677.	1.1	15
40	The CCAAT/enhancer-binding protein delta/miR135a/thrombospondin 1 axis mediates PGE2-induced angiogenesis in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015, 36, 1356-1368.	1.5	33
41	Roles and Actions of Arachidonic Acid-Derived Bioactive Lipids in Stress-Related Behaviors. , 2015, , 315-328.		0
42	Characterization of Tamoxifen as an Antifungal Agent Using the Yeast <i>Schizosaccharomyces Pombe</i> Model Organism. <i>Kobe Journal of Medical Sciences</i> , 2015, 61, E54-63.	0.2	8
43	The MluI Cell Cycle Box (MCB) Motifs, but Not Damage-Responsive Elements (DREs), Are Responsible for the Transcriptional Induction of the <i>rhp51+</i> Gene in Response to DNA Replication Stress. <i>PLoS ONE</i> , 2014, 9, e111936.	1.1	2
44	Prostaglandin E Receptor EP1 Forms a Complex with Dopamine D1 Receptor and Directs D1-Induced cAMP Production to Adenylyl Cyclase 7 through Mobilizing G α 13 Subunits in Human Embryonic Kidney 293T Cells. <i>Molecular Pharmacology</i> , 2013, 84, 476-486.	1.0	15
45	EphA4-dependent axon retraction and midline localization of <i>Ephrin-B3</i> are disrupted in the spinal cord of mice lacking <i>mDia1</i> and <i>mDia3</i> in combination. <i>Genes To Cells</i> , 2013, 18, 873-885.	0.5	9
46	Prostaglandin E2 regulates murine hematopoietic stem/progenitor cells directly via EP4 receptor and indirectly through mesenchymal progenitor cells. <i>Blood</i> , 2013, 121, 1995-2007.	0.6	43
47	Prostaglandin E ₂ -Mediated Attenuation of Mesocortical Dopaminergic Pathway Is Critical for Susceptibility to Repeated Social Defeat Stress in Mice. <i>Journal of Neuroscience</i> , 2012, 32, 4319-4329.	1.7	115
48	Roles of Dopamine and Inflammation-Related Molecules in Behavioral Alterations Caused by Repeated Stress. <i>Journal of Pharmacological Sciences</i> , 2012, 120, 63-69.	1.1	28
49	A role for <i>mDia</i> , a Rho-regulated actin nucleator, in tangential migration of interneuron precursors. <i>Nature Neuroscience</i> , 2012, 15, 373-380.	7.1	122
50	Role of PGE-type receptor 4 in auditory function and noise-induced hearing loss in mice. <i>Neuropharmacology</i> , 2012, 62, 1841-1847.	2.0	9
51	Orally administered rubiscolin ϵ , a δ -opioid peptide derived from Rubisco, stimulates food intake via leptomenigeal lipocallin-type prostaglandin <i>D</i> synthase in mice. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1315-1323.	1.5	36
52	Stress responses: the contribution of prostaglandin E2 and its receptors. <i>Nature Reviews Endocrinology</i> , 2011, 7, 163-175.	4.3	99
53	Prostaglandin E2-mediated desensitization of mesocortical dopamine neurons is critical for susceptibility to repeated social defeat stress. <i>Neuroscience Research</i> , 2011, 71, e52.	1.0	0
54	Thromboxane receptor activation enhances striatal dopamine release, leading to suppression of GABAergic transmission and enhanced sugar intake. <i>European Journal of Neuroscience</i> , 2011, 34, 594-604.	1.2	13

#	ARTICLE	IF	CITATIONS
55	PGE ₂ signalling in endothelium is activated by haemodynamic stress and induces cerebral aneurysm through an amplifying loop via NF- κ B. <i>British Journal of Pharmacology</i> , 2011, 163, 1237-1249.	2.7	155
56	Central PGE ₂ exhibits anxiolytic-like activity via EP ₁ and EP ₄ receptors in a manner dependent on serotonin 5-HT _{1A} , dopamine D ₁ and GABA receptors. <i>FEBS Letters</i> , 2011, 585, 2357-2362.	1.3	22
57	Fever, inflammation, pain and beyond: prostanoid receptor research during these 25 years. <i>FASEB Journal</i> , 2011, 25, 813-818.	0.2	61
58	Deficiency of mDia, an Actin Nucleator, Disrupts Integrity of Neuroepithelium and Causes Periventricular Dysplasia. <i>PLoS ONE</i> , 2011, 6, e25465.	1.1	46
59	Roles of prostaglandin E ₂ -EP ₄ signaling in functional hyperemia in the brain. <i>Neuroscience Research</i> , 2010, 68, e355.	1.0	0
60	Roles of thromboxane receptor in dopaminergic signaling in the striatum. <i>Neuroscience Research</i> , 2010, 68, e235.	1.0	0
61	Roles of mDia isoforms, a Rho effector, in neural development. <i>Neuroscience Research</i> , 2010, 68, e138.	1.0	0
62	Central control of fever and female body temperature by RANKL/RANK. <i>Nature</i> , 2009, 462, 505-509.	13.7	212
63	Prostaglandin E receptor EP ₁ enhances GABA-mediated inhibition of dopaminergic neurons in the substantia nigra pars compacta and regulates dopamine level in the dorsal striatum. <i>European Journal of Neuroscience</i> , 2009, 30, 2338-2346.	1.2	28
64	Roles of prostaglandin E receptors in stress responses. <i>Current Opinion in Pharmacology</i> , 2009, 9, 31-38.	1.7	41
65	Rat Orbitofrontal Cortex Separately Encodes Response and Outcome Information during Performance of Goal-Directed Behavior. <i>Journal of Neuroscience</i> , 2008, 28, 5127-5138.	1.7	54
66	Facilitation of Th1-mediated immune response by prostaglandin E receptor EP ₁ . <i>Journal of Experimental Medicine</i> , 2007, 204, 2865-2874.	4.2	84
67	Prostaglandin E ₂ Acts on EP ₁ Receptor and Amplifies Both Dopamine D ₁ and D ₂ Receptor Signaling in the Striatum. <i>Journal of Neuroscience</i> , 2007, 27, 12900-12907.	1.7	48
68	Neural Encoding in the Orbitofrontal Cortex Related to Goal-Directed Behavior. <i>Annals of the New York Academy of Sciences</i> , 2007, 1121, 193-215.	1.8	28
69	Molecular Identification and Characterization of a Family of Kinases with Homology to Ca ²⁺ /Calmodulin-dependent Protein Kinases I/IV. <i>Journal of Biological Chemistry</i> , 2006, 281, 20427-20439.	1.6	45
70	Enhanced cocaine responsiveness and impaired motor coordination in metabotropic glutamate receptor subtype 2 knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4170-4175.	3.3	140
71	Prostaglandin E receptor EP ₁ controls impulsive behavior under stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16066-16071.	3.3	105
72	Molecular Cloning and Characterization of CLICK-III/CaMK β , a Novel Membrane-anchored Neuronal Ca ²⁺ /Calmodulin-dependent Protein Kinase (CaMK). <i>Journal of Biological Chemistry</i> , 2003, 278, 18597-18605.	1.6	50

#	ARTICLE	IF	CITATIONS
73	Control of axon elongation via an SDF-1 β /Rho/mDia pathway in cultured cerebellar granule neurons. <i>Journal of Cell Biology</i> , 2003, 161, 381-391.	2.3	177
74	Impaired adrenocorticotrophic hormone response to bacterial endotoxin in mice deficient in prostaglandin E receptor EP1 and EP3 subtypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4132-4137.	3.3	98
75	ROCK and mDia1 antagonize in Rho-dependent Rac activation in Swiss 3T3 fibroblasts. <i>Journal of Cell Biology</i> , 2002, 157, 819-830.	2.3	193
76	Multiple spatiotemporal modes of actin reorganization by NMDA receptors and voltage-gated Ca ²⁺ channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14458-14463.	3.3	83
77	Coordination of microtubules and the actin cytoskeleton by the Rho effector mDia1. <i>Nature Cell Biology</i> , 2001, 3, 8-14.	4.6	314
78	Citron, a Rho target that affects contractility during cytokinesis. , 2000, 49, 123-126.		42
79	A Critical Role for a Rho-Associated Kinase, p160ROCK, in Determining Axon Outgrowth in Mammalian CNS Neurons. <i>Neuron</i> , 2000, 26, 431-441.	3.8	284
80	Citron, a Rho-Target, Interacts with PSD-95/SAP-90 at Glutamatergic Synapses in the Thalamus. <i>Journal of Neuroscience</i> , 1999, 19, 109-118.	1.7	97
81	Rhotekin, a New Putative Target for Rho Bearing Homology to a Serine/Threonine Kinase, PKN, and RhoGTPase in the Rho-binding Domain. <i>Journal of Biological Chemistry</i> , 1996, 271, 13556-13560.	1.6	313
82	A novel partner for the GTP-bound forms of rho and rac. <i>FEBS Letters</i> , 1995, 377, 243-248.	1.3	156