Kenneth R Shroyer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1480457/kenneth-r-shroyer-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55	1,889	24	43
papers	citations	h-index	g-index
56	2,259 ext. citations	5.3	4.26
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
55	Dry heat sterilization as a method to recycle N95 respirator masks: The importance of fit <i>PLoS ONE</i> , 2022 , 17, e0257963	3.7	O
54	Keratin 17 Expression Predicts Poor Clinical Outcome in Patients With Advanced Esophageal Squamous Cell Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2021 , 29, 144-151	1.9	1
53	Keratin 17 Is a Novel Cytologic Biomarker for Urothelial Carcinoma Diagnosis. <i>American Journal of Clinical Pathology</i> , 2021 , 156, 926-933	1.9	2
52	Keratin 17 testing in pancreatic cancer needle aspiration biopsies predicts survival. <i>Cancer Cytopathology</i> , 2021 , 129, 865-873	3.9	2
51	IL-22 receptor signaling in Paneth cells is critical for their maturation, microbiota colonization, Th17-related immune responses, and anti-Salmonella immunity. <i>Mucosal Immunology</i> , 2021 , 14, 389-40	1 ^{9.2}	14
50	The New York State SARS-CoV-2 Testing Consortium: Regional Communication in Response to the COVID-19 Pandemic. <i>Academic Pathology</i> , 2021 , 8, 23742895211006818	1.3	2
49	Dissecting the Oncogenic Roles of Keratin 17 in the Hallmarks of Cancer Cancer Research, 2021,	10.1	3
48	Altered RNA Splicing by Mutant p53 Activates Oncogenic RAS Signaling in Pancreatic Cancer. <i>Cancer Cell</i> , 2020 , 38, 198-211.e8	24.3	38
47	An unbiased high-throughput drug screen reveals a potential therapeutic vulnerability in the most lethal molecular subtype of pancreatic cancer. <i>Molecular Oncology</i> , 2020 , 14, 1800-1816	7.9	4
46	A novel therapeutic opportunity for the most aggressive sub-type of pancreatic cancer: Targeting keratin 17 dependency on nuclear export. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
45	Initial Studies with C-Vorozole PET Detect Overexpression of Intratumoral Aromatase in Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 807-813	8.9	2
44	Krppel-like Factor 5 Regulates Stemness, Lineage Specification, and Regeneration of Intestinal Epithelial Stem Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020 , 9, 587-609	7.9	8
43	Deep learning-based image analysis methods for brightfield-acquired multiplex immunohistochemistry images. <i>Diagnostic Pathology</i> , 2020 , 15, 100	3	17
42	Overview of established and emerging immunohistochemical biomarkers and their role in correlative studies in MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 51, 341-354	5.6	3
41	RPGRIP1L is required for stabilizing epidermal keratinocyte adhesion through regulating desmoglein endocytosis. <i>PLoS Genetics</i> , 2019 , 15, e1007914	6	4
40	Increased Genetic Instability and Accelerated Progression of Colitis-Associated Colorectal Cancer through Intestinal Epithelium-specific Deletion of. <i>Molecular Cancer Research</i> , 2019 , 17, 165-176	6.6	10
39	Keratin 17 identifies the most lethal molecular subtype of pancreatic cancer. <i>Scientific Reports</i> , 2019 , 9, 11239	4.9	26

(2015-2019)

Keratin 17 is a negative prognostic biomarker in high-grade endometrial carcinomas. <i>Human Pathology</i> , 2019 , 94, 40-50	3.7	10
Oncogenic KRAS Reduces Expression of FGF21 in Acinar Cells to Promote Pancreatic Tumorigenesis in Mice on a High-Fat Diet. <i>Gastroenterology</i> , 2019 , 157, 1413-1428.e11	13.3	29
Loss of the Krppel-like factor 4 tumor suppressor is associated with epithelial-mesenchymal transition in colorectal cancer. <i>Journal of Cancer Metastasis and Treatment</i> , 2019 , 5,	3.8	5
Keratin 17 is a sensitive and specific biomarker of urothelial neoplasia. <i>Modern Pathology</i> , 2019 , 32, 717	-324	21
B7-H4 is Inversely Correlated With T-Cell Infiltration in Clear Cell but Not Serous or Endometrioid Ovarian Cancer. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 515-522	1.9	6
Elevated expression of keratin 17 in oropharyngeal squamous cell carcinoma is associated with decreased survival. <i>Head and Neck</i> , 2018 , 40, 1788-1798	4.2	14
From RNA-seq to Immunohistochemistry: Keratin 17 Defines Pancreatic Cancer Subtypes. <i>FASEB Journal</i> , 2018 , 32, 407.10	0.9	1
Establishment of three novel cell lines derived from African American patients with colorectal carcinoma: A unique tool for assessing racial health disparity. <i>International Journal of Oncology</i> , 2018 , 53, 1516-1528	4.4	1
Keratin 17 Is a Prognostic Biomarker in Endocervical Glandular Neoplasia. <i>American Journal of Clinical Pathology</i> , 2017 , 148, 264-273	1.9	21
Keratin 17 is overexpressed and predicts poor survival in estrogen receptor-negative/human epidermal growth factor receptor-2-negative breast cancer. <i>Human Pathology</i> , 2017 , 62, 23-32	3.7	25
Safety and Efficacy of A High Performance Graphene-Based Magnetic Resonance Imaging Contrast Agent for Renal Abnormalities. <i>Graphene Technology</i> , 2016 , 1, 17-28	1.8	1
Gorab Is Required for Dermal Condensate Cells to Respond to Hedgehog Signals during Hair Follicle Morphogenesis. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 378-386	4.3	8
Low intensity vibration mitigates tumor progression and protects bone quantity and quality in a murine model of myeloma. <i>Bone</i> , 2016 , 90, 69-79	4.7	28
ML264, A Novel Small-Molecule Compound That Potently Inhibits Growth of Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2016 , 15, 72-83	6.1	25
Ablation of Neuropilin 1 from glioma-associated microglia and macrophages slows tumor progression. <i>Oncotarget</i> , 2016 , 7, 9801-14	3.3	43
Loss of primary cilia in melanoma cells is likely independent of proliferation and cell cycle progression. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1456-1458	4.3	18
PEPCK Coordinates the Regulation of Central Carbon Metabolism to Promote Cancer Cell Growth. <i>Molecular Cell</i> , 2015 , 60, 571-83	17.6	126
Towards An Advanced Graphene-Based Magnetic Resonance Imaging Contrast Agent: Sub-acute Toxicity and Efficacy Studies in Small Animals. <i>Scientific Reports</i> , 2015 , 5, 17182	4.9	24
	Oncogenic KRAS Reduces Expression of FGF21 in Acinar Cells to Promote Pancreatic Tumorigenesis in Mice on a High-Fat Diet. Gastroenterology, 2019, 157, 1413-1428.e11 Loss of the Krippel-like factor 4 tumor suppressor is associated with epithelial-mesenchymal transition in colorectal cancer. Journal of Cancer Metastasis and Treatment, 2019, 5, Keratin 17 is a sensitive and specific biomarker of urothelial neoplasia. Modern Pathology, 2019, 32, 717 B7-H4 is Inversely Correlated With T-Cell Infiltration in Clear Cell but Not Serous or Endometrioid Ovarian Cancer. Applied Immunohistochemistry and Molecular Morphology, 2019, 27, 515-522 Elevated expression of keratin 17 in oropharyngeal squamous cell carcinoma is associated with decreased survival. Head and Neck, 2018, 40, 1788-1798 From RNA-seq to Immunohistochemistry: Keratin 17 Defines Pancreatic Cancer Subtypes. FASEB Journal, 2018, 32, 407-10 Establishment of three novel cell lines derived from African American patients with colorectal carcinoma: A unique tool for assessing racial health disparity. International Journal of Oncology, 2018, 33, 1516-1528 Keratin 17 is a Prognostic Biomarker in Endocervical Glandular Neoplasia. American Journal of Clinical Pathology, 2017, 148, 264-273 Keratin 17 is overexpressed and predicts poor survival in estrogen receptor-negative/human epidermal growth factor receptor-2-negative breast cancer. Human Pathology, 2017, 62, 23-32 Safety and Efficacy of A High Performance Graphene-Based Magnetic Resonance Imaging Contrast Agent for Renal Abnormalities. Graphene Technology, 2016, 1, 17-28 Gorab Is Required for Dermal Condensate Cells to Respond to Hedgehog Signals during Hair Follicle Morphogenesis. Journal of Investigative Dermatology, 2016, 136, 378-386 Low intensity vibration mitigates tumor progression and protects bone quantity and quality in a murine model of myeloma. Bone, 2016, 90, 69-79 ML264, A Novel Small-Molecule Compound That Potently Inhibits Growth of Colorectal Cancer. Molecular Cancer Therapeutics, 201	Oncogenic KRAS Reduces Expression of FGF21 in Acinar Cells to Promote Pancreatic Tumorigenesis in Mice on a High-Fat Diet. Gastroenterology, 2019, 157, 1413-1428.e11 Loss of the Krippel-like factor 4 tumor suppressor is associated with epithelial-mesenchymal transition in colorectal cancer. Journal of Cancer Metastasis and Treatment, 2019, 5, Keratin 17 is a sensitive and specific biomarker of urothelial neoplasia. Modern Pathology, 2019, 32, 717-324 B7-H4 is Inversely Correlated With T-Cell Infiltration in Clear Cell but Not Serous or Endometrioid Ovarian Cancer. Applied Immunohistochemistry and Molecular Morphology, 2019, 27, 515-522 Elevated expression of keratin 17 in oropharyngeal squamous cell carcinoma is associated with decreased survival. Head and Neck, 2018, 40, 1788-1798 From RNA-seq to Immunohistochemistry: Keratin 17 Defines Pancreatic Cancer Subtypes. FASEB Journal, 2018, 32, 407.10 Establishment of three novel cell lines derived from African American patients with colorectal carcinoma: A unique tool for assessing racial health disparity. International Journal of Oncology, 2018, 53, 1516-1528 Keratin 17 is a Prognostic Biomarker in Endocervical Glandular Neoplasia. American Journal of Clinical Pathology, 2017, 148, 264-273 Safety and Efficacy of A High Performance Graphene-Based Magnetic Resonance Imaging Contrast Agent for Renal Abnormalities. Graphene Technology, 2016, 1, 17-28 Gorab Is Required for Dermal Condensate Cells to Respond to Hedgehog Signals during Hair Follicle Morphogenesis. Journal of Investigative Dermatology, 2016, 13, 6, 378-386 Low Intensity vibration mitigates tumor progression and protects bone quantity and quality in a murine model of myeloma. Bone, 2016, 90, 69-79 ML264, A Novel Small-Molecule Compound That Potentty Inhibits Growth of Colorectal Cancer. Molecular Cancer Therapeutics, 2016, 19, 72-83 Ablation of Neuropilin 1 From glioma-associated microglia and macrophages slows tumor progression. Journal of Investigative Dermatology, 2015, 135, 1456-1458 PEPCK

20	miR-181a-5p Inhibits Cancer Cell Migration and Angiogenesis via Downregulation of Matrix Metalloproteinase-14. <i>Cancer Research</i> , 2015 , 75, 2674-85	10.1	131
19	Keratin-17 Promotes p27KIP1 Nuclear Export and Degradation and Offers Potential Prognostic Utility. <i>Cancer Research</i> , 2015 , 75, 3650-62	10.1	57
18	Hypoxia promotes colon cancer dissemination through up-regulation of cell migration-inducing protein (CEMIP). <i>Oncotarget</i> , 2015 , 6, 20723-39	3.3	41
17	Keratin 17: Cervical Cancer Prognostic Marker Promotes p27-Nuclear Export and Tumor Growth. <i>FASEB Journal</i> , 2015 , 29, LB448	0.9	1
16	Inducible intestine-specific deletion of Krppel-like factor 5 is characterized by a regenerative response in adult mouse colon. <i>Developmental Biology</i> , 2014 , 387, 191-202	3.1	24
15	Dose ranging, expanded acute toxicity and safety pharmacology studies for intravenously administered functionalized graphene nanoparticle formulations. <i>Biomaterials</i> , 2014 , 35, 7022-31	15.6	95
14	Differential expression of miRNAs in colon cancer between African and Caucasian Americans: implications for cancer racial health disparities. <i>International Journal of Oncology</i> , 2014 , 45, 587-94	4.4	47
13	Keratin 17 in premalignant and malignant squamous lesions of the cervix: proteomic discovery and immunohistochemical validation as a diagnostic and prognostic biomarker. <i>Modern Pathology</i> , 2014 , 27, 621-30	9.8	65
12	In vitro hematological and in vivo vasoactivity assessment of dextran functionalized graphene. <i>Scientific Reports</i> , 2013 , 3, 2584	4.9	56
11	Physicochemical characterization of a novel graphene-based magnetic resonance imaging contrast agent. <i>International Journal of Nanomedicine</i> , 2013 , 8, 2821-33	7.3	87
10	Biomarkers of cervical dysplasia and carcinoma. <i>Journal of Oncology</i> , 2012 , 2012, 507286	4.5	43
9	B7-H4 expression in Brenner tumours, a descriptive and comparative study. <i>Histopathology</i> , 2010 , 56, 652-4	7-3	6
8	Screening for molecular markers of cervical papillomavirus infection: overview of methods and their clinical implications. <i>Methods in Molecular Biology</i> , 2009 , 511, 297-310	1.4	2
7	Detection of B7-H4 and p53 in pancreatic cancer: potential role as a cytological diagnostic adjunct. <i>Pancreas</i> , 2008 , 36, 200-6	2.6	55
6	B7-H4 (DD-O110) is overexpressed in high risk uterine endometrioid adenocarcinomas and inversely correlated with tumor T-cell infiltration. <i>Gynecologic Oncology</i> , 2007 , 106, 119-27	4.9	91
5	B7-H4 overexpression in ovarian tumors. <i>Gynecologic Oncology</i> , 2006 , 100, 44-52	4.9	119
4	B7-h4 is highly expressed in ductal and lobular breast cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 1842-8	12.9	178
3	Evaluation of p16INK4a and pRb expression in cervical squamous and glandular neoplasia. <i>Human Pathology</i> , 2004 , 35, 689-96	3.7	145

LIST OF PUBLICATIONS

2	Telomerase activity in benign and malignant thyroid tumors. Thyroid, 1997 , 7, 337-42	6.2	75

Telomerase expression in human breast cancer with and without lymph node metastases. *American*1.9 29