

Siu Gin Cheung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1481240/siu-gin-cheung-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

3,004
citations

30
h-index

42
g-index

169
ext. papers

3,609
ext. citations

5.1
avg. IF

5.48
L-index

#	Paper	IF	Citations
167	Fate and Effects of Macro- and Microplastics in Coastal Wetlands.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	9
166	The significance of trophic transfer in the uptake of microplastics by carnivorous gastropod <i>Reishia clavigera</i> .. <i>Environmental Pollution</i> , 2022 , 298, 118862	9.3	1
165	Macroalgal morphology mediates microplastic accumulation on thallus and in sediments.. <i>Science of the Total Environment</i> , 2022 , 825, 153987	10.2	1
164	High Microplastic Contamination in Juvenile Tri-Spine Horseshoe Crabs: A Baseline Study of Nursery Habitats in Northern Beibu Gulf, China. <i>Journal of Ocean University of China</i> , 2022 , 21, 521-530	1	0
163	Visually Guided Behaviour of Juvenile Tri-spine Horseshoe Crab <i>Tachypleus tridentatus</i> : Implications for Designing Racks for Oyster Cultivation Compatible with Horseshoe Crab Conservation 2022 , 177-187		1
162	Population Genetic Structure of Juvenile Tri-Spine Horseshoe Crabs in Hong Kong 2022 , 69-83		
161	Trophic Relationship of Sympatric Juvenile Asian Horseshoe Crabs in Beibu Gulf, Southwestern China 2022 , 633-649		
160	Bisphenol A and its analogues in sedimentary microplastics of Hong Kong. <i>Marine Pollution Bulletin</i> , 2021 , 164, 112090	6.7	2
159	How mangrove plants affect microplastic distribution in sediments of coastal wetlands: Case study in Shenzhen Bay, South China. <i>Science of the Total Environment</i> , 2021 , 767, 144695	10.2	26
158	Enhanced remediation of BDE-209 in contaminated mangrove sediment by planting and aquaculture effluent. <i>Science of the Total Environment</i> , 2021 , 754, 142094	10.2	3
157	Horseshoe crab genomes reveal the evolution of genes and microRNAs after three rounds of whole genome duplication. <i>Communications Biology</i> , 2021 , 4, 83	6.7	8
156	Do distribution and expansion of exotic invasive Asteraceae plants relate to leaf construction cost in a man-made wetland?. <i>Marine Pollution Bulletin</i> , 2021 , 163, 111958	6.7	1
155	Determination of microplastics in the edible green-lipped mussel <i>Perna viridis</i> using an automated mapping technique of Raman microspectroscopy. <i>Journal of Hazardous Materials</i> , 2021 , 420, 126541	12.8	8
154	Horseshoe Crabs: Living Fossils Imperiled in the Anthropocene 2021 ,		
153	Characterisation of an unexplored group of microplastics from the South China Sea: Can they be caused by macrofaunal fragmentation?. <i>Marine Pollution Bulletin</i> , 2020 , 155, 111151	6.7	1
152	Effects of rubble zones from oyster cultivation on habitat utilization and foraging behaviour of the endangered tri-spine horseshoe crab: An implication for intertidal oyster cultivation practices. <i>Journal of Environmental Management</i> , 2020 , 271, 110925	7.9	5
151	Heavy metals contamination of sedimentary microplastics in Hong Kong. <i>Marine Pollution Bulletin</i> , 2020 , 153, 110977	6.7	39

150	Impacts of Typhoon Mangkhut in 2018 on the deposition of marine debris and microplastics on beaches in Hong Kong. <i>Science of the Total Environment</i> , 2020 , 716, 137172	10.2	28
149	Is <i>Laguncularia racemosa</i> more invasive than <i>Sonneratia apetala</i> in northern Fujian, China in terms of leaf energetic cost?. <i>Marine Pollution Bulletin</i> , 2020 , 152, 110897	6.7	3
148	Predator prey interactions between predatory gastropod <i>Reishia clavigera</i> , barnacle <i>Amphibalanus amphitrite</i> and mussel <i>Brachidontes variabilis</i> under ocean acidification. <i>Marine Pollution Bulletin</i> , 2020 , 152, 110895	6.7	2
147	Degradation of BDE-47 in mangrove sediments with amendment of extra carbon sources. <i>Marine Pollution Bulletin</i> , 2020 , 153, 110972	6.7	5
146	Barnacles as potential bioindicator of microplastic pollution in Hong Kong. <i>Marine Pollution Bulletin</i> , 2020 , 154, 111081	6.7	16
145	Changes of substrate microbial biomass and community composition in a constructed mangrove wetland for municipal wastewater treatment during 10-years operation. <i>Marine Pollution Bulletin</i> , 2020 , 155, 111095	6.7	7
144	Field test of beach litter assessment by commercial aerial drone. <i>Marine Pollution Bulletin</i> , 2020 , 151, 110823	6.7	21
143	Microplastics in invertebrates on soft shores in Hong Kong: Influence of habitat, taxa and feeding mode. <i>Science of the Total Environment</i> , 2020 , 715, 136999	10.2	36
142	Development of a digestion method for determining microplastic pollution in vegetal-rich clayey mangrove sediments. <i>Science of the Total Environment</i> , 2020 , 707, 136030	10.2	24
141	Future of Asian horseshoe crab conservation under explicit baseline gaps: A global perspective. <i>Global Ecology and Conservation</i> , 2020 , 24, e01373	2.8	11
140	Hemolymph Proteomics and Gut Microbiota of Horseshoe Crabs <i>Tachypleus tridentatus</i> and <i>Carcinoscorpius rotundicauda</i> . <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	3
139	Conservation of Asian horseshoe crabs on spotlight. <i>Biodiversity and Conservation</i> , 2020 , 30, 1-4	3.4	8
138	Effect of light on the transformation of BDE-47 by living and autoclaved cultures of <i>Microcystis flos-aquae</i> and <i>Chlorella vulgaris</i> . <i>Chemosphere</i> , 2019 , 233, 140-148	8.4	2
137	Degradation of BDE-47 in mangrove sediments under alternating anaerobic-aerobic conditions. <i>Journal of Hazardous Materials</i> , 2019 , 378, 120709	12.8	18
136	Could mangrove plants tolerate and remove BDE-209 in contaminated sediments upon long-term exposure?. <i>Journal of Hazardous Materials</i> , 2019 , 378, 120731	12.8	12
135	Contamination of polybrominated diphenyl ethers (PBDEs) in watershed sediments and plants adjacent to e-waste sites. <i>Journal of Hazardous Materials</i> , 2019 , 379, 120788	12.8	28
134	Effects of aquaculture effluents on fate of 2,2',4,4',5-pentabromodiphenyl ether (BDE-99) in contaminated mangrove sediment planted with <i>Kandelia obovata</i> . <i>Science of the Total Environment</i> , 2019 , 691, 71-79	10.2	5
133	Growth and antioxidative response of two mangrove plants to interaction between aquaculture effluent and BDE-99. <i>Science of the Total Environment</i> , 2019 , 662, 796-804	10.2	13

132	Spatial distribution and source identification of hydrophobic organic compounds (HOCs) on sedimentary microplastic in Hong Kong. <i>Chemosphere</i> , 2019 , 219, 418-426	8.4	31
131	Wisdom of Crowds reveals decline of Asian horseshoe crabs in Beibu Gulf, China. <i>Oryx</i> , 2019 , 53, 222-229	1.5	29
130	Fatty acids from controlled feeding as dietary markers of juvenile Chinese horseshoe crab, <i>Tachypleus tridentatus</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019 , 99, 421-428	1.1	4
129	Trophic and growth baseline of dominant subtidal gastropods in contrasting subtropical marine environments. <i>Marine Pollution Bulletin</i> , 2018 , 127, 396-405	6.7	4
128	Comparisons of microplastic pollution between mudflats and sandy beaches in Hong Kong. <i>Environmental Pollution</i> , 2018 , 236, 208-217	9.3	93
127	The combined effects of elevated pCO and food availability on <i>Tigriopus japonicus</i> Mori larval development, reproduction, and superoxide dismutase activity. <i>Marine Pollution Bulletin</i> , 2018 , 126, 623-628	6.7	5
126	Habitat use of globally threatened juvenile Chinese horseshoe crab, <i>Tachypleus tridentatus</i> under the influence of simulated intertidal oyster culture structures in Hong Kong. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 124-132	2.6	8
125	Horseshoe crabs as potential sentinel species for coastal health: juvenile haemolymph quality and relationship to habitat conditions. <i>Marine and Freshwater Research</i> , 2018 , 69, 894	2.2	17
124	Dual isotope assessment of trophic dynamics of an intertidal infaunal community with seasonal shifts in food sources. <i>Marine Biology</i> , 2018 , 165, 1	2.5	0
123	Comparative proteomics and codon substitution analysis reveal mechanisms of differential resistance to hypoxia in congeneric snails. <i>Journal of Proteomics</i> , 2018 , 172, 36-48	3.9	6
122	A review on fisheries and conservation status of Asian horseshoe crabs. <i>Biodiversity and Conservation</i> , 2018 , 27, 3573-3598	3.4	55
121	Growth Performance and Feed Utilization of Low-Cost Artificial Feeds for Juvenile Asian Horseshoe Crab Culture. <i>Journal of Shellfish Research</i> , 2018 , 37, 581-589	1	4
120	Predator-prey interaction between muricid gastropods and mussels under ocean acidification. <i>Marine Pollution Bulletin</i> , 2017 , 124, 911-916	6.7	8
119	Impact of habitat management on waterbirds in a degraded coastal wetland. <i>Marine Pollution Bulletin</i> , 2017 , 124, 645-652	6.7	4
118	Does energetic cost for leaf construction in <i>Sonneratia</i> change after introduce to another mangrove wetland and differ from native mangrove plants in South China?. <i>Marine Pollution Bulletin</i> , 2017 , 124, 1071-1077	6.7	7
117	Microplastic ingestion reduces energy intake in the clam <i>Atactodea striata</i> . <i>Marine Pollution Bulletin</i> , 2017 , 124, 798-802	6.7	84
116	Conservation education program for threatened Asian horseshoe crabs: A step towards reducing community apathy to environmental conservation. <i>Journal for Nature Conservation</i> , 2017 , 35, 53-65	2.3	21
115	Performance and bacterial community structure of a 10-years old constructed mangrove wetland. <i>Marine Pollution Bulletin</i> , 2017 , 124, 1096-1105	6.7	13

114	Marine microalgae as dietary supplements in the culture of juvenile Chinese horseshoe crabs, <i>Tachypleus tridentatus</i> (Xiphosura). <i>Aquaculture Research</i> , 2017 , 48, 3910-3924	1.9	16
113	Sediment characteristics and benthic ecological status in contrasting marine environments of subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2016 , 103, 360-370	6.7	12
112	Physiological responses and scope for growth in a marine scavenging gastropod, <i>Nassarius festivus</i> (Powys, 1835), are affected by salinity and temperature but not by ocean acidification. <i>ICES Journal of Marine Science</i> , 2016 , 73, 814-824	2.7	15
111	Are Photosynthetic Characteristics and Energetic Cost Important Invasive Traits for Alien <i>Sonneratia</i> Species in South China?. <i>PLoS ONE</i> , 2016 , 11, e0157169	3.7	3
110	Present population and habitat status of potentially threatened Asian horseshoe crabs <i>Tachypleus tridentatus</i> and <i>Carcinoscorpius rotundicauda</i> in Hong Kong: a proposal for marine protected areas. <i>Biodiversity and Conservation</i> , 2016 , 25, 673-692	3.4	42
109	Physiological responses and scope for growth upon medium-term exposure to the combined effects of ocean acidification and temperature in a subtidal scavenger <i>Nassarius conoidalis</i> . <i>Marine Environmental Research</i> , 2015 , 106, 51-60	3.3	29
108	A dual stable isotope study for diet composition of juvenile Chinese horseshoe crab <i>Tachypleus tridentatus</i> (Xiphosura) on a seagrass-covered intertidal mudflat. <i>Marine Biology</i> , 2015 , 162, 1137-1143	2.5	26
107	Responses of growth and hemolymph quality in juvenile Chinese horseshoe crab <i>Tachypleus tridentatus</i> (Xiphosura) to sublethal tributyltin and cadmium. <i>Ecotoxicology</i> , 2015 , 24, 1880-95	2.9	9
106	Genetic Basis of Differential Heat Resistance between Two Species of Congeneric Freshwater Snails: Insights from Quantitative Proteomics and Base Substitution Rate Analysis. <i>Journal of Proteome Research</i> , 2015 , 14, 4296-308	5.6	25
105	Emerging Issues in Horseshoe Crab Conservation: A Perspective from the IUCN Species Specialist Group 2015 , 369-381		10
104	Preliminary Home Range Study of Juvenile Chinese Horseshoe Crabs, <i>Tachypleus tridentatus</i> (Xiphosura), Using Passive Tracking Methods 2015 , 149-166		7
103	Population Structure and Growth of Juvenile Horseshoe Crabs <i>Tachypleus tridentatus</i> and <i>Carcinoscorpius rotundicauda</i> (Xiphosura) in Southern China 2015 , 167-180		17
102	Structure and taxonomic composition of free-living nematode and macrofaunal assemblages in a eutrophic subtropical harbour, Hong Kong. <i>Marine Pollution Bulletin</i> , 2014 , 85, 764-73	6.7	7
101	The larvae of congeneric gastropods showed differential responses to the combined effects of ocean acidification, temperature and salinity. <i>Marine Pollution Bulletin</i> , 2014 , 79, 39-46	6.7	31
100	Ecology of artificial reefs in the subtropics. <i>Advances in Marine Biology</i> , 2014 , 68, 1-63	2.1	9
99	Effects of salinity on anatomical features and physiology of a semi-mangrove plant <i>Myoporum bontioides</i> . <i>Marine Pollution Bulletin</i> , 2014 , 85, 738-46	6.7	8
98	Hemolymph quality as indicator of health status in juvenile Chinese horseshoe crab <i>Tachypleus tridentatus</i> (Xiphosura) under laboratory culture. <i>Journal of Experimental Marine Biology and Ecology</i> , 2014 , 457, 135-142	2.1	20
97	Effects of hypoxia on biofilms and subsequently larval settlement of benthic invertebrates. <i>Marine Pollution Bulletin</i> , 2014 , 85, 418-24	6.7	7

96	Isolation and mRNA expression of hypoxia-inducible factor (HIF-1) in two sublittoral nassariid gastropods: <i>Nassarius siquijorensis</i> and <i>Nassarius conoidalis</i> . <i>Marine Environmental Research</i> , 2014 , 99, 44-51	3.3	7
95	Comparisons of the metabolic responses of two subtidal nassariid gastropods to hypoxia and re-oxygenation. <i>Marine Pollution Bulletin</i> , 2014 , 82, 109-16	6.7	9
94	Digestible dietary protein and energy requirements of juvenile Asian horseshoe crabs, <i>Tachypleus tridentatus</i> and <i>Carcinoscorpius rotundicauda</i> . <i>Aquaculture Research</i> , 2014 , 45, 1621-1633	1.9	10
93	Physiological energetics of the fourth instar of Chinese horseshoe crabs (<i>Tachypleus tridentatus</i>) in response to hypoxic stress and re-oxygenation. <i>Marine Pollution Bulletin</i> , 2014 , 85, 522-5	6.7	12
92	Acute hypoxic exposure affects gamete quality and subsequent fertilization success and embryonic development in a serpulid polychaete. <i>Marine Pollution Bulletin</i> , 2014 , 85, 439-45	6.7	3
91	Structure and function of soil microbial community in artificially planted <i>Sonneratia apetala</i> and <i>S. caseolaris</i> forests at different stand ages in Shenzhen Bay, China. <i>Marine Pollution Bulletin</i> , 2014 , 85, 754-63	6.7	33
90	Comparison of different frozen natural foods on survival and growth of juvenile Chinese horseshoe crab <i>Tachypleus tridentatus</i> (Leach, 1819): implications on laboratory culture. <i>Aquaculture Research</i> , 2013 , 44, 567-573	1.9	12
89	Hypoxia induces abnormal larval development and affects biofilm-larval interaction in the serpulid polychaete <i>Hydroides elegans</i> . <i>Marine Pollution Bulletin</i> , 2013 , 76, 291-7	6.7	8
88	Effect of parental hypoxic exposure on embryonic development of the offspring of two serpulid polychaetes: Implication for transgenerational epigenetic effect. <i>Marine Pollution Bulletin</i> , 2013 , 74, 149-55	6.7	7
87	A baseline study of benthic community associated with Amphioxus Sand in subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2013 , 72, 274-80	6.7	3
86	Physiological and behavioural responses of different life stages of a serpulid polychaete to hypoxia. <i>Marine Ecology - Progress Series</i> , 2013 , 477, 135-145	2.6	13
85	Antipredatory responses of <i>Perna viridis</i> (Linnaeus, 1758) under acute hypoxia and low salinity. <i>Journal of Molluscan Studies</i> , 2013 , 79, 42-50	1.1	11
84	Chronic hypoxia and low salinity impair anti-predatory responses of the green-lipped mussel <i>Perna viridis</i> . <i>Marine Environmental Research</i> , 2012 , 77, 84-9	3.3	24
83	Immune parameter changes of hemocytes in green-lipped mussel <i>Perna viridis</i> exposure to hypoxia and hyposalinity. <i>Aquaculture</i> , 2012 , 356-357, 22-29	4.4	45
82	Characterization of subpopulations and immune-related parameters of hemocytes in the green-lipped mussel <i>Perna viridis</i> . <i>Fish and Shellfish Immunology</i> , 2012 , 32, 381-90	4.3	45
81	Can a scavenging gastropod with a mussel conspecific diet induce anti-predator defence in the mussel <i>Perna viridis</i> ?. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 401, 85-88	2.1	8
80	Effects of starvation on the physiology and foraging behaviour of two subtidal nassariid scavengers. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 409, 53-61	2.1	6
79	Response of meiofaunal community with special reference to nematodes upon deployment of artificial reefs and cessation of bottom trawling in subtropical waters, Hong Kong. <i>Marine Pollution Bulletin</i> , 2011 , 63, 376-84	6.7	14

78	The combined effects of oxygen availability and salinity on physiological responses and scope for growth in the green-lipped mussel <i>Perna viridis</i> . <i>Marine Pollution Bulletin</i> , 2011 , 63, 255-61	6.7	57
77	Respiration rate and swimming activity of larvae of two sub-tidal nassariid gastropods under reduced oxygen levels: implications for their distributions in Hong Kong waters. <i>Marine Pollution Bulletin</i> , 2011 , 63, 230-6	6.7	9
76	Impact of hypoxia on the structure and function of benthic epifauna in Tolo Harbour, Hong Kong. <i>Marine Pollution Bulletin</i> , 2011 , 63, 221-9	6.7	16
75	Marine meiobenthic and nematode community structure in Victoria Harbour, Hong Kong upon recovery from sewage pollution. <i>Marine Pollution Bulletin</i> , 2011 , 63, 318-25	6.7	10
74	Stable isotopes as a useful tool for revealing the environmental fate and trophic effect of open-sea-cage fish farm wastes on marine benthic organisms with different feeding guilds. <i>Marine Pollution Bulletin</i> , 2011 , 63, 77-85	6.7	14
73	Immune responses to combined effect of hypoxia and high temperature in the green-lipped mussel <i>Perna viridis</i> . <i>Marine Pollution Bulletin</i> , 2011 , 63, 201-8	6.7	33
72	Differences in leaf construction cost between alien and native mangrove species in Futian, Shenzhen, China: implications for invasiveness of alien species. <i>Marine Pollution Bulletin</i> , 2011 , 62, 1957-62	6.7	18
71	AFLP analysis of genetic variation among three natural populations of horseshoe crab <i>Tachypleus tridentatus</i> along Chinese coast. <i>Chinese Journal of Oceanology and Limnology</i> , 2011 , 29, 284-289		5
70	Response of meiofaunal and nematode communities to sewage pollution abatement: a field transplantation experiment. <i>Chinese Journal of Oceanology and Limnology</i> , 2011 , 29, 1174-1185		1
69	Effect of starvation on the energy budget of two Asian horseshoe crab species: <i>Tachypleus tridentatus</i> and <i>Carcinoscorpius rotundicauda</i> (Chelicerata: Xiphosura). <i>Marine Biology</i> , 2011 , 158, 1591-1600	2.5	20
68	Combined Effects of Dissolved Oxygen and Salinity on Growth and Body Composition of Juvenile Green-Lipped Mussel <i>Perna viridis</i> . <i>Journal of Shellfish Research</i> , 2011 , 30, 851-857	1	10
67	Physiological responses of two sublittoral nassariid gastropods to hypoxia. <i>Marine Ecology - Progress Series</i> , 2011 , 429, 75-85	2.6	19
66	Sibling Cannibalism in Juveniles of the Marine Gastropod <i>Nassarius festivus</i> (Powys, 1835). <i>Malacologia</i> , 2010 , 52, 157-161	1.1	4
65	Induction of anti-predator responses in the green-lipped mussel <i>Perna viridis</i> under hypoxia. <i>Marine Biology</i> , 2010 , 157, 747-754	2.5	14
64	Effects of the timing of initial feeding on growth and survival of loach (<i>Misgurnus anguillicaudatus</i>) larvae. <i>Aquaculture International</i> , 2010 , 18, 135-148	2.6	19
63	Effect of prolonged starvation on body weight and blood-chemistry in two horseshoe crab species: <i>Tachypleus tridentatus</i> and <i>Carcinoscorpius rotundicauda</i> (Chelicerata: Xiphosura). <i>Journal of Experimental Marine Biology and Ecology</i> , 2010 , 395, 112-119	2.1	21
62	Fatty acid profiles of benthic environment associated with artificial reefs in subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2010 , 60, 303-8	6.7	24
61	Enhanced growth of juvenile <i>Tachypleus tridentatus</i> (Chelicerata: Xiphosura) in the laboratory: a step towards population restocking for conservation of the species. <i>Aquatic Biology</i> , 2010 , 11, 37-46	2	12

60	Cues from the predator crab <i>Thalamita danae</i> fed different prey can affect scope for growth in the prey mussel <i>Perna viridis</i> . <i>Marine and Freshwater Behaviour and Physiology</i> , 2009 , 42, 343-355	1.1	13
59	Ciliate communities in a constructed mangrove wetland for wastewater treatment. <i>Marine Pollution Bulletin</i> , 2009 , 58, 711-9	6.7	14
58	Structure of infaunal macrobenthos in the presence of artificial reefs in subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2009 , 58, 934-9	6.7	5
57	Threatened fishes of the world: <i>Bahaba taipingensis</i> Herre, 1932 (Sciaenidae). <i>Environmental Biology of Fishes</i> , 2009 , 85, 335-336	1.6	3
56	Threatened fishes of the world: <i>Aphyocypris lini</i> Weitzman and Chan, 1966 (Cyprinidae). <i>Environmental Biology of Fishes</i> , 2009 , 86, 525-526	1.6	1
55	Induced ovulation of yellow catfish (<i>Pelteobagrus fulvidraco</i>) using a combination of a gonadotrop-releasing hormone analogue and domperidone. <i>Aquaculture Research</i> , 2009 , 41, 1243	1.9	
54	Toxicity of bisphenol A and its bioaccumulation and removal by a marine microalga <i>Stephanodiscus hantzschii</i> . <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 321-8	7	105
53	Effects of GnRH α (D-Ala δ^6 , Pro 9 -NET) combined with domperidone on ovulation induction in wild loach <i>Misgurnus anguillicaudatus</i> . <i>Aquaculture</i> , 2009 , 291, 136-139	4.4	6
52	Anti-predator behaviour in the green-lipped mussel <i>Perna viridis</i> : byssus thread production depends on the mussel's position in clump. <i>Marine Ecology - Progress Series</i> , 2009 , 378, 145-151	2.6	18
51	Meiofauna with special reference to nematodes in trawling ground of subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2009 , 58, 607-15	6.7	8
50	Summer distribution and abundance of juvenile Chinese horseshoe crabs <i>Tachypleus tridentatus</i> along an intertidal zone in southern China. <i>Aquatic Biology</i> , 2009 , 7, 107-112	2	35
49	Horseshoe Crabs in Hong Kong: Current Population Status and Human Exploitation 2009 , 347-360		39
48	Spatio-temporal changes of marine macrobenthic community in sub-tropical waters upon recovery from eutrophication. II. Life-history traits and feeding guilds of polychaete community. <i>Marine Pollution Bulletin</i> , 2008 , 56, 297-307	6.7	36
47	Spatio-temporal changes of marine macrobenthic community in sub-tropical waters upon recovery from eutrophication. I. Sediment quality and community structure. <i>Marine Pollution Bulletin</i> , 2008 , 56, 282-96	6.7	30
46	Field observations on correlation of fatty acid profiles between suspended particulate matter and green-lipped mussels in subtropical waters of Hong Kong. <i>Marine Pollution Bulletin</i> , 2008 , 57, 662-71	6.7	11
45	Potential use of mangroves as constructed wetland for municipal sewage treatment in Futian, Shenzhen, China. <i>Marine Pollution Bulletin</i> , 2008 , 57, 735-43	6.7	80
44	Amelioration of marine farming impact on the benthic environment using artificial reefs as biofilters. <i>Marine Pollution Bulletin</i> , 2008 , 57, 652-61	6.7	17
43	Use of ciliates (Protozoa: Ciliophora) as bioindicator to assess sediment quality of two constructed mangrove sewage treatment belts in Southern China. <i>Marine Pollution Bulletin</i> , 2008 , 57, 689-94	6.7	16

42	Macrobenthic communities in a sub-tropical man-made mudflat. <i>Marine Pollution Bulletin</i> , 2008 , 56, 1226-30		
41	Effect of prolonged hypoxia on food consumption, respiration, growth and reproduction in marine scavenging gastropod <i>Nassarius festivus</i> . <i>Marine Pollution Bulletin</i> , 2008 , 57, 280-6	6.7	42
40	Subtropical meiobenthic nematode communities in Victoria Harbour, Hong Kong. <i>Marine Pollution Bulletin</i> , 2008 , 56, 1491-7	6.7	17
39	Growth, secondary production and gonad development of two co-existing amphioxus species (<i>Branchiostoma belcheri</i> and <i>B. malayanum</i>) in subtropical Hong Kong. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008 , 357, 64-74	2.1	8
38	Fatty acid as markers to demonstrating trophic relationships among diatoms, rotifers and green-lipped mussels. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008 , 357, 75-84	2.1	31
37	Marine mussels <i>Brachidontes variabilis</i> selected smaller places of refuge and enhanced byssus production upon exposure to conspecific and heterospecific cues. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008 , 361, 16-20	2.1	13
36	Physiological responses of the alga <i>Cyclotella caspia</i> to bisphenol A exposure. <i>Botanica Marina</i> , 2008 , 51,	1.8	20
35	Seasonal changes in C, N and P budgets of green-lipped mussels <i>Perna viridis</i> and removal of nutrients from fish farming in Hong Kong. <i>Marine Ecology - Progress Series</i> , 2008 , 353, 137-146	2.6	27
34	The diet of amphioxus in subtropical Hong Kong as indicated by fatty acid and stable isotopic analyses. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008 , 88, 1487-1491	1.1	10
33	Sensitivity of different biological responses to accumulation and depuration of butyltins in the neogastropod <i>Thais clavigera</i> : implications for biomonitoring. <i>Ecotoxicology</i> , 2008 , 17, 860-8	2.9	8
32	Prolonged exposure to low dissolved oxygen affects early development and swimming behaviour in the gastropod <i>Nassarius festivus</i> (Nassariidae). <i>Marine Biology</i> , 2008 , 153, 735-743	2.5	24
31	Baseline data of subtropical coral communities in Hoi Ha Wan Marine Park, Hong Kong, obtained by an underwater remote operated vehicle (ROV). <i>Marine Pollution Bulletin</i> , 2007 , 54, 107-12	6.7	8
30	Morphological and molecular comparisons of dominant amphioxus populations in the China Seas. <i>Marine Biology</i> , 2007 , 153, 189-198	2.5	11
29	Growth Responses of the Filter-Feeding Clam <i>Gafrarium tumidum</i> to Water Flow: A Field Manipulation Experiment. <i>Journal of Ecology and Environment</i> , 2007 , 30, 109-119	2	
28	Energy maximization by selective feeding on tissues of the venerid clam <i>Marcia hiantina</i> in the marine scavenger <i>Nassarius festivus</i> (Gastropoda: Nassariidae). <i>Marine Biology</i> , 2006 , 149, 247-255	2.5	4
27	Effects of nitrogen and sulphide on macroinfaunal community: a microcosm study. <i>Marine Pollution Bulletin</i> , 2006 , 52, 1333-9	6.7	8
26	A comparison of video and point intercept transect methods for monitoring subtropical coral communities. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006 , 333, 115-128	2.1	51
25	Predator-labeling effect on byssus production in marine mussels <i>Perna viridis</i> (L.) and <i>Brachidontes variabilis</i> (Krauss). <i>Journal of Chemical Ecology</i> , 2006 , 32, 1501-12	2.7	28

24	Stable isotope and fatty acid evidence for uptake of organic waste by green-lipped mussels <i>Perna viridis</i> in a polyculture fish farm system. <i>Marine Ecology - Progress Series</i> , 2006 , 317, 273-283	2.6	96
23	Effects of nutrient enrichment derived from fish farming activities on macroinvertebrate assemblages in a subtropical region of Hong Kong. <i>Marine Pollution Bulletin</i> , 2005 , 51, 994-1002	6.7	41
22	Size effects of suspended particles on gill damage in green-lipped mussel <i>Perna viridis</i> . <i>Marine Pollution Bulletin</i> , 2005 , 51, 801-10	6.7	36
21	Intermittent exposure to reduced oxygen levels affects prey size selection and consumption in swimming crab <i>Thalamita danae</i> Stimpson. <i>Marine Pollution Bulletin</i> , 2005 , 51, 1003-9	6.7	7
20	LIPID CONTENT AND FATTY ACID COMPOSITION IN THE GREEN-LIPPED MUSSEL <i>PERNA VIRIDIS</i> (L.). <i>Journal of Food Lipids</i> , 2004 , 11, 123-130		5
19	Induced anti-predator responses of the green mussel, <i>Perna viridis</i> (L.), on exposure to the predatory gastropod, <i>Thais clavigera</i> K��ter, and the swimming crab, <i>Thalamita danae</i> Stimpson. <i>Marine Biology</i> , 2004 , 144, 675-684	2.5	29
18	Chemical cues from predators and damaged conspecifics affect byssus production in the green-lipped mussel <i>perna viridis</i> . <i>Marine and Freshwater Behaviour and Physiology</i> , 2004 , 37, 127-135	1.1	25
17	Seasonal variation in the feeding physiology and scope for growth of green mussels, <i>Perna viridis</i> in estuarine Ma Wan, Hong Kong. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003 , 83, 543-552	1.1	21
16	Site-related differences in the feeding physiology of the green mussel <i>Perna viridis</i> : a reciprocal transplantation experiment. <i>Marine Ecology - Progress Series</i> , 2003 , 258, 147-159	2.6	15
15	Responses of the green-lipped mussel <i>Perna viridis</i> (L.) to suspended solids. <i>Marine Pollution Bulletin</i> , 2002 , 45, 157-62	6.7	27
14	Effects of heavy metals on the survival and feeding behaviour of the sandy shore scavenging gastropod <i>Nassarius festivus</i> (Powys). <i>Marine Pollution Bulletin</i> , 2002 , 45, 107-13	6.7	32
13	Feeding rhythms of the green-lipped mussel, <i>Perna viridis</i> (Linnaeus, 1758) (Bivalvia: Mytilidae) during spring and neap tidal cycles. <i>Journal of Experimental Marine Biology and Ecology</i> , 2001 , 257, 13-36 ^{2.1}	2.1	28
12	Feeding rates and scope for growth of green mussels, <i>Perna viridis</i> (L.) and their relationship with food availability in Kat O, Hong Kong. <i>Aquaculture</i> , 2001 , 193, 123-137	4.4	44
11	Effect of food availability on egg production and packaging in the intertidal scavenging gastropod <i>Nassarius festivus</i> . <i>Marine Biology</i> , 1999 , 135, 281-287	2.5	19
10	Effect of Copper on Activity and Feeding in the Subtidal Prosobranch <i>Babylonia lutosa</i> (Lamarck) (Gastropoda: Buccinidae). <i>Marine Pollution Bulletin</i> , 1999 , 39, 106-111	6.7	8
9	Feeding behaviour of the green mussel, <i>Perna viridis</i> (L.):. <i>Journal of Experimental Marine Biology and Ecology</i> , 1999 , 236, 191-207	2.1	45
8	Heavy metals in <i>Metapenaeus ensis</i> , <i>Eriocheir sinensis</i> and sediment from the Mai Po marshes, Hong Kong. <i>Science of the Total Environment</i> , 1998 , 214, 87-97	10.2	28
7	Physiological responses of the subtidal prosobranch, <i>Babylonia lutosa</i> (Gastropoda: Buccinidae), to copper. <i>Science of the Total Environment</i> , 1998 , 214, 185-191	10.2	5

6	Physiological and behavioural responses of the intertidal scavenging gastropod <i>Nassarius festivus</i> to salinity changes. <i>Marine Biology</i> , 1997 , 129, 301-307	2.5	24
5	Effect of salinity, temperature and acclimation on oxygen consumption of <i>Nassarius festivus</i> (Powys, 1835) (Gastropoda: Nassariidae). <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1995 , 111, 625-631		20
4	Effects of heavy metals on oxygen consumption and ammonia excretion in green-lipped mussels (<i>Perna viridis</i>). <i>Marine Pollution Bulletin</i> , 1995 , 31, 381-386	6.7	32
3	Population dynamics and energy budgets of green-lipped mussel <i>Perna viridis</i> (Linnaeus) in a polluted harbour. <i>Journal of Experimental Marine Biology and Ecology</i> , 1993 , 168, 1-24	2.1	40
2	Horseshoe crab genomes reveal the evolutionary fates of genes and microRNAs after three rounds (3R) of whole genome duplication		7
1	Tri-Spine Horseshoe Crab Aquaculture, Ranching and Stock Enhancement: Perspectives and Challenges. <i>Frontiers in Marine Science</i> , 8 ,	4.5	3