

# Peter Larsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1482537/publications.pdf>

Version: 2024-02-01

33  
papers

1,012  
citations

687363

13  
h-index

434195

31  
g-index

33  
all docs

33  
docs citations

33  
times ranked

851  
citing authors

#	ARTICLE	IF	CITATIONS
1	Population-based epidemiology of 9767 ankle fractures. <i>Foot and Ankle Surgery</i> , 2018, 24, 34-39.	1.7	189
2	Incidence and epidemiology of tibial shaft fractures. <i>Injury</i> , 2015, 46, 746-750.	1.7	161
3	Population-Based Epidemiology of Tibial Plateau Fractures. <i>Orthopedics</i> , 2015, 38, e780-6.	1.1	158
4	Population-based epidemiology and incidence of distal femur fractures. <i>International Orthopaedics</i> , 2018, 42, 191-196.	1.9	115
5	Incidence and Epidemiology of Patellar Fractures. <i>Orthopedics</i> , 2016, 39, e1154-e1158.	1.1	77
6	High mortality following distal femur fractures: a cohort study including three hundred and two distal femur fractures. <i>International Orthopaedics</i> , 2020, 44, 173-177.	1.9	41
7	Restrictions in Quality of Life After Intramedullary Nailing of Tibial Shaft Fracture. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 507-512.	1.4	30
8	Population-based incidence and epidemiology of 5912 foot fractures. <i>Foot and Ankle Surgery</i> , 2021, 27, 181-185.	1.7	20
9	Surgical versus conservative treatment for ankle fractures in adults – A systematic review and meta-analysis of the benefits and harms. <i>Foot and Ankle Surgery</i> , 2019, 25, 409-417.	1.7	17
10	A prospective observational study of 56 patients treated with ring fixator after a complex tibial fracture. <i>Strategies in Trauma and Limb Reconstruction</i> , 2017, 12, 35-44.	0.8	16
11	Asymmetry in gait pattern following bicondylar tibial plateau fractures – A prospective one-year cohort study. <i>Injury</i> , 2017, 48, 1657-1661.	1.7	16
12	Complex tibial fractures are associated with lower social classes and predict early exit from employment and worse patient-reported QOL: a prospective observational study of 46 complex tibial fractures treated with a ring fixator. <i>Strategies in Trauma and Limb Reconstruction</i> , 2018, 13, 25-33.	0.8	16
13	One-year development of QOL following orthopaedic polytrauma: a prospective observational cohort study of 53 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1539-1546.	2.4	15
14	A novel tool for measuring ankle dorsiflexion: A study of its reliability in patients following ankle fractures. <i>Foot and Ankle Surgery</i> , 2016, 22, 274-277.	1.7	15
15	Asymmetry in gait pattern following tibial shaft fractures – a prospective one-year follow-up study of 49 patients. <i>Gait and Posture</i> , 2017, 51, 47-51.	1.4	13
16	Decreased QOL and muscle strength are persistent 1 year after intramedullary nailing of a tibial shaft fracture: a prospective 1-year follow-up cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1395-1402.	2.4	12
17	Presence of magnetic resonance imaging verified soft tissue injuries did not significantly affect the patient-reported outcome 12 months following a lateral tibial plateau fracture: A 12-month prospective cohort study of 56 patients. <i>Knee</i> , 2020, 27, 420-427.	1.6	12
18	Tibial plateau fractures are associated with a long-term increased risk of mortality: a matched cohort study of 7950 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1705-1711.	2.4	11

#	ARTICLE	IF	CITATIONS
19	Satisfactory outcome following arthroscopic fixation of tibial intercondylar eminence fractures in children and adolescents using bioabsorbable nails. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 1945-1951.	2.4	10
20	The Foot and Ankle Outcome Score (FAOS) During Early Recovery After Ankle Fracture. Foot and Ankle International, 2021, 42, 1179-1184.	2.3	9
21	Children's distal forearm fractures: a population-based epidemiology study of 4,316 fractures. Bone & Joint Open, 2022, 3, 448-454.	2.6	8
22	Obesity Influences the Knee Injury and Osteoarthritis Outcome Score. Joints, 2019, 07, 008-012.	1.5	7
23	Characteristics of patients requiring early total knee replacement after surgically treated lateral tibial plateau fractures – A comparative cohort study. European Journal of Orthopaedic Surgery and Traumatology, 2022, 32, 1097-1103.	1.4	6
24	A case report of a completely displaced stress fracture of the femoral shaft in a middle-aged male athlete – A precursor of things to come?. Physical Therapy in Sport, 2016, 19, 23-27.	1.9	5
25	Long-Lasting Hyperalgesia Is Common in Patients Following Patella Fractures. Pain Medicine, 2018, 19, 429-437.	1.9	5
26	Patella fractures are not associated with an increased risk of mortality in elderly patients. Injury, 2018, 49, 1901-1904.	1.7	5
27	Results following prolonged recovery show satisfactory functional and patient-reported outcome after intramedullary nailing of a tibial shaft fracture: a prospective 5-year follow-up cohort study. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 1303-1310.	2.4	5
28	Patient-reported and Functional Outcomes of Bi-condylar Tibial Plateau Fractures Managed by Internal Screw Fixation in Combination with An Ilizarov Fixator: A Case Series of 22 Patients with Long-term Follow-up. Strategies in Trauma and Limb Reconstruction, 2019, 14, 85-91.	0.8	4
29	Epidemiology and incidence of paediatric orthopaedic trauma workload during the COVID-19 pandemic: A multicenter cohort study of 3171 patients. World Journal of Orthopedics, 2022, 13, 70-77.	1.8	4
30	Local and Widespread Hyperalgesia After Isolated Tibial Shaft Fractures Treated with Intramedullary Nailing. Pain Medicine, 2016, 17, pnv016.	1.9	3
31	Delayed but favourable outcome of lateral tibial plateau fracture after screw fixation: A 3-year prospective cohort study of 56 patients. Knee, 2021, 29, 280-290.	1.6	3
32	Blood-flow restricted exercise following ankle fractures – A feasibility study. Foot and Ankle Surgery, 2022, 28, 726-731.	1.7	3
33	Concurrent musculoskeletal complaints in elbows, shoulders, and necks after common hand and forearm injuries or conditions: A cross-sectional study among 600 patients. Journal of Hand Therapy, 2020, 34, 543-548.	1.5	1