Peter Larsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1482537/publications.pdf

Version: 2024-02-01

687363 434195 1,012 33 13 31 citations h-index g-index papers 33 33 33 851 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Characteristics of patients requiring early total knee replacement after surgically treated lateral tibial plateau fractures—A comparative cohort study. European Journal of Orthopaedic Surgery and Traumatology, 2022, 32, 1097-1103.	1.4	6
2	Blood-flow restricted exercise following ankle fractures â€" A feasibility study. Foot and Ankle Surgery, 2022, 28, 726-731.	1.7	3
3	Epidemiology and incidence of paediatric orthopaedic trauma workload during the COVID-19 pandemic: A multicenter cohort study of 3171 patients. World Journal of Orthopedics, 2022, 13, 70-77.	1.8	4
4	Children's distal forearm fractures: a population-based epidemiology study of 4,316 fractures. Bone & Joint Open, 2022, 3, 448-454.	2.6	8
5	Results following prolonged recovery show satisfactory functional and patient-reported outcome after intramedullary nailing of a tibial shaft fracture: a prospective 5-year follow-up cohort study. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 1303-1310.	2.4	5
6	Population-based incidence and epidemiology of 5912 foot fractures. Foot and Ankle Surgery, 2021, 27, 181-185.	1.7	20
7	Satisfactory outcome following arthroscopic fixation of tibial intercondylar eminence fractures in children and adolescents using bioabsorbable nails. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 1945-1951.	2.4	10
8	Delayed but favourable outcome of lateral tibial plateau fracture after screw fixation: A 3-year prospective cohort study of 56 patients. Knee, 2021, 29, 280-290.	1.6	3
9	The Foot and Ankle Outcome Score (FAOS) During Early Recovery After Ankle Fracture. Foot and Ankle International, 2021, 42, 1179-1184.	2.3	9
10	High mortality following distal femur fractures: a cohort study including three hundred and two distal femur fractures. International Orthopaedics, 2020, 44, 173-177.	1.9	41
11	Concurrent musculoskeletal complaints in elbows, shoulders, and necks after common hand and forearm injuries or conditions: A cross-sectional study among 600 patients. Journal of Hand Therapy, 2020, 34, 543-548.	1.5	1
12	Tibial plateau fractures are associated with a long-term increased risk of mortality: a matched cohort study of 7950 patients. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 1705-1711.	2.4	11
13	Presence of magnetic resonance imaging verified soft tissue injuries did not significantly affect the patient-reported outcome 12Âmonths following a lateral tibial plateau fracture: A 12-month prospective cohort study of 56 patients. Knee, 2020, 27, 420-427.	1.6	12
14	Obesity Influences the Knee Injury and Osteoarthritis Outcome Score. Joints, 2019, 07, 008-012.	1.5	7
15	Surgical versus conservative treatment for ankle fractures in adults – A systematic review and meta-analysis of the benefits and harms. Foot and Ankle Surgery, 2019, 25, 409-417.	1.7	17
16	Patient-reported and Functional Outcomes of Bi-condylar Tibial Plateau Fractures Managed by Internal Screw Fixation in Combination with An Ilizarov Fixator: A Case Series of 22 Patients with Long-term Follow-up. Strategies in Trauma and Limb Reconstruction, 2019, 14, 85-91.	0.8	4
17	Population-based epidemiology of 9767 ankle fractures. Foot and Ankle Surgery, 2018, 24, 34-39.	1.7	189
18	Long-Lasting Hyperalgesia Is Common in Patients Following Patella Fractures. Pain Medicine, 2018, 19, 429-437.	1.9	5

#	Article	IF	CITATIONS
19	Complex tibial fractures are associated with lower social classes and predict early exit from employment and worse patient-reported QOL: a prospective observational study of 46 complex tibial fractures treated with a ring fixator. Strategies in Trauma and Limb Reconstruction, 2018, 13, 25-33.	0.8	16
20	Population-based epidemiology and incidence of distal femur fractures. International Orthopaedics, 2018, 42, 191-196.	1.9	115
21	Patella fractures are not associated with an increased risk of mortality in elderly patients. Injury, 2018, 49, 1901-1904.	1.7	5
22	A prospective observational study of 56 patients treated with ring fixator after a complex tibial fracture. Strategies in Trauma and Limb Reconstruction, 2017, 12, 35-44.	0.8	16
23	Asymmetry in gait pattern following bicondylar tibial plateau fractures—A prospective one-year cohort study. Injury, 2017, 48, 1657-1661.	1.7	16
24	Asymmetry in gait pattern following tibial shaft fractures – a prospective one-year follow-up study of 49 patients. Gait and Posture, 2017, 51, 47-51.	1.4	13
25	Local and Widespread Hyperalgesia After Isolated Tibial Shaft Fractures Treated with Intramedullary Nailing. Pain Medicine, 2016, 17, pnv016.	1.9	3
26	Incidence and Epidemiology of Patellar Fractures. Orthopedics, 2016, 39, e1154-e1158.	1.1	77
27	A case report of a completely displaced stress fracture of the femoral shaft in a middle-aged male athlete – A precursor of things to come?. Physical Therapy in Sport, 2016, 19, 23-27.	1.9	5
28	One-year development of QOL following orthopaedic polytrauma: a prospective observational cohort study of 53 patients. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 1539-1546.	2.4	15
29	Decreased QOL and muscle strength are persistent 1Å year after intramedullary nailing of a tibial shaft fracture: a prospective 1-year follow-up cohort study. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 1395-1402.	2.4	12
30	A novel tool for measuring ankle dorsiflexion: A study of its reliability in patients following ankle fractures. Foot and Ankle Surgery, 2016, 22, 274-277.	1.7	15
31	Population-Based Epidemiology of Tibial Plateau Fractures. Orthopedics, 2015, 38, e780-6.	1.1	158
32	Incidence and epidemiology of tibial shaft fractures. Injury, 2015, 46, 746-750.	1.7	161
33	Restrictions in Quality of Life After Intramedullary Nailing of Tibial Shaft Fracture. Journal of Orthopaedic Trauma, 2014, 28, 507-512.	1.4	30