

David Sykora

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1484404/publications.pdf>

Version: 2024-02-01

102
papers

2,287
citations

257357

24
h-index

243529

44
g-index

105
all docs

105
docs citations

105
times ranked

2381
citing authors

#	ARTICLE	IF	CITATIONS
1	Advanced microextraction techniques for the analysis of amphetamines in human breast milk and their comparison with conventional methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 210, 114549.	1.4	8
2	MALDI Mass Spectrometry Imaging of Lipids on Brain Sections and Immunohistochemically Colocalized Markers of Neurodegeneration. <i>Methods in Molecular Biology</i> , 2022, 2437, 229-239.	0.4	1
3	Effective control of optical purity by chiral HPLC separation for ester-based liquid crystalline materials forming anticlinic smectic phases. <i>Liquid Crystals</i> , 2021, 48, 43-53.	0.9	11
4	Spectroscopic study of in situ formed metallocomplexes of proton pump inhibitors in water. <i>Chemical Biology and Drug Design</i> , 2021, 97, 305-314.	1.5	4
5	Iron Complexes of Flavonoids-Antioxidant Capacity and Beyond. <i>International Journal of Molecular Sciences</i> , 2021, 22, 646.	1.8	58
6	Stability Study of Cannabidiol in the Form of Solid Powder and Sunflower Oil Solution. <i>Pharmaceutics</i> , 2021, 13, 412.	2.0	16
7	Interaction of the lithium cation with [2.2.2]paracyclophane: Experimental and theoretical study. <i>Journal of Molecular Structure</i> , 2021, 1232, 130026.	1.8	2
8	Interaction of Ag ⁺ with corannulene: Experimental and theoretical study. <i>Chemical Physics Letters</i> , 2021, 777, 138733.	1.2	0
9	Comparison of Chemical Composition and Biological Activities of Eight Selaginella Species. <i>Pharmaceutics</i> , 2021, 14, 16.	1.7	7
10	Synthesis and identification of deschloroketamine metabolites in rats' urine and a quantification method for deschloroketamine and metabolites in rats' serum and brain tissue using liquid chromatography tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2020, 12, 343-360.	1.6	9
11	New multimodal stationary phases prepared by Ugi multicomponent approach. <i>Journal of Separation Science</i> , 2020, 43, 4178-4190.	1.3	5
12	Analysis of Chondroitin/Dermatan Sulphate Disaccharides Using High-Performance Liquid Chromatography. <i>Separations</i> , 2020, 7, 49.	1.1	1
13	Formaldehyde Reacts with Amino Acids and Peptides with a Potential Role in Acute Methanol Intoxication. <i>Journal of Analytical Toxicology</i> , 2020, 44, 880-885.	1.7	3
14	Mass spectrometry imaging of free-floating brain sections detects pathological lipid distribution in a mouse model of Alzheimer's-like pathology. <i>Analyst, The</i> , 2020, 145, 4595-4605.	1.7	12
15	Combination of UV and MS/MS detection for the LC analysis of cannabidiol-rich products. <i>Talanta</i> , 2020, 219, 121250.	2.9	29
16	Role of mtDNA disturbances in the pathogenesis of Alzheimer's and Parkinson's disease. <i>DNA Repair</i> , 2020, 91-92, 102871.	1.3	25
17	Recent advances in mixed-mode chromatographic stationary phases. <i>Journal of Separation Science</i> , 2019, 42, 89-129.	1.3	77
18	Strategy for improved therapeutic efficiency of curcumin in the treatment of gastric cancer. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109278.	2.5	39

#	ARTICLE	IF	CITATIONS
19	Label-free surface-enhanced Raman spectroscopy with artificial neural network technique for recognition photoinduced DNA damage. <i>Biosensors and Bioelectronics</i> , 2019, 145, 111718.	5.3	41
20	Salting out assisted liquid-liquid extraction for liquid chromatography tandem-mass spectrometry determination of amphetamine-like stimulants in meconium. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 172, 42-49.	1.4	33
21	Cation-π Interaction of the Univalent Silver Cation with [2.2.2]Paracyclophane in the Gas Phase and in the Solid State: Experimental and Theoretical Study. <i>Journal of Cluster Science</i> , 2019, 30, 53-60.	1.7	5
22	Determination of Optical Purity of Lactic Acid-Based Chiral Liquid Crystals and Corresponding Building Blocks by Chiral High-Performance Liquid Chromatography and Supercritical Fluid Chromatography. <i>Molecules</i> , 2019, 24, 1099.	1.7	19
23	Nuclear transport of nicotinamide phosphoribosyltransferase is cell cycle-dependent in mammalian cells, and its inhibition slows cell growth. <i>Journal of Biological Chemistry</i> , 2019, 294, 8676-8689.	1.6	23
24	The use of 1,5-diaminonaphthalene for matrix-assisted laser desorption/ionization mass spectrometry imaging of brain in neurodegenerative disorders. <i>Talanta</i> , 2019, 201, 364-372.	2.9	20
25	Hydrazones as novel epigenetic modulators: Correlation between TET 1 protein inhibition activity and their iron(II) binding ability. <i>Bioorganic Chemistry</i> , 2019, 88, 102809.	2.0	13
26	Benzoisothiazole-1,1-dioxide-based synthetic receptor for zinc ion recognition in aqueous medium and its interaction with nucleic acids. <i>Supramolecular Chemistry</i> , 2019, 31, 19-27.	1.5	8
27	Fascinating interaction of the ammonium cation with [2.2.2]paracyclophane: experimental and theoretical study. <i>Molecular Physics</i> , 2018, 116, 1245-1250.	0.8	0
28	Application of matrix-assisted laser desorption/ionization mass spectrometry imaging in combination with LC-MS in pharmacokinetic study of metformin. <i>Bioanalysis</i> , 2018, 10, 71-81.	0.6	4
29	Perimidine-based synthetic receptors for determination of copper(II) in water solution. <i>Supramolecular Chemistry</i> , 2018, 30, 218-226.	1.5	11
30	Experimental and theoretical study on cation-π interaction of the univalent silver cation with pyrene in the gas phase and in the solid state. <i>Inorganica Chimica Acta</i> , 2018, 477, 165-171.	1.2	1
31	Cation-π interaction of the univalent sodium cation with [2.2.2]paracyclophane: Experimental and theoretical study. <i>Journal of Molecular Structure</i> , 2018, 1154, 79-82.	1.8	3
32	Experimental and Theoretical Study on Cation-π Interaction of the Potassium Cation with [2.2.2]Paracyclophane. <i>Journal of Cluster Science</i> , 2018, 29, 21-25.	1.7	3
33	Influence of photoinduced isomerization on the chiral separation of novel liquid crystalline materials with a diazene moiety. <i>Journal of Separation Science</i> , 2018, 41, 3034-3041.	1.3	7
34	Interaction Between the Rubidium Cation and [2.2.2]Paracyclophane: Experimental and Theoretical Study. <i>Acta Chimica Slovenica</i> , 2018, 65, 475-780.	0.2	3
35	Chiral separation of novel diazenes on a polysaccharide-based stationary phase in the reversed-phase mode. <i>Journal of Separation Science</i> , 2017, 40, 1465-1469.	1.3	18
36	Immobilized strychnine as a new chiral stationary phase for HPLC. <i>Electrophoresis</i> , 2017, 38, 1956-1963.	1.3	6

#	ARTICLE	IF	CITATIONS
37	Novel approach to determine ghrelin analogs by liquid chromatography with mass spectrometry using a monolithic column. <i>Journal of Separation Science</i> , 2017, 40, 1032-1039.	1.3	7
38	Lipopeptides as therapeutics: applications and in vivo quantitative analysis. <i>Bioanalysis</i> , 2017, 9, 215-230.	0.6	5
39	LC-MS/MS analysis of lipidized analogs of prolactin-releasing peptide utilizing a monolithic column and simple sample preparation. <i>Bioanalysis</i> , 2017, 9, 1319-1328.	0.6	4
40	[2.2.2]Paracyclophane as a receptor for the cesium cation in the gas phase. <i>Molecular Physics</i> , 2017, 115, 2553-2557.	0.8	2
41	Influence of substituent position and cavity size of the regioisomers of monocarboxymethyl- β - and γ -cyclodextrins on the apparent stability constants of their complexes with both enantiomers of Tröger's base. <i>Journal of Separation Science</i> , 2016, 39, 980-985.	1.3	15
42	Optimization of <i>o</i> -phthalaldehyde/2-mercaptoethanol postcolumn reaction for the hydrophilic interaction liquid chromatography determination of memantine utilizing a silica hydride stationary phase. <i>Journal of Separation Science</i> , 2016, 39, 3145-3155.	1.3	11
43	Cation- π interaction of the univalent silver cation with racemic [6]helicene in the gas phase and in the solid state. <i>Polyhedron</i> , 2016, 117, 1-6.	1.0	6
44	Chiral HPLC and physical characterisation of orthoconic antiferroelectric liquid crystals. <i>Liquid Crystals</i> , 2016, 43, 1244-1250.	0.9	12
45	Chromatographic methods enabling the characterization of stationary phases and retention prediction in high-performance liquid chromatography and supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2016, 39, 115-131.	1.3	21
46	Urinary metabolomic profiling in mice with diet-induced obesity and type 2 diabetes mellitus after treatment with metformin, vildagliptin and their combination. <i>Molecular and Cellular Endocrinology</i> , 2016, 431, 88-100.	1.6	34
47	Cation- π interaction of Li^+ with [6]helicene: Experimental and theoretical study. <i>Chemical Physics Letters</i> , 2016, 665, 162-165.	1.2	2
48	Salting-out-assisted liquid-liquid extraction as a suitable approach for determination of methoxetamine in large sets of tissue samples. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1171-1181.	1.9	22
49	A new approach to the chiral separation of novel diazenes. <i>Journal of Separation Science</i> , 2015, 38, 4211-4215.	1.3	9
50	Experimental and theoretical study on cation- π interaction of the univalent silver cation with [7]helicene in the gas phase and in the solid state. <i>Chemical Physics Letters</i> , 2015, 635, 355-359.	1.2	6
51	Theoretical study of cation- π interactions of Li^+ , Na^+ , and K^+ with [6]helicene. <i>Monatshefte für Chemie</i> , 2015, 146, 1229-1231.	0.9	0
52	Cation- π interaction of Tl^+ with [6]helicene: Experimental and DFT study. <i>Journal of Molecular Structure</i> , 2015, 1100, 150-153.	1.8	5
53	Novel lipidized analogs of prolactin-releasing peptide have prolonged half-lives and exert anti-obesity effects after peripheral administration. <i>International Journal of Obesity</i> , 2015, 39, 986-993.	1.6	51
54	Theoretical study of cation- π interactions of Cu^+ , Ag^+ , and Au^+ with [6]helicene. <i>Monatshefte für Chemie</i> , 2015, 146, 1795-1798.	0.9	4

#	ARTICLE	IF	CITATIONS
55	Experimental and theoretical study on cation-π interaction of the univalent thallium cation with [2.2.2]paracyclophane. <i>Chemical Physics Letters</i> , 2015, 642, 39-42.	1.2	20
56	Chiral HPLC for a study of the optical purity of new liquid crystalline materials derived from lactic acid. <i>Phase Transitions</i> , 2014, 87, 758-769.	0.6	18
57	Application of cyclodextrins in chiral capillary electrophoresis. <i>Electrophoresis</i> , 2014, 35, 2701-2721.	1.3	141
58	Characterization of novel metallacarborane-based sorbents by linear solvation energy relationships. <i>Journal of Chromatography A</i> , 2014, 1371, 220-226.	1.8	6
59	The influence of the substituent position in monocarboxymethyl-β-cyclodextrins on enantioselectivity in capillary electrophoresis. <i>Journal of Separation Science</i> , 2014, 37, 2779-2784.	1.3	9
60	Triazole GHS-R1a antagonists JMV4208 and JMV3002 attenuate food intake, body weight, and adipose tissue mass in mice. <i>Molecular and Cellular Endocrinology</i> , 2014, 393, 120-128.	1.6	9
61	Nonaqueous Capillary Electrophoretic Enantioseparation of Water Insoluble Tröger's Base Derivatives Using β-Cyclodextrin as Chiral Selector. <i>Chirality</i> , 2013, 25, 810-813.	1.3	10
62	The study of enantioselectivity of all regioisomers of mono-β-cyclodextrin used as chiral selectors in CE. <i>Journal of Separation Science</i> , 2013, 36, 1270-1274.	1.3	17
63	Enantioseparation of Tröger's Base Derivatives by Capillary Electrophoresis Using Cyclodextrins as Chiral Selectors. <i>Chirality</i> , 2013, 25, 379-383.	1.3	6
64	Impact of substituent position in monosubstituted β-cyclodextrins on enantioselectivity in capillary electrophoresis. <i>Journal of Separation Science</i> , 2012, 35, 811-815.	1.3	17
65	Open-tubular capillary electrochromatography with bare gold nanoparticles-based stationary phase applied to separation of trypsin digested native and glycosylated proteins. <i>Journal of Separation Science</i> , 2012, 35, 994-1002.	1.3	31
66	Application of bare gold nanoparticles in open-tubular CEC separations of polyaromatic hydrocarbons and peptides. <i>Journal of Separation Science</i> , 2012, 35, 73-78.	1.3	26
67	Open-tubular capillary electrochromatography with bare gold nanoparticles-based stationary phase applied to separation of trypsin digested native and glycosylated proteins. <i>Journal of Separation Science</i> , 2012, , n/a-n/a.	1.3	0
68	The Peptidic GHS-R antagonist [D-Lys3]GHRP-6 markedly improves adiposity and related metabolic abnormalities in a mouse model of postmenopausal obesity. <i>Molecular and Cellular Endocrinology</i> , 2011, 343, 55-62.	1.6	40
69	Important aspects influencing stability of the electrochemical potential of conductive polymer-based electrodes. <i>Journal of Materials Science</i> , 2011, 46, 7594-7602.	1.7	9
70	Cyclodextrin modified gold nanoparticles-based open-tubular capillary electrochromatographic separations of polyaromatic hydrocarbons. <i>Journal of Nanoparticle Research</i> , 2011, 13, 5947-5957.	0.8	24
71	Immobilized metallacarborane as a new type of stationary phase for high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 3029-3036.	1.8	11
72	Selective oxygenation of α-olefins by means of metalloporphyrin catalysts mimicking cytochrome P-450. <i>Collection of Czechoslovak Chemical Communications</i> , 2011, 76, 1163-1175.	1.0	2

#	ARTICLE	IF	CITATIONS
73	Analysis of antimicrobial peptides by capillary electrophoresis. , 2011, , .		0
74	Association of biotin with silver (I) in solution: a circular dichroism study. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 1916-1920.	1.8	9
75	Application of gold nanoparticles in separation sciences. <i>Journal of Separation Science</i> , 2010, 33, 372-387.	1.3	118
76	Analysis of aldehydes in beer by gas-diffusion microextraction: Characterization by high-performance liquid chromatography–diode-array detection–atmospheric pressure chemical ionization–mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 3717-3722.	1.8	52
77	Analysis of insect triacylglycerols using liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. <i>European Journal of Lipid Science and Technology</i> , 2009, 111, 519-525.	1.0	16
78	A Novel Way to Improve Sulfate Recognition. <i>Electroanalysis</i> , 2009, 21, 2010-2013.	1.5	5
79	Monitoring of dimethyl sulphate-induced N3-methyladenine, N7-methylguanine and O6-methylguanine DNA adducts using reversed-phase high performance liquid chromatography and mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 867, 43-48.	1.2	11
80	High-performance liquid chromatography and nuclear magnetic resonance study of linear tetrapeptides and octapeptides containing N-methylated amino acid residues. <i>Journal of Chromatography A</i> , 2007, 1160, 128-136.	1.8	4
81	Potentiometric response and mechanism of anionic recognition of heterocalixarene-based ion selective electrodes. <i>Analytica Chimica Acta</i> , 2007, 587, 247-253.	2.6	36
82	Liquid Chromatography-Diode Array and Electrospray High-Accuracy Mass Spectrometry of Iso- α -Acids in DCHA-Iso Standard and Beer. <i>Journal of the Institute of Brewing</i> , 2007, 113, 48-54.	0.8	12
83	Extraction of p-hydroxyacetophenone and catechin from Norway spruce needles. Comparison of different extraction solvents. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 1135-1140.	1.9	3
84	Synthetic Routes to Linear Oligo-Tröger's Bases. <i>Organic Letters</i> , 2005, 7, 67-70.	2.4	27
85	Analytical methods applied in preparation of radiolabelled proteins and antibodies. <i>European Physical Journal D</i> , 2003, 53, A803-A808.	0.4	4
86	A novel seven-membered carbohydrate phostone. <i>Tetrahedron Letters</i> , 2003, 44, 8797-8800.	0.7	9
87	Interaction of oligopyrrole macrocycles with aromatic acids: spectroscopical, quantum chemical and chromatographic aspects. <i>Talanta</i> , 2003, 59, 817-829.	2.9	1
88	Synthetic Polymers. <i>Journal of Chromatography Library</i> , 2003, , 457-487.	0.1	1
89	Interaction of porphyrin and sapphyrin macrocycles with nucleobases and nucleosides. <i>Analytica Chimica Acta</i> , 2001, 437, 39-53.	2.6	11
90	Analytical Application of Oligopyrrole Macrocycles. <i>Collection of Czechoslovak Chemical Communications</i> , 2001, 66, 693-769.	1.0	15

#	ARTICLE	IF	CITATIONS
91	“Molded” porous polymer monoliths: A novel format for capillary gas chromatography stationary phases. , 2000, 275, 42-47.		47
92	Monolithic Stationary Phases for Capillary Electrochromatography Based on Synthetic Polymers: Designs and Applications. Journal of High Resolution Chromatography, 2000, 23, 3-18.	2.0	157
93	Rapid determination of molecular parameters of synthetic polymers by precipitation/redissolution high-performance liquid chromatography using “molded” monolithic column. Journal of Polymer Science Part A, 2000, 38, 2767-2778.	2.5	38
94	Design of the monolithic polymers used in capillary electrochromatography columns. Journal of Chromatography A, 2000, 887, 3-29.	1.8	241
95	Monolithic Stationary Phases for Capillary Electrochromatography Based on Synthetic Polymers: Designs and Applications. , 2000, 23, 3.		1
96	Separation of oligonucleotides on novel monolithic columns with ion-exchange functional surfaces. Journal of Chromatography A, 1999, 852, 297-304.	1.8	135
97	Interactions of basic compounds in reversed-phase high-performance liquid chromatography influence of sorbent character, mobile phase composition, and pH on retention of basic compounds. Journal of Chromatography A, 1997, 758, 37-51.	1.8	92
98	Physical factors negatively affecting evaluation of long-term biodegradation experiments of polychlorinated biphenyls. Chemosphere, 1996, 33, 2411-2421.	4.2	10
99	Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components. Journal of Chromatography A, 1995, 700, 187-193.	1.8	40
100	Reversed-phase high-performance liquid chromatography of diastereomers of some phosphonodipeptides. Journal of Chromatography A, 1994, 665, 59-65.	1.8	3
101	2,2'-Azobis(pyridine) (abpy) as a multiply reducible tetradentate ligand. EPR evidence for the configurational dependence of intramolecular electron transfer in the stereoisomeric tris-chelate ruthenium complexes [Ru(abpy) _n (bpy) _{3-n}] ^m (n = 2, 3; m = 2+ to 3-). Inorganic Chemistry, 1993, 32, 3362-3368.	1.9	50
102	Cation-π interaction of thallium (I) with [7]helicene: an experimental and theoretical study. Molecular Physics, 0, , .	0.8	0