J Richard Landis

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1484773/j-richard-landis-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 185
 55,765
 64
 191

 papers
 citations
 h-index
 g-index

 191
 62,913
 4.6
 7.33

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
185	One-Year Outcomes of the Multi-Center StudY to Transplant Hepatitis C-InfeCted kidneys (MYTHIC) Trial <i>Kidney International Reports</i> , 2022 , 7, 241-250	4.1	O
184	Subtyping CKD Patients by Consensus Clustering: The Chronic Renal Insufficiency Cohort (CRIC) Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 639-653	12.7	10
183	The Microbiome and p-Inulin in Hemodialysis: A Feasibility Study <i>Kidney360</i> , 2021 , 2, 445-455	1.8	O
182	Comparison of deep phenotyping features of UCPPS with and without Hunner lesion: A MAPP-II Research Network Study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 810-818	2.3	1
181	The Multidisciplinary Approach to The Study of Chronic Pelvic Pain (MAPP) Research Network*: Design and implementation of the Symptom Patterns Study (SPS). <i>Neurourology and Urodynamics</i> , 2020 , 39, 1803-1814	2.3	5
180	Natural bladder filling alters resting brain function at multiple spatial scales: a proof-of-concept MAPP Network Neuroimaging Study. <i>Scientific Reports</i> , 2020 , 10, 19901	4.9	3
179	Combination Hydralazine and Isosorbide Dinitrate in Dialysis-Dependent ESRD (HIDE): A Randomized, Placebo-Controlled, Pilot Trial <i>Kidney360</i> , 2020 , 1, 1380-1389	1.8	O
178	Multicenter Study to Transplant Hepatitis C-Infected Kidneys (MYTHIC): An Open-Label Study of Combined Glecaprevir and Pibrentasvir to Treat Recipients of Transplanted Kidneys from Deceased Donors with Hepatitis C Virus Infection. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 ,	12.7	28
177	31, 2678-2687 Urinary fungi associated with urinary symptom severity among women with interstitial cystitis/bladder pain syndrome (IC/BPS). World Journal of Urology, 2020, 38, 433-446	4	4
176	The TiME Trial: A Fully Embedded, Cluster-Randomized, Pragmatic Trial of Hemodialysis Session Duration. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 890-903	12.7	25
175	A Culture-Independent Analysis of the Microbiota of Female Interstitial Cystitis/Bladder Pain Syndrome Participants in the MAPP Research Network. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	17
174	Insulin resistance and chronic kidney disease progression, cardiovascular events, and death: findings from the chronic renal insufficiency cohort study. <i>BMC Nephrology</i> , 2019 , 20, 60	2.7	16
173	Difference Between Users and Nonusers of a Patient Portal in Health Behaviors and Outcomes: Retrospective Cohort Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13146	7.6	7
172	Urologic chronic pelvic pain syndrome: insights from the MAPP Research Network. <i>Nature Reviews Urology</i> , 2019 , 16, 187-200	5.5	37
171	Safety and cardiovascular efficacy of spironolactone in dialysis-dependent ESRD (SPin-D): a randomized, placebo-controlled, multiple dosage trial. <i>Kidney International</i> , 2019 , 95, 973-982	9.9	44
170	Adverse Childhood Experiences and Symptoms of Urologic Chronic Pelvic Pain Syndrome: A Multidisciplinary Approach to the Study of Chronic Pelvic Pain Research Network Study. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 865-877	4.5	24
169	Correlates of Health Care Seeking Activities in Patients with Urological Chronic Pelvic Pain Syndromes: Findings from the MAPP Cohort. <i>Journal of Urology</i> , 2018 , 200, 136-140	2.5	3

(2016-2018)

168	A Case-Crossover Study of Urological Chronic Pelvic Pain Syndrome Flare Triggers in the MAPP Research Network. <i>Journal of Urology</i> , 2018 , 199, 1245-1251	2.5	15
167	Sensory sensitivity and symptom severity represent unique dimensions of chronic pain: a MAPP Research Network study. <i>Pain</i> , 2018 , 159, 2002-2011	8	31
166	Changes in brain white matter structure are associated with urine proteins in urologic chronic pelvic pain syndrome (UCPPS): A MAPP Network study. <i>PLoS ONE</i> , 2018 , 13, e0206807	3.7	5
165	Identification of novel non-invasive biomarkers of urinary chronic pelvic pain syndrome: findings from the Multidisciplinary Approach to the Study of Chronic Pelvic Pain (MAPP) Research Network. <i>BJU International</i> , 2017 , 120, 130-142	5.6	21
164	Statistical Methods for Cohort Studies of CKD: Survival Analysis in the Setting of Competing Risks. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1181-1189	6.9	33
163	Resting-state functional connectivity predicts longitudinal pain symptom change in urologic chronic pelvic pain syndrome: a MAPP network study. <i>Pain</i> , 2017 , 158, 1069-1082	8	33
162	Clinical and Psychosocial Predictors of Urological Chronic Pelvic Pain Symptom Change in 1 Year: A Prospective Study from the MAPP Research Network. <i>Journal of Urology</i> , 2017 , 198, 848-857	2.5	25
161	Characterization of Whole Body Pain in Urological Chronic Pelvic Pain Syndrome at Baseline: A MAPP Research Network Study. <i>Journal of Urology</i> , 2017 , 198, 622-631	2.5	46
160	Statistical Methods for Modeling Time-Updated Exposures in Cohort Studies of Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1892-1899	6.9	23
159	Statistical Methods for Recurrent Event Analysis in Cohort Studies of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 2066-2073	6.9	19
158	Analytic Considerations for Repeated Measures of eGFR in Cohort Studies of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1357-1365	6.9	23
157	Brain signature and functional impact of centralized pain: a multidisciplinary approach to the study of chronic pelvic pain (MAPP) network study. <i>Pain</i> , 2017 , 158, 1979-1991	8	73
156	Statistical Methods for Cohort Studies of CKD: Prediction Modeling. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1010-1017	6.9	17
155	Assessment of the Lower Urinary Tract Microbiota during Symptom Flare in Women with Urologic Chronic Pelvic Pain Syndrome: A MAPP Network Study. <i>Journal of Urology</i> , 2016 , 195, 356-62	2.5	50
154	Effects of Testosterone Treatment in Older Men. New England Journal of Medicine, 2016, 374, 611-24	59.2	490
153	Pain and Urinary Symptoms Should Not be Combined into a Single Score: Psychometric Findings from the MAPP Research Network. <i>Journal of Urology</i> , 2016 , 195, 949-54	2.5	38
152	Mediation Analysis of the Efficacy of the Eban HIV/STD Risk-Reduction Intervention for African American HIV Serodiscordant Couples. <i>AIDS and Behavior</i> , 2016 , 20, 1197-207	4.3	9
151	Symptom Variability and Early Symptom Regression in the MAPP Study: A Prospective Study of Urological Chronic Pelvic Pain Syndrome. <i>Journal of Urology</i> , 2016 , 196, 1450-1455	2.5	18

150	Painful Bladder Filling and Painful Urgency are Distinct Characteristics in Men and Women with Urological Chronic Pelvic Pain Syndromes: A MAPP Research Network Study. <i>Journal of Urology</i> , 2015 , 194, 1634-41	2.5	35
149	Relationship between chronic nonurological associated somatic syndromes and symptom severity in urological chronic pelvic pain syndromes: baseline evaluation of the MAPP study. <i>Journal of Urology</i> , 2015 , 193, 1254-62	2.5	52
148	Comparison of baseline urological symptoms in men and women in the MAPP research cohort. Journal of Urology, 2015 , 193, 1554-8	2.5	34
147	Efficacy of an internet-based learning module and small-group debriefing on traineesRattitudes and communication skills toward patients with substance use disorders: results of a cluster randomized controlled trial. <i>Academic Medicine</i> , 2015 , 90, 345-54	3.9	21
146	Unique Microstructural Changes in the Brain Associated with Urological Chronic Pelvic Pain Syndrome (UCPPS) Revealed by Diffusion Tensor MRI, Super-Resolution Track Density Imaging, and Statistical Parameter Mapping: A MAPP Network Neuroimaging Study. <i>PLoS ONE</i> , 2015 , 10, e0140250	3.7	44
145	Search for Microorganisms in Men with Urologic Chronic Pelvic Pain Syndrome: A Culture-Independent Analysis in the MAPP Research Network. <i>Journal of Urology</i> , 2015 , 194, 127-35	2.5	57
144	Estimating the efficacy of an interstitial cystitis/painful bladder syndrome medication in a randomized trial with both non-adherence and loss to follow-up. <i>Statistics in Medicine</i> , 2014 , 33, 3547-5	5 ^{2.3}	3
143	The MAPP research network: design, patient characterization and operations. <i>BMC Urology</i> , 2014 , 14, 58	2.2	94
142	Mantel⊞aenszel Methods 2014 ,		2
141	443 NON-UROLOGICAL SYNDROMES AND SEVERITY OF UROLOGICAL PAIN SYMPTOMS: BASELINE EVALUATION OF THE NATIONAL INSTITUTES OF HEALTH MULTIDISCIPLINARY APPROACH TO PELVIC PAIN STUDY. <i>Journal of Urology</i> , 2013 , 189,	2.5	5
140	Randomized multicenter feasibility trial of myofascial physical therapy for the treatment of urological chronic pelvic pain syndromes. <i>Journal of Urology</i> , 2013 , 189, S75-85	2.5	71
139	Estimating GFR among participants in the Chronic Renal Insufficiency Cohort (CRIC) Study. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 250-61	7.4	154
138	Continuous positive airway pressure treatment of sleepy patients with milder obstructive sleep apnea: results of the CPAP Apnea Trial North American Program (CATNAP) randomized clinical trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 677-83	10.2	142
137	Development of a score to predict clinical deterioration in hospitalized children. <i>Journal of Hospital Medicine</i> , 2012 , 7, 345-9	2.7	24
136	The Center for Clinical Epidemiology and Biostatistics of the Perelman School of Medicine at the University of Pennsylvania: an organizational model for clinical research in a school of medicine. <i>Academic Medicine</i> , 2012 , 87, 60-5	3.9	4
135	Association between body mass index and urolithiasis in children. <i>Journal of Urology</i> , 2011 , 186, 1734-9	2.5	29
134	Early termination of a trial of mycophenolate mofetil for treatment of interstitial cystitis/painful bladder syndrome: lessons learned. <i>Journal of Urology</i> , 2011 , 185, 901-6	2.5	13
133	Intervention to influence behaviors linked to risk of chronic diseases: a multisite randomized controlled trial with African-American HIV-serodiscordant heterosexual couples. <i>Archives of Internal Medicine</i> , 2011 , 171, 728-36		20

(2008-2011)

132	Cognitive-behavioural health-promotion intervention increases fruit and vegetable consumption and physical activity among South African adolescents: a cluster-randomised controlled trial. <i>Psychology and Health</i> , 2011 , 26, 167-85	2.9	53
131	Measures of Agreement and Concordance With Clinical Research Applications. <i>Statistics in Biopharmaceutical Research</i> , 2011 , 3, 185-209	1.2	10
130	Pregabalin for the treatment of men with chronic prostatitis/chronic pelvic pain syndrome: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2010 , 170, 1586-93		73
129	Development and validation of GFR-estimating equations using diabetes, transplant and weight. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 449-57	4.3	90
128	Variability of creatinine measurements in clinical laboratories: results from the CRIC study. <i>American Journal of Nephrology</i> , 2010 , 31, 426-34	4.6	75
127	National Institute of Mental Health Multisite Eban HIV/STD Prevention Intervention for African American HIV Serodiscordant Couples: a cluster randomized trial. <i>Archives of Internal Medicine</i> , 2010 , 170, 1594-601		105
126	Effect of amitriptyline on symptoms in treatment nawe patients with interstitial cystitis/painful bladder syndrome. <i>Journal of Urology</i> , 2010 , 183, 1853-8	2.5	133
125	School-based randomized controlled trial of an HIV/STD risk-reduction intervention for South African adolescents. <i>JAMA Pediatrics</i> , 2010 , 164, 923-9		54
124	Risky sexual behavior and correlates of STD prevalence among African American HIV serodiscordant couples. <i>AIDS and Behavior</i> , 2010 , 14, 1023-31	4.3	11
123	Concordant and discordant reports on shared sexual behaviors and condom use among African American serodiscordant couples in four cities. <i>AIDS and Behavior</i> , 2010 , 14, 1011-22	4.3	14
122	Rescoring the NIH chronic prostatitis symptom index: nothing new. <i>Prostate Cancer and Prostatic Diseases</i> , 2009 , 12, 285-7	6.2	20
121	Chronic Renal Insufficiency Cohort (CRIC) Study: baseline characteristics and associations with kidney function. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1302-11	6.9	378
120	Validation of a modified National Institutes of Health chronic prostatitis symptom index to assess genitourinary pain in both men and women. <i>Urology</i> , 2009 , 74, 983-7, quiz 987.e1-3	1.6	102
119	Randomized multicenter feasibility trial of myofascial physical therapy for the treatment of urological chronic pelvic pain syndromes. <i>Journal of Urology</i> , 2009 , 182, 570-80	2.5	148
118	Muscle tenderness in men with chronic prostatitis/chronic pelvic pain syndrome: the chronic prostatitis cohort study. <i>Journal of Urology</i> , 2008 , 179, 556-60	2.5	77
117	Monocyte chemoattractant protein-1 and macrophage inflammatory protein-1alpha as possible biomarkers for the chronic pelvic pain syndrome. <i>Journal of Urology</i> , 2008 , 179, 1857-61; discussion 186	51 ² -2 ⁵	86
116	A comparison of change in measured and estimated glomerular filtration rate in patients with nondiabetic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1332	- 6 .9	52
115	Psychosocial variables affect the quality of life of men diagnosed with chronic prostatitis/chronic pelvic pain syndrome. <i>BJU International</i> , 2008 , 101, 59-64	5.6	49

114	Category III chronic prostatitis/chronic pelvic pain syndrome: insights from the National Institutes of Health Chronic Prostatitis Collaborative Research Network studies. <i>Current Urology Reports</i> , 2008 , 9, 320-7	2.9	21
113	Alfuzosin and symptoms of chronic prostatitis-chronic pelvic pain syndrome. <i>New England Journal of Medicine</i> , 2008 , 359, 2663-73	59.2	144
112	Effect of communication errors during calls to an antimicrobial stewardship program. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 1374-81	2	32
111	Discovery of morphological subgroups that correlate with severity of symptoms in interstitial cystitis: a proposed biopsy classification system. <i>Journal of Urology</i> , 2007 , 177, 142-8	2.5	60
110	Category III chronic prostatitis/chronic pelvic pain syndrome: Insights from the National Institutes of Health Chronic Prostatitis Collaborative Research Network studies. <i>Current Prostate Reports</i> , 2007 , 5, 141-148		1
109	How does the pre-massage and post-massage 2-glass test compare to the Meares-Stamey 4-glass test in men with chronic prostatitis/chronic pelvic pain syndrome?. <i>Journal of Urology</i> , 2006 , 176, 119-24	1 ^{2.5}	126
108	Catastrophizing and pain-contingent rest predict patient adjustment in men with chronic prostatitis/chronic pelvic pain syndrome. <i>Journal of Pain</i> , 2006 , 7, 697-708	5.2	108
107	Prostate-specific antigen test in diagnostic evaluation of chronic prostatitis/chronic pelvic pain syndrome. <i>Urology</i> , 2006 , 67, 337-42	1.6	52
106	Analysis of repeated bouts of measurements in the framework of generalized estimating equations. <i>Statistics in Medicine</i> , 2006 , 25, 4114-28	2.3	12
105	A randomized controlled trial of intravesical bacillus calmette-guerin for treatment refractory interstitial cystitis. <i>Journal of Urology</i> , 2005 , 173, 1186-91	2.5	107
104	Mantel⊞aenszel Methods 2005 ,		2
103	A case-control study of risk factors in men with chronic pelvic pain syndrome. <i>BJU International</i> , 2005 , 96, 559-65	5.6	91
102	Estimation of the content of fat and parenchyma in breast tissue using MRI T1 histograms and phantoms. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 591-9	3.3	31
101	The economic impact of chronic prostatitis. <i>Archives of Internal Medicine</i> , 2004 , 164, 1231-6		82
100	Predictors of quality of life and pain in chronic prostatitis/chronic pelvic pain syndrome: findings from the National Institutes of Health Chronic Prostatitis Cohort Study. <i>BJU International</i> , 2004 , 94, 127	·9 · 82	92
99	Efficacy of antimuscarinic therapy for overactive bladder with varying degrees of incontinence severity. <i>Journal of Urology</i> , 2004 , 171, 752-6	2.5	48
98	Impact of post-ejaculatory pain in men with category III chronic prostatitis/chronic pelvic pain syndrome. <i>Journal of Urology</i> , 2004 , 172, 542-7	2.5	79
97	Ciprofloxacin or tamsulosin in men with chronic prostatitis/chronic pelvic pain syndrome: a randomized, double-blind trial. <i>Annals of Internal Medicine</i> , 2004 , 141, 581-9	8	202

(1999-2003)

96	The Chronic Renal Insufficiency Cohort (CRIC) Study: Design and Methods. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, S148-53	12.7	428
95	Clinical risk factors for primary graft failure following lung transplantation. <i>Chest</i> , 2003 , 124, 1232-41	5.3	216
94	Leukocytes and bacteria in men with chronic prostatitis/chronic pelvic pain syndrome compared to asymptomatic controls. <i>Journal of Urology</i> , 2003 , 170, 818-22	2.5	169
93	Design of a multicenter randomized clinical trial for chronic prostatitis/chronic pelvic pain syndrome. <i>Urology</i> , 2002 , 59, 870-6	1.6	73
92	Leukocyte and Bacterial Counts Do Not Correlate With Severity of Symptoms in Men With Chronic Prostatitis: The National Institutes of Health Chronic Prostatitis Cohort Study. <i>Journal of Urology</i> , 2002 , 168, 1048-1053	2.5	168
91	Demographic And Clinical Characteristics Of Men With Chronic Prostatitis: The National Institutes Of Health Chronic Prostatitis Cohort Study. <i>Journal of Urology</i> , 2002 , 168, 593-598	2.5	174
90	Leukocyte and Bacterial Counts Do Not Correlate With Severity of Symptoms in Men With Chronic Prostatitis: The National Institutes of Health Chronic Prostatitis Cohort Study. <i>Journal of Urology</i> , 2002 , 1048-1053	2.5	1
89	Demographic And Clinical Characteristics Of Men With Chronic Prostatitis:. <i>Journal of Urology</i> , 2002 , 593-598	2.5	11
88	Demographic and clinical characteristics of men with chronic prostatitis: the national institutes of health chronic prostatitis cohort study. <i>Journal of Urology</i> , 2002 , 168, 593-8	2.5	51
87	Leukocyte and bacterial counts do not correlate with severity of symptoms in men with chronic prostatitis: the National Institutes of Health Chronic Prostatitis Cohort Study. <i>Journal of Urology</i> , 2002 , 168, 1048-53	2.5	45
86	A mixed effects model for the analysis of ordinal longitudinal pain data subject to informative drop-out. <i>Statistics in Medicine</i> , 2001 , 20, 601-22	2.3	6
85	Quality of life is impaired in men with chronic prostatitis: the Chronic Prostatitis Collaborative Research Network. <i>Journal of General Internal Medicine</i> , 2001 , 16, 656-62	4	216
84	Treatments used in women with interstitial cystitis: the interstitial cystitis data base (ICDB) study experience. The Interstitial Cystitis Data Base Study Group. <i>Urology</i> , 2000 , 56, 940-5	1.6	123
83	EVALUATION OF REPEAT DAILY VOIDING MEASURES IN THE NATIONAL INTERSTITIAL CYSTITIS DATA BASE STUDY. <i>Journal of Urology</i> , 2000 , 163, 1208-1211	2.5	32
82	A prospective study of interstitial cystitis: results of longitudinal followup of the interstitial cystitis data base cohort. The Interstitial Cystitis Data Base Study Group. <i>Journal of Urology</i> , 2000 , 163, 1434-9	2.5	147
81	EVALUATION OF REPEAT DAILY VOIDING MEASURES IN THE NATIONAL INTERSTITIAL CYSTITIS DATA BASE STUDY. <i>Journal of Urology</i> , 2000 , 1208-1211	2.5	4
80	The diagnosis of interstitial cystitis revisited: lessons learned from the National Institutes of Health Interstitial Cystitis Database study. <i>Journal of Urology</i> , 1999 , 161, 553-7	2.5	375
79	Detection of BjEk-Shiley convexo-concave heart valve outlet strut single leg separations: consensus image acquisition and interpretation using two different cineradiographic imaging technologies. Cardiology 1999, 91, 96-101	1.6	1

78	THE DIAGNOSIS OF INTERSTITIAL CYSTITIS REVISITED. Journal of Urology, 1999, 553-557	2.5	9
77	BASELINE ASSOCIATIONS AMONG PATHOLOGIC FEATURES AND PATIENT SYMPTOMS IN THE NATIONAL INTERSTITIAL CYSTITIS DATA BASE (ICDB) STUDY. <i>Journal of Urology</i> , 1999 , 28	2.5	4
76	In vivo accuracy of two radiographic systems in the detection of Bjfk-Shiley convexo-concave heart valve outlet strut single leg separations. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998 , 115, 582-90	1.5	6
75	Mixed Effects Logistic Regression Models for Longitudinal Binary Response Data with Informative Drop-Out. <i>Biometrics</i> , 1998 , 54, 367	1.8	105
74	Model for the Analysis of Binary Longitudinal Pain Data Subject to Informative Dropout through Remedication. <i>Journal of the American Statistical Association</i> , 1998 , 93, 438-450	2.8	39
73	Systolic blood pressure trends in US adults between 1960 and 1980: influence of antihypertensive drug therapy. <i>American Journal of Epidemiology</i> , 1998 , 148, 528-38	3.8	10
72	A prospective study of microvascular free-flap surgery and outcome. <i>Plastic and Reconstructive Surgery</i> , 1998 , 102, 711-21	2.7	509
71	The Interstitial Cystitis Data Base Study: concepts and preliminary baseline descriptive statistics. <i>Urology</i> , 1997 , 49, 64-75	1.6	211
70	Associations among urodynamic findings and symptoms in women enrolled in the Interstitial Cystitis Data Base (ICDB) Study. <i>Urology</i> , 1997 , 49, 76-80	1.6	67
69	Associations among cystoscopic findings and symptoms and physical examination findings in women enrolled in the Interstitial Cystitis Data Base (ICDB) Study. <i>Urology</i> , 1997 , 49, 81-5	1.6	83
68	Associations among cystoscopic and urodynamic findings for women enrolled in the Interstitial Cystitis Data Base (ICDB) Study. <i>Urology</i> , 1997 , 49, 86-92	1.6	66
67	Radiographic detection of single-leg fracture in Bjfk-Shiley Convexo-Concave prosthetic valves: a phantom model study. <i>American Heart Journal</i> , 1997 , 133, 197-202	4.9	4
66	Identifying adverse events caused by medical care: degree of physician agreement in a retrospective chart review. <i>Annals of Internal Medicine</i> , 1996 , 125, 457-64	8	92
65	Association models for periodontal disease progression: a comparison of methods for clustered binary data. <i>Statistics in Medicine</i> , 1996 , 15, 1227-9	2.3	5
64	Population-averaged and cluster-specific models for clustered ordinal response data. <i>Statistics in Medicine</i> , 1996 , 15, 2573-88	2.3	20
63	Effects of Alprazolam on Complex Human Functioning1. <i>Journal of Applied Social Psychology</i> , 1996 , 26, 1912-1930	2.1	5
62	Association models for periodontal disease progression: a comparison of methods for clustered binary data. <i>Statistics in Medicine</i> , 1995 , 14, 413-29	2.3	34
61	Empirical evaluation of the influence of control selection schemes on relative risk estimation: the Welsh nickel workers study. <i>Occupational and Environmental Medicine</i> , 1995 , 52, 489-93	2.1	8

60	Model-based estimation of population attributable risk under cross-sectional sampling. <i>American Journal of Epidemiology</i> , 1995 , 142, 1338-43	3.8	42
59	Assessing Secular Trends in Blood Pressure: A Multiple-Imputation Approach. <i>Journal of the American Statistical Association</i> , 1994 , 89, 750-759	2.8	20
58	Longitudinal evaluation of elastase as a marker for the progression of periodontitis. <i>Journal of Periodontology</i> , 1994 , 65, 120-8	4.6	89
57	Secular trends in blood pressure among adult blacks and whites aged 18-34 years in two body mass index strata, United States, 1960-1980. <i>American Journal of Epidemiology</i> , 1994 , 139, 141-54	3.8	11
56	The Analysis of Longitudinal Polytomous Data: Generalized Estimating Equations and Connections with Weighted Least Squares. <i>Biometrics</i> , 1993 , 49, 1033	1.8	82
55	Elastase as an indicator of periodontal disease progression. <i>Journal of Periodontology</i> , 1992 , 63, 237-42	4.6	119
54	31P-NMR evaluation of postischemia renal ATP and pH levels after ATP-MgCl2 treatment in rabbits. <i>American Journal of Surgery</i> , 1992 , 164, 132-9	2.7	6
53	Operator experience versus specimen quality in 15 commonly used biopsy devices. <i>European Radiology</i> , 1992 , 2, 446	8	
52	Inocoterone and acne. The effect of a topical antiandrogen: results of a multicenter clinical trial. <i>Archives of Dermatology</i> , 1992 , 128, 1197-200		19
51	The prevalence of asymptomatic gallstones in the general population. <i>Investigative Radiology</i> , 1991 , 26, 939-45	10.1	21
50	Diagnostic radiology peer review: a method inclusive of all interpreters of radiographic examinations regardless of specialty. <i>Radiology</i> , 1991 , 180, 557-61	20.5	15
49	Evaluation of an analysis approach used to account for extra-variation in clustered categorical responses. <i>Communications in Statistics - Theory and Methods</i> , 1991 , 20, 2645-2661	0.5	2
48	StatXact. American Statistician, 1991 , 45, 151	5	5
47	Generalized Variance Component Models for Clustered Categorical Response Variables. <i>Biometrics</i> , 1991 , 47, 33	1.8	7
46	Effect of empiric antiarrhythmic therapy in resuscitated out-of-hospital cardiac arrest victims with coronary artery disease. <i>American Journal of Cardiology</i> , 1990 , 65, 1192-7	3	59
45	Efficacy of automated biopsy guns versus conventional biopsy needles in the pygmy pig. <i>Radiology</i> , 1990 , 176, 671-6	20.5	40
44	A log-linear model for ordinal data to characterize differential change among treatments. <i>Statistics in Medicine</i> , 1989 , 8, 571-82	2.3	18
43	Some general methods for the analysis of categorical data in longitudinal studies. <i>Statistics in Medicine</i> , 1988 , 7, 109-37	2.3	39

42	Summary attributable risk estimation from unmatched case-control data. <i>Statistics in Medicine</i> , 1988 , 7, 507-17	2.3	28
41	Attributable Risk Estimation from Matched Case-Control Data. <i>Biometrics</i> , 1988 , 44, 355	1.8	36
40	Secular trends in body mass in the United States, 1960-1980. <i>American Journal of Epidemiology</i> , 1988 , 128, 1065-74	3.8	110
39	Secular trends in body mass index and skinfold thickness with socioeconomic factors in young adult men. <i>American Journal of Clinical Nutrition</i> , 1988 , 48, 544-51	7	91
38	Predictive value of ventricular arrhythmias in resuscitated out-of-hospital cardiac arrest victims. <i>European Heart Journal</i> , 1988 , 9, 625-33	9.5	5
37	A generalized Mantel-Haenszel analysis of the regression of blood pressure on blood lead using NHANES II data. <i>Environmental Health Perspectives</i> , 1988 , 78, 35-41	8.4	12
36	Secular trends in body mass index and skinfold thickness with socioeconomic factors in young adult women. <i>American Journal of Clinical Nutrition</i> , 1988 , 48, 535-43	7	144
35	Factors associated with glucose tolerance in adults in the United States. <i>American Journal of Epidemiology</i> , 1987 , 126, 674-84	3.8	40
34	Attributable risk ratio estimation from matched-pairs case-control data. <i>American Journal of Epidemiology</i> , 1987 , 125, 324-8	3.8	37
33	Strategies for the analysis of imputed data from a sample survey. The National Medical Care Utilization and Expenditure Survey. <i>Medical Care</i> , 1987 , 25, 705-16	3.1	16
32	Analysis of cardiac symptoms preceding cardiac arrest. <i>American Journal of Cardiology</i> , 1986 , 58, 1195-8	3 3	28
31	The relationship between blood lead levels and blood pressure and its cardiovascular risk implications. <i>American Journal of Epidemiology</i> , 1985 , 121, 246-58	3.8	289
30	Predictive survival models for resuscitated victims of out-of-hospital cardiac arrest with coronary heart disease. <i>Circulation</i> , 1985 , 71, 873-80	16.7	79
29	The reliability of Hertel exophthalmometry. Observer variation between physician and lay readers. <i>Ophthalmology</i> , 1985 , 92, 1177-80	7.3	64
28	A Mixed-Effects Model for Categorical Data. <i>Biometrics</i> , 1985 , 41, 991	1.8	38
27	The effect of bystander CPR on survival of out-of-hospital cardiac arrest victims. <i>American Heart Journal</i> , 1985 , 110, 932-7	4.9	178
26	Blood lead and blood pressure. Relationship in the adolescent and adult US population. <i>JAMA - Journal of the American Medical Association</i> , 1985 , 253, 530-4	27.4	165
25	An application of kappa-type analyses to interobserver variation in classifying chest radiographs for pneumoconiosis. <i>Statistics in Medicine</i> , 1984 , 3, 73-83	2.3	31

24	Blood pressure and nutrition in adults. The National Health and Nutrition Examination Survey. <i>American Journal of Epidemiology</i> , 1984 , 120, 17-28	3.8	205
23	A descriptive study of neuritic plaques and neurofibrillary tangles in an autopsy population. <i>American Journal of Epidemiology</i> , 1984 , 120, 331-41	3.8	62
22	Catanova for multidimensional contingency tables: ordinal-scale resfqnse. <i>Communications in Statistics - Theory and Methods</i> , 1982 , 11, 257-270	0.5	15
21	A general caxedorical data memddology for evaluating medical diagnostic tests. <i>Communications in Statistics - Theory and Methods</i> , 1982 , 11, 567-605	0.5	2
20	A Note on the Equivalence of Several Marginal Homogeneity Test Criteria for Categorical Data. <i>International Statistical Review</i> , 1982 , 50, 27	1.4	13
19	Characteristics of the resuscitated out-of-hospital cardiac arrest victim with coronary heart disease. <i>Circulation</i> , 1981 , 64, 977-84	16.7	174
18	Catanova for multidimensional contingency tables: Nominal-scale response. <i>Communications in Statistics - Theory and Methods</i> , 1980 , 9, 1191-1206	0.5	24
17	Large sample variance of kappa in the case of different sets of raters <i>Psychological Bulletin</i> , 1979 , 86, 974-977	19.1	262
16	A computer program for testing average partial association in three-way contingency tables (PARCAT). <i>Computer Programs in Biomedicine</i> , 1979 , 9, 223-46		40
	A computer program for multivariate ratio analysis (MISCAT). Computer Programs in Biomedicine,		
15	1978, 8, 197-207		4
15			3
	1978, 8, 197-207 A computer program for the generalized chi-square analysis of competing risks grouped survival	1.4	
14	1978, 8, 197-207 A computer program for the generalized chi-square analysis of competing risks grouped survival data (CRISCAT). <i>Computer Programs in Biomedicine</i> , 1978, 8, 208-23 Average Partial Association in Three-Way Contingency Tables: A Review and Discussion of	1.4	3
14	A computer program for the generalized chi-square analysis of competing risks grouped survival data (CRISCAT). <i>Computer Programs in Biomedicine</i> , 1978 , 8, 208-23 Average Partial Association in Three-Way Contingency Tables: A Review and Discussion of Alternative Tests. <i>International Statistical Review</i> , 1978 , 46, 237		3
14 13	A computer program for the generalized chi-square analysis of competing risks grouped survival data (CRISCAT). <i>Computer Programs in Biomedicine</i> , 1978 , 8, 208-23 Average Partial Association in Three-Way Contingency Tables: A Review and Discussion of Alternative Tests. <i>International Statistical Review</i> , 1978 , 46, 237 A One-Way Components of Variance Model for Categorical Data. <i>Biometrics</i> , 1977 , 33, 671 An Application of Hierarchical Kappa-type Statistics in the Assessment of Majority Agreement	1.8	3 312 282
14 13 12	A computer program for the generalized chi-square analysis of competing risks grouped survival data (CRISCAT). <i>Computer Programs in Biomedicine</i> , 1978 , 8, 208-23 Average Partial Association in Three-Way Contingency Tables: A Review and Discussion of Alternative Tests. <i>International Statistical Review</i> , 1978 , 46, 237 A One-Way Components of Variance Model for Categorical Data. <i>Biometrics</i> , 1977 , 33, 671 An Application of Hierarchical Kappa-type Statistics in the Assessment of Majority Agreement among Multiple Observers. <i>Biometrics</i> , 1977 , 33, 363 A General Methodology for the Analysis of Experiments with Repeated Measurement of	1.8	3 312 282 1880
14 13 12 11	A computer program for the generalized chi-square analysis of competing risks grouped survival data (CRISCAT). <i>Computer Programs in Biomedicine</i> , 1978 , 8, 208-23 Average Partial Association in Three-Way Contingency Tables: A Review and Discussion of Alternative Tests. <i>International Statistical Review</i> , 1978 , 46, 237 A One-Way Components of Variance Model for Categorical Data. <i>Biometrics</i> , 1977 , 33, 671 An Application of Hierarchical Kappa-type Statistics in the Assessment of Majority Agreement among Multiple Observers. <i>Biometrics</i> , 1977 , 33, 363 A General Methodology for the Analysis of Experiments with Repeated Measurement of Categorical Data. <i>Biometrics</i> , 1977 , 33, 133	1.8	3 312 282 1880 387

6	A computer program for the generalized chi-square analysis of categorical data using weighted least squares (GENCAT). <i>Computer Programs in Biomedicine</i> , 1976 , 6, 196-231		80	
5	A review of statistical methods in the analysis of data arising from observer reliability studies (Part I)*. <i>Statistica Neerlandica</i> , 1975 , 29, 101-123	0.9	79	
4	A review of statistical methods in the analysis of data arising from observer reliability studies (Part II)*. <i>Statistica Neerlandica</i> , 1975 , 29, 151-161	0.9	42	
3	Assessing Secular Trends in Blood Pressure: A Multiple-Imputation Approach		4	
2	Model for the Analysis of Binary Longitudinal Pain Data Subject to Informative Dropout through Rem	edicatio	N10	
	Functional mixed effects clustering with application to longitudinal urologic chronic pelvic pain			