

Kenneth A Jacobson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1487225/publications.pdf>

Version: 2024-02-01

774
papers

42,097
citations

2963

93
h-index

6282

158
g-index

817
all docs

817
docs citations

817
times ranked

23289
citing authors

#	ARTICLE	IF	CITATIONS
1	Adenosine receptors as therapeutic targets. <i>Nature Reviews Drug Discovery</i> , 2006, 5, 247-264.	21.5	1,243
2	International Union of Pharmacology LVIII: Update on the P2Y G Protein-Coupled Nucleotide Receptors: From Molecular Mechanisms and Pathophysiology to Therapy. <i>Pharmacological Reviews</i> , 2006, 58, 281-341.	7.1	1,147
3	International Union of Basic and Clinical Pharmacology. LXXXI. Nomenclature and Classification of Adenosine Receptors—An Update. <i>Pharmacological Reviews</i> , 2011, 63, 1-34.	7.1	1,135
4	Structure of an Agonist-Bound Human A _{2A} Adenosine Receptor. <i>Science</i> , 2011, 332, 322-327.	6.0	783
5	UDP acting at P2Y6 receptors is a mediator of microglial phagocytosis. <i>Nature</i> , 2007, 446, 1091-1095.	13.7	698
6	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2019, 176, S21-S141.	2.7	519
7	The Concise Guide to PHARMACOLOGY 2015/16: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2015, 172, 5744-5869.	2.7	507
8	Adenosine receptors: pharmacology, structure-activity relationships, and therapeutic potential. <i>Journal of Medicinal Chemistry</i> , 1992, 35, 407-422.	2.9	488
9	Coordinated Adenine Nucleotide Phosphohydrolysis and Nucleoside Signaling in Posthypoxic Endothelium. <i>Journal of Experimental Medicine</i> , 2003, 198, 783-796.	4.2	444
10	Characterization of the UDP-glucose receptor (re-named here the P2Y14 receptor) adds diversity to the P2Y receptor family. <i>Trends in Pharmacological Sciences</i> , 2003, 24, 52-55.	4.0	382
11	Recent developments in adenosine receptor ligands and their potential as novel drugs. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 1290-1308.	1.4	375
12	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2021, 178, S27-S156.	2.7	337
13	Purine and Pyrimidine (P2) Receptors as Drug Targets. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 4057-4093.	2.9	334
14	Structure of the human P2Y12 receptor in complex with an antithrombotic drug. <i>Nature</i> , 2014, 509, 115-118.	13.7	330
15	Towards a revised nomenclature for P1 and P2 receptors. <i>Trends in Pharmacological Sciences</i> , 1997, 18, 79-82.	4.0	315
16	Two disparate ligand-binding sites in the human P2Y1 receptor. <i>Nature</i> , 2015, 520, 317-321.	13.7	305
17	Adenosine A3 receptors: novel ligands and paradoxical effects. <i>Trends in Pharmacological Sciences</i> , 1998, 19, 184-191.	4.0	292
18	Agonist-bound structure of the human P2Y12 receptor. <i>Nature</i> , 2014, 509, 119-122.	13.7	279

#	ARTICLE	IF	CITATIONS
19	Adenosine A3 receptor stimulation and cerebral ischemia. <i>European Journal of Pharmacology</i> , 1994, 263, 59-67.	1.7	266
20	Structure-Activity Relationships of N6-Benzyladenosine-5'-uronamides as A3-Selective Adenosine Agonists. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 636-646.	2.9	248
21	Adenosine receptor ligands: differences with acute versus chronic treatment. <i>Trends in Pharmacological Sciences</i> , 1996, 17, 108-113.	4.0	248
22	The Concise Guide to PHARMACOLOGY 2015/16: Overview. <i>British Journal of Pharmacology</i> , 2015, 172, 5729-5743.	2.7	220
23	2-Substitution of N6-Benzyladenosine-5'-uronamides Enhances Selectivity for A3 Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 3614-3621.	2.9	213
24	Medicinal chemistry of adenosine, P2Y and P2X receptors. <i>Neuropharmacology</i> , 2016, 104, 31-49.	2.0	213
25	Structure-Based Discovery of A _{2A} Adenosine Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 3748-3755.	2.9	212
26	A physiological role of the adenosine A3 receptor: Sustained cardioprotection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 6995-6999.	3.3	202
27	Pharmacological and therapeutic effects of A3 adenosine receptor agonists. <i>Drug Discovery Today</i> , 2012, 17, 359-366.	3.2	193
28	Anilide Derivatives of an 8-Phenylxanthine Carboxylic Congener Are Highly Potent and Selective Antagonists at Human A2B Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 1165-1172.	2.9	192
29	Site-directed Mutagenesis Identifies Residues Involved in Ligand Recognition in the Human A2a Adenosine Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 13987-13997.	1.6	191
30	Competitive and selective antagonism of P2Y1 receptors by N 6 -methyl 2'-deoxyadenosine 3',5'-bisphosphate. <i>British Journal of Pharmacology</i> , 1998, 124, 1-3.	2.7	188
31	Synthesis, CoMFA Analysis, and Receptor Docking of 3,5-Diacyl-2,4-Dialkylpyridine Derivatives as Selective A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 706-721.	2.9	187
32	Molecular architecture of G protein-coupled receptors. <i>Drug Development Research</i> , 1996, 37, 1-38.	1.4	180
33	Allosteric Coupling of Drug Binding and Intracellular Signaling in the A2A Adenosine Receptor. <i>Cell</i> , 2018, 172, 68-80.e12.	13.5	173
34	Increased Signaling via Adenosine A1 Receptors, Sleep Deprivation, Imipramine, and Ketamine Inhibit Depressive-like Behavior via Induction of Homer1a. <i>Neuron</i> , 2015, 87, 549-562.	3.8	168
35	Induction of Apoptosis in HL-60 Human Promyelocytic Leukemia Cells by Adenosine A3 Receptor Agonists. <i>Biochemical and Biophysical Research Communications</i> , 1996, 219, 904-910.	1.0	166
36	Update of P2X receptor properties and their pharmacology: IUPHAR Review 30. <i>British Journal of Pharmacology</i> , 2021, 178, 489-514.	2.7	165

#	ARTICLE	IF	CITATIONS
37	Activation of Hippocampal Adenosine A ₃ Receptors Produces a Desensitization of A ₁ Receptor-Mediated Responses in Rat Hippocampus. <i>Journal of Neuroscience</i> , 1997, 17, 607-614.	1.7	159
38	8-(3-Chlorostyryl)caffeine (CSC) is a selective A ₂ -adenosine antagonist in vitro and in vivo. <i>FEBS Letters</i> , 1993, 323, 141-144.	1.3	158
39	Derivatives of the Triazoloquinazoline Adenosine Antagonist (CGS15943) Are Selective for the Human A ₃ Receptor Subtype. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 4142-4148.	2.9	154
40	Progress in the pursuit of therapeutic adenosine receptor antagonists. <i>Medicinal Research Reviews</i> , 2006, 26, 131-159.	5.0	154
41	Human P ₂ Y ₁ Receptor: A Molecular Modeling and Site-Directed Mutagenesis as Tools To Identify Agonist and Antagonist Recognition Sites. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 1456-1466.	2.9	153
42	New paradigms in GPCR drug discovery. <i>Biochemical Pharmacology</i> , 2015, 98, 541-555.	2.0	152
43	Structure-activity relationships of 8-styrylxanthines as A ₂ -selective adenosine antagonists. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 1333-1342.	2.9	151
44	Structural Determinants of A ₃ Adenosine Receptor Activation: A Nucleoside Ligands at the Agonist/Antagonist Boundary. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 4471-4484.	2.9	151
45	Systematic Investigation of Polyamidoamine Dendrimers Surface-Modified with Poly(ethylene glycol) for Drug Delivery Applications: Synthesis, Characterization, and Evaluation of Cytotoxicity. <i>Bioconjugate Chemistry</i> , 2008, 19, 1660-1672.	1.8	151
46	Update of P ₂ Y receptor pharmacology: IUPHAR Review 27. <i>British Journal of Pharmacology</i> , 2020, 177, 2413-2433.	2.7	151
47	Pharmacological characterization of novel A ₃ adenosine receptor-selective antagonists. <i>Neuropharmacology</i> , 1997, 36, 1157-1165.	2.0	150
48	Chronic caffeine alters the density of adenosine, adrenergic, cholinergic, GABA, and serotonin receptors and calcium channels in mouse brain. <i>Cellular and Molecular Neurobiology</i> , 1993, 13, 247-261.	1.7	149
49	Historical and Current Adenosine Receptor Agonists in Preclinical and Clinical Development. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 124.	1.8	146
50	A role for central A ₃ -adenosine receptors. <i>FEBS Letters</i> , 1993, 336, 57-60.	1.3	145
51	Adenosine A ₁ and A ₂ receptors: Structure-function relationships. <i>Medicinal Research Reviews</i> , 1992, 12, 423-471.	5.0	144
52	Diisothiocyanate derivatives as potent, insurmountable antagonists of P ₂ Y ₆ nucleotide receptors. <i>Biochemical Pharmacology</i> , 2004, 67, 1763-1770.	2.0	142
53	Architecture of P ₂ Y Nucleotide Receptors: A Structural Comparison Based on Sequence Analysis, Mutagenesis, and Homology Modeling. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 5393-5404.	2.9	139
54	N ₆ -Substituted adenosine derivatives: selectivity, efficacy, and species differences at A ₃ adenosine receptors. <i>Biochemical Pharmacology</i> , 2003, 65, 1675-1684.	2.0	136

#	ARTICLE	IF	CITATIONS
55	MRS2500 [2-Iodo-N6-methyl-(N)-methanocarba-2 β -deoxyadenosine-3 β ,5 β -bisphosphate], a Potent, Selective, and Stable Antagonist of the Platelet P2Y1 Receptor with Strong Antithrombotic Activity in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 316, 556-563.	1.3	135
56	Identification by Site-directed Mutagenesis of Residues Involved in Ligand Recognition and Activation of the Human A3 Adenosine Receptor. <i>Journal of Biological Chemistry</i> , 2002, 277, 19056-19063.	1.6	134
57	Structural Connection between Activation Microswitch and Allosteric Sodium Site in GPCR Signaling. <i>Structure</i> , 2018, 26, 259-269.e5.	1.6	134
58	Cerebral ischemia in gerbils: effects of acute and chronic treatment with adenosine A2A receptor agonist and antagonist. <i>European Journal of Pharmacology</i> , 1995, 287, 295-302.	1.7	133
59	Deoxyadenosine Bisphosphate Derivatives as Potent Antagonists at P2Y1Receptors. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 183-190.	2.9	133
60	Activation of Th1 and Tc1 cell adenosine A2A receptors directly inhibits IL-2 secretion in vitro and IL-2-driven expansion in vivo. <i>Blood</i> , 2005, 105, 4707-4714.	0.6	133
61	The Role of Amino Acids in Extracellular Loops of the Human P2Y1 Receptor in Surface Expression and Activation Processes. <i>Journal of Biological Chemistry</i> , 1999, 274, 14639-14647.	1.6	132
62	P2Y nucleotide receptors: promise of therapeutic applications. <i>Drug Discovery Today</i> , 2010, 15, 570-578.	3.2	132
63	A3-adenosine receptors: Design of selective ligands and therapeutic prospects. <i>Drugs of the Future</i> , 1995, 20, 689.	0.0	132
64	Differential effects of P ₂ U ₁ purinoceptor antagonists on phospholipase C α and adenylyl cyclase β coupled P ₂ U ₁ purinoceptors. <i>British Journal of Pharmacology</i> , 1994, 113, 614-620.	2.7	129
65	Synthesis, Biological Activity, and Molecular Modeling of Ribose-Modified Deoxyadenosine Bisphosphate Analogues as P2Y1Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 829-842.	2.9	129
66	Methanocarba Analogues of Purine Nucleosides as Potent and Selective Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 2196-2203.	2.9	127
67	Structure-Activity Relationships and Molecular Modeling of 3,5-Diacyl-2,4-dialkylpyridine Derivatives as Selective A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 3186-3201.	2.9	126
68	Role of the Extracellular Loops of G Protein-Coupled Receptors in Ligand Recognition: A Molecular Modeling Study of the Human P2Y1Receptor. <i>Biochemistry</i> , 1999, 38, 3498-3507.	1.2	125
69	2-Substitution of Adenine Nucleotide Analogues Containing a Bicyclo[3.1.0]hexane Ring System Locked in a Northern Conformation: Enhanced Potency as P2Y1Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 4974-4987.	2.9	125
70	Modeling the Adenosine Receptors: A Comparison of the Binding Domains of A2A Agonists and Antagonists. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 4847-4859.	2.9	125
71	Direct preconditioning of cultured chick ventricular myocytes. Novel functions of cardiac adenosine A2a and A3 receptors. <i>Journal of Clinical Investigation</i> , 1996, 98, 1773-1779.	3.9	124
72	A Mutational Analysis of Residues Essential for Ligand Recognition at the Human P2Y ₁ Receptor. <i>Molecular Pharmacology</i> , 1997, 52, 499-507.	1.0	123

#	ARTICLE	IF	CITATIONS
73	Endogenous adenosine A3 receptor activation selectively alleviates persistent pain states. <i>Brain</i> , 2015, 138, 28-35.	3.7	120
74	Identification of potent, selective P2Y-purinoceptor agonists: structure-activity relationships for 2-thioether derivatives of adenosine 5'-triphosphate. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 3937-3946.	2.9	116
75	Structure-activity relationships of thiazole and thiadiazole derivatives as potent and selective human adenosine A3 receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 613-623.	1.4	115
76	Deficiency of adenosine deaminase 2 triggers adenosine-mediated NETosis and TNF production in patients with DADA2. <i>Blood</i> , 2019, 134, 395-406.	0.6	115
77	Functionalized congeners of 1,3-dialkylxanthines: preparation of analogs with high affinity for adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1985, 28, 1334-1340.	2.9	114
78	Spinal neuroimmune activation is independent of T-cell infiltration and attenuated by A3 adenosine receptor agonists in a model of oxaliplatin-induced peripheral neuropathy. <i>Brain, Behavior, and Immunity</i> , 2015, 44, 91-99.	2.0	114
79	[3H]xanthine amine congener of 1,3-dipropyl-8-phenylxanthine: an antagonist radioligand for adenosine receptors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 4089-4093.	3.3	111
80	Synthesis and Biological Activities of Flavonoid Derivatives as A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 2293-2301.	2.9	111
81	Adenosine Receptors as Modulators of Inflammation: From Medicinal Chemistry to Therapy. <i>Medicinal Research Reviews</i> , 2018, 38, 1031-1072.	5.0	111
82	Interactions of Flavonoids and Other Phytochemicals with Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 781-788.	2.9	110
83	Interaction of 1,4-Dihydropyridine and Pyridine Derivatives with Adenosine Receptors: Selectivity for A3 Receptors. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 2980-2989.	2.9	108
84	Small molecule blockers of the Alzheimer A β 2 calcium channel potentially protect neurons from A β 2 cytotoxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3348-3353.	3.3	108
85	Xanthines as Adenosine Receptor Antagonists. <i>Handbook of Experimental Pharmacology</i> , 2011, , 151-199.	0.9	107
86	Derivatives of the Triazoloquinazoline Adenosine Antagonist (CGS 15943) Having High Potency at the Human A2B and A3 Receptor Subtypes. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 2835-2845.	2.9	106
87	Chronic administration of selective adenosine A1 receptor agonist or antagonist in cerebral ischemia. <i>European Journal of Pharmacology</i> , 1994, 256, 161-167.	1.7	104
88	Dihydropyridines as inhibitors of capacitative calcium entry in leukemic HL-60 cells. <i>Biochemical Pharmacology</i> , 2003, 65, 329-338.	2.0	103
89	Structure activity relationships for derivatives of adenosine-5'-triphosphate as agonists at P2 purinoceptors: Heterogeneity within P2x and P2y subtypes. <i>Drug Development Research</i> , 1994, 31, 206-219.	1.4	101
90	Adenosine A3 Receptor Agonists Protect HL-60 and U-937 Cells from Apoptosis Induced by A3 Antagonists. <i>Biochemical and Biophysical Research Communications</i> , 1997, 232, 317-322.	1.0	101

#	ARTICLE	IF	CITATIONS
91	Development of selective agonists and antagonists of P2Y receptors. <i>Purinergic Signalling</i> , 2009, 5, 75-89.	1.1	101
92	Emerging adenosine receptor agonists. <i>Expert Opinion on Emerging Drugs</i> , 2007, 12, 479-492.	1.0	100
93	Controlling murine and rat chronic pain through A ₃ adenosine receptor activation. <i>FASEB Journal</i> , 2012, 26, 1855-1865.	0.2	99
94	Adenosine-induced cell death: evidence for receptor-mediated signalling. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 1999, 4, 197-211.	2.2	98
95	5'-Phosphate and 5'-Phosphonate Ester Derivatives of (N)-Methanocarba Adenosine with in Vivo Cardioprotective Activity. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 902-914.	2.9	98
96	Search for New Purine- and Ribose-Modified Adenosine Analogs as Selective Agonists and Antagonists at Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 1995, 38, 1174-1188.	2.9	97
97	Quantitation of the P2Y ₁ Receptor with a High Affinity Radiolabeled Antagonist. <i>Molecular Pharmacology</i> , 2002, 62, 1249-1257.	1.0	95
98	Induction of Novel Agonist Selectivity for the ADP-Activated P2Y ₁ Receptor Versus the ADP-Activated P2Y ₁₂ and P2Y ₁₃ Receptors by Conformational Constraint of an ADP Analog. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 311, 1038-1043.	1.3	95
99	Synthesis of pyridoxal phosphate derivatives with antagonist activity at the P2Y ₁₃ receptor. <i>Biochemical Pharmacology</i> , 2005, 70, 266-274.	2.0	95
100	Positive Inotropic Effects by Uridine Triphosphate (UTP) and Uridine Diphosphate (UDP) via P2Y ₂ and P2Y ₆ Receptors on Cardiomyocytes and Release of UTP in Man During Myocardial Infarction. <i>Circulation Research</i> , 2006, 98, 970-976.	2.0	95
101	Behavioral characterization of mice lacking the A ₃ adenosine receptor: sensitivity to hypoxic neurodegeneration. <i>Cellular and Molecular Neurobiology</i> , 2003, 23, 431-447.	1.7	94
102	Stimulation of the P2X ₇ receptor kills rat retinal ganglion cells in vivo. <i>Experimental Eye Research</i> , 2010, 91, 425-432.	1.2	93
103	A ₃ adenosine receptor agonist prevents the development of paclitaxel-induced neuropathic pain by modulating spinal glial-restricted redox-dependent signaling pathways. <i>Pain</i> , 2014, 155, 2560-2567.	2.0	93
104	Species differences in structure-activity relationships of adenosine agonists and xanthine antagonists at brain A ₁ adenosine receptors. <i>FEBS Letters</i> , 1986, 209, 122-128.	1.3	92
105	Induction of Apoptosis in Cardiac Myocytes by an A ₃ Adenosine Receptor Agonist. <i>Experimental Cell Research</i> , 1998, 243, 383-397.	1.2	91
106	Identification of the A ₂ adenosine receptor binding subunit by photoaffinity crosslinking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 6572-6576.	3.3	90
107	Methanocarba Modification of Uracil and Adenine Nucleotides: A High Potency of Northern Ring Conformation at P2Y ₁ , P2Y ₂ , P2Y ₄ , and P2Y ₁₁ but Not P2Y ₆ Receptors. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 208-218.	2.9	90
108	Evaluation of Homology Modeling of G-Protein-Coupled Receptors in Light of the A _{2A} Adenosine Receptor Crystallographic Structure. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 3284-3292.	2.9	90

#	ARTICLE	IF	CITATIONS
109	[3H]MRS 1754, a selective antagonist radioligand for A2B adenosine receptors. <i>Biochemical Pharmacology</i> , 2001, 61, 657-663.	2.0	89
110	2-Chloro N6 -methyl-(N)-methanocarba-2 β -deoxyadenosine-3 β ,5 β -bisphosphate is a selective high affinity P2Y1 receptor antagonist. <i>British Journal of Pharmacology</i> , 2002, 135, 2004-2010.	2.7	89
111	Introduction to Adenosine Receptors as Therapeutic Targets. <i>Handbook of Experimental Pharmacology</i> , 2009, , 1-24.	0.9	89
112	A Selective High-Affinity Antagonist of the P2Y ₁₄ Receptor Inhibits UDP-Glucose \rightarrow Stimulated Chemotaxis of Human Neutrophils. <i>Molecular Pharmacology</i> , 2013, 84, 41-49.	1.0	89
113	6-Phenyl-1,4-dihydropyridine Derivatives as Potent and Selective A3Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 4667-4675.	2.9	88
114	The A3Adenosine Receptor Mediates Cell Spreading, Reorganization of Actin Cytoskeleton, and Distribution of Bcl-xL: Studies in Human Astrogloma Cells. <i>Biochemical and Biophysical Research Communications</i> , 1997, 241, 297-304.	1.0	88
115	(N)-Methanocarba 2,N6-Disubstituted Adenine Nucleosides as Highly Potent and Selective A3Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 1745-1758.	2.9	88
116	Digitoxin mimics gene therapy with CFTR and suppresses hypersecretion of IL-8 from cystic fibrosis lung epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7693-7698.	3.3	87
117	Locomotor activity in mice during chronic treatment with caffeine and withdrawal. <i>Pharmacology Biochemistry and Behavior</i> , 1993, 44, 199-216.	1.3	86
118	The effects of adenosine A3 receptor stimulation on seizures in mice. <i>European Journal of Pharmacology</i> , 1995, 275, 23-29.	1.7	86
119	Structure \rightarrow Activity Relationships of 4-(Phenylethynyl)-6-phenyl-1,4- dihydropyridines as Highly Selective A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 2596-2608.	2.9	86
120	Structure \rightarrow Activity Relationships of Pyridoxal Phosphate Derivatives as Potent and Selective Antagonists of P2X1Receptors. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 340-349.	2.9	86
121	Cardioprotective effects of adenosine A1 and A3 receptor activation during hypoxia in isolated rat cardiac myocytes. <i>Molecular and Cellular Biochemistry</i> , 2001, 217, 143-152.	1.4	86
122	A2B adenosine receptor blockade inhibits growth of prostate cancer cells. <i>Purinergic Signalling</i> , 2013, 9, 271-280.	1.1	86
123	Nucleotides Acting at P2Y Receptors: Connecting Structure and Function. <i>Molecular Pharmacology</i> , 2015, 88, 220-230.	1.0	86
124	Antiaggregatory activity in human platelets of potent antagonists of the P2Y1 receptor. <i>Biochemical Pharmacology</i> , 2004, 68, 1995-2002.	2.0	85
125	N6-Substituted D-4 β -Thioadenosine-5 β -methyluronamides: ∞ Potent and Selective Agonists at the Human A3 Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3775-3777.	2.9	83
126	Allosteric Modulation of A3 Adenosine Receptors by a Series of 3-(2-Pyridinyl)isoquinoline Derivatives. <i>Molecular Pharmacology</i> , 2001, 60, 1057-1063.	1.0	82

#	ARTICLE	IF	CITATIONS
127	Imidazo[2,1-i]purin-5-ones and Related Tricyclic Water-Soluble Purine Derivatives: A Potent A _{2A} - and A ₃ -Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 3440-3450.	2.9	81
128	Identification of Essential Residues Involved in the Allosteric Modulation of the Human A ₃ Adenosine Receptor. <i>Molecular Pharmacology</i> , 2003, 63, 1021-1031.	1.0	81
129	Discovery of a New Nucleoside Template for Human A ₃ Adenosine Receptor Ligands: d-4-Thioadenosine Derivatives without 4-Hydroxymethyl Group as Highly Potent and Selective Antagonists. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3159-3162.	2.9	81
130	Effects of chronic administration of adenosine A ₁ receptor agonist and antagonist on spatial learning and memory. <i>European Journal of Pharmacology</i> , 1993, 249, 271-280.	1.7	80
131	Neoreceptor Concept Based on Molecular Complementarity in GPCRs: A Mutant Adenosine A ₃ Receptor with Selectively Enhanced Affinity for Amine-Modified Nucleosides. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 4125-4136.	2.9	80
132	Activation of the A ₃ adenosine receptor affects cell cycle progression and cell growth. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2000, 361, 225-234.	1.4	79
133	Identification of Acidic Residues in the Extracellular Loops of the Seven-transmembrane Domain of the Human Ca ²⁺ Receptor Critical for Response to Ca ²⁺ and a Positive Allosteric Modulator. <i>Journal of Biological Chemistry</i> , 2002, 277, 46622-46631.	1.6	79
134	Acyclic Analogues of Adenosine Bisphosphates as P _{2Y} Receptor Antagonists: Phosphate Substitution Leads to Multiple Pathways of Inhibition of Platelet Aggregation. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 5694-5709.	2.9	79
135	Functionalized congeners of adenosine: preparation of analogs with high affinity for A ₁ -adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1985, 28, 1341-1346.	2.9	78
136	Heteromultimeric P _{2X} 1/2 Receptors Show a Novel Sensitivity to Extracellular pH. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 673-680.	1.3	78
137	Treatment of Dry Eye Syndrome with Orally Administered CF101. <i>Ophthalmology</i> , 2010, 117, 1287-1293.	2.5	78
138	G protein-coupled adenosine (P ₁) and P _{2Y} receptors: ligand design and receptor interactions. <i>Purinergic Signalling</i> , 2012, 8, 419-436.	1.1	78
139	Modulation of Apoptosis by Adenosine in the Central Nervous System: a Possible Role for the A ₃ Receptor. <i>Annals of the New York Academy of Sciences</i> , 1997, 825, 11-22.	1.8	77
140	New Insights for Drug Design from the X-Ray Crystallographic Structures of G-Protein-Coupled Receptors. <i>Molecular Pharmacology</i> , 2012, 82, 361-371.	1.0	77
141	Induction of Apoptosis in Rat Cardiocytes by A ₃ Adenosine Receptor Activation and Its Suppression by Isoproterenol. <i>Experimental Cell Research</i> , 2000, 257, 111-126.	1.2	76
142	Structure-Activity Relationships at Human and Rat A _{2B} Adenosine Receptors of Xanthine Derivatives Substituted at the 1-, 3-, 7-, and 8-Positions. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2131-2138.	2.9	76
143	A Region in the Seven-transmembrane Domain of the Human Ca ²⁺ Receptor Critical for Response to Ca ²⁺ . <i>Journal of Biological Chemistry</i> , 2005, 280, 5113-5120.	1.6	76
144	Quantification of G _i -Mediated Inhibition of Adenylyl Cyclase Activity Reveals That UDP Is a Potent Agonist of the Human P _{2Y} 14 Receptor. <i>Molecular Pharmacology</i> , 2009, 76, 1341-1348.	1.0	76

#	ARTICLE	IF	CITATIONS
145	Structure-Guided Design of A ₃ Adenosine Receptor-Selective Nucleosides: Combination of 2-Arylethynyl and Bicyclo[3.1.0]hexane Substitutions. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 4847-4860.	2.9	76
146	Effects of a Calcimimetic Compound and Naturally Activating Mutations on the Human Ca ²⁺ Receptor and on Ca ²⁺ Receptor/Metabotropic Glutamate Chimeric Receptors. <i>Endocrinology</i> , 2000, 141, 4156-4163.	1.4	75
147	Extracellular nucleotides induce vasodilatation in human arteries via prostaglandins, nitric oxide and endothelium-derived hyperpolarising factor. <i>British Journal of Pharmacology</i> , 2003, 138, 1451-1458.	2.7	75
148	Human P2Y6 Receptor: Molecular Modeling Leads to the Rational Design of a Novel Agonist Based on a Unique Conformational Preference. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 8108-8111.	2.9	75
149	Structure-Activity Relationships of Uridine 5'-Diphosphate Analogues at the Human P2Y6 Receptor. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 5532-5543.	2.9	75
150	Structure-Activity Relationship of (N)-Methanocarba Phosphonate Analogues of 5'-AMP as Cardioprotective Agents Acting Through a Cardiac P2X Receptor. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 2562-2576.	2.9	75
151	Apoptosis by 2-chloro-2'-deoxy-adenosine and 2-chloro-adenosine in human peripheral blood mononuclear cells. <i>Neurochemistry International</i> , 1998, 32, 493-504.	1.9	74
152	Synthesis, Biological Properties, and Molecular Modeling Investigation of the First Potent, Selective, and Water-Soluble Human A3 Adenosine Receptor Antagonist. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 3579-3582.	2.9	74
153	Synthesis and potency of novel uracil nucleotides and derivatives as P2Y2 and P2Y6 receptor agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 6319-6332.	1.4	74
154	Acyclic and Cyclopropyl Analogues of Adenosine Bisphosphate Antagonists of the P2Y1 Receptor: Structure-Activity Relationships and Receptor Docking. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 3092-3108.	2.9	73
155	Conformational changes involved in G-protein-coupled-receptor activation. <i>Trends in Pharmacological Sciences</i> , 2008, 29, 616-625.	4.0	73
156	Species differences in ligand affinity at central A3-adenosine receptors. <i>Drug Development Research</i> , 1994, 33, 51-59.	1.4	72
157	Structure-Activity Relationships of 9-Alkyladenine and Ribose-Modified Adenosine Derivatives at Rat A3 Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 1995, 38, 1720-1735.	2.9	72
158	Activation of A3 Adenosine Receptor Protects Against Doxorubicin-induced Cardiotoxicity. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 1249-1261.	0.9	72
159	Techniques: Recent developments in computer-aided engineering of GPCR ligands using the human adenosine A3 receptor as an example. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 44-51.	4.0	72
160	Renal Intercalated Cells Sense and Mediate Inflammation via the P2Y14 Receptor. <i>PLoS ONE</i> , 2015, 10, e0121419.	1.1	72
161	Site-directed mutagenesis studies of human A2A adenosine receptors. <i>Biochemical Pharmacology</i> , 2000, 60, 661-668.	2.0	71
162	8-Cyclopentyl-1,3-dipropylxanthine and Other Xanthines Differentially Bind to the Wild-Type and F508 Mutant First Nucleotide Binding Fold (NBF-1) Domains of the Cystic Fibrosis Transmembrane Conductance Regulator. <i>Biochemistry</i> , 1997, 36, 6455-6461.	1.2	70

#	ARTICLE	IF	CITATIONS
163	Activation of the A2A adenosine receptor inhibits nitric oxide production in glial cells. <i>FEBS Letters</i> , 1998, 429, 139-142.	1.3	69
164	A3Adenosine Receptors in Human Astrocytoma Cells: Agonist-Mediated Desensitization, Internalization, and Down-Regulation. <i>Molecular Pharmacology</i> , 2002, 62, 1373-1384.	1.0	69
165	2-Triazole-Substituted Adenosines: A New Class of Selective A3Adenosine Receptor Agonists, Partial Agonists, and Antagonists. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7373-7383.	2.9	69
166	Interactions of Flavones and Other Phytochemicals with Adenosine Receptors. <i>Advances in Experimental Medicine and Biology</i> , 2002, 505, 163-171.	0.8	69
167	Effects of N6-cyclopentyl adenosine and 8-cyclopentyl-1,3-dipropylxanthine on induced seizures in mice. <i>European Journal of Pharmacology</i> , 1993, 249, 265-270.	1.7	68
168	Synthesis and Biological Activity of a New Series of N6-Arylcarbamoyl, 2-(Ar)alkynyl-N6-arylcarbamoyl, and N6-Carboxamido Derivatives of Adenosine-5'-N-ethyluronamide as A1 and A3 Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 3174-3185.	2.9	68
169	Structure-Activity Relationships of 2-Chloro-N6-substituted-4-thioadenosine-5'-uronamides as Highly Potent and Selective Agonists at the Human A3Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 273-281.	2.9	68
170	UDP-glucose acting at P2Y14 receptors is a mediator of mast cell degranulation. <i>Biochemical Pharmacology</i> , 2010, 79, 873-879.	2.0	68
171	CF102 an A ₃ adenosine receptor agonist mediates anti-tumor and anti-inflammatory effects in the liver. <i>Journal of Cellular Physiology</i> , 2011, 226, 2438-2447.	2.0	68
172	Engagement of the GABA to KCC2 Signaling Pathway Contributes to the Analgesic Effects of A ₃ AR Agonists in Neuropathic Pain. <i>Journal of Neuroscience</i> , 2015, 35, 6057-6067.	1.7	68
173	Penetration of adenosine antagonists into mouse brain as determined by ex vivo binding. <i>Biochemical Pharmacology</i> , 1992, 43, 889-894.	2.0	67
174	Mutagenesis Reveals Structure-Activity Parallels between Human A2A Adenosine Receptors and Biogenic Amine G Protein-Coupled Receptors. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 2588-2595.	2.9	67
175	1,3-dialkylxanthine derivatives having high potency as antagonists at human A2B adenosine receptors. <i>Drug Development Research</i> , 1999, 47, 45-53.	1.4	67
176	Targeted deletion of adenosine A ₃ receptors augments adenosine-induced coronary flow in isolated mouse heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H2183-H2189.	1.5	67
177	CysLT1 leukotriene receptor antagonists inhibit the effects of nucleotides acting at P2Y receptors. <i>Biochemical Pharmacology</i> , 2005, 71, 115-125.	2.0	67
178	Phospholipase C and cAMP-dependent positive inotropic effects of ATP in mouse cardiomyocytes via P2Y-like receptors. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 39, 223-230.	0.9	67
179	The A3 adenosine receptor agonist CF502 inhibits the PI3K, PKB/Akt and NF- κ B signaling pathway in synoviocytes from rheumatoid arthritis patients and in adjuvant-induced arthritis rats. <i>Biochemical Pharmacology</i> , 2008, 76, 482-494.	2.0	67
180	Chemotherapy-induced pain is promoted by enhanced spinal adenosine kinase levels through astrocyte-dependent mechanisms. <i>Pain</i> , 2018, 159, 1025-1034.	2.0	67

#	ARTICLE	IF	CITATIONS
181	International Union of Basic and Clinical Pharmacology. CXII: Adenosine Receptors: A Further Update. <i>Pharmacological Reviews</i> , 2022, 74, 340-372.	7.1	67
182	Structure-Activity Relationships of 1,3-Dialkylxanthine Derivatives at Rat A3 Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 3373-3382.	2.9	66
183	Direct Activation of Cystic Fibrosis Transmembrane Conductance Regulator Channels by 8-Cyclopentyl-1,3-dipropylxanthine (CPX) and 1,3-Diallyl-8-cyclohexylxanthine (DAX). <i>Journal of Biological Chemistry</i> , 1998, 273, 5727-5734.	1.6	66
184	The Cross-Species A3 Adenosine-Receptor Antagonist MRS 1292 Inhibits Adenosine-Triggered Human Nonpigmented Ciliary Epithelial Cell Fluid Release and Reduces Mouse Intraocular Pressure. <i>Current Eye Research</i> , 2005, 30, 747-754.	0.7	66
185	Activity of novel adenine nucleotide derivatives as agonists and antagonists at recombinant rat P2X receptors. <i>Drug Development Research</i> , 2000, 49, 253-259.	1.4	65
186	Distinct cardioprotective effects of adenosine mediated by differential coupling of receptor subtypes to phospholipases C and D. <i>FASEB Journal</i> , 2000, 14, 1423-1431.	0.2	65
187	Allosteric Modulation of the Adenosine Family of Receptors. <i>Mini-Reviews in Medicinal Chemistry</i> , 2005, 5, 545-553.	1.1	65
188	Reversine and Its 2-Substituted Adenine Derivatives as Potent and Selective A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4910-4918.	2.9	65
189	Structure-Activity Relationship of Uridine 5'-Diphosphoglucose Analogues as Agonists of the Human P2Y14 Receptor. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 2030-2039.	2.9	65
190	Rhodopsin and the Others: A Historical Perspective on Structural Studies of G Protein-Coupled Receptors. <i>Current Pharmaceutical Design</i> , 2009, 15, 3994-4002.	0.9	65
191	Molecular Docking Screening Using Agonist-Bound GPCR Structures: Probing the A _{2A} Adenosine Receptor. <i>Journal of Chemical Information and Modeling</i> , 2015, 55, 550-563.	2.5	65
192	Purinergic Signaling in Mast Cell Degranulation and Asthma. <i>Frontiers in Pharmacology</i> , 2017, 8, 947.	1.6	65
193	Non-xanthine heterocycles: Activity as antagonists of A1 and A2-adenosine receptors. <i>Biochemical Pharmacology</i> , 1988, 37, 655-664.	2.0	64
194	Chronic adenosine A1 receptor agonist and antagonist: effect on receptor density and induced seizures in mice. <i>European Journal of Pharmacology</i> , 1994, 253, 95-99.	1.7	64
195	A Pyridoxine Cyclic Phosphate and Its 6-Azoaryl Derivative Selectively Potentiate and Antagonize Activation of P2X1 Receptors. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 2201-2206.	2.9	64
196	Molecular probes for extracellular adenosine receptors. <i>Biochemical Pharmacology</i> , 1987, 36, 1697-1707.	2.0	63
197	Hemodynamic effects and histamine release elicited by the selective adenosine A3 receptor agonist 2-Cl-IB-MECA in conscious rats. <i>European Journal of Pharmacology</i> , 1996, 308, 311-314.	1.7	63
198	Cardiac myocytes rendered ischemia resistant by expressing the human adenosine A1 or A3 receptor. <i>FASEB Journal</i> , 1998, 12, 1785-1792.	0.2	63

#	ARTICLE	IF	CITATIONS
199	Selective Allosteric Enhancement of Agonist Binding and Function at Human A3 Adenosine Receptors by a Series of Imidazoquinoline Derivatives. <i>Molecular Pharmacology</i> , 2002, 62, 81-89.	1.0	63
200	Functionalized congeners of 1,3-dipropyl-8-phenylxanthine: Potent antagonists for adenosine receptors that modulate membrane adenylate cyclase in pheochromocytoma cells, platelets and fat cells. <i>Life Sciences</i> , 1986, 38, 797-807.	2.0	62
201	Fluorine-18 labeled insulin: a prosthetic group methodology for incorporation of a positron emitter into peptides and proteins. <i>Biochemistry</i> , 1989, 28, 4801-4806.	1.2	62
202	Novel therapeutics acting via purine receptors. <i>Biochemical Pharmacology</i> , 1991, 41, 1399-1410.	2.0	62
203	Angiotensin II-induced apoptosis in rat cardiomyocyte culture: a possible role of AT1 and AT2 receptors. <i>Journal of Hypertension</i> , 2001, 19, 1681-1689.	0.3	62
204	Adenine Nucleotide Analogues Locked in a Northern Methanocarba Conformation: Enhanced Stability and Potency as P2Y1 Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2090-2100.	2.9	62
205	A2B Adenosine Receptor and Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5139.	1.8	62
206	Role of adenosine A3 receptors on CA1 hippocampal neurotransmission during oxygen-glucose deprivation episodes of different duration. <i>Biochemical Pharmacology</i> , 2007, 74, 768-779.	2.0	61
207	Functionally biased modulation of A3 adenosine receptor agonist efficacy and potency by imidazoquinolinamine allosteric enhancers. <i>Biochemical Pharmacology</i> , 2011, 82, 658-668.	2.0	61
208	Structure-Activity Relationships of Bisphosphate Nucleotide Derivatives as P2Y1 Receptor Antagonists and Partial Agonists. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 1625-1638.	2.9	60
209	Hypothermia in mouse is caused by adenosine A1 and A3 receptor agonists and AMP via three distinct mechanisms. <i>Neuropharmacology</i> , 2017, 114, 101-113.	2.0	60
210	Characterization of the locomotor depression produced by an A2-selective adenosine agonist. <i>FEBS Letters</i> , 1990, 261, 67-70.	1.3	59
211	Comparative studies on the affinities of ATP derivatives for P _{2X} -purinoceptors in rat urinary bladder. <i>British Journal of Pharmacology</i> , 1994, 112, 1151-1159.	2.7	59
212	Flavonoid Derivatives as Adenosine Receptor Antagonists: A Comparison of the Hypothetical Receptor Binding Site Based on a Comparative Molecular Field Analysis Model. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 46-52.	2.9	59
213	Tumor necrosis factor α -induced apoptosis in astrocytes is prevented by the activation of P2Y6, but not P2Y4 nucleotide receptors. <i>Biochemical Pharmacology</i> , 2003, 65, 923-931.	2.0	59
214	Keynote review: Allosterism in membrane receptors. <i>Drug Discovery Today</i> , 2006, 11, 191-202.	3.2	59
215	Recent developments in selective agonists and antagonists acting at purine and pyrimidine receptors. <i>Drug Development Research</i> , 1996, 39, 289-300.	1.4	58
216	Chronic administration of adenosine A3 receptor agonist and cerebral ischemia: neuronal and glial effects. <i>European Journal of Pharmacology</i> , 1999, 367, 157-163.	1.7	58

#	ARTICLE	IF	CITATIONS
217	p53-Independent induction of Fas and apoptosis in leukemic cells by an adenosine derivative, Cl-B-MECA. <i>Biochemical Pharmacology</i> , 2002, 63, 871-880.	2.0	58
218	UDP Is a Competitive Antagonist at the Human P2Y ₁₄ Receptor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 325, 588-594.	1.3	58
219	A1 Receptor Antagonist 8-Cyclopentyl-1,3-dipropylxanthine Selectively Activates Chloride Efflux from Human Epithelial and Mouse Fibroblast Cell Lines Expressing the Cystic Fibrosis Transmembrane Regulator .DELTA.F508 Mutation. <i>Biochemistry</i> , 1995, 34, 9079-9087.	1.2	57
220	2-Substituted adenosine derivatives: affinity and efficacy at four subtypes of human adenosine receptors. <i>Biochemical Pharmacology</i> , 2004, 68, 1985-1993.	2.0	57
221	Protective roles of adenosine A1, A2A, and A3 receptors in skeletal muscle ischemia and reperfusion injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H3685-H3691.	1.5	57
222	Optimization of Adenosine 5'-Carboxamide Derivatives as Adenosine Receptor Agonists Using Structure-Based Ligand Design and Fragment Screening. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 4297-4308.	2.9	57
223	Chiral Resolution and Stereospecificity of 6-Phenyl-4-phenylethynyl-1,4-dihydropyridines as Selective A3 Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 3055-3065.	2.9	56
224	Involvement of uracil nucleotides in protection of cardiomyocytes from hypoxic stress. <i>Biochemical Pharmacology</i> , 2005, 69, 1215-1223.	2.0	56
225	Exploring distal regions of the A3 adenosine receptor binding site: sterically constrained N6-(2-phenylethyl)adenosine derivatives as potent ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 2021-2034.	1.4	55
226	Identification of A ₃ adenosine receptor agonists as novel non-narcotic analgesics. <i>British Journal of Pharmacology</i> , 2016, 173, 1253-1267.	2.7	55
227	Differential allosteric modulation by amiloride analogues of agonist and antagonist binding at A1 and A3 adenosine receptors. <i>Biochemical Pharmacology</i> , 2003, 65, 525-534.	2.0	54
228	A Conformationally Locked Analogue of the Anti-HIV Agent Stavudine. An Important Correlation between Pseudorotation and Maximum Amplitude. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3292-3299.	2.9	54
229	Uridine-5'-triphosphate (UTP) reduces infarct size and improves rat heart function after myocardial infarct. <i>Biochemical Pharmacology</i> , 2006, 72, 949-955.	2.0	54
230	Neuroprotective and neuro-rehabilitative effects of acute purinergic receptor P2X4 (P2X4R) blockade after ischemic stroke. <i>Experimental Neurology</i> , 2020, 329, 113308.	2.0	54
231	A Novel Pharmacological Approach to Treating Cardiac Ischemia. <i>Journal of Biological Chemistry</i> , 2000, 275, 30272-30279.	1.6	53
232	Molecular determinants of A _{2A} -D ₂ R allosterism: role of the intracellular loop 3 of the D ₂ R. <i>Journal of Neurochemistry</i> , 2012, 123, 373-384.	2.1	53
233	Structure-Activity Relationship of Purine and Pyrimidine Nucleotides as Ecto-5'-Nucleotidase (CD73) Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 3677-3695.	2.9	53
234	Postschemic administration of adenosine amine congener (ADAC): analysis of recovery in gerbils. <i>European Journal of Pharmacology</i> , 1996, 316, 171-179.	1.7	52

#	ARTICLE	IF	CITATIONS
235	Ring-Constrained (N)-Methanocarpa nucleosides as adenosine receptor agonists: independent 5 α -Uronamide and 2 α -deoxy modifications. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 1333-1337.	1.0	52
236	P2Y6 nucleotide receptor activates PKC to protect 1321N1 astrocytoma cells against tumor necrosis factor-induced apoptosis. <i>Cellular and Molecular Neurobiology</i> , 2003, 23, 401-418.	1.7	52
237	Pyrimidine Nucleotides with 4-Alkyloxyimino and Terminal Tetraphosphate γ -Ester Modifications as Selective Agonists of the P2Y ₄ Receptor. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 4018-4033.	2.9	52
238	Molecular Modeling Studies of Human A3Adenosine Antagonists: Structural Homology and Receptor Docking. <i>Journal of Chemical Information and Computer Sciences</i> , 1998, 38, 1239-1248.	2.8	51
239	2-Phenylimidazo[2,1-i]purin-5-ones Structure-Activity relationships and characterization of potent and selective inverse agonists at Human A3 adenosine receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 347-356.	1.4	51
240	Role of direct RhoA-phospholipase D interaction in mediating adenosine-induced protection from cardiac ischemia. <i>FASEB Journal</i> , 2004, 18, 1-13.	0.2	51
241	Structure-Activity Relationships of New 1H-Imidazo[4,5-c]quinolin-4-amine Derivatives as Allosteric Enhancers of the A3Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 3354-3361.	2.9	51
242	Effect of trifluoromethyl and other substituents on activity of xanthines at adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 2639-2644.	2.9	50
243	Identification of potent P ₂ Y ₄ purinoceptor agonists that are derivatives of adenosine 5 α -monophosphate. <i>British Journal of Pharmacology</i> , 1996, 118, 1959-1964.	2.7	50
244	Protection against ischemic damage by adenosine amine congener, a potent and selective adenosine A1 receptor agonist. <i>European Journal of Pharmacology</i> , 1999, 369, 313-317.	1.7	50
245	A3 adenosine receptors and mitogen-activated protein kinases in lung injury following in vivo reperfusion. <i>Critical Care</i> , 2006, 10, R65.	2.5	50
246	Rapid identification of functionally critical amino acids in a G protein-coupled receptor. <i>Nature Methods</i> , 2007, 4, 169-174.	9.0	50
247	Limits of Ligand Selectivity from Docking to Models: In Silico Screening for A1 Adenosine Receptor Antagonists. <i>PLoS ONE</i> , 2012, 7, e49910.	1.1	50
248	Structure activity and molecular modeling analyses of ribose- and base-modified uridine 5 α -triphosphate analogues at the human P2Y2 and P2Y4 receptors. <i>Biochemical Pharmacology</i> , 2006, 71, 540-549.	2.0	49
249	Dexamethasone Enhances ATP-Induced Inflammatory Responses in Endothelial Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 335, 693-702.	1.3	49
250	Treatment of chronic neuropathic pain: purine receptor modulation. <i>Pain</i> , 2020, 161, 1425-1441.	2.0	49
251	Novel N6-(Substituted-phenylcarbamoyl)adenosine-5 α -uronamides as Potent Agonists for A3Adenosine Receptors. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 802-806.	2.9	48
252	A Functional Screening of Adenosine Analogues at the Adenosine A2B Receptor: A Search for Potent Agonists. <i>Nucleosides & Nucleotides</i> , 1998, 17, 969-985.	0.5	48

#	ARTICLE	IF	CITATIONS
253	Molecular Recognition at Purine and Pyrimidine Nucleotide (P2) Receptors. <i>Current Topics in Medicinal Chemistry</i> , 2004, 4, 805-819.	1.0	48
254	Regulation of death and survival in astrocytes by ADP activating P2Y1 and P2Y12 receptors. <i>Biochemical Pharmacology</i> , 2006, 72, 1031-1041.	2.0	48
255	In Vivo Phenotypic Screening for Treating Chronic Neuropathic Pain: Modification of <i>C</i> -2-Arylethynyl Group of Conformationally Constrained A ₃ Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 9901-9914.	2.9	48
256	Adenosine A _{2A} receptor antagonists: from caffeine to selective non-xanthines. <i>British Journal of Pharmacology</i> , 2022, 179, 3496-3511.	2.7	48
257	Conjugates of catecholamines. 1. N-Alkyl-functionalized carboxylic acid congeners and amides related to isoproterenol. <i>Journal of Medicinal Chemistry</i> , 1983, 26, 492-499.	2.9	47
258	Synthesis and biological activity of N6-(p-sulfophenyl)alkyl and N6-sulfoalkyl derivatives of adenosine: water-soluble and peripherally selective adenosine agonists.. <i>Journal of Medicinal Chemistry</i> , 1992, 35, 4143-4149.	2.9	47
259	Reduction of postischemic brain damage and memory deficits following treatment with the selective adenosine A1 receptor agonist. <i>European Journal of Pharmacology</i> , 1996, 302, 43-48.	1.7	47
260	Synthesis Using Ring Closure Metathesis and Effect on Nucleoside Transport of a (N)-MethanocarbaS-(4-Nitrobenzyl)thioinosine Derivative. <i>Organic Letters</i> , 2001, 3, 597-599.	2.4	47
261	The A3 adenosine receptor attenuates the calcium rise triggered by NMDA receptors in retinal ganglion cells. <i>Neurochemistry International</i> , 2010, 56, 35-41.	1.9	47
262	Allosteric modulation and functional selectivity of G protein-coupled receptors. <i>Drug Discovery Today: Technologies</i> , 2013, 10, e237-e243.	4.0	47
263	Potential for Developing Purinergic Drugs for Gastrointestinal Diseases. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 1259-1287.	0.9	47
264	UDP-glucose promotes neutrophil recruitment in the lung. <i>Purinergic Signalling</i> , 2016, 12, 627-635.	1.1	47
265	Medicinal Chemistry of the A3 Adenosine Receptor: Agonists, Antagonists, and Receptor Engineering. <i>Handbook of Experimental Pharmacology</i> , 2009, , 123-159.	0.9	47
266	Modulation of adenosine receptor affinity and intrinsic efficacy in adenine nucleosides substituted at the 2-position. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 2995-3007.	1.4	46
267	The recently deorphanized GPR80 (GPR99) proposed to be the P2Y15 receptor is not a genuine P2Y receptor. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 8-9.	4.0	46
268	A Missense Mutation in the Seven-transmembrane Domain of the Human Ca ²⁺ Receptor Converts a Negative Allosteric Modulator into a Positive Allosteric Modulator. <i>Journal of Biological Chemistry</i> , 2006, 281, 21558-21565.	1.6	46
269	Functionalized Congener Approach to the Design of Ligands for G Protein-Coupled Receptors (GPCRs). <i>Bioconjugate Chemistry</i> , 2009, 20, 1816-1835.	1.8	46
270	Novel Alexa Fluor-488 labeled antagonist of the A2A adenosine receptor: Application to a fluorescence polarization-based receptor binding assay. <i>Biochemical Pharmacology</i> , 2010, 80, 506-511.	2.0	46

#	ARTICLE	IF	CITATIONS
271	The role of P2Y ₁₄ and other P2Y receptors in degranulation of human LAD2 mast cells. <i>Purinergic Signalling</i> , 2013, 9, 31-40.	1.1	46
272	Physiology and effects of nucleosides in mice lacking all four adenosine receptors. <i>PLoS Biology</i> , 2019, 17, e3000161.	2.6	46
273	Sulfur-containing 1,3-dialkylxanthine derivatives as selective antagonists at A ₁ -adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1989, 32, 1873-1879.	2.9	45
274	Identification of an Agonist-induced Conformational Change Occurring Adjacent to the Ligand-binding Pocket of the M3 Muscarinic Acetylcholine Receptor. <i>Journal of Biological Chemistry</i> , 2005, 280, 34849-34858.	1.6	45
275	Role of adenosine A ₁ and A ₃ receptors in regulation of cardiomyocyte homeostasis after mitochondrial respiratory chain injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H2792-H2801.	1.5	45
276	Adenine nucleotide control of coronary blood flow during exercise. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H1981-H1989.	1.5	45
277	Structural Sweet Spot for A ₁ Adenosine Receptor Activation by Truncated (N)-Methanocarba Nucleosides: Receptor Docking and Potent Anticonvulsant Activity. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 8075-8090.	2.9	45
278	Efficient, large-scale synthesis and preclinical studies of MRS5698, a highly selective A ₃ adenosine receptor agonist that protects against chronic neuropathic pain. <i>Purinergic Signalling</i> , 2015, 11, 371-387.	1.1	45
279	A [3 H]amine congener of 1,3-dipropyl-8-phenylxanthine. <i>FEBS Letters</i> , 1986, 199, 269-274.	1.3	44
280	Electrophilic derivatives of purines as irreversible inhibitors of A ₁ adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1989, 32, 1043-1051.	2.9	44
281	Molecular modeling of adenosine receptors. The ligand binding site on the rat adenosine A _{2A} receptor. <i>European Journal of Pharmacology</i> , 1994, 268, 95-104.	2.7	44
282	[³² P]2-iodo-N ⁶ -methyl-(N)-methanocarba-2'-deoxyadenosine-3',5'-bisphosphate ([³² P]MRS2500), a novel radioligand for quantification of native P2Y ₁ receptors. <i>British Journal of Pharmacology</i> , 2006, 147, 459-467.	2.7	44
283	Distinct Structural Changes in a G Protein-coupled Receptor Caused by Different Classes of Agonist Ligands. <i>Journal of Biological Chemistry</i> , 2007, 282, 26284-26293.	1.6	44
284	Structure-Activity Relationships of 2,N ⁶ ,5'-Substituted Adenosine Derivatives with Potent Activity at the A _{2B} Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1810-1827.	2.9	44
285	Toward Multivalent Signaling across G Protein-Coupled Receptors from Poly(amidoamine) Dendrimers. <i>Bioconjugate Chemistry</i> , 2008, 19, 406-411.	1.8	44
286	Pharmacology of the platelet purinergic receptors. <i>Purinergic Signalling</i> , 2011, 7, 305-324.	1.1	44
287	Small Molecule Positive Allosteric Modulation of TRPV1 Activation by Vanilloids and Acidic pH. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 340, 152-160.	1.3	44
288	Rational Design of Sulfonated A ₃ Adenosine Receptor-Selective Nucleosides as Pharmacological Tools To Study Chronic Neuropathic Pain. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 5949-5963.	2.9	44

#	ARTICLE	IF	CITATIONS
289	Photomodulation of G Protein-Coupled Adenosine Receptors by a Novel Light-Switchable Ligand. <i>Bioconjugate Chemistry</i> , 2014, 25, 1847-1854.	1.8	44
290	Ocular Purine Receptors as Drug Targets in the Eye. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2016, 32, 534-547.	0.6	44
291	Fragment optimization for GPCRs by molecular dynamics free energy calculations: Probing druggable subpockets of the A _{2A} adenosine receptor binding site. <i>Scientific Reports</i> , 2017, 7, 6398.	1.6	44
292	Adenosine A ₃ agonists reverse neuropathic pain via T cell-mediated production of IL-10. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	44
293	Agonist derived molecular probes for A ₂ adenosine receptors. <i>Journal of Molecular Recognition</i> , 1989, 2, 170-178.	1.1	43
294	Adenosine A ₁ Receptor Agonists as Clinically Viable Agents for Treatment of Ischemic Brain Disorders. <i>Annals of the New York Academy of Sciences</i> , 1997, 825, 23-29.	1.8	43
295	Adenosine A ₃ receptors and viability of astrocytes. , 1998, 45, 379-386.		43
296	Design of (N)-methanocarba adenosine 5'-uronamides as species-independent A ₃ receptor-selective agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2813-2819.	1.0	43
297	Polyamidoamine (PAMAM) Dendrimer Conjugates of "Clickable" Agonists of the A ₃ Adenosine Receptor and Coactivation of the P _{2Y₁₄} Receptor by a Tethered Nucleotide. <i>Bioconjugate Chemistry</i> , 2010, 21, 372-384.	1.8	43
298	Adenosine A ₃ receptor activation inhibits pronociceptive N-type Ca ²⁺ currents and cell excitability in dorsal root ganglion neurons. <i>Pain</i> , 2019, 160, 1103-1118.	2.0	43
299	Constitutive Activation of A ₃ Adenosine Receptors by Site-Directed Mutagenesis. <i>Biochemical and Biophysical Research Communications</i> , 2001, 284, 596-601.	1.0	42
300	A Neoreceptor Approach to Unraveling Microscopic Interactions between the Human A _{2A} Adenosine Receptor and Its Agonists. <i>Chemistry and Biology</i> , 2005, 12, 237-247.	6.2	42
301	Orthogonal Activation of the Reengineered A ₃ Adenosine Receptor (Neoreceptor) Using Tailored Nucleoside Agonists. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 2689-2702.	2.9	42
302	Docking studies of agonists and antagonists suggest an activation pathway of the A ₃ adenosine receptor. <i>Journal of Molecular Graphics and Modelling</i> , 2006, 25, 562-577.	1.3	42
303	Molecular Modeling of the Human P _{2Y₂} Receptor and Design of a Selective Agonist, 2'-Amino-2'-deoxy-2-thiouridine 5'-Triphosphate. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1166-1176.	2.9	42
304	Role of P _{2X} purinergic receptors in the rescue of ischemic heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H1191-H1197.	1.5	42
305	Functionalized Congeners of A ₃ Adenosine Receptor-Selective Nucleosides Containing a Bicyclo[3.1.0]hexane Ring System. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 7580-7592.	2.9	42
306	Human P _{2Y₁₄} Receptor Agonists: Truncation of the Hexose Moiety of Uridine-5'-Diphosphoglucose and Its Replacement with Alkyl and Aryl Groups. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 471-480.	2.9	42

#	ARTICLE	IF	CITATIONS
307	Modeling ligand recognition at the P2Y ₁₂ receptor in light of X-ray structural information. <i>Journal of Computer-Aided Molecular Design</i> , 2015, 29, 737-756.	1.3	42
308	Adenosine A ₃ receptor agonist-induced neurotoxicity in rat cerebellar granule neurons. , 1997, 40, 267-273.		41
309	2,2'-Pyridylisatogen tosylate antagonizes P2Y ₁ receptor signaling without affecting nucleotide binding. <i>Biochemical Pharmacology</i> , 2004, 68, 231-237.	2.0	41
310	Translocation of arrestin induced by human A ₃ adenosine receptor ligands in an engineered cell line: Comparison with G protein-dependent pathways. <i>Pharmacological Research</i> , 2008, 57, 303-311.	3.1	41
311	South (S)- and North (N)-Methanocarpa-7-Deazaadenosine Analogues as Inhibitors of Human Adenosine Kinase. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 6860-6877.	2.9	41
312	Extrinsic Tryptophans as NMR Probes of Allosteric Coupling in Membrane Proteins: Application to the A _{2A} Adenosine Receptor. <i>Journal of the American Chemical Society</i> , 2018, 140, 8228-8235.	6.6	41
313	Characterization of Human Striatal A ₂ -Adenosine Receptors Using Radioligand Binding and Photoaffinity Labeling. <i>Journal of Receptors and Signal Transduction</i> , 1992, 12, 149-169.	1.2	40
314	Stimulation by Alkylxanthines of Chloride Efflux in CFPAC-1 Cells Does Not Involve A ₁ Adenosine Receptors. <i>Biochemistry</i> , 1995, 34, 9088-9094.	1.2	40
315	Adenosine: a Prototherapeutic Concept in Neurodegeneration. <i>Annals of the New York Academy of Sciences</i> , 1995, 765, 163-178.	1.8	40
316	Roles of BCL-2 and Caspase 3 in the Adenosine A ₃ . <i>Journal of Molecular Neuroscience</i> , 2001, 17, 285-292.	1.1	40
317	Design and synthesis of new bicyclic diketopiperazines as scaffolds for receptor probes of structurally diverse functionality. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 2016.	1.5	40
318	Conversion of A ₃ adenosine receptor agonists into selective antagonists by modification of the 5'-ribofuran-uronamide moiety. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 596-601.	1.0	40
319	On the selectivity of the G _i q inhibitor UBO-QIC: A comparison with the G _i i inhibitor pertussis toxin. <i>Biochemical Pharmacology</i> , 2016, 107, 59-66.	2.0	40
320	Synthesis of Novel Apio Carbocyclic Nucleoside Analogues as Selective A ₃ Adenosine Receptor Agonists. <i>Journal of Organic Chemistry</i> , 2005, 70, 5006-5013.	1.7	39
321	Flexible modulation of agonist efficacy at the human A ₃ adenosine receptor by the imidazoquinoline allosteric enhancer LUF6000. <i>BMC Pharmacology</i> , 2008, 8, 20.	0.4	39
322	Activation of the P2Y ₁ receptor induces apoptosis and inhibits proliferation of prostate cancer cells. <i>Biochemical Pharmacology</i> , 2011, 82, 418-425.	2.0	39
323	Emerging adenosine receptor agonists – an update. <i>Expert Opinion on Emerging Drugs</i> , 2011, 16, 597-602.	1.0	39
324	Agonists and Antagonists for P ₂ Receptors. <i>Novartis Foundation Symposium</i> , 2006, 276, 58-72.	1.2	39

#	ARTICLE	IF	CITATIONS
325	8-substituted xanthenes as antagonists at A1- and A2-adenosine receptors. <i>Biochemical Pharmacology</i> , 1988, 37, 3653-3661.	2.0	38
326	Selective Ligands for Rat A3 Adenosine Receptors: Structure-Activity Relationships of 1,3-Dialkylxanthine 7-Riboside Derivatives. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 4020-4030.	2.9	38
327	Demystifying the three dimensional structure of G protein-coupled receptors (GPCRs) with the aid of molecular modeling. <i>Chemical Communications</i> , 2003, , 2949.	2.2	38
328	Structure-Activity Relationships of Truncated C2- or C8-Substituted Adenosine Derivatives as Dual Acting A _{2A} and A ₃ Adenosine Receptor Ligands. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 342-356.	2.9	38
329	Exploring a 2-Naphthoic Acid Template for the Structure-Based Design of P2Y ₁₄ Receptor Antagonist Molecular Probes. <i>ACS Chemical Biology</i> , 2014, 9, 2833-2842.	1.6	38
330	Structure-Based Design of 3-(4-Aryl-1 <i>H</i> -1,2,3-triazol-1-yl)-Biphenyl Derivatives as P2Y ₁₄ Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 6149-6168.	2.9	38
331	Fluorosulfonyl- and Bis-(¹² -chloroethyl)amino-phenylamino Functionalized Pyrazolo[4,3- <i>e</i>]1,2,4-triazolo[1,5- <i>c</i>]pyrimidine Derivatives: Irreversible Antagonists at the Human A3 Adenosine Receptor and Molecular Modeling Studies. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 2735-2742.	2.9	37
332	Novel 2- and 4-Substituted 1 <i>H</i> -Imidazo[4,5- <i>c</i>]quinolin-4-amine Derivatives as Allosteric Modulators of the A ₃ Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 2098-2108.	2.9	37
333	Enhancement of Glucose Uptake in Mouse Skeletal Muscle Cells and Adipocytes by P2Y6 Receptor Agonists. <i>PLoS ONE</i> , 2014, 9, e116203.	1.1	37
334	Uncovering Caffeine's Adenosine A _{2A} Receptor Inverse Agonism in Experimental Parkinsonism. <i>ACS Chemical Biology</i> , 2014, 9, 2496-2501.	1.6	37
335	Structure-Activity Analysis of Biased Agonism at the Human Adenosine A ₃ Receptor. <i>Molecular Pharmacology</i> , 2016, 90, 12-22.	1.0	37
336	Site-directed mutagenesis of the human adenosine A2A receptor. Critical involvement of Glu13 in agonist recognition. <i>European Journal of Pharmacology</i> , 1996, 310, 269-272.	1.7	36
337	Molecular modeling of a PAMAM-CGS21680 dendrimer bound to an A2A adenosine receptor homodimer. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 4312-4315.	1.0	36
338	Evaluation of Molecular Modeling of Agonist Binding in Light of the Crystallographic Structure of an Agonist-Bound A2A Adenosine Receptor. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 538-552.	2.9	36
339	Identification of a new dysfunctional platelet P2Y12 receptor variant associated with bleeding diathesis. <i>Blood</i> , 2015, 125, 1006-1013.	0.6	36
340	On the G protein-coupling selectivity of the native A2B adenosine receptor. <i>Biochemical Pharmacology</i> , 2018, 151, 201-213.	2.0	36
341	"Mediator methodology" for the synthesis of peptides in a two-polymeric system. <i>Journal of the American Chemical Society</i> , 1985, 107, 4249-4252.	6.6	35
342	Synthesis and structure-activity relationships of pyridoxal-6-arylazo-5'-phosphate and phosphonate derivatives as P2 receptor antagonists. , 1998, 45, 52-66.		35

#	ARTICLE	IF	CITATIONS
343	(N)-methanocarpa-2MeSADP (MRS2365) is a subtype-specific agonist that induces rapid desensitization of the P2Y1 receptor of human platelets. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 861-868.	1.9	35
344	P2Y1 Antagonists: Combining Receptor-Based Modeling and QSAR for a Quantitative Prediction of the Biological Activity Based on Consensus Scoring. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3229-3241.	2.9	35
345	Selective A3 adenosine receptor antagonists derived from nucleosides containing a bicyclo[3.1.0]hexane ring system. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8546-8556.	1.4	35
346	Attenuation of apoptosis in vitro and ischemia/reperfusion injury in vivo in mouse skeletal muscle by P2Y6 receptor activation. <i>Pharmacological Research</i> , 2008, 58, 232-239.	3.1	35
347	Structure-Activity Relationships of Truncated <i>d</i> - and <i>l</i> -4 ² -Thioadenosine Derivatives as Species-Independent A ₃ Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6609-6613.	2.9	35
348	P2Y13 receptor is responsible for ADP-mediated degranulation in RBL-2H3 rat mast cells. <i>Pharmacological Research</i> , 2010, 62, 500-505.	3.1	35
349	Purinergic signaling in diabetes and metabolism. <i>Biochemical Pharmacology</i> , 2021, 187, 114393.	2.0	35
350	A3 adenosine receptors: Protective vs. damaging effects identified using novel agonists and antagonists. , 1998, 45, 113-124.		34
351	Structural determinants of efficacy at A3 adenosine receptors: modification of the ribose moiety. <i>Biochemical Pharmacology</i> , 2004, 67, 893-901.	2.0	34
352	Pronounced Conformational Changes following Agonist Activation of the M3 Muscarinic Acetylcholine Receptor. <i>Journal of Biological Chemistry</i> , 2005, 280, 24870-24879.	1.6	34
353	Molecular recognition in the P2Y14 receptor: Probing the structurally permissive terminal sugar moiety of uridine-5 ² -diphosphoglucose. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 5298-5311.	1.4	34
354	Activation of distinct P2Y receptor subtypes stimulates insulin secretion in MIN6 mouse pancreatic β^2 cells. <i>Biochemical Pharmacology</i> , 2010, 79, 1317-1326.	2.0	34
355	Nucleoside-derived antagonists to A3 adenosine receptors lower mouse intraocular pressure and act across species. <i>Experimental Eye Research</i> , 2010, 90, 146-154.	1.2	34
356	P2Y2 receptor agonist with enhanced stability protects the heart from ischemic damage in vitro and in vivo. <i>Purinergic Signalling</i> , 2013, 9, 633-642.	1.1	34
357	Probing biased/partial agonism at the G protein-coupled A2B adenosine receptor. <i>Biochemical Pharmacology</i> , 2014, 90, 297-306.	2.0	34
358	Ligand design by targeting a binding site water. <i>Chemical Science</i> , 2021, 12, 960-968.	3.7	34
359	Lack of adipocyte purinergic P2Y ₆ receptor greatly improves whole body glucose homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 30763-30774.	3.3	34
360	Interaction of Dihydropyridine Calcium Channel Agonists and Antagonists with Adenosine Receptors. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1987, 61, 121-125.	0.0	33

#	ARTICLE	IF	CITATIONS
361	Acyl-hydrazide derivatives of a xanthine carboxylic congener (XCC) as selective antagonists at human A2B adenosine receptors. <i>Drug Development Research</i> , 1999, 47, 178-188.	1.4	33
362	Quinazolines as adenosine receptor antagonists: SAR and selectivity for A2B receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 77-85.	1.4	33
363	Nucleotide analogues containing 2-oxa-bicyclo[2.2.1]heptane and 1- β -threofuranosyl ring systems: interactions with P2Y receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 5619-5630.	1.4	33
364	Semirational Design of (North)-Methanocarba Nucleosides as Dual Acting A1 and A3 Adenosine Receptor Agonists: Novel Prototypes for Cardioprotection. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 8103-8107.	2.9	33
365	Structure-activity relationships of 1,4-dihydropyridines that act as enhancers of the vanilloid receptor 1 (TRPV1). <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 9349-9358.	1.4	33
366	PEGylated Dendritic Unimolecular Micelles as Versatile Carriers for Ligands of G Protein-Coupled Receptors. <i>Bioconjugate Chemistry</i> , 2009, 20, 1888-1898.	1.8	33
367	Comparison of three GPCR structural templates for modeling of the P2Y12 nucleotide receptor. <i>Journal of Computer-Aided Molecular Design</i> , 2011, 25, 329-338.	1.3	33
368	Novel fluorescent antagonist as a molecular probe in A3 adenosine receptor binding assays using flow cytometry. <i>Biochemical Pharmacology</i> , 2012, 83, 1552-1561.	2.0	33
369	Potent agonist action of 2-thioether derivatives of adenine nucleotides at adenylyl cyclase-linked P ₂ Y ₁ purinoceptors. <i>British Journal of Pharmacology</i> , 1995, 116, 2611-2616.	2.7	32
370	Quantification of recombinant and platelet P2Y1 receptors utilizing a [125I]-labeled high-affinity antagonist 2-iodo-N6-methyl-(N)-methanocarba-2'-deoxyadenosine-3',5'-bisphosphate ([125I]MRS2500). <i>Pharmacological Research</i> , 2010, 62, 344-351.	3.1	32
371	Structure-Guided Modification of Heterocyclic Antagonists of the P2Y ₁₄ Receptor. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 4860-4882.	2.9	32
372	Functionalized congener approach to muscarinic antagonists: analogs of pirenzepine. <i>Journal of Medicinal Chemistry</i> , 1991, 34, 2133-2145.	2.9	31
373	Comparative molecular field analysis of selective A3 adenosine receptor agonists. <i>Bioorganic and Medicinal Chemistry</i> , 1995, 3, 1331-1343.	1.4	31
374	Random Mutagenesis of the M3 Muscarinic Acetylcholine Receptor Expressed in Yeast. <i>Journal of Biological Chemistry</i> , 2005, 280, 5664-5675.	1.6	31
375	Defining the nucleotide binding sites of P2Y receptors using rhodopsin-based homology modeling. <i>Journal of Computer-Aided Molecular Design</i> , 2006, 20, 417-426.	1.3	31
376	Development of Selective High Affinity Antagonists, Agonists, and Radioligands for the P2Y1 Receptor. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 410-419.	0.6	31
377	Pyrimidine Ribonucleotides with Enhanced Selectivity as P2Y ₆ Receptor Agonists: Novel 4-Alkyloxyimino, (S)-Methanocarba, and 5'-Triphosphate β -Ester Modifications. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 4488-4501.	2.9	31
378	Allosteric Modulation of Purine and Pyrimidine Receptors. <i>Advances in Pharmacology</i> , 2011, 61, 187-220.	1.2	31

#	ARTICLE	IF	CITATIONS
379	Structure-Based Approaches to Ligands for G-Protein-Coupled Adenosine and P2Y Receptors, from Small Molecules to Nanoconjugates. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 3749-3767.	2.9	31
380	Novel Protective Role of Endogenous Cardiac Myocyte P2X4 Receptors in Heart Failure. <i>Circulation: Heart Failure</i> , 2014, 7, 510-518.	1.6	31
381	Remote control of movement disorders using a photoactive adenosine A2A receptor antagonist. <i>Journal of Controlled Release</i> , 2018, 283, 135-142.	4.8	31
382	The utilization of a unified pharmacophore query in the discovery of new antagonists of the adenosine receptor family. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 31-34.	1.0	30
383	Synthesis of a Novel Conformationally Locked Carbocyclic Nucleoside Ring System. <i>Organic Letters</i> , 2003, 5, 1665-1668.	2.4	30
384	Synthesis and Biological Evaluation of a New Series of 1,2,4-Triazolo[1,5- <i>a</i>]-1,3,5-triazines as Human A _{2A} Adenosine Receptor Antagonists with Improved Water Solubility. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 877-889.	2.9	30
385	Predicted structures of agonist and antagonist bound complexes of adenosine A ₃ receptor. <i>Proteins: Structure, Function and Bioinformatics</i> , 2011, 79, 1878-1897.	1.5	30
386	Portraying G Protein-Coupled Receptors with Fluorescent Ligands. <i>ACS Chemical Biology</i> , 2014, 9, 1918-1928.	1.6	30
387	The role of activated adenosine receptors in degranulation of human LAD2 mast cells. <i>Purinergic Signalling</i> , 2014, 10, 465-475.	1.1	30
388	Structural Probing and Molecular Modeling of the A ₃ Adenosine Receptor: A Focus on Agonist Binding. <i>Molecules</i> , 2017, 22, 449.	1.7	30
389	Chronic Morphine-Induced Changes in Signaling at the A ₃ Adenosine Receptor Contribute to Morphine-Induced Hyperalgesia, Tolerance, and Withdrawal. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 374, 331-341.	1.3	30
390	Characterization of adenosine receptors in intact cultured heart cells. <i>Biochemical Pharmacology</i> , 1994, 48, 727-735.	2.0	29
391	Survey of Nonxanthine Derivatives as Adenosine Receptor Ligands. <i>Nucleosides & Nucleotides</i> , 1996, 15, 693-717.	0.5	29
392	Acyclic Analogues of Deoxyadenosine 3',5'-Bisphosphates as P2Y1 Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 746-755.	2.9	29
393	The A ₃ Adenosine Receptor Induces Cytoskeleton Rearrangement in Human Astrocytoma Cells via a Specific Action on Rho Proteins. <i>Annals of the New York Academy of Sciences</i> , 2001, 939, 63-73.	1.8	29
394	P2X purinergic receptor-mediated ionic current in cardiac myocytes of calsequestrin model of cardiomyopathy: implications for the treatment of heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H1077-H1084.	1.5	29
395	Adenosine A2A receptor dynamics studied with the novel fluorescent agonist Alexa488-APEC. <i>European Journal of Pharmacology</i> , 2008, 590, 36-42.	1.7	29
396	Synthesis and pharmacological characterization of a new series of 5,7-disubstituted-[1,2,4]triazolo[1,5- <i>a</i>][1,3,5]triazine derivatives as adenosine receptor antagonists: A preliminary inspection of ligand-receptor recognition process. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2524-2536.	1.4	29

#	ARTICLE	IF	CITATIONS
397	Striatal adenosine A _{2A} receptor-mediated positron emission tomographic imaging in 6-hydroxydopamine-lesioned rats using [18F]-MRS5425. <i>Nuclear Medicine and Biology</i> , 2011, 38, 897-906.	0.3	29
398	Protection from Myocardial Ischemia/Reperfusion Injury by a Positive Allosteric Modulator of the A ₃ Adenosine Receptor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 340, 210-217.	1.3	29
399	Computational studies to predict or explain G protein coupled receptor polypharmacology. <i>Trends in Pharmacological Sciences</i> , 2014, 35, 658-663.	4.0	29
400	Polypharmacology of <i>N</i> ⁶ -(3-Iodobenzyl)adenosine-5'-methyluronamide (IB-MECA) and Related A ₃ Adenosine Receptor Ligands: Peroxisome Proliferator Activated Receptor (PPAR) β Partial Agonist and PPAR γ Antagonist Activity Suggests Their Antidiabetic Potential. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7459-7475.	2.9	29
401	Medicinal chemistry of P ₂ and adenosine receptors: Common scaffolds adapted for multiple targets. <i>Biochemical Pharmacology</i> , 2021, 187, 114311.	2.0	29
402	Probing the adenosine receptor with adenosine and xanthine biotin conjugates. <i>FEBS Letters</i> , 1985, 184, 30-35.	1.3	28
403	A prosthetic group for the rapid introduction of fluorine into peptides and functionalized drugs. <i>Journal of Fluorine Chemistry</i> , 1988, 39, 339-347.	0.9	28
404	Activation of A ₃ Adenosine Receptor Induces Calcium Entry and Chloride Secretion in A ₆ Cells. <i>Journal of Membrane Biology</i> , 2000, 178, 103-113.	1.0	28
405	Evidence for the recognition of non-nucleotide antagonists within the transmembrane domains of the human P _{2Y1} receptor. <i>Drug Development Research</i> , 2002, 57, 173-181.	1.4	28
406	Computational prediction of homodimerization of the A ₃ adenosine receptor. <i>Journal of Molecular Graphics and Modelling</i> , 2006, 25, 549-561.	1.3	28
407	Neoreceptors: reengineering GPCRs to recognize tailored ligands. <i>Trends in Pharmacological Sciences</i> , 2007, 28, 111-116.	4.0	28
408	Synthesis and characterization of [76Br]-labeled high-affinity A ₃ adenosine receptor ligands for positron emission tomography. <i>Nuclear Medicine and Biology</i> , 2009, 36, 3-10.	0.3	28
409	GPCR Ligand Dendrimer (GLiDe) Conjugates: Adenosine Receptor Interactions of a Series of Multivalent Xanthine Antagonists. <i>Bioconjugate Chemistry</i> , 2011, 22, 1115-1127.	1.8	28
410	Fluorescent ligands for adenosine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 26-36.	1.0	28
411	Structure-Based Screening of Uncharted Chemical Space for Atypical Adenosine Receptor Agonists. <i>ACS Chemical Biology</i> , 2016, 11, 2763-2772.	1.6	28
412	Simultaneous determination of histamine and N ¹ , ¹ -methylhistamine with high-performance liquid chromatography using electrochemical detection. <i>Analytical Biochemistry</i> , 1986, 152, 127-135.	1.1	27
413	Purification and characterization of bovine cerebral cortex A ₁ adenosine receptor. <i>Archives of Biochemistry and Biophysics</i> , 1990, 283, 440-446.	1.4	27
414	A Selective Agonist Affinity Label for A ₃ Adenosine Receptors. <i>Biochemical and Biophysical Research Communications</i> , 1994, 203, 570-576.	1.0	27

#	ARTICLE	IF	CITATIONS
415	Nucleotide coronary vasodilation in guinea pig hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1040-H1047.	1.5	27
416	A3Adenosine Receptor Allosteric Modulator Induces an Anti-Inflammatory Effect: In Vivo Studies and Molecular Mechanism of Action. <i>Mediators of Inflammation</i> , 2014, 2014, 1-8.	1.4	27
417	Purinergic drug targets for gastrointestinal disorders. <i>Current Opinion in Pharmacology</i> , 2017, 37, 131-141.	1.7	27
418	Xanthine functionalized congeners as potent ligands at A2-adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 211-214.	2.9	26
419	2-[2-[4-[2-[2-[1,3-Dihydro-1,1-bis(4-hydroxyphenyl)-3-oxo-5-isobenzofuranthioureydyl]ethylaminocarbonyl]ethyl]phenyl]ethylamino]-5'-N-ethylcarboxamidoadenosine (FITC-APEC): A fluorescent ligand for A2a-adenosine receptors. <i>Journal of Fluorescence</i> , 1992, 2, 217-223.	1.3	26
420	Tetrahydrobenzothiophenone Derivatives as a Novel Class of Adenosine Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 398-406.	2.9	26
421	Persistent Activation by and Receptor Reserve for an Irreversible A1-Adenosine Receptor Agonist in DDT1 MF-2 Cells and in Guinea Pig Heart. <i>Molecular Pharmacology</i> , 1997, 52, 491-498.	1.0	26
422	A New Synthetic Route to (North)-Methanocarba Nucleosides Designed as A3Adenosine Receptor Agonists. <i>Journal of Organic Chemistry</i> , 2005, 70, 439-447.	1.7	26
423	Evidence for the possible involvement of the P2Y6 receptor in Ca ²⁺ mobilization and insulin secretion in mouse pancreatic islets. <i>Purinergic Signalling</i> , 2008, 4, 365-375.	1.1	26
424	Ligand and structure-based methodologies for the prediction of the activity of G protein-coupled receptor ligands. <i>Journal of Computer-Aided Molecular Design</i> , 2009, 23, 747-754.	1.3	26
425	Molecular probes for the A2A adenosine receptor based on a pyrazolo[4,3-e][1,2,4]triazolo[1,5-c]pyrimidin-5-amine scaffold. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 2740-2745.	1.0	26
426	Characterization of polyamidoamino (PAMAM) dendrimers using in-line reversed phase LC electrospray ionization mass spectrometry. <i>Analytical Methods</i> , 2016, 8, 263-269.	1.3	26
427	Adenosine A1-A2A Receptor-Receptor Interaction: Contribution to Guanosine-Mediated Effects. <i>Cells</i> , 2019, 8, 1630.	1.8	26
428	Assessment of biased agonism at the A3 adenosine receptor using β^2 -arrestin and miniG $\beta\gamma$ recruitment assays. <i>Biochemical Pharmacology</i> , 2020, 177, 113934.	2.0	26
429	Growth, Texture, and Surface Morphology of SiC Layers. <i>Journal of the Electrochemical Society</i> , 1971, 118, 1001.	1.3	25
430	Effects of the allosteric modulator SCH-202676 on adenosine and P2Y receptors. <i>Life Sciences</i> , 2004, 74, 3173-3180.	2.0	25
431	2-Dialkynyl derivatives of (N)-methanocarba nucleosides: β -Clickable™ A3 adenosine receptor-selective agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 508-517.	1.4	25
432	Programmable Nanoscaffolds That Control Ligand Display to a G-Protein-Coupled Receptor in Membranes To Allow Dissection of Multivalent Effects. <i>Journal of the American Chemical Society</i> , 2014, 136, 12296-12303.	6.6	25

#	ARTICLE	IF	CITATIONS
433	Accelerating the Throughput of Affinity Mass Spectrometry-Based Ligand Screening toward a G Protein-Coupled Receptor. <i>Analytical Chemistry</i> , 2019, 91, 8162-8169.	3.2	25
434	Sexually dimorphic therapeutic response in bortezomib-induced neuropathic pain reveals altered pain physiology in female rodents. <i>Pain</i> , 2020, 161, 177-184.	2.0	25
435	Adenosine Receptor Prodrugs: Synthesis and Biological Activity of Derivatives of Potent, ArSelective Agonists. <i>Journal of Pharmaceutical Sciences</i> , 1994, 83, 46-53.	1.6	24
436	"Cleavable Trifunctional" Approach to Receptor Affinity Labeling: Regeneration of Binding to A1-Adenosine Receptors. <i>Bioconjugate Chemistry</i> , 1995, 6, 255-263.	1.8	24
437	Chapter 10 Molecular recognition in P2 receptors: Ligand development aided by molecular modeling and mutagenesis. <i>Progress in Brain Research</i> , 1999, 120, 119-132.	0.9	24
438	Actions of a series of PPADS analogs at P2X1 and P2X3 receptors. <i>Drug Development Research</i> , 2001, 53, 281-291.	1.4	24
439	Design, synthesis and binding affinity of 3- ² -fluoro analogues of Cl-IB-MECA as adenosine A3 receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 817-820.	1.0	24
440	Ligand-Specific Changes in M ₃ Muscarinic Acetylcholine Receptor Structure Detected by a Disulfide Scanning Strategy. <i>Biochemistry</i> , 2008, 47, 2776-2788.	1.2	24
441	Virtual screening leads to the discovery of novel non-nucleotide P2Y1 receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 5254-5261.	1.4	24
442	Dopamine D2 receptor-mediated modulation of adenosine A2A receptor agonist binding within the A2AR/D2R oligomer framework. <i>Neurochemistry International</i> , 2013, 63, 42-46.	1.9	24
443	Molecular modeling of the human P2Y14 receptor: A template for structure-based design of selective agonist ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 4056-4064.	1.4	24
444	Distinct Signaling Patterns of Allosteric Antagonism at the P2Y ₁ Receptor. <i>Molecular Pharmacology</i> , 2017, 92, 613-626.	1.0	24
445	Potent convulsant actions of the adenosine receptor antagonist, xanthine amine congener (XAC). <i>Life Sciences</i> , 1989, 45, 719-728.	2.0	23
446	Effect of Adenosine on Na ⁺ and Cl ⁻ Currents in A6 Monolayers. Receptor Localization and Messenger Involvement. <i>Journal of Membrane Biology</i> , 1996, 151, 237-245.	1.0	23
447	Potent P2X7 receptor antagonists: Tyrosyl derivatives synthesized using a sequential parallel synthetic approach. <i>Drug Development Research</i> , 2001, 54, 75-87.	1.4	23
448	Molecular dynamics simulation of the P2Y14 receptor. Ligand docking and identification of a putative binding site of the distal hexose moiety. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 761-766.	1.0	23
449	Synthesis and evaluation of 1,2,4-triazolo[1,5-c]pyrimidine derivatives as A2A receptor-selective antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 5690-5694.	1.0	23
450	Molecular structure of P2Y receptors: mutagenesis, modeling, and chemical probes. <i>Environmental Sciences Europe</i> , 2012, 1, 815-827.	2.6	23

#	ARTICLE	IF	CITATIONS
451	Trifunctional agents as a design strategy for tailoring ligand properties: irreversible inhibitors of A1 adenosine receptors. <i>Bioconjugate Chemistry</i> , 1991, 2, 77-88.	1.8	22
452	Adenosine A1 receptor and ligand molecular modeling. <i>Drug Development Research</i> , 1993, 28, 237-243.	1.4	22
453	Amphiphilic pyridinium salts block TNF α /NF κ B signaling and constitutive hypersecretion of interleukin-8 (IL-8) from cystic fibrosis lung epithelial cells. <i>Biochemical Pharmacology</i> , 2005, 70, 381-393.	2.0	22
454	Synthesis of Ethyl (1S,2R,3S,4S,5S)-2,3-O-(Isopropylidene)-4-Hydroxy-Bicyclo[3.1.0]Hexane-Carboxylate from L-Ribose: A Versatile Chiral Synthons for Preparation of Adenosine and P2 Receptor Ligands. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2008, 27, 279-291.	0.4	22
455	Enhanced Potency of Nucleotide α -Dendrimer Conjugates as Agonists of the P2Y ₁₄ Receptor: Multivalent Effect in G Protein-Coupled Receptor Recognition. <i>Bioconjugate Chemistry</i> , 2009, 20, 1650-1659.	1.8	22
456	Synthesis and Anti-Renal Fibrosis Activity of Conformationally Locked Truncated 2-Hexynyl- <i>N</i> ⁶ -Substituted-(<i>N</i>)-Methanocarba-nucleosides as A ₃ Adenosine Receptor Antagonists and Partial Agonists. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 1344-1354.	2.9	22
457	Design, synthesis, pharmacological characterization of a fluorescent agonist of the P2Y ₁₄ receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 4733-4739.	1.0	22
458	Peripheral Adenosine A ₃ Receptor Activation Causes Regulated Hypothermia in Mice That Is Dependent on Central Histamine H ₁ Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 356, 475-483.	1.3	22
459	<i>N</i> ⁶ -Substituted 5 α - <i>N</i> -Methylcarbamoyl-4 α -selenoadenosines as Potent and Selective A ₃ Adenosine Receptor Agonists with Unusual Sugar Puckering and Nucleobase Orientation. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 3422-3437.	2.9	22
460	Design and in Vivo Characterization of A ₁ Adenosine Receptor Agonists in the Native Ribose and Conformationally Constrained (N)-Methanocarba Series. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 1502-1522.	2.9	22
461	P2Y ₁₄ Receptor Antagonists Reverse Chronic Neuropathic Pain in a Mouse Model. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 1281-1286.	1.3	22
462	The role of adenosine receptors in the central action of caffeine. <i>Pharmacopsychocologia</i> , 1994, 7, 201-213.	0.0	22
463	Targeting the A ₃ adenosine receptor to prevent and reverse chemotherapy-induced neurotoxicities in mice. <i>Acta Neuropathologica Communications</i> , 2022, 10, 11.	2.4	22
464	Liquid chromatographic assay for cerebrospinal fluid serotonin. <i>Life Sciences</i> , 1986, 38, 687-694.	2.0	21
465	Covalent binding of a selective agonist irreversibly activates guinea pig coronary artery A ₂ adenosine receptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 347, 521-526.	1.4	21
466	Molecular Modeling as a Tool to Investigate Molecular Recognition in P2Y Receptors. <i>Current Pharmaceutical Design</i> , 2002, 8, 2401-2413.	0.9	21
467	2-Chloro-N ⁶ -cyclopentyladenosine, adenosine A ₁ receptor agonist, antagonizes the adenosine A ₃ receptor. <i>European Journal of Pharmacology</i> , 2002, 443, 39-42.	1.7	21
468	Design, synthesis, and biological activity of N ⁶ -substituted-4 α -thioadenosines at the human A ₃ adenosine receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 4718-4730.	1.4	21

#	ARTICLE	IF	CITATIONS
469	Synthesis and pharmacological characterization of [¹²⁵ I]MRS5127, a high affinity, selective agonist radioligand for the A ₃ adenosine receptor. <i>Biochemical Pharmacology</i> , 2010, 79, 967-973.	2.0	21
470	Treatment of Heart Failure by a Methanocarba Derivative of Adenosine Monophosphate: Implication for a Role of Cardiac Purinergic P ₂ X Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 333, 920-928.	1.3	21
471	Preclinical Evaluation of the First Adenosine A ₃ Receptor Partial Agonist Radioligand for Positron Emission Tomography Imaging. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 9966-9975.	2.9	21
472	Acute visceral pain relief mediated by A ₃ AR agonists in rats: involvement of N-type voltage-gated calcium channels. <i>Pain</i> , 2020, 161, 2179-2190.	2.0	21
473	UDP-glucose and P ₂ Y ₁₄ receptor amplify allergen-induced airway eosinophilia. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	21
474	Additive Effects of Late Preconditioning Produced By Monophosphoryl Lipid A and the Early Preconditioning Mediated By Adenosine Receptors and K ⁺ ATP Channel. <i>Circulation</i> , 1999, 99, 3300-3307.	1.6	20
475	Characterization of Mini-Nucleotides as P ₂ X Receptor Agonists in Rat Cardiomyocyte Cultures. An Integrated Synthetic, Biochemical, and Theoretical Study. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 2685-2696.	2.9	20
476	Adenosine protects against angiotensin II-induced apoptosis in rat cardiocyte cultures. <i>Molecular and Cellular Biochemistry</i> , 2003, 252, 133-139.	1.4	20
477	Coronary artery reperfusion: The ADP receptor P ₂ Y ₁ mediates early reactive hyperemia in vivo in pigs. <i>Purinergic Signalling</i> , 2004, 1, 59-65.	1.1	20
478	Synthesis and P ₂ Y receptor activity of nucleoside 5'-phosphonate derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3002-3005.	1.0	20
479	Functionalized Congeners of P ₂ Y ₁ Receptor Antagonists: 2-Alkynyl (<i>N</i>)-Methanocarba 2'-Deoxyadenosine 3',5'-Bisphosphate Analogues and Conjugation to a Polyamidoamine (PAMAM) Dendrimer Carrier. <i>Bioconjugate Chemistry</i> , 2010, 21, 1190-1205.	1.8	20
480	Polyamidoamine (PAMAM) dendrimer conjugate specifically activates the A ₃ adenosine receptor to improve post-ischemic/reperfusion function in isolated mouse hearts. <i>BMC Pharmacology</i> , 2011, 11, 11.	0.4	20
481	Structural Probing of Off-Target G Protein-Coupled Receptor Activities within a Series of Adenosine/Adenine Congeners. <i>PLoS ONE</i> , 2014, 9, e97858.	1.1	20
482	Lighting up G protein-coupled purinergic receptors with engineered fluorescent ligands. <i>Neuropharmacology</i> , 2015, 98, 58-67.	2.0	20
483	Demystifying P ₂ Y ₁ Receptor Ligand Recognition through Docking and Molecular Dynamics Analyses. <i>Journal of Chemical Information and Modeling</i> , 2017, 57, 3104-3123.	2.5	20
484	Activation of adenosine A _{2A} or A _{2B} receptors causes hypothermia in mice. <i>Neuropharmacology</i> , 2018, 139, 268-278.	2.0	20
485	Salvianolic acids from antithrombotic Traditional Chinese Medicine Danshen are antagonists of human P ₂ Y ₁ and P ₂ Y ₁₂ receptors. <i>Scientific Reports</i> , 2018, 8, 8084.	1.6	20
486	Exploration of Alternative Scaffolds for P ₂ Y ₁₄ Receptor Antagonists Containing a Biaryl Core. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 9563-9589.	2.9	20

#	ARTICLE	IF	CITATIONS
487	Adenosine Receptors: Selective Agonists and Antagonists. , 1995, , 157-166.		20
488	In search of selective P2 receptor ligands: interaction of dihydropyridine derivatives at recombinant rat P2X2 receptors. Journal of the Autonomic Nervous System, 2000, 81, 152-157.	1.9	19
489	Exploring human adenosine A3 receptor complementarity and activity for adenosine analogues modified in the ribose and purine moiety. Bioorganic and Medicinal Chemistry, 2005, 13, 973-983.	1.4	19
490	Anti-ischemic effects of multivalent dendrimeric A3 adenosine receptor agonists in cultured cardiomyocytes and in the isolated rat heart. Pharmacological Research, 2012, 65, 338-346.	3.1	19
491	Rigidified A3 Adenosine Receptor Agonists: 1-Deazaadenine Modification Maintains High in Vivo Efficacy. ACS Medicinal Chemistry Letters, 2015, 6, 804-808.	1.3	19
492	Activation of phosphoinositide breakdown and elevation of intracellular calcium in a rat RBL-2H3 mast cell line by adenosine analogs: Involvement of A3-adenosine receptors?. , 1996, 39, 36-46.		18
493	Avian and human homologues of the P2Y1 receptor: Pharmacological, signaling, and molecular properties. Drug Development Research, 1996, 39, 253-261.	1.4	18
494	Synthesis and purine receptor affinity of 6-oxopurine nucleosides and nucleotides containing (N)-methanocarba-pseudoribose rings. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 2295-2300.	1.0	18
495	Stimulation of Xenopus P2Y1 receptor activates CFTR in A6 cells. Pflugers Archiv European Journal of Physiology, 2004, 449, 66-75.	1.3	18
496	Purine Derivatives as Ligands for A3 Adenosine Receptors. Current Topics in Medicinal Chemistry, 2005, 5, 1275-1295.	1.0	18
497	Three-Dimensional Quantitative Structure-Activity Relationship of Nucleosides Acting at the A3 Adenosine Receptor: Analysis of Binding and Relative Efficacy. Journal of Chemical Information and Modeling, 2007, 47, 1225-1233.	2.5	18
498	Enhanced A3 adenosine receptor selectivity of multivalent nucleoside-dendrimer conjugates. Journal of Nanobiotechnology, 2008, 6, 12.	4.2	18
499	Structure-activity relationships of 2-chloro-N6-substituted-4-thioadenosine-5-N,N-dialkyluronamides as human A3 adenosine receptor antagonists. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 1612-1616.	1.0	18
500	Structure-activity relationships of truncated adenosine derivatives as highly potent and selective human A3 adenosine receptor antagonists. Bioorganic and Medicinal Chemistry, 2009, 17, 3733-3738.	1.4	18
501	Truncated Nucleosides as A ₃ Adenosine Receptor Ligands: Combined 2-Arylethynyl and Bicyclohexane Substitutions. ACS Medicinal Chemistry Letters, 2012, 3, 596-601.	1.3	18
502	P2X4 receptor-eNOS signaling pathway in cardiac myocytes as a novel protective mechanism in heart failure. Computational and Structural Biotechnology Journal, 2015, 13, 1-7.	1.9	18
503	Structure-based design, synthesis by click chemistry and <i>in vivo</i> activity of highly selective A ₃ adenosine receptor agonists. MedChemComm, 2015, 6, 555-563.	3.5	18
504	Structure-Based Scaffold Repurposing for G Protein-Coupled Receptors: Transformation of Adenosine Derivatives into 5HT _{2B} /5HT _{2C} Serotonin Receptor Antagonists. Journal of Medicinal Chemistry, 2016, 59, 11006-11026.	2.9	18

#	ARTICLE	IF	CITATIONS
505	Scaffold Repurposing of Nucleosides (Adenosine Receptor Agonists): Enhanced Activity at the Human Dopamine and Norepinephrine Sodium Symporters. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 3109-3123.	2.9	18
506	Thermostabilization and purification of the human dopamine transporter (hDAT) in an inhibitor and allosteric ligand bound conformation. <i>PLoS ONE</i> , 2018, 13, e0200085.	1.1	18
507	Uncovering the Mechanisms of Adenosine Receptor-Mediated Pain Control: Focus on the A3 Receptor Subtype. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7952.	1.8	18
508	A_{2A} Adenosine Receptor Antagonists in Neurodegenerative Diseases. <i>Current Medicinal Chemistry</i> , 2022, 29, 4138-4151.	1.2	18
509	Autoradiographic localization of mouse brain adenosine receptors with an antagonist ([³ H]xanthine) Tj ETQq1 1 0.784314 rgBT /Overlo	1.0	17
510	Functionalized congener approach for the design of novel muscarinic agents. Synthesis and pharmacological evaluation of N-methyl-N-[4-(1-pyrrolidinyl)-2-butynyl] amides. <i>Journal of Medicinal Chemistry</i> , 1990, 33, 741-748.	2.9	17
511	Differential effects of flavonoids on testosterone-metabolizing cytochrome P450s. <i>Life Sciences</i> , 1997, 61, PL75-PL80.	2.0	17
512	Activation and desensitization of rat A3-adenosine receptors by selective adenosine derivatives and xanthine-7-ribosides. , 1998, 44, 97-105.		17
513	Extracellular Adenine Nucleotides Regulate Na ⁺ /H ⁺ Exchanger NHE3 Activity in A6-NHE3 Transfectants by a cAMP/PKA-dependent Mechanism. <i>Journal of Membrane Biology</i> , 2002, 188, 249-259.	1.0	17
514	The Anti-Cancer Effect of A3 Adenosine Receptor Agonists: A Novel, Targeted Therapy. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2007, 7, 298-303.	0.5	17
515	Synthesis and structure-activity relationship studies of tyrosine-based antagonists at the human P2X7 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 571-575.	1.0	17
516	Involvement of UTP in protection of cardiomyocytes from hypoxic stress This article is one of a selection of papers from the NATO Advanced Research Workshop on Translational Knowledge for Heart Health (published in part 2 of a 2-part Special Issue).. <i>Canadian Journal of Physiology and Pharmacology</i> , 2009, 87, 287-299.	0.7	17
517	GPCR ligand-dendrimer (GLiDe) conjugates: future smart drugs?. <i>Trends in Pharmacological Sciences</i> , 2010, 31, 575-579.	4.0	17
518	Structure-Activity Relationships and Molecular Modeling of 1,2,4-Triazoles as Adenosine Receptor Antagonists. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 715-720.	1.3	17
519	Characterization by flow cytometry of fluorescent, selective agonist probes of the A3 adenosine receptor. <i>Biochemical Pharmacology</i> , 2013, 85, 1171-1181.	2.0	17
520	4-Alkyloxyimino Derivatives of Uridine-5-triphosphate: Distal Modification of Potent Agonists as a Strategy for Molecular Probes of P2Y₂, P2Y₄, and P2Y₆ Receptors. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 3874-3883.	2.9	17
521	John Daly Lecture: Structure-guided Drug Design for Adenosine and P2Y Receptors. <i>Computational and Structural Biotechnology Journal</i> , 2015, 13, 286-298.	1.9	17
522	Species differences and mechanism of action of A3 adenosine receptor allosteric modulators. <i>Purinergic Signalling</i> , 2018, 14, 59-71.	1.1	17

#	ARTICLE	IF	CITATIONS
523	Nucleotide P2Y1 receptor agonists are in vitro and in vivo prodrugs of A1/A3 adenosine receptor agonists: implications for roles of P2Y1 and A1/A3 receptors in physiology and pathology. <i>Purinergic Signalling</i> , 2020, 16, 543-559.	1.1	17
524	In Silico Drug Design for Purinergic GPCRs: Overview on Molecular Dynamics Applied to Adenosine and P2Y Receptors. <i>Biomolecules</i> , 2020, 10, 812.	1.8	17
525	Direct Comparison of (N)-Methanocarba and Ribose-Containing 2-Arylalkynyladenosine Derivatives as A ₃ Receptor Agonists. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 1935-1941.	1.3	17
526	Truncated (N)-Methanocarba Nucleosides as Partial Agonists at Mouse and Human A ₃ Adenosine Receptors: Affinity Enhancement by N ⁶ -(2-Phenylethyl) Substitution. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 4334-4348.	2.9	17
527	Purinergic Signaling in Liver Pathophysiology. <i>Frontiers in Endocrinology</i> , 2021, 12, 718429.	1.5	17
528	Pathophysiological Role and Medicinal Chemistry of A2A Adenosine Receptor Antagonists in Alzheimer's Disease. <i>Molecules</i> , 2022, 27, 2680.	1.7	17
529	Binary drugs: conjugates of purines and a peptide that bind to both adenosine and substance P receptors. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 1529-1532.	2.9	16
530	Molecular probes for muscarinic receptors: derivatives of the M1-antagonist telenzepine. <i>Bioconjugate Chemistry</i> , 1992, 3, 234-240.	1.8	16
531	Molecular probes for muscarinic receptors: Functionalized congeners of selective muscarinic antagonists. <i>Life Sciences</i> , 1995, 56, 823-830.	2.0	16
532	Molecular Recognition at Adenine Nucleotide (P2) Receptors in Platelets. <i>Seminars in Thrombosis and Hemostasis</i> , 2005, 31, 205-216.	1.5	16
533	Design and synthesis of N6-substituted-4-thioadenosine-5-uronamides as potent and selective human A3 adenosine receptor agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 8003-8011.	1.4	16
534	Pyrimidine nucleotides containing a (S)-methanocarba ring as P2Y ₆ receptor agonists. <i>MedChemComm</i> , 2017, 8, 1897-1908.	3.5	16
535	Polypharmacology of conformationally locked methanocarba nucleosides. <i>Drug Discovery Today</i> , 2017, 22, 1782-1791.	3.2	16
536	Breakthrough in GPCR Crystallography and Its Impact on Computer-Aided Drug Design. <i>Methods in Molecular Biology</i> , 2018, 1705, 45-72.	0.4	16
537	Purinergic Signaling: Impact of GPCR Structures on Rational Drug Design. <i>ChemMedChem</i> , 2020, 15, 1958-1973.	1.6	16
538	Affinity chromatography of the bovine cerebral cortex A1 adenosine receptor. <i>FEBS Letters</i> , 1989, 257, 292-296.	1.3	15
539	Purine Functionalized Congeners as Molecular Probes for Adenosine Receptors. <i>Nucleosides & Nucleotides</i> , 1991, 10, 1029-1038.	0.5	15
540	Molecular characterization of A1 and A2a adenosine receptors. <i>Drug Development Research</i> , 1993, 28, 226-231.	1.4	15

#	ARTICLE	IF	CITATIONS
541	Functionalized Congeners of 1,4-Dihydropyridines as Antagonist Molecular Probes for A ₃ Adenosine Receptors. <i>Bioconjugate Chemistry</i> , 1999, 10, 667-677.	1.8	15
542	Selective A ₃ Adenosine Receptor Antagonists: Water-Soluble 3,5-Diacyl-1,2,4-trialkylpyridinium Salts and Their Oxidative Generation from Dihydropyridine Precursors. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 4232-4238.	2.9	15
543	Functionalized Congeners of Tyrosine-Based P ₂ X ₇ Receptor Antagonists: Probing Multiple Sites for Linking and Dimerization. <i>Bioconjugate Chemistry</i> , 2002, 13, 1100-1111.	1.8	15
544	Partial Agonists for A ₃ Adenosine Receptors. <i>Current Topics in Medicinal Chemistry</i> , 2004, 4, 855-862.	1.0	15
545	New 8-substituted xanthine derivatives as potent bronchodilators. <i>Il Farmaco</i> , 2005, 60, 974-980.	0.9	15
546	Truncated (N)-Methanocarba Nucleosides as A ₁ Adenosine Receptor Agonists and Partial Agonists: Overcoming Lack of a Recognition Element. <i>ACS Medicinal Chemistry Letters</i> , 2011, 2, 626-631.	1.3	15
547	Structure-Based Design of Reactive Nucleosides for Site-Specific Modification of the A _{2A} Adenosine Receptor. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 1043-1048.	1.3	15
548	Inherited dysfunctional platelet P ₂ Y ₁₂ receptor mutations associated with bleeding disorders. <i>Hamostaseologie</i> , 2016, 36, 279-283.	0.9	15
549	Exploring the Role of N ⁶ -Substituents in Potent Dual Acting 5-Ethyltetrazolyladenosine Derivatives: Synthesis, Binding, Functional Assays, and Antinociceptive Effects in Mice. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 4327-4341.	2.9	15
550	Bitopic fluorescent antagonists of the A _{2A} adenosine receptor based on pyrazolo[4,3-e][1,2,4]triazolo[1,5-c]pyrimidin-5-amine functionalized congeners. <i>MedChemComm</i> , 2017, 8, 1659-1667.	3.5	15
551	Identification of a New Heterocyclic Scaffold for Inhibitors of the Polo-Box Domain of Polo-like Kinase 1. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 14087-14117.	2.9	15
552	Discovery and Structure-Activity Relationships of Novel Template, Truncated Homologated Adenosine Derivatives as Pure Dual PPAR ³ / ¹ Modulators. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 16012-16027.	2.9	15
553	Adenosine-Related Mechanisms in Non-Adenosine Receptor Drugs. <i>Cells</i> , 2020, 9, 956.	1.8	15
554	Adipocyte P ₂ Y ₁₄ receptors play a key role in regulating whole-body glucose and lipid homeostasis. <i>JCI Insight</i> , 2021, 6, .	2.3	15
555	Adenosine analogs with covalently attached lipids have enhanced potency at A ₁ -adenosine receptors. <i>FEBS Letters</i> , 1987, 225, 97-102.	1.3	14
556	[³ H]XAC (xanthine amine congener) is a radioligand for A ₂ -adenosine receptors in rabbit striatum. <i>Neurochemistry International</i> , 1991, 18, 207-213.	1.9	14
557	Muscarinic receptor binding and activation of second messengers by substituted N-methyl-N-[4-(1-azacycloalkyl)-2-butyryl]acetamides. <i>Journal of Medicinal Chemistry</i> , 1991, 34, 1073-1079.	2.9	14
558	Effects of combinations of methylxanthines and adenosine analogs on locomotor activity in control and chronic caffeine-treated mice. <i>Drug Development Research</i> , 1993, 30, 104-110.	1.4	14

#	ARTICLE	IF	CITATIONS
559	Chronic NMDA receptor stimulation: therapeutic implications of its effect on adenosine A1 receptors. <i>European Journal of Pharmacology</i> , 1995, 283, 185-192.	1.7	14
560	Design and synthesis of 3 β -ureidoadenosine-5 β -uronamides: effects of the 3 β -ureido group on binding to the A3 adenosine receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4851-4854.	1.0	14
561	Nucleoside Modification and Concerted Mutagenesis of the Human A3 Adenosine Receptor to Probe Interactions Between the 2-Position of Adenosine Analogs and Gln167 in the Second Extracellular Loop. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005, 24, 1507-1517.	0.4	14
562	Synthesis of hypermodified adenosine derivatives as selective adenosine A3 receptor ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 1403-1412.	1.4	14
563	Probing the Binding Site of the A1 Adenosine Receptor Reengineered for Orthogonal Recognition by Tailored Nucleosides. <i>Biochemistry</i> , 2007, 46, 7437-7448.	1.2	14
564	Synthesis of Enantiomerically Pure (<i>S</i>)-Methanocarba Uracil Nucleoside Derivatives for Use as Antiviral Agents and P2Y Receptor Ligands. <i>Journal of Organic Chemistry</i> , 2008, 73, 8085-8088.	1.7	14
565	Probing Distal Regions of the A _{2B} Adenosine Receptor by Quantitative Structure-Activity Relationship Modeling of Known and Novel Agonists. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 2088-2099.	2.9	14
566	Synthesis and pharmacological characterization of [125I]MRS1898, a high-affinity, selective radioligand for the rat A3 adenosine receptor. <i>Purinergic Signalling</i> , 2009, 5, 31-37.	1.1	14
567	Nucleoside conjugates of quantum dots for characterization of G protein-coupled receptors: strategies for immobilizing A2A adenosine receptor agonists. <i>Journal of Nanobiotechnology</i> , 2010, 8, 11.	4.2	14
568	Discovery of A New Human A _{2A} Adenosine Receptor Agonist, Truncated 2-Hexynyl-4 β -thioadenosine. <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 516-520.	1.3	14
569	Synthesis and P2Y2 receptor agonist activities of uridine 5 β -phosphonate analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 2304-2315.	1.4	14
570	AMP-activated protein kinase as regulator of P2Y6 receptor-induced insulin secretion in mouse pancreatic β -cells. <i>Biochemical Pharmacology</i> , 2013, 85, 991-998.	2.0	14
571	Purine (N)-Methanocarba Nucleoside Derivatives Lacking an Exocyclic Amine as Selective A3 Adenosine Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 3249-3263.	2.9	14
572	A1 Adenosine Receptor Agonists, Antagonists, and Allosteric Modulators. , 2018, , 59-89.		14
573	Presence of Both A1 and A2a Adenosine Receptors in Human Cells and Their Interaction. <i>Biochemical and Biophysical Research Communications</i> , 1995, 208, 871-878.	1.0	13
574	Effects of Soil Sample Grinding Intensity on Carbon Determination by High-Temperature Combustion. <i>Communications in Soil Science and Plant Analysis</i> , 2007, 38, 1733-1739.	0.6	13
575	Application of the functionalized congener approach to dendrimer-based signaling agents acting through A2A adenosine receptors. <i>Purinergic Signalling</i> , 2009, 5, 39-50.	1.1	13
576	Design, synthesis, and binding of homologated truncated 4 β -thioadenosine derivatives at the human A3 adenosine receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 7015-7021.	1.4	13

#	ARTICLE	IF	CITATIONS
577	Multivalent dendrimeric and monomeric adenosine agonists attenuate cell death in HL-1 mouse cardiomyocytes expressing the A3 receptor. <i>Biochemical Pharmacology</i> , 2010, 80, 188-196.	2.0	13
578	Metabolic mapping of A3 adenosine receptor agonist MRS5980. <i>Biochemical Pharmacology</i> , 2015, 97, 215-223.	2.0	13
579	Rigid Adenine Nucleoside Derivatives as Novel Modulators of the Human Sodium Symporters for Dopamine and Norepinephrine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 357, 24-35.	1.3	13
580	Probing structure-activity relationship in β^2 -arrestin2 recruitment of diversely substituted adenosine derivatives. <i>Biochemical Pharmacology</i> , 2018, 158, 103-113.	2.0	13
581	Repurposing of a Nucleoside Scaffold from Adenosine Receptor Agonists to Opioid Receptor Antagonists. <i>ACS Omega</i> , 2018, 3, 12658-12678.	1.6	13
582	Design and in vivo activity of A3 adenosine receptor agonist prodrugs. <i>Purinergic Signalling</i> , 2020, 16, 367-377.	1.1	13
583	Lung Injury after <i>In Vivo</i> Reperfusion. <i>Anesthesiology</i> , 2008, 109, 269-278.	1.3	13
584	Electrochemical detection of biogenic amines following acylation by N-hydroxysuccinimide esters. <i>FEBS Letters</i> , 1985, 188, 307-311.	1.3	12
585	Autoradiographic localization of adenosine A1 receptors in rat brain using [3H]XCC, a functionalized congener of 1,3-dipropylxanthine. <i>Neuroscience Letters</i> , 1987, 81, 69-74.	1.0	12
586	Improvement of cold tolerance by selective A1 adenosine receptor antagonists in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 37, 107-112.	1.3	12
587	Allosteric Antagonism of the A2A Adenosine Receptor by a Series of Bitopic Ligands. <i>Cells</i> , 2020, 9, 1200.	1.8	12
588	Adenosine A2A Receptors Are Upregulated in Peripheral Blood Mononuclear Cells from Atrial Fibrillation Patients. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3467.	1.8	12
589	N6-Functionalized congeners of adenosine with high potency at A2-adenosine receptors: Potential ligands for affinity chromatography. <i>Biochemical and Biophysical Research Communications</i> , 1986, 136, 1097-1102.	1.0	11
590	Adenosine A1 and A3 receptors: Distinct cardioprotection. <i>Drug Development Research</i> , 2001, 52, 366-378.	1.4	11
591	Shift in purine/pyrimidine base recognition upon exchanging extracellular domains in P2Y1/6 chimeric receptors. <i>Biochemical Pharmacology</i> , 2004, 68, 2075-2086.	2.0	11
592	Signaling of the human P2Y1 receptor measured by a yeast growth assay with comparisons to assays of phospholipase C and calcium mobilization in 1321N1 human astrocytoma cells. <i>Purinergic Signalling</i> , 2005, 1, 241-247.	1.1	11
593	Barrier qualities of the mouse eye to topically applied drugs. <i>Experimental Eye Research</i> , 2007, 85, 105-112.	1.2	11
594	Caged agonist of P2Y1 and P2Y12 receptors for light-directed facilitation of platelet aggregation. <i>Biochemical Pharmacology</i> , 2008, 75, 1341-1347.	2.0	11

#	ARTICLE	IF	CITATIONS
595	A binding kinetics study of human adenosine A3 receptor agonists. <i>Biochemical Pharmacology</i> , 2018, 153, 248-259.	2.0	11
596	Conjugable A3 adenosine receptor antagonists for the development of functionalized ligands and their use in fluorescent probes. <i>European Journal of Medicinal Chemistry</i> , 2020, 186, 111886.	2.6	11
597	Biological Evaluation of 5- <i>N</i> -Ethylcarboxamido)adenosine Analogues as Grp94-Selective Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2021, 12, 373-379.	1.3	11
598	Structure-Activity Relationship of Heterocyclic P2Y14 Receptor Antagonists: Removal of the Zwitterionic Character with Piperidine Bioisosteres. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 5099-5122.	2.9	11
599	Subtle Chemical Changes Cross the Boundary between Agonist and Antagonist: New A ₃ Adenosine Receptor Homology Models and Structural Network Analysis Can Predict This Boundary. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 12525-12536.	2.9	11
600	Adenosine A3 Receptors in Muscle Protection. , 2010, , 257-280.		11
601	PURINE RECEPTORS: GPCR STRUCTURE AND AGONIST DESIGN. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2004, 4, 337-347.	3.4	11
602	Fragment-based design of selective GPCR ligands guided by free energy simulations. <i>Chemical Communications</i> , 2021, 57, 12305-12308.	2.2	11
603	Apparent heterogeneity of cardiac A1 adenosine receptors as revealed by radioligand binding experiments on N-ethylmaleimide-treated membranes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1991, 344, 639-44.	1.4	10
604	Regulation of A1 adenosine receptors by amiodarone and electrical stimulation in rat myocardial cells in vitro. <i>Biochemical Pharmacology</i> , 1997, 54, 583-587.	2.0	10
605	Pyran template approach to the design of novel A3 adenosine receptor antagonists. , 1999, 48, 171-177.		10
606	Versatile Synthesis of 6-Alkyl and Aryl Substituted Pyridoxal Derivatives. <i>Synthesis</i> , 2000, 2000, 119-122.	1.2	10
607	RIBOSE MODIFIED NUCLEOSIDES AND NUCLEOTIDES AS LIGANDS FOR PURINE RECEPTORS. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001, 20, 333-341.	0.4	10
608	Farnesyl pyrophosphate is an endogenous antagonist to ADP-stimulated P2Y12 receptor-mediated platelet aggregation. <i>Thrombosis and Haemostasis</i> , 2012, 108, 119-132.	1.8	10
609	4-Alkyloxyimino-cytosine nucleotides: tethering approaches to molecular probes for the P2Y6 receptor. <i>MedChemComm</i> , 2013, 4, 1156.	3.5	10
610	Modulation of G protein-coupled adenosine receptors by strategically functionalized agonists and antagonists immobilized on gold nanoparticles. <i>Purinergic Signalling</i> , 2013, 9, 183-198.	1.1	10
611	Highly selective A3 adenosine receptor agonists relieve chronic neuropathic pain. <i>Expert Opinion on Therapeutic Patents</i> , 2017, 27, 967-967.	2.4	10
612	Evidence for the Interaction of A ₃ Adenosine Receptor Agonists at the Drug-Binding Site(s) of Human P-glycoprotein (ABCB1). <i>Molecular Pharmacology</i> , 2019, 96, 180-192.	1.0	10

#	ARTICLE	IF	CITATIONS
613	A3 adenosine receptor activation mechanisms: molecular dynamics analysis of inactive, active, and fully active states. <i>Journal of Computer-Aided Molecular Design</i> , 2019, 33, 983-996.	1.3	10
614	Adenosine Kinase Expression Determines DNA Methylation in Cancer Cell Lines. <i>ACS Pharmacology and Translational Science</i> , 2021, 4, 680-686.	2.5	10
615	Adenosine Metabotropic Receptors in Chronic Pain Management. <i>Frontiers in Pharmacology</i> , 2021, 12, 651038.	1.6	10
616	Synthesis and evaluation of adenosine derivatives as A1, A2A, A2B and A3 adenosine receptor ligands containing boron clusters as phenyl isosteres and selective A3 agonists. <i>European Journal of Medicinal Chemistry</i> , 2021, 223, 113607.	2.6	10
617	Inhibition of ecto-apyrase and ecto-ATPase by pyridoxal phosphate-related compounds. <i>Drug Development Research</i> , 2000, 51, 153-158.	1.4	9
618	Northern ring conformation of methanocarpa-adenosine 5'-triphosphate required for activation of P2X receptors. <i>Drug Development Research</i> , 2004, 61, 227-232.	1.4	9
619	Adenosine Receptors: The Contributions by John W. Daly. <i>Heterocycles</i> , 2009, 79, 73.	0.4	9
620	Click Modification in the N6 Region of A3 Adenosine Receptor-Selective Carbocyclic Nucleosides for Dendrimeric Tethering that Preserves Pharmacophore Recognition. <i>Bioconjugate Chemistry</i> , 2012, 23, 232-247.	1.8	9
621	Pyrazolo[4,3- <i>e</i>][1,2,4]triazolo[1,5- <i>c</i>]pyrimidines to develop functionalized ligands to target adenosine receptors: fluorescent ligands as an example. <i>MedChemComm</i> , 2019, 10, 1094-1108.	3.5	9
622	Expanding the repertoire of methanocarpa nucleosides from purinergic signaling to diverse targets. <i>RSC Medicinal Chemistry</i> , 2021, 12, 1808-1825.	1.7	9
623	Novel cyanothiouracil and cyanothiocytosine derivatives as concentration-dependent selective inhibitors of U87MG glioblastomas: Adenosine receptor binding and potent PDE4 inhibition. <i>European Journal of Medicinal Chemistry</i> , 2021, 212, 113125.	2.6	9
624	Radioligand Binding Assays for Adenosine Receptors. , 1990, , 17-55.		9
625	Synthesis and Binding Affinity of Homologated Adenosine Analogues as A3Adenosine Receptor Ligands. <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 1620-1624.	1.0	9
626	New high-performance liquid chromatographic procedure for the detection and quantification of β -phenylethylamine. <i>Biomedical Applications</i> , 1987, 415, 124-128.	1.7	8
627	8-(3-Isothiocyanatostyryl)caffeine is a selective, irreversible inhibitor of striatal A2-Adenosine receptors. <i>Drug Development Research</i> , 1993, 29, 292-298.	1.4	8
628	Section Review Central & Peripheral Nervous Systems: P2-Purinoreceptors: Advances and therapeutic opportunities. <i>Expert Opinion on Investigational Drugs</i> , 1995, 4, 925-934.	1.9	8
629	New base-altered adenosine analogues: Synthesis and affinity at adenosine A1 and A2A receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 3085-3090.	1.0	8
630	The ADP receptor P2Y1 mediates t-PA release in pigs during cardiac ischemia. <i>Journal of Thrombosis and Thrombolysis</i> , 2007, 24, 115-122.	1.0	8

#	ARTICLE	IF	CITATIONS
631	Crystal structures of the A2A adenosine receptor and their use in medicinal chemistry. <i>In Silico Pharmacology</i> , 2013, 1, 22.	1.8	8
632	Methanocarba ring as a ribose modification in ligands of G protein-coupled purine and pyrimidine receptors: synthetic approaches. <i>MedChemComm</i> , 2013, 4, 619.	3.5	8
633	Rapid Synthesis of Alkoxyamine Hydrochloride Derivatives from Alkyl Bromide and <i>N,N</i> -di- <i>tert</i> -butoxycarbonylhydroxylamine [(Boc) ₂ NOH]. <i>Synthetic Communications</i> , 2014, 44, 2344-2347.	1.1	8
634	Activation of basal forebrain purinergic P2 receptors promotes wakefulness in mice. <i>Scientific Reports</i> , 2018, 8, 10730.	1.6	8
635	Structure activity relationship of 3-nitro-2-(trifluoromethyl)-2H-chromene derivatives as P2Y6 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 41, 128008.	1.0	8
636	P2 Receptor Modeling and Identification of Ligand Binding Sites. , 1998, , 135-166.		8
637	Molecular Biology and Pharmacology of Recombinant Adenosine Receptors. <i>Developments in Cardiovascular Medicine</i> , 1998, , 1-20.	0.1	8
638	Pharmacological characterization of DPTN and other selective A3 adenosine receptor antagonists. <i>Purinergic Signalling</i> , 2021, , 1.	1.1	8
639	Characterization of Dual-Acting A ₃ Adenosine Receptor Positive Allosteric Modulators That Preferentially Enhance Adenosine-Induced G _{i3} and G _{oA} Isoprotein Activation. <i>ACS Pharmacology and Translational Science</i> , 2022, 5, 625-641.	2.5	8
640	Acute treatment of mice with high doses of caffeine: An animal model for choreiform movement. <i>Drug Development Research</i> , 1993, 30, 121-128.	1.4	7
641	Action of Nucleosides and Nucleotides at 7 Transmembrane-Spanning Receptors. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2006, 25, 1425-1436.	0.4	7
642	Regio- and stereoselective synthesis of truncated 3-aminocarbanucleosides and their binding affinity at the A3 adenosine receptor. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 6955.	1.5	7
643	Extended N6 substitution of rigid C2-arylethynyl nucleosides for exploring the role of extracellular loops in ligand recognition at the A3 adenosine receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 3302-3306.	1.0	7
644	Medicinal Chemistry of the A3 Adenosine Receptor. , 2018, , 169-198.		7
645	Optical control of adenosine A3 receptor function in psoriasis. <i>Pharmacological Research</i> , 2021, 170, 105731.	3.1	7
646	Structure Activity Relationships of P2 Receptor Agonists and Antagonists. , 1998, , 81-107.		7
647	Behavioral Effects of Adenosine Receptor stimulation. , 1995, , 489-498.		7
648	Nucleoside-based A3 adenosine receptor antagonists as drug candidates. <i>Drugs of the Future</i> , 2009, 34, 43.	0.0	7

#	ARTICLE	IF	CITATIONS
649	[79] Probing adenosine receptors using biotinylated purine derivatives. <i>Methods in Enzymology</i> , 1990, 184, 668-671.	0.4	6
650	High affinity acylating antagonists for muscarinic receptors. <i>Life Sciences</i> , 1992, 51, 345-351.	2.0	6
651	Solubilized Rabbit Striatal A2a-Adenosine Receptors: Stability and Antagonist Binding. <i>Archives of Biochemistry and Biophysics</i> , 1993, 305, 611-617.	1.4	6
652	Probing adenosine and P2 receptors: Design of novel purines and nonpurines as selective ligands. <i>Drug Development Research</i> , 2001, 52, 178-186.	1.4	6
653	Engineering of A3 adenosine and P2Y nucleotide receptors and their ligands. <i>Drug Development Research</i> , 2003, 58, 330-339.	1.4	6
654	Structure activity relationship of 2-arylalkynyl-adenine derivatives as human A ₃ adenosine receptor antagonists. <i>MedChemComm</i> , 2018, 9, 1920-1932.	3.5	6
655	Editorial: Purinergic Pharmacology. <i>Frontiers in Pharmacology</i> , 2019, 10, 21.	1.6	6
656	Spinal A ₃ adenosine receptor activation acutely restores morphine antinociception in opioid tolerant male rats. <i>Journal of Neuroscience Research</i> , 2022, 100, 251-264.	1.3	6
657	Structure-activity relationships of pyrimidine nucleotides containing a 5- α - β -methylene diphosphonate at the P2Y6 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 45, 128137.	1.0	6
658	P2Y receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	6
659	TRIFUNCTIONAL LIGANDS: A RADIOIODINATED HIGH AFFINITY ACYLATING ANTAGONIST FOR THE A ADENOSINE RECEPTOR. <i>Pharmacology Communications</i> , 1992, 1, 145-154.	0.2	6
660	Bridged Piperidine Analogues of a High Affinity Naphthalene-Based P2Y ₁₄ R Antagonist. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 3434-3459.	2.9	6
661	Selective A ₃ Adenosine Receptor Antagonist Radioligand for Human and Rodent Species. <i>ACS Medicinal Chemistry Letters</i> , 2022, 13, 623-631.	1.3	6
662	Californium-252 plasma desorption mass spectrometry as an aid in the synthesis of a series of adenosine and xanthine conjugates. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1986, , 2143.	0.9	5
663	Radiolabeling and efficient synthesis of tritiated 2-chloro-N6-(3-iodobenzyl)adenosine-5- α -N-methyluron-amide, a potent, selective A3 adenosine receptor agonist. , 1996, 38, 547-560.		5
664	Synthesis AND Adenosine Receptor Affinity of 7- β -D-Ribofuranosylxanthine. <i>Nucleosides & Nucleotides</i> , 1998, 17, 759-768.	0.5	5
665	Structurally related nucleotides as selective agonists and antagonists at P2Y1 receptors. <i>Il Farmaco</i> , 2001, 56, 71-75.	0.9	5
666	Design and Synthesis of A3Adenosine Receptor Ligands, 2- α -Fluoro Analogues of Cl-IB-MECA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 927-930.	0.4	5

#	ARTICLE	IF	CITATIONS
667	Chapter 13. A3 adenosine receptors. Annual Reports in Medicinal Chemistry, 2003, 38, 121-130.	0.5	5
668	Synthesis and evaluation of N6-substituted apioadenosines as potential adenosine A3 receptor modulators. Bioorganic and Medicinal Chemistry, 2014, 22, 4257-4268.	1.4	5
669	Peptide-Liganded G Protein-Coupled Receptors as Neurotherapeutics. ACS Pharmacology and Translational Science, 2020, 3, 190-202.	2.5	5
670	Adenosine receptors in GtoPdb v.2021.2. IUPHAR/BPS Guide To Pharmacology CITE, 2021, 2021, .	0.2	5
671	Prevention and rescue of cardiac dysfunction by methanocarpa adenosine monophosphate derivatives. Purinergic Signalling, 2020, 16, 61-72.	1.1	5
672	Nucleoside Prodrugs of A3 Adenosine Receptor Agonists and Antagonists. Collection of Czechoslovak Chemical Communications, 2006, 71, 912-928.	1.0	5
673	Activation of neuronal adenosine A1 receptors causes hypothermia through central and peripheral mechanisms. PLoS ONE, 2020, 15, e0243986.	1.1	5
674	Structure-Activity Relationship of 3-Methylcytidine-5'- β , γ -methylendiphosphates as CD73 Inhibitors. Journal of Medicinal Chemistry, 2022, 65, 2409-2433.	2.9	5
675	Adipocyte purinergic receptors activated by uracil nucleotides as obesity and type 2 diabetes targets. Current Opinion in Pharmacology, 2022, 63, 102190.	1.7	5
676	Characterization of catecholamine-polypeptide conjugates. European Polymer Journal, 1983, 19, 997-1004.	2.6	4
677	Visual methods for the nanomolar detection of electrophilic reagents. Journal of Proteomics, 1983, 8, 213-222.	2.4	4
678	Effects of Theophylline and Dibutyl-cAMP on Adenosine Receptors and Heart Rate in Cultured Cardiocytes. Journal of Basic and Clinical Physiology and Pharmacology, 1996, 7, 347-62.	0.7	4
679	Uptake of Glucose Analogs Reflects the Rate of Contraction of Cultured Myocytes. Journal of Basic and Clinical Physiology and Pharmacology, 1999, 10, 287-303.	0.7	4
680	Purification and recognition of recombinant mouse P2X1 receptors expressed in a baculovirus system. Drug Development Research, 2000, 51, 7-19.	1.4	4
681	Two distinct P2Y receptors are involved in purine- and pyrimidine-evoked Ca ²⁺ elevation in mammalian brain astrocytic cultures. Drug Development Research, 2001, 52, 122-132.	1.4	4
682	Probing GPCR Structure. Methods in Enzymology, 2013, 520, 199-217.	0.4	4
683	A2A Adenosine Receptor: Structures, Modeling, and Medicinal Chemistry. , 2018, , 91-136.		4
684	Survey of ribose ring pucker of signaling nucleosides and nucleotides. Nucleosides, Nucleotides and Nucleic Acids, 2020, 39, 322-341.	0.4	4

#	ARTICLE	IF	CITATIONS
685	Structure activity relationship of novel antiviral nucleosides against Enterovirus A71. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127599.	1.0	4
686	Novel ATP Agonists Reveal Receptor Heterogeneity Within P2X and P2Y Subtypes. , 1995, , 149-156.		4
687	Structure Activity Relationship of 4-Amino-2-thiopyrimidine Derivatives as Platelet Aggregation Inhibitors. <i>Medicinal Chemistry</i> , 2019, 15, 863-872.	0.7	4
688	A3 adenosine receptor agonists containing dopamine moieties for enhanced interspecies affinity. <i>European Journal of Medicinal Chemistry</i> , 2022, 228, 113983.	2.6	4
689	Dihydropyridines Potentiate ATP-Induced Currents Mediated by the Full-Length Human P2X5 Receptor. <i>Molecules</i> , 2022, 27, 1846.	1.7	4
690	Fluorescent A2A and A3 adenosine receptor antagonists as flow cytometry probes. <i>Purinergic Signalling</i> , 0, , .	1.1	4
691	Photochemically induced nuclear polarization probes for thiol groups in peptides and proteins. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 1384.	2.0	3
692	APEC, An A ₂ -Selective Adenosine Agonist, is a More Potent Locomotor Depressant Than N ⁶ -Cyclohexyladenosine. <i>Nucleosides & Nucleotides</i> , 1991, 10, 1211-1212.	0.5	3
693	Muscarinic receptor probes based on amine congeners of pirenzepine and telenzepine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1992, 2, 845-850.	1.0	3
694	Induction of Apoptosis in HL-60 Human Promyelocytic Leukemia Cells by Adenosine A3 Receptor Agonists. <i>Biochemical and Biophysical Research Communications</i> , 1996, 221, 849.	1.0	3
695	Riboflavin: Inhibitory effects on receptors, G-proteins, and adenylate cyclase. , 1997, 42, 98-108.		3
696	Design and Synthesis of A3 Adenosine Receptor Ligands, 3-Fluoro Analogues of Cl-IB-MECA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 923-925.	0.4	3
697	Synthesis of N6-Substituted 3-Ureidoadenosine Derivatives as Highly Potent Agonists at the Mutant A3 Adenosine Receptor. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007, 26, 717-719.	0.4	3
698	Design and Synthesis of 2,6-Disubstituted-4-Selenoadenosine-5-N,N-Dimethyluronamide Derivatives as Human A3 Adenosine Receptor Antagonists. <i>Pharmaceuticals</i> , 2021, 14, 363.	1.7	3
699	P2Y receptors in GtoPdb v.2021.3. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2021, 2021, .	0.2	3
700	Adenosine A1 receptor is dispensable for hepatocyte glucose metabolism and insulin sensitivity. <i>Biochemical Pharmacology</i> , 2021, 192, 114739.	2.0	3
701	Structure and Function of G Protein-Coupled Receptors Studied Using Sequence Analysis, Molecular Modeling and Receptor Engineeri. , 2012, , 63-79.		3
702	Adenosine receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	3

#	ARTICLE	IF	CITATIONS
703	Purinergic GPCR transmembrane residues involved in ligand recognition and dimerization. <i>Methods in Cell Biology</i> , 2021, 166, 133-159.	0.5	3
704	Interaction of A3 adenosine receptor ligands with the human multidrug transporter ABCG2. <i>European Journal of Medicinal Chemistry</i> , 2022, 231, 114103.	2.6	3
705	Kinetic profiling and functional characterization of 8-phenylxanthine derivatives as A2B adenosine receptor antagonists. <i>Biochemical Pharmacology</i> , 2022, 200, 115027.	2.0	3
706	Machine Learning for Discovery of New ADORA Modulators. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	3
707	Synthesis of tritiated functionalized congeners of 1,3-dipropylxanthine having high affinity at adenosine receptors. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1986, 23, 519-526.	0.5	2
708	Adenosine receptor subtypes and cardioprotection. <i>Drug Development Research</i> , 1998, 45, 394-401.	1.4	2
709	SYNTHESIS OF 3-UREIDOADENOSINE ANALOGUES AND THEIR BINDING AFFINITY TO THE A3 ADENOSINE RECEPTOR. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005, 24, 1119-1121.	0.4	2
710	D-4-THIOADENOSINE DERIVATIVES AS HIGHLY POTENT AND SELECTIVE AGONISTS AT THE HUMAN A3 ADENOSINE RECEPTOR. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005, 24, 607-609.	0.4	2
711	Stereoselective Synthesis of 1-Functionalized-4-Thionucleosides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007, 26, 1011-1014.	0.4	2
712	Synthesis of 3-Acetamidoadenosine Derivatives as Potential A3 Adenosine Receptor Agonists. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2008, 27, 408-420.	0.4	2
713	Design and Synthesis of Truncated 4'-Thioadenosine Derivatives as Potent and Selective A3 Adenosine Receptor Antagonists. <i>Nucleic Acids Symposium Series</i> , 2008, 52, 641-642.	0.3	2
714	Preface: special issue on medicinal chemistry of purines. <i>Purinergic Signalling</i> , 2009, 5, 1-1.	1.1	2
715	Preface. <i>Advances in Pharmacology</i> , 2011, 61, xv-xvi.	1.2	2
716	Tribute to Prof. Geoffrey Burnstock: transition of purinergic signaling to drug discovery. <i>Purinergic Signalling</i> , 2021, 17, 3-8.	1.1	2
717	Discovery of Highly Potent Adenosine A1 Receptor Agonists: Targeting Positron Emission Tomography Probes. <i>ACS Chemical Neuroscience</i> , 2021, 12, 3410-3417.	1.7	2
718	Activity of novel adenine nucleotide derivatives as agonists and antagonists at recombinant rat P2X receptors. , 2000, 49, 253.		2
719	A3 Adenosine Receptor Agonists: History and Future Perspectives. , 2010, , 93-120.		2
720	John W. Daly â€“ An Appreciation. <i>Heterocycles</i> , 2009, 79, 61.	0.4	2

#	ARTICLE	IF	CITATIONS
721	New Synthetic Approach to the Bicyclo[3.1.0]hexane Ring System from (+)-(1R,4R)-4-(Benzyloxymethyl)-4-(hydroxymethyl)cyclopent-2-enol. Bulletin of the Korean Chemical Society, 2005, 26, 1503-1504.	1.0	2
722	P2Y14 Receptor. , 2018, , 3713-3718.		2
723	Development of Bicyclo[3.1.0]hexane-Based A3 Receptor Ligands: Closing the Gaps in the Structure-Affinity Relationships. Molecules, 2022, 27, 2283.	1.7	2
724	Optical Control of Adenosine A3 Receptor Signaling: Towards a Multimodal Phototherapy in Psoriasis?. Frontiers in Immunology, 2022, 13, 904762.	2.2	2
725	Liquid chromatographic assay for cerebrospinal fluid normetanephrine. Life Sciences, 1987, 40, 1513-1521.	2.0	1
726	Chapter 22 An adenosine A3 receptor-selective agonist does not modulate calcium-activated potassium currents in hippocampal CA1 pyramidal neurons. Progress in Brain Research, 1999, 120, 275-285.	0.9	1
727	Molecular recognition in P2 nucleotide receptors. Nucleic Acids Symposium Series, 2003, 3, 3-4.	0.3	1
728	Design, Synthesis, and Anti-Tumor Activity of 4 ^β -Thionucleosides as Potent and Selective Agonists at the Human A ₃ Adenosine Receptor. Nucleosides, Nucleotides and Nucleic Acids, 2007, 26, 1565-1568.	0.4	1
729	Synthesis of 2-Chloro-N6-Substituted-4'-thioadenosine-5'-N, N-dialkyluronamides as Potent and Selective A3 Adenosine Receptor Antagonists. Nucleic Acids Symposium Series, 2008, 52, 645-646.	0.3	1
730	Reply to: "The discovery of a new class of synaptic transmitters in smooth muscle fifty years ago and amelioration of coronary artery thrombosis"™. Acta Physiologica, 2013, 208, 139-140.	1.8	1
731	(193) Contribution of IL-10 and T cells in beneficial effects exerted by A3 adenosine receptor agonists in blocking and reversing neuropathic pain. Journal of Pain, 2017, 18, S24.	0.7	1
732	Convergent synthesis of 2-thioether-substituted (N)-methanocarpa-adenosines as purine receptor agonists. RSC Advances, 2021, 11, 27369-27380.	1.7	1
733	Editorial: Geoffrey Burnstock - An Accidental Pharmacologist. Biochemical Pharmacology, 2021, 187, 114421.	2.0	1
734	Activation of phosphoinositide breakdown and elevation of intracellular calcium in a rat RBL-2H3 mast cell line by adenosine analogs: Involvement of A3-adenosine receptors?. , 1996, 39, 36.		1
735	280-LB: Role of A1 and A3 Adenosine Receptors in Whole Body Glucose Metabolism. Diabetes, 2019, 68, .	0.3	1
736	1705-P: Adipocyte Specific Ablation of P2Y14R Improves Glucose Metabolism in Mice with Diet-Induced Obesity. Diabetes, 2020, 69, .	0.3	1
737	A Functionalized Congener Approach to Muscarinic Ligands. Advances in Behavioral Biology, 1989, , 1-9.	0.2	1
738	PHOTOLABILE A-ADENOSINE RECEPTOR AGONISTS AS "CAGED" ELECTROPHYSIOLOGICAL PROBES. Medicinal Chemistry Research, 1991, 1, 322-329.	1.1	1

#	ARTICLE	IF	CITATIONS
739	History of Chemistry in the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK). Bulletin for the History of Chemistry, 2014, 39, 150-165.	0.0	1
740	Photogenerated reagents in biochemistry and molecular biology. Analytical Biochemistry, 1984, 140, 596.	1.1	0
741	Seizures induced by methylxanthines, potential cognitive enhancers in dementia syndromes. Journal of Neural Transmission Parkinson's Disease and Dementia Section, 1989, 1, 45-45.	1.2	0
742	Improving cold resistance by selective A1 adenosine receptor antagonist in rats. European Journal of Pharmacology, 1990, 183, 681.	1.7	0
743	Synthesis and biological activity of N6-(p-sulfophenyl)alkyl and N6-sulfoalkyl derivatives of adenosine: water-soluble and peripherally selective adenosine agonists. [Erratum to document cited in CA117(23):234413y]. Journal of Medicinal Chemistry, 1993, 36, 3218-3218.	2.9	0
744	PURINES 2000 meeting: Biochemical, pharmacological and clinical perspectives. Drug Development Research, 2001, 52, iv-iv.	1.4	0
745	Chapter 8. Purine and pyrimidine nucleotide (P2) receptors. Annual Reports in Medicinal Chemistry, 2002, 37, 75-84.	0.5	0
746	Partial Agonists for A3 Adenosine Receptors. ChemInform, 2004, 35, no.	0.1	0
747	Modified Nucleosides as Selective Modulators of Adenosine Receptors for Therapeutic Use. , 0, , 433-449.		0
748	The Therapeutic Effect of 2-Cyclohexylthio-AMP in Heart Failure. Journal of Cardiovascular Pharmacology, 2013, 61, 553-559.	0.8	0
749	Correction: Ford et al., Engagement of the GABA to KCC2 Signaling Pathway Contributes to the Analgesic Effects of A3AR Agonists in Neuropathic Pain. Journal of Neuroscience, 2015, 35, 8971-8971.	1.7	0
750	A Key Opinion Leader interview: insight into the research and career of Dr KA Jacobson. Expert Opinion on Therapeutic Patents, 2015, 25, 125-129.	2.4	0
751	(192) Targeting A3 adenosine receptor in HIV-1 gp120-induced neuropathic pain. Journal of Pain, 2017, 18, S24.	0.7	0
752	Adenosine \hat{t} . , 2017, , .		0
753	Geoffrey Burnstock \hat{e} " An accidental pharmacologist. Biochemical Pharmacology, 2021, 187, 114300.	2.0	0
754	Allosteric Coupling of Drug Binding and Intracellular Signaling in the A2A Adenosine Receptor. , 2021, , 184-196.		0
755	UDP is an antagonist at the hP2Y14 receptor. FASEB Journal, 2007, 21, A424.	0.2	0
756	Identification of distinct, ligand-specific structural changes in a G protein-coupled receptor. FASEB Journal, 2007, 21, A425.	0.2	0

#	ARTICLE	IF	CITATIONS
757	The glucose moiety of uridine 5â€™-diphosphoglucose is structurally permissive in activation of the human P2Y14 receptor. <i>FASEB Journal</i> , 2008, 22, 720.10.	0.2	0
758	Molecular Modeling and Reengineering of A3 Adenosine Receptors. , 2010, , 149-161.		0
759	Regulation of Adenosine Receptors in Cultured Heart Cells. <i>Advances in Experimental Medicine and Biology</i> , 1995, 382, 205-215.	0.8	0
760	P2Y14 Receptor. , 2016, , 1-5.		0
761	Allosteric Coupling of Drug Binding and Intracellular Signaling in the A _{2A} Adenosine Receptor. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
762	Polymorphic Role of P2Y6 Receptor in Insulin Sensitive Organsâ€™ Adipose Tissue and Skeletal Muscle. <i>Diabetes</i> , 2018, 67, 1769-P.	0.3	0
763	Abstract WP143: Acute Treatment With Purinergic Receptor P2X4 Inhibitors Show Neuroprotective and Neuro-Rehabilitation Potential in Ischemic Stroke. <i>Stroke</i> , 2019, 50, .	1.0	0
764	Identification and Characterization of â€˜Biasedâ€™ A ₃ Adenosine Receptor Allosteric Modulators. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
765	Adenosine Receptors. , 2021, , 30-40.		0
766	Synthesis and Effect of Conformationally Locked Carbocyclic Guanine Nucleotides on Dynamin. <i>Biomolecules</i> , 2022, 12, 584.	1.8	0
767	Title is missing!. , 2020, 15, e0243986.		0
768	Title is missing!. , 2020, 15, e0243986.		0
769	Title is missing!. , 2020, 15, e0243986.		0
770	Title is missing!. , 2020, 15, e0243986.		0
771	Title is missing!. , 2020, 15, e0243986.		0
772	Title is missing!. , 2020, 15, e0243986.		0
773	P2Y ₁₄ receptor inhibition reverses mechanical sensitivity in a mouse model of chronic neuropathic pain. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
774	Stereospecific antiseizure activity in mouse and rat epilepsy models by a pyridinium inhibitor of TNF α /NF κ B signaling. <i>European Journal of Medicinal Chemistry Reports</i> , 2022, 6, 100065.	0.6	0