Massimo D'Archivio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1487332/publications.pdf Version: 2024-02-01



MASSIMO D'ARCHIVIO

#	Article	IF	CITATIONS
1	Critical Role of Maternal Selenium Nutrition in Neurodevelopment: Effects on Offspring Behavior and Neuroinflammatory Profile. Nutrients, 2022, 14, 1850.	1.7	12
2	Dietary habits affect fatty acid composition of visceral adipose tissue in subjects with colorectal cancer or obesity. European Journal of Nutrition, 2020, 59, 1463-1472.	1.8	7
3	Interaction between Gut Microbiota and Curcumin: A New Key of Understanding for the Health Effects of Curcumin. Nutrients, 2020, 12, 2499.	1.7	107
4	Extra virgin olive oil polyphenols: biological properties and antioxidant activity. , 2020, , 225-233.		7
5	Transcriptome Profiles of Human Visceral Adipocytes in Obesity and Colorectal Cancer Unravel the Effects of Body Mass Index and Polyunsaturated Fatty Acids on Genes and Biological Processes Related to Tumorigenesis. Frontiers in Immunology, 2019, 10, 265.	2.2	31
6	Joint Data Analysis in Nutritional Epidemiology: Identification of Observational Studies and Minimal Requirements. Journal of Nutrition, 2018, 148, 285-297.	1.3	13
7	Role of Protocatechuic Acid in Obesity-Related Pathologies: An Update. , 2018, , 181-192.		1
8	Effect of protocatechuic acid on insulin responsiveness and inflammation in visceral adipose tissue from obese individuals: possible role for PTP1B. International Journal of Obesity, 2018, 42, 2012-2021.	1.6	54
9	Recent Evidence on the Role of Dietary PUFAs in Cancer Development and Prevention. Current Medicinal Chemistry, 2018, 25, 1818-1836.	1.2	15
10	Anti-inflammatory Activity of Extra Virgin Olive Oil Polyphenols: Which Role in the Prevention and Treatment of Immune-Mediated Inflammatory Diseases?. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2017, 18, 36-50.	0.6	96
11	Distinct Blood and Visceral Adipose Tissue Regulatory T Cell and Innate Lymphocyte Profiles Characterize Obesity and Colorectal Cancer. Frontiers in Immunology, 2017, 8, 643.	2.2	60
12	Visceral fat adipocytes from obese and colorectal cancer subjects exhibit distinct secretory and ω6 polyunsaturated fatty acid profiles and deliver immunosuppressive signals to innate immunity cells. Oncotarget, 2016, 7, 63093-63105.	0.8	57
13	Protocatechuic acid activates key components of insulin signaling pathway mimicking insulin activity. Molecular Nutrition and Food Research, 2015, 59, 1472-1481.	1.5	62
14	Protocatechuic Acid Prevents oxLDL-Induced Apoptosis by Activating JNK/Nrf2 Survival Signals in Macrophages. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-11.	1.9	28
15	Research update for articles published in EJCI in 2012. European Journal of Clinical Investigation, 2014, 44, 1010-1023.	1.7	1
16	Role of Protocatechuic Acid in Obesity-Related Pathologies. , 2014, , 177-189.		3
17	ï‰3-PUFAs Exert Anti-Inflammatory Activity in Visceral Adipocytes from Colorectal Cancer Patients. PLoS ONE, 2013, 8, e77432.	1.1	32
18	Predominant role of obesity/insulin resistance in oxidative stress development. European Journal of Clinical Investigation, 2012, 42, 70-78.	1.7	57

MASSIMO D'ARCHIVIO

#	Article	IF	CITATIONS
19	CCAAT/enhancer-binding protein-β participates in oxidized LDL-enhanced proliferation in 3T3-L1 cells. Biochimie, 2011, 93, 1510-1519.	1.3	6
20	Polyphenols and Human Health: A Prospectus. Critical Reviews in Food Science and Nutrition, 2011, 51, 524-546.	5.4	286
21	Cyanidin-3- <i>O</i> -β-Glucoside and Protocatechuic Acid Exert Insulin-Like Effects by Upregulating PPARγ Activity in Human Omental Adipocytes. Diabetes, 2011, 60, 2234-2244.	0.3	223
22	Oxidized LDL impair adipocyte response to insulin by activating serine/threonine kinases. Journal of Lipid Research, 2009, 50, 832-845.	2.0	36
23	Apoptosis induced by oxidized lipids is associated with up-regulation of p66Shc in intestinal Caco-2 cells: protective effects of phenolic compounds. Journal of Nutritional Biochemistry, 2008, 19, 118-128.	1.9	38
24	Oxidised LDL upâ€regulate CD36 expression by the Nrf2 pathway in 3T3â€L1 preadipocytes. FEBS Letters, 2008, 582, 2291-2298.	1.3	43
25	Oxidised LDL modulate adipogenesis in 3T3-L1 preadipocytes by affecting the balance between cell proliferation and differentiation. FEBS Letters, 2006, 580, 2421-2429.	1.3	56
26	Extra Virgin Olive Oil Biophenols Inhibit Cell-Mediated Oxidation of LDL by Increasing the mRNA Transcription of Glutathione-Related Enzymes. Journal of Nutrition, 2004, 134, 785-791.	1.3	154
27	Sourdough Bread Made from Wheat and Nontoxic Flours and Started with Selected Lactobacilli Is Tolerated in Celiac Sprue Patients. Applied and Environmental Microbiology, 2004, 70, 1088-1096.	1.4	236
28	Clinical Evolution of Celiac Disease in Italy 1982-2002. Journal of Clinical Gastroenterology, 2004, 38, 877-879.	1.1	5
29	Wheat gliadin induces apoptosis of intestinal cells via an autocrine mechanism involving Fas-Fas ligand pathway. FEBS Letters, 2003, 540, 117-124.	1.3	61
30	Neuropsychological assessment in congenital hypothyroid children: importance of timing of replacement therapy. Screening: Journal of the International Society of Neonatal Screening, 1996, 4, 221-232.	0.3	0
31	Acrylamide-induced chromosomal damage in male mouse germ cells detected by cytogenetic analysis of one-cell zygotes. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1994, 309, 273-284.	0.4	35