

Sophie Visvikis-Siest

List of PR Articles by Year in descending order

Source: [//exaly.com/author-pdf/1487561/publications.pdf](https://exaly.com/author-pdf/1487561/publications.pdf)

Version: 2025-02-01

143

PR articles

17,941

PR citations

96772

33

PR h-index

9261

128

g-index

159

documents

20862

doc citations

93013

36

h-index

36682

citing authors

#	ARTICLE	IF	PR CITATIONS
1	Associations of VEGF-A-Related Variants with Adolescent Cardiometabolic and Dietary Parameters. <i>Nutrients</i> , 2023, 15, 1884.	4.7	6
2	Plasma Amino Acids in NAFLD Patients with Obesity Are Associated with Steatosis and Fibrosis: Results from the MAST4HEALTH Study. <i>Metabolites</i> , 2023, 13, 959.	3.5	6
3	The association of vascular endothelial growth factor related SNPs and circulating iron levels might depend on body mass index. <i>Frontiers in Bioscience</i> , 2022, 27, 1.	2.7	1
4	Association of Dietary Patterns with MRI Markers of Hepatic Inflammation and Fibrosis in the MAST4HEALTH Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 971.	3.1	3
5	VEGF-A-related genetic variants protect against Alzheimer's disease. <i>Aging</i> , 2022, 14, 2524-2536.	2.5	21
6	Lipolysis-Stimulated Lipoprotein Receptor Acts as Sensor to Regulate ApoE Release in Astrocytes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8630.	4.5	9
7	Functional Impairment of Endothelial Colony Forming Cells (ECFC) in Patients with Severe Atherosclerotic Cardiovascular Disease (ASCVD). <i>International Journal of Molecular Sciences</i> , 2022, 23, 8969.	4.5	17
8	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021, 12, .	13.9	132
9	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	3.0	52
10	Effect of Mastiha supplementation on NAFLD: The MAST4HEALTH Randomised, Controlled Trial. <i>Molecular Nutrition and Food Research</i> , 2021, 65, .	4.1	31
11	Nutrigenetic Interactions Might Modulate the Antioxidant and Anti-Inflammatory Status in Mastiha-Supplemented Patients With NAFLD. <i>Frontiers in Immunology</i> , 2021, 12, .	5.1	23
12	Epigenome-wide association study detects a novel loci associated with central obesity in healthy subjects. <i>BMC Medical Genomics</i> , 2021, 14, .	1.8	6
13	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet</i> , 2021, 398, 957-980.	52.8	2,827
14	Dietary Patterns, Blood Pressure and the Glycemic and Lipidemic Profile of Two Teenage, European Populations. <i>Nutrients</i> , 2021, 13, 198.	4.7	10
15	A genetic determinant of VEGF-A levels is associated with telomere attrition. <i>Aging</i> , 2021, 13, 23517-23526.	2.5	2
16	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	5.1	53
17	Telomere length determinants in childhood. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 162-177.	2.4	56
18	Milestones in Personalized Medicine: From the Ancient Time to Nowadays—the Provocation of COVID-19. <i>Frontiers in Genetics</i> , 2020, 11, .	2.4	42

#	ARTICLE	IF	PR CITATIONS
19	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	52.8	343
20	Repositioning of the global epicentre of non-optimal cholesterol. <i>Nature</i> , 2020, 582, 73-77.	38.7	237
21	Epigenome-wide association study in healthy individuals identifies significant associations with DNA methylation and PBMC extract VEGF-A concentration. <i>Clinical Epigenetics</i> , 2020, 12, .	4.0	9
22	Increased risk of hypercholesterolemia in a French and Lebanese population due to an interaction between rs2569190 in CD14 and gender. <i>Clinica Chimica Acta</i> , 2020, 509, 172-176.	1.6	1
23	TERC Variants Associated with Short Leukocyte Telomeres: Implication of Higher Early Life Leukocyte Telomere Attrition as Assessed by the Blood-and-Muscle Model. <i>Cells</i> , 2020, 9, 1360.	4.8	4
24	Obesity status modifies the association between rs7556897T>C in the intergenic region <i>SLC19A3</i>-<i>CCL20</i> and blood pressure in French children. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1819-1827.	2.4	3
25	Peripheral blood mononuclear cells extracts VEGF protein levels and VEGF mRNA: Associations with inflammatory molecules in a healthy population. <i>PLoS ONE</i> , 2019, 14, e0220902.	2.4	11
26	4th ESPT Summer School: Precision Medicine and Personalised Health. <i>Pharmacogenomics</i> , 2019, 20, 471-474.	1.6	0
27	Genetic determinants of circulating haptoglobin concentration. <i>Clinica Chimica Acta</i> , 2019, 494, 138-142.	1.6	17
28	Epigenome-Wide Association Study (EWAS) of Blood Lipids in Healthy Population from STANISLAS Family Study (SFS). <i>International Journal of Molecular Sciences</i> , 2019, 20, 1014.	4.5	17
29	Pleiotropy of ABO gene: correlation of rs644234 with E-selectin and lipid levels. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 748-754.	2.4	10
30	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	5.1	76
31	The Relationship Between Vascular Endothelial Growth Factor Cis- and Trans-Acting Genetic Variants and Metabolic Syndrome. <i>American Journal of the Medical Sciences</i> , 2018, 355, 559-565.	0.8	8
32	Effect of <i>LSR</i> polymorphism on blood lipid levels and age-specific epistatic interaction with the <i>APOE</i> common polymorphism. <i>Clinical Genetics</i> , 2018, 93, 846-852.	2.1	5
33	A transnational collaborative network dedicated to the study and applications of the vascular endothelial growth factor-A in medical practice: the VEGF Consortium. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 83-86.	2.4	1
34	VEGF-A is associated with early degenerative changes in cartilage and subchondral bone. <i>Growth Factors</i> , 2018, 36, 263-273.	1.8	18
35	Personalised Medicine: The Odyssey from Hope to Practice. <i>Journal of Personalized Medicine</i> , 2018, 8, 31.	2.6	10
36	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018, 103, 691-706.	6.5	416

#	ARTICLE	IF	PR CITATIONS
37	The future of telomere length in personalized medicine. <i>Frontiers in Bioscience - Landmark</i> , 2018, 23, 1628-1654.	6.0	35
38	The polymorphism rs6918289 located in the downstream region of the TREM2 gene is associated with TNF- α levels and IMT-F. <i>Scientific Reports</i> , 2018, 8, .	3.5	3
39	Epistatic interaction of apolipoprotein E and lipolysis-stimulated lipoprotein receptor genetic variants is associated with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018, 69, 292.e1-292.e5.	3.4	4
40	VEGF-related polymorphisms identified by GWAS and risk for major depression. <i>Translational Psychiatry</i> , 2017, 7, e1055-e1055.	5.5	46
41	8th Santorini Conference: Systems medicine and personalized health and therapy, Santorini, Greece, 3 \AA 5 October 2016. <i>Drug Metabolism and Personalized Therapy</i> , 2017, 32, 119-127.	1.0	5
42	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128 \AA 9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	52.8	6,316
43	Next generation sequencing and immuno-histochemistry profiling identify numerous biomarkers for personalized therapy of endometrioid endometrial carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 56, e19-e22.	2.4	1
44	IL6R haplotype rs4845625*T/rs4537545*C is a risk factor for simultaneously high CRP, LDL and ApoB levels. <i>Genes and Immunity</i> , 2017, 18, 163-169.	3.8	7
45	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19 \AA 1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	52.8	2,027
46	Pharmacogenomic Challenges in Cardiovascular Diseases: Examples of Drugs and Considerations for Future Integration in Clinical Practice. <i>Current Pharmaceutical Biotechnology</i> , 2017, 18, 231-241.	2.3	9
47	TREM-1 SNP rs2234246 regulates TREM-1 protein and mRNA levels and is associated with plasma levels of L-selectin. <i>PLoS ONE</i> , 2017, 12, e0182226.	2.4	34
48	La Pharmacog \AA nomique, meilleur exemple de m \AA decine personnalis \AA e. <i>HEGEL - HEpato-GastroEnt\AArologie Lib\AArale</i> , 2016, N \AA 1, 10.	0.1	0
49	Cardiovascular diseases-related GNB3 C825T polymorphism has a significant sex-specific effect on serum soluble E-selectin levels. <i>Journal of Inflammation</i> , 2016, 13, .	4.1	6
50	Pro- and anti-angiogenic VEGF mRNAs in autoimmune thyroid diseases. <i>Autoimmunity</i> , 2016, 49, 366-372.	3.2	7
51	Plasma VEGF-related polymorphisms are implied in autoimmune thyroid diseases. <i>Autoimmunity</i> , 2016, 49, 229-235.	3.2	8
52	Six Novel Loci Associated with Circulating VEGF Levels Identified by a Meta-analysis of Genome-Wide Association Studies. <i>PLoS Genetics</i> , 2016, 12, e1005874.	3.3	62
53	De lâ \AA cog \AA n \AA tique \AA la pharmacog \AA nomique par le stress oxydant. <i>HEGEL - HEpato-GastroEnt\AArologie Lib\AArale</i> , 2016, N \AA 2, 217a-218.	0.1	0
54	Le Professeur G \AA rard Siest nous a quitt \AA s (1936-2016). <i>HEGEL - HEpato-GastroEnt\AArologie Lib\AArale</i> , 2016, N \AA 2, 96-97.	0.1	0

#	ARTICLE	IF	PR CITATIONS
55	Angiogenesis related genes NOS3, CD14, MMP3 and IL4R are associated to VEGF gene expression and circulating levels in healthy adults. BMC Medical Genetics, 2015, 16, .	2.0	32
56	Genetic Determined Low Response to Thienopyridines is Associated with Higher Systemic Inflammation in Smokers. Pharmacogenomics, 2015, 16, 459-469.	1.6	0
57	Influence of inflammation on cardiovascular protective effects of cytochrome P450 epoxygenase-derived epoxyeicosatrienoic acids. Drug Metabolism Reviews, 2014, 46, 33-56.	3.9	32
58	Human cytochrome P450 epoxygenases: Variability in expression and role in inflammation-related disorders. , 2014, 144, 134-161.		90
59	Epistatic study reveals two genetic interactions in blood pressure regulation. BMC Medical Genetics, 2013, 14, .	2.0	13
60	Associations of vascular endothelial growth factor (VEGF) with adhesion and inflammation molecules in a healthy population. Cytokine, 2013, 61, 602-607.	3.7	33
61	Dairy product consumption, calcium intakes, and metabolic syndromeâ€related factors over 5 years in the STANISLAS study. Nutrition, 2013, 29, 519-524.	2.9	64
62	Relationship between catalase haplotype and arterial aging. Atherosclerosis, 2013, 227, 100-105.	1.6	14
63	Newly identified synergy between clopidogrel and calcium-channel blockers for blood pressure regulation possibly involves CYP2C19 rs4244285. International Journal of Cardiology, 2013, 168, 3057-3058.	2.3	4
64	A common variant highly associated with plasma VEGFA levels also contributes to the variation of both LDL-C and HDL-C. Journal of Lipid Research, 2013, 54, 535-541.	3.7	30
65	What Is the Contribution of Two Genetic Variants Regulating VEGF Levels to Type 2 Diabetes Risk and to Microvascular Complications?. PLoS ONE, 2013, 8, e55921.	2.4	39
66	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. PLoS Genetics, 2012, 8, e1002607.	3.3	453
67	Novel association approach for variable number tandem repeats (VNTRs) identifies DOCK5 as a susceptibility gene for severe obesity. Human Molecular Genetics, 2012, 21, 3727-3738.	3.0	40
68	Alcohol Consumption, Beverage Preference, and Diet in Middle-Aged Men from the STANISLAS Study. Journal of Nutrition and Metabolism, 2012, 2012, 1-6.	2.1	21
69	Genome-wide meta-analysis points to CTC1 and ZNF676 as genes regulating telomere homeostasis in humans. Human Molecular Genetics, 2012, 21, 5385-5394.	3.0	235
70	Genetic biomarkers of hypertension and future challenges integrating epigenomics. Clinica Chimica Acta, 2012, 414, 259-265.	1.6	32
71	Human formyl peptide receptor 1 C32T SNP interacts with age and is associated with blood pressure levels. Clinica Chimica Acta, 2012, 413, 34-38.	1.6	15
72	Clinical necessity of partitioning of human plasma haptoglobin reference intervals by recently-discovered rs2000999. Clinica Chimica Acta, 2012, 413, 1618-1624.	1.6	16

#	ARTICLE	IF	PR CITATIONS
73	High Prevalence of Metabolic Syndrome in Iran in Comparison with France: What Are the Components That Explain This?. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 181-188.	2.1	51
74	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. <i>PLoS ONE</i> , 2012, 7, e29202.	2.4	204
75	A Genome-Wide Association Study Identifies rs2000999 as a Strong Genetic Determinant of Circulating Haptoglobin Levels. <i>PLoS ONE</i> , 2012, 7, e32327.	2.4	38
76	Functional Epistatic Interaction between rs6046G>A in F7 and rs5355C>T in SELE Modifies Systolic Blood Pressure Levels. <i>PLoS ONE</i> , 2012, 7, e40777.	2.4	8
77	Childhood Obesity Is Associated with Shorter Leukocyte Telomere Length. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 1500-1505.	4.2	139
78	Klotho KL-VS genotype is involved in blood pressure regulation. <i>Clinica Chimica Acta</i> , 2011, 412, 1773-1777.	1.6	20
79	Cardiovascular diseases and genome-wide association studies. <i>Clinica Chimica Acta</i> , 2011, 412, 1697-1701.	1.6	22
80	Availability of Pharmacogenetic and Pharmacogenomic Information in Anticancer Drug Monographs in France: Personalized Cancer Therapy. <i>Pharmacogenomics</i> , 2011, 12, 681-691.	1.6	4
81	<i>cis</i> and <i>trans</i> -Acting Genetic Variants Explaining Up to Half the Variation in Circulating Vascular Endothelial Growth Factor Levels. <i>Circulation Research</i> , 2011, 109, 554-563.	12.5	81
82	Association of Genetic Loci With Glucose Levels in Childhood and Adolescence. <i>Diabetes</i> , 2011, 60, 1805-1812.	4.4	111
83	Biological and genetic factors associated with ABCB1 and pregnane-X-receptor expressions in peripheral blood mononuclear cells in the STANISLAS cohort. <i>Drug Metabolism and Drug Interactions</i> , 2011, 26, 27-32.	0.3	3
84	Association Between Angiotensin II Type 1 Receptor Gene Polymorphism and Metabolic Syndrome in a Young Female Iranian Population. <i>Archives of Medical Research</i> , 2010, 41, 343-349.	2.7	17
85	Expression of inflammatory molecules and associations with BMI in children. <i>European Journal of Clinical Investigation</i> , 2010, 40, 388-392.	3.3	24
86	Sex-dependent Associations of Leptin With Metabolic Syndrome-related Variables: The Stanislas Study. <i>Obesity</i> , 2010, 18, 196-201.	4.2	27
87	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	26.1	2,774
88	Prevalence of Loss-of-Function FTO Mutations in Lean and Obese Individuals. <i>Diabetes</i> , 2010, 59, 311-318.	4.4	98
89	Metabolic syndrome-related composite factors over 5years in the STANISLAS Family Study: Genetic heritability and common environmental influences. <i>Clinica Chimica Acta</i> , 2010, 411, 833-839.	1.6	15
90	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	26.1	2,098

#	ARTICLE	IF	PR CITATIONS
91	Personalized Therapy and Pharmacogenomics: Future Perspective. <i>Pharmacogenomics</i> , 2009, 10, 927-930.	1.6	9
92	Capillary isotachopheresis study of lipoprotein network sensitive to apolipoprotein E phenotype. 2. ApoE and apoC-III relations in triglyceride clearance. <i>Molecular and Cellular Biochemistry</i> , 2009, 325, 25-40.	3.3	3
93	Capillary isotachopheresis study of lipoprotein network sensitive to apolipoprotein E phenotype. 1. ApoE distribution between lipoproteins. <i>Molecular and Cellular Biochemistry</i> , 2009, 325, 41-51.	3.3	3
94	Genome-wide association study for early-onset and morbid adult obesity identifies three new risk loci in European populations. <i>Nature Genetics</i> , 2009, 41, 157-159.	26.1	609
95	Association between EGF and lipid concentrations: A benefit role in the atherosclerotic process?. <i>Clinica Chimica Acta</i> , 2009, 402, 196-198.	1.6	11
96	Association of ABCB1 gene polymorphisms with plasma lipid and apolipoprotein concentrations in the STANISLAS cohort. <i>Clinica Chimica Acta</i> , 2009, 403, 198-202.	1.6	23
97	Adipokine expression in adipose tissue and in peripheral blood mononuclear cells in children. <i>Clinica Chimica Acta</i> , 2009, 410, 85-89.	1.6	7
98	Association of human cathelicidin (hCAP-18/LL-37) gene expression with cardiovascular disease risk factors. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 720-728.	3.4	32
99	Human Formyl Peptide Receptor 1 (FPR1) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 432 Td () Tj ETQq1 1 0.784314 2009, 10, 951-959.	1.6	8
100	Parental Precocious Influences on Offspring Cardiovascular Risk Markers: An Exploratory Study in the Stanislas Cohort. <i>Personalized Medicine</i> , 2009, 6, 343-352.	1.4	0
101	Candidate Gene Microarray Analysis in Peripheral Blood Cells for Studying Hypertension/Obesity. <i>Personalized Medicine</i> , 2009, 6, 269-291.	1.4	6
102	Drug Metabolizing Enzymes and Transporters mRNA in Peripheral Blood Mononuclear Cells of Healthy Subjects: Biological Variations and Importance of Preanalytical Steps. <i>Current Drug Metabolism</i> , 2009, 10, 410-419.	1.2	5
103	Genomics and the Prospects of Existing and Emerging Therapeutics for Cardiovascular Diseases. <i>Current Pharmaceutical Design</i> , 2009, 15, 3193-3206.	2.4	12
104	Five-year alterations in BMI are associated with clustering of changes in cardiovascular risk factors in a gender-dependant way: the Stanislas study. <i>International Journal of Obesity</i> , 2008, 32, 1279-1288.	3.2	27
105	Visfatin, low-grade inflammation and body mass index (BMI). <i>Clinical Endocrinology</i> , 2008, 69, 568-574.	2.5	40
106	Statins as effectors of key activities involved in apoE-dependent VLDL metabolism: Review and hypothesis. <i>Vascular Pharmacology</i> , 2008, 48, 70-75.	2.5	10
107	Leptin expression in Peripheral Blood Mononuclear Cells (PBMCs) is related with blood pressure variability. <i>Clinica Chimica Acta</i> , 2008, 395, 47-50.	1.6	16
108	Transcription Factor and Drug-Metabolizing Enzyme Gene Expression in Lymphocytes from Healthy Human Subjects. <i>Drug Metabolism and Disposition</i> , 2008, 36, 182-189.	3.6	81

#	ARTICLE	IF	PR CITATIONS
109	A new single nucleotide polymorphism genotyping method based on gap ligase chain reaction and a microsphere detection assay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, .	2.4	4
110	The STANISLAS Cohort: a 10-year follow-up of supposed healthy families. Gene-environment interactions, reference values and evaluation of biomarkers in prevention of cardiovascular diseases. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, .	2.4	51
111	Genetic profiling in healthy subjects from the Stanislas cohort based on 24 polymorphisms: effects on biological variables. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, .	2.4	1
112	Genetic profiling of human cell lines used as in vitro model to study cardiovascular pathophysiology and pharmacotoxicology. <i>Cell Biology and Toxicology</i> , 2008, 25, 561-571.	5.0	8
113	Association of classical and related inflammatory markers with high-sensitivity C-reactive protein in healthy individuals: results from the Stanislas cohort. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, .	2.4	11
114	Effect of HMGCoA Reductase Inhibitors on Cytochrome P450 Expression in Endothelial Cell Line. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 49, 306-315.	2.1	23
115	Enzymes and pharmacogenetics of cardiovascular drugs. <i>Clinica Chimica Acta</i> , 2007, 381, 26-31.	1.6	40
116	Analysis of the effect of multiple genetic variants of cardiovascular disease risk on insulin concentration variability in healthy adults of the STANISLAS cohort. <i>Atherosclerosis</i> , 2007, 191, 369-376.	1.6	15
117	Association between TNF and IL-1 bloc polymorphisms and plasma MCP-1 concentration. <i>Atherosclerosis</i> , 2007, 192, 348-353.	1.6	12
118	Pharmacogenomics and antihypertensive drugs: a path toward personalized medicine. <i>Personalized Medicine</i> , 2007, 4, 393-412.	1.4	4
119	Une Étude prospective de la prévalence du syndrome métabolique dans des familles françaises supposées saines. <i>Annales Pharmaceutiques Françaises</i> , 2007, 65, 211-216.	1.1	1
120	Pharmacogénomique et pharmacoprotéomique. <i>Annales Pharmaceutiques Françaises</i> , 2007, 65, 203-210.	1.1	7
121	Peripheral blood mononuclear cells (PBMCs): a possible model for studying cardiovascular biology systems. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, .	2.4	58
122	Variations pré-analytiques des biomarqueurs protéomiques. <i>Medecine/Sciences</i> , 2007, 23, 9-12.	0.2	2
123	Heritability of serum hs-CRP concentration and 5-year changes in the Stanislas family study: association with apolipoprotein E alleles. <i>Genes and Immunity</i> , 2007, 8, 352-359.	3.8	12
124	Lack of Association between EGF 61A>G Polymorphism and Plasma EGF Concentration in the STANISLAS Family Study. <i>Journal of Investigative Dermatology</i> , 2007, 127, 969-970.	2.3	3
125	Heritability for Plasma VEGF Concentration in the Stanislas Family Study. <i>Annals of Human Genetics</i> , 2007, 71, 54-63.	1.2	34
126	Determination of ABCB1 polymorphisms and haplotypes frequencies in a French population. <i>Fundamental and Clinical Pharmacology</i> , 2007, 21, 411-418.	2.5	42

#	ARTICLE	IF	PR CITATIONS
127	Genetic and environmental contributions to serum ascorbic acid concentrations: the Stanislas Family Study. <i>British Journal of Nutrition</i> , 2006, 96, 1013-1020.	2.5	2
128	Interaction between CYP1A1 T3801C and AHR G1661A polymorphisms according to smoking status on blood pressure in the Stanislas cohort. <i>Journal of Hypertension</i> , 2006, 24, 2199-2205.	2.3	21
129	Genetic variants predisposing to cardiovascular disease. <i>Current Opinion in Lipidology</i> , 2006, 17, 139-151.	4.1	48
130	Natriuretic peptide Val7Met substitution and risk of coronary artery disease in Greek patients with familial hypercholesterolemia. <i>Journal of Clinical Laboratory Analysis</i> , 2006, 20, 98-104.	2.8	12
131	Biological Determinants of and Reference Values for Plasma Interleukin-8, Monocyte Chemoattractant Protein-1, Epidermal Growth Factor, and Vascular Endothelial Growth Factor: Results from the STANISLAS Cohort. <i>Clinical Chemistry</i> , 2006, 52, 504-510.	1.1	55
132	Polymorphisms associated with apolipoprotein B levels in Greek patients with familial hypercholesterolemia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, .	2.4	3
133	Different Genes and Polymorphisms Affecting High-Density Lipoprotein Cholesterol Levels in Greek Familial Hypercholesterolemia Patients. <i>Genetic Testing and Molecular Biomarkers</i> , 2006, 10, 192-199.	0.0	10
134	E-selectin Genotypes and Risk of Type 2 Diabetes in Women: Genetic and Environmental Contributions to Serum Soluble E-selectin Concentrations. <i>Obesity</i> , 2005, 13, 1845-1847.	4.2	5
135	Association of CYP2A6*1B genetic variant with the amount of smoking in French adults from the Stanislas cohort. <i>Pharmacogenomics Journal</i> , 2005, 5, 271-275.	2.8	36
136	Pharmacogenomics and cardiovascular drugs: Need for integrated biological system with phenotypes and proteomic markers. <i>European Journal of Pharmacology</i> , 2005, 527, 1-22.	4.4	33
137	Apolipoprotein E polymorphism is not associated with lipid levels and coronary artery disease in Greek patients with familial hypercholesterolaemia. <i>Clinical and Experimental Medicine</i> , 2005, 5, 196-201.	3.0	20
138	Polymorphism of the 5-HT2A receptor gene and food intakes in children and adolescents: the Stanislas Family Study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 467-470.	4.9	32
139	Collection and Storage of Human Blood Cells for mRNA Expression Profiling: A 15-Month Stability Study. <i>Clinical Chemistry</i> , 2005, 51, 1250-1252.	1.1	37
140	Inter-individual variation of inflammatory markers of cardiovascular risks and diseases. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, .	2.4	18
141	Down-regulation of astroglial CYP2C, glucocorticoid receptor and constitutive androstane receptor genes in response to cocaine in human U373 MG astrocytoma cells. <i>Toxicology Letters</i> , 2005, 159, 203-211.	0.6	25
142	Association Between Factor VII Polymorphisms and Blood Pressure. <i>Hypertension</i> , 2004, 44, 674-680.	6.9	8
143	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 0, 10, .	1.6	64