

# Francisco Cases

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1487854/francisco-cases-publications-by-year.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73 papers	1,587 citations	25 h-index	37 g-index
76 ext. papers	1,722 ext. citations	4.6 avg, IF	4.38 L-index

#	Paper	IF	Citations
73	On the behaviour of Atrazine removal from water using fabrics as anodes and cathodes. <i>Chemosphere</i> , <b>2021</b> , 132738	8.4	0
72	Carbon textiles electrodes modified with RGO and Pt nanoparticles used for electrochemical treatment of azo dye. <i>Journal of Electroanalytical Chemistry</i> , <b>2021</b> , 887, 115154	4.1	4
71	Enhancement of the Electrochemical Properties of an Open-Pore Graphite Foam with Electrochemically Reduced Graphene Oxide and Alternating Current Dispersed Platinum Particles. <i>Coatings</i> , <b>2020</b> , 10, 551	2.9	1
70	Effect of chloride on the one step electrochemical treatment of an industrial textile wastewater with tin dioxide anodes. The case of trichromy procion HEXL. <i>Chemosphere</i> , <b>2020</b> , 245, 125396	8.4	5
69	Modification of the magnesium corrosion rate in physiological saline 0.9 wt % NaCl via chemical and electrochemical coating of reduced graphene oxide. <i>Corrosion Science</i> , <b>2019</b> , 152, 75-81	6.8	7
68	Finding the Additives Incorporation Moment in Hybrid Natural Pigments Synthesis to Improve Bioresin Properties. <i>Coatings</i> , <b>2019</b> , 9, 34	2.9	7
67	Cathodic protection of steel guitar strings against the corrosive effect of human sweat. <i>Engineering Failure Analysis</i> , <b>2019</b> , 97, 645-652	3.2	1
66	Electrochemical study on an activated carbon cloth modified by cyclic voltammetry with polypyrrole/anthraquinone sulfonate and reduced graphene oxide as electrode for energy storage. <i>European Polymer Journal</i> , <b>2018</b> , 103, 179-186	5.2	9
65	Electrochemical treatment of real textile wastewater: Trichromy Procion HEXL . <i>Journal of Electroanalytical Chemistry</i> , <b>2018</b> , 808, 387-394	4.1	30
64	Study on the specific capacitance of an activated carbon cloth modified with reduced graphene oxide and polyaniline by cyclic voltammetry. <i>European Polymer Journal</i> , <b>2017</b> , 92, 194-203	5.2	11
63	On the behavior of reduced graphene oxide based electrodes coated with dispersed platinum by alternate current methods in the electrochemical degradation of reactive dyes. <i>Chemosphere</i> , <b>2017</b> , 183, 242-251	8.4	10
62	Functionalization of Cotton by RGO/TiO2 to Enhance Photodegradation of Rhodamine B Under Simulated Solar Irradiation. <i>Water, Air, and Soil Pollution</i> , <b>2017</b> , 228, 1	2.6	11
61	Electrochemical synthesis of polypyrrole doped with graphene oxide and its electrochemical characterization as membrane material. <i>Synthetic Metals</i> , <b>2016</b> , 220, 300-310	3.6	8
60	Scanning electrochemical microscopy for the analysis and patterning of graphene materials: A review. <i>Synthetic Metals</i> , <b>2016</b> , 222, 145-161	3.6	9
59	Graphene-based materials for the electrochemical determination of hazardous ions. <i>Analytica Chimica Acta</i> , <b>2016</b> , 946, 9-39	6.6	36
58	Modified carbon fabric electrodes: preparation and electrochemical behavior toward amaranth electrolysis. <i>Journal of Applied Electrochemistry</i> , <b>2015</b> , 45, 263-272	2.6	2
57	Electrochemical Treatment of Solutions Containing a Recalcitrant Dye: A Way of Using Dimensionally Adaptable Catalytic Fabrics. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2015</b> , 54, 6418-6429	3.9	5

56	Electrochemical characterization of electrochemically reduced graphene coatings on platinum. Electrochemical study of dye adsorption. <i>Electrochimica Acta</i> , <b>2015</b> , 166, 54-63	6.7	20
55	Conducting fabrics of polyester coated with polypyrrole and doped with graphene oxide. <i>Synthetic Metals</i> , <b>2015</b> , 204, 110-121	3.6	55
54	Correlations between acoustic and electrochemical measurements for metallic corrosion on steel strings used in guitars. <i>Engineering Failure Analysis</i> , <b>2015</b> , 57, 270-281	3.2	1
53	Photocatalytic fabrics based on reduced graphene oxide and TiO <sub>2</sub> coatings. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2015</b> , 199, 62-76	3.1	26
52	Plasma treatment of polyester fabrics to increase the adhesion of reduced graphene oxide. <i>Synthetic Metals</i> , <b>2015</b> , 202, 110-122	3.6	38
51	Synthesis of Pt nanoparticles on electrochemically reduced graphene oxide by potentiostatic and alternate current methods. <i>Materials Characterization</i> , <b>2014</b> , 89, 56-68	3.9	14
50	Characterization of polypyrrole/phosphotungstate membranes by electrochemical impedance spectroscopy. <i>Synthetic Metals</i> , <b>2014</b> , 187, 37-45	3.6	7
49	Chemical and electrochemical study of fabrics coated with reduced graphene oxide. <i>Applied Surface Science</i> , <b>2013</b> , 279, 46-54	6.7	66
48	Enhanced adhesion of polypyrrole/PW12O hybrid coatings on polyester fabrics. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 422-433	2.9	12
47	Electrochemical characterization of reduced graphene oxide-coated polyester fabrics. <i>Electrochimica Acta</i> , <b>2013</b> , 93, 44-52	6.7	71
46	Characterization of azo dyes on Pt and Pt/polyaniline/dispersed Pt electrodes. <i>Applied Surface Science</i> , <b>2012</b> , 258, 6246-6256	6.7	12
45	Chemical, electrical and electrochemical characterization of hybrid organic/inorganic polypyrrole/PW12O <sub>40</sub> coating deposited on polyester fabrics. <i>Applied Surface Science</i> , <b>2011</b> , 257, 10056-10064	6.7	19
44	Electrochemical synthesis of polyaniline on conducting fabrics of polyester covered with polypyrrole/PW12O <sub>40</sub> Chemical and electrochemical characterization. <i>Synthetic Metals</i> , <b>2011</b> , 161, 953-963	3.6	10
43	Study of the electrical properties of novel hybrid organic/inorganic conducting textiles of polypyrrole-phosphotungstate-polyester using electrochemical impedance spectroscopy. <i>Synthetic Metals</i> , <b>2011</b> , 161, 1958-1965	3.6	10
42	Polyaniline coated conducting fabrics. Chemical and electrochemical characterization. <i>European Polymer Journal</i> , <b>2011</b> ,	5.2	8
41	Electrochemical treatment of a synthetic wastewater containing a sulphonated azo dye. Determination of naphthalenesulphonic compounds produced as main by-products. <i>Desalination</i> , <b>2011</b> , 273, 428-435	10.3	43
40	Influence of the scan rate on the morphology of polyaniline grown on conducting fabrics. Centipede-like morphology. <i>Synthetic Metals</i> , <b>2010</b> , 160, 99-107	3.6	16
39	On the behaviour of doped SnO <sub>2</sub> anodes stabilized with platinum in the electrochemical degradation of reactive dyes. <i>Electrochimica Acta</i> , <b>2010</b> , 55, 7282-7289	6.7	35

38	Monitoring the polymerization process of polypyrrole films by thermogravimetric and X-ray analysis. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2010</b> , 102, 695-701	4.1	6
37	Stability of conducting polyester/polypyrrole fabrics in different pH solutions. Chemical and electrochemical characterization. <i>Polymer Degradation and Stability</i> , <b>2010</b> , 95, 2574-2583	4.7	41
36	Characterisation and corrosion studies of steel electrodes covered by polypyrrole/phosphotungstate using Electrochemical Impedance Spectroscopy. <i>Progress in Organic Coatings</i> , <b>2009</b> , 66, 235-241	4.8	10
35	Study of the electrochemical oxidation and reduction of C.I. Reactive Orange 4 in sodium sulphate alkaline solutions. <i>Journal of Hazardous Materials</i> , <b>2009</b> , 172, 187-95	12.8	28
34	Electrochemical polymerisation of aniline on conducting textiles of polyester covered with polypyrrole/AQSA. <i>European Polymer Journal</i> , <b>2009</b> , 45, 1302-1315	5.2	58
33	Influence of electrochemical reduction and oxidation processes on the decolourisation and degradation of C.I. Reactive Orange 4 solutions. <i>Chemosphere</i> , <b>2009</b> , 75, 1329-37	8.4	44
32	Electrochemical and chemical characterization of polypyrrole/phosphotungstate coatings electrosynthesized on carbon steel electrodes in acetonitrile medium. <i>Synthetic Metals</i> , <b>2009</b> , 159, 1723-1730	3.6	7
31	Chemical and electrochemical polymerisation of pyrrole on polyester textiles in presence of phosphotungstic acid. <i>European Polymer Journal</i> , <b>2008</b> , 44, 2087-2098	5.2	58
30	Characterization of the behaviour of flavour microcapsules in cotton fabrics. <i>European Polymer Journal</i> , <b>2007</b> , 43, 2481-2490	5.2	94
29	A Note on the Reversibility of Cellulose Ethers. Detection on Artwork Surfaces Using Modified FTIR. <i>Restaurator</i> , <b>2007</b> , 28, 29-38	0	1
28	Electrochemical study of polypyrrole/PW12O403- coatings on carbon steel electrodes as protection against corrosion in chloride aqueous solutions. <i>Corrosion Science</i> , <b>2006</b> , 48, 1122-1136	6.8	27
27	The electrochemical co-polymerization of p-aminodiphenylamine and aniline: effect of pH. <i>Synthetic Metals</i> , <b>2005</b> , 148, 81-85	3.6	11
26	Steel Corrosion and Durability of Calcium Aluminate Cement-Reinforced Mortars. <i>Corrosion</i> , <b>2005</b> , 61, 1004-1010	1.8	0
25	The roles of the degree of substitution and the degree of polymerization on the behaviour of cellulose ethers applied as adhesives for artwork conservation. <i>Journal of Adhesion Science and Technology</i> , <b>2005</b> , 19, 95-108	2	4
24	The electrocatalytic behaviour of poly(aniline-co-4adpa) thin films in weakly acidic medium. <i>Synthetic Metals</i> , <b>2004</b> , 144, 207-211	3.6	8
23	X-Ray Photoelectron Spectroscopy Study of the Composition of Polyphenol Films Formed on Pt by Electropolymerisation of Phenol in the Presence of Sulphide in Carbonate Medium. <i>Polymer Journal</i> , <b>2003</b> , 35, 911-919	2.7	18
22	Conducting films obtained by electro-oxidation of p-aminodiphenylamine (ADPA) in the presence of aniline in buffer aqueous solution at pH 5. <i>Journal of Electroanalytical Chemistry</i> , <b>2002</b> , 529, 59-65	4.1	18
21	Corrosion behaviour at the interface of steel bars embedded in cement slurries: Effect of phenol polymer coatings. <i>Corrosion Science</i> , <b>2002</b> , 44, 2805-2816	6.8	35

20	Metallic corrosion of steels embedded in calcium aluminate cement mortars. <i>Cement and Concrete Research</i> , <b>2001</b> , 31, 1263-1269	10.3	9
19	Voltammetric and in situ FTIRS study of the electrochemical oxidation of aniline from aqueous solutions buffered at pH 5. <i>Journal of Electroanalytical Chemistry</i> , <b>2001</b> , 501, 186-192	4.1	40
18	Electropolymerization of Phenol on Carbon Steel and Stainless Steel Electrodes in Carbonate Aqueous Medium. <i>Polymer Journal</i> , <b>2000</b> , 32, 623-628	2.7	14
17	Characterization and stability of doped SnO <sub>2</sub> anodes. <i>Journal of Applied Electrochemistry</i> , <b>1998</b> , 28, 607-612	6.12	67
16	A voltammetric and FTIRATR study of the electropolymerization of phenol on platinum electrodes in carbonate medium. <i>Journal of Electroanalytical Chemistry</i> , <b>1998</b> , 451, 163-171	4.1	90
15	Electrochemical behaviour of amino acids on Pt(h,k,l): a voltammetric and in situ FTIR study. Part 1. Glycine on Pt(111). <i>Journal of Electroanalytical Chemistry</i> , <b>1997</b> , 421, 179-185	4.1	42
14	Electrochemical behaviour of amino acids on Pt(h, k, l). A voltammetric and in situ FTIR study. Part II. Serine and alanine on Pt(111). <i>Journal of Electroanalytical Chemistry</i> , <b>1997</b> , 431, 269-275	4.1	30
13	Electrochemical oxidation of ethanol on Pt(hkl) basal surfaces in NaOH and Na <sub>2</sub> CO <sub>3</sub> media. <i>Journal of Power Sources</i> , <b>1994</b> , 52, 109-117	8.9	24
12	Formation of CO during adsorption on platinum electrodes of methanol, formaldehyde, ethanol and acetaldehyde in carbonate medium. <i>Journal of Electroanalytical Chemistry</i> , <b>1994</b> , 368, 285-291	4.1	26
11	Voltammetric study of the nature of adsorbed residues arising from irreversible adsorption of acetaldehyde and ethanol on Pt(111) in acid media: first oxidation peak. <i>Journal of Electroanalytical Chemistry</i> , <b>1993</b> , 350, 267-277	4.1	10
10	Dissociative adsorption process of acetaldehyde on Pt (h,k,l) basal surfaces. <i>Computational and Theoretical Chemistry</i> , <b>1992</b> , 254, 379-386		
9	Irreversible adsorption of methanol on Pt(110) in carbonate solution. <i>Electrochimica Acta</i> , <b>1992</b> , 37, 1883-1886	3.17	30
8	Voltammetric behaviour in perchloric acid of adsorbed residues formed at open circuit from the adsorption of acetaldehyde and ethanol on a Pt(111) elec. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , <b>1991</b> , 310, 403-415		12
7	Electroreduction of 1-chloropropiophenone: a study of stability of cis and trans isomers of 1,5-diphenyl-2,6-dioxo[3,3,0]bicyclooctane and on the logical reaction pathway. <i>Computational and Theoretical Chemistry</i> , <b>1991</b> , 231, 169-174		
6	Voltammetric Behaviour of Adsorbed Residues Formed from the Adsorption of Formaldehyde and Methanol on a Pt(111) Electrode. <i>Analytical Letters</i> , <b>1991</b> , 24, 1591-1603	2.2	6
5	Dissociative adsorption of ethanol on Pt (h, k, l) basal surfaces. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , <b>1990</b> , 278, 433-440		41
4	Dissociative adsorption of acetaldehyde on Pt(h,k,l) basal surfaces. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , <b>1990</b> , 281, 283-288		15
3	Adsorption of acetaldehyde on Pt(100), (110) and (111) faces: A semi-empirical quantum chemical study. <i>Surface Science</i> , <b>1990</b> , 235, 307-316	1.8	4

2	Thermolysis of 3-chloro-3-methyldiazirine. A semiempirical approach. <i>Computational and Theoretical Chemistry</i> , <b>1988</b> , 166, 445-448	2
1	Study of the Reuse of Industrial Wastewater After Electrochemical Treatment of Textile Effluents without External Addition of Chloride. <i>International Journal of Electrochemical Science</i> , 1733-1750	2.2 6