
Xiaoyan Cai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1488177/publications.pdf Version: 2024-02-01



ΧΙΛΟΥΛΝ ΟΛΙ

#	Article	IF	CITATIONS
1	4-Octyl Itaconate Activates Nrf2 Signaling to Inhibit Pro-Inflammatory Cytokine Production in Peripheral Blood Mononuclear Cells of Systemic Lupus Erythematosus Patients. Cellular Physiology and Biochemistry, 2018, 51, 979-990.	1.1	61
2	Multiple Functions of B Cells in the Pathogenesis of Systemic Lupus Erythematosus. International Journal of Molecular Sciences, 2019, 20, 6021.	1.8	56
3	New Trends in Pharmacological Treatments for Osteoarthritis. Frontiers in Pharmacology, 2021, 12, 645842.	1.6	51
4	Fetal and Maternal Outcomes of Planned Pregnancy in Patients with Systemic Lupus Erythematosus: A Retrospective Multicenter Study. Journal of Immunology Research, 2018, 2018, 1-7.	0.9	34
5	The Association Between Serum Selenium Levels with Rheumatoid Arthritis. Biological Trace Element Research, 2016, 172, 46-52.	1.9	29
6	Roles of IL-25 in Type 2 Inflammation and Autoimmune Pathogenesis. Frontiers in Immunology, 2021, 12, 691559.	2.2	28
7	Strangulated Intestinal Obstruction Secondary to a Typical Obturator Hernia: A Case Report with Literature Review. International Journal of Medical Sciences, 2012, 9, 213-215.	1.1	23
8	IL-17 sustains the plasma cell response via p38-mediated Bcl-xL RNA stability in lupus pathogenesis. Cellular and Molecular Immunology, 2021, 18, 1739-1750.	4.8	23
9	miR-98 Modulates Cytokine Production from Human PBMCs in Systemic Lupus Erythematosus by Targeting IL-6 mRNA. Journal of Immunology Research, 2019, 2019, 1-11.	0.9	21
10	Prolactin increases tumor necrosis factor alpha expression in peripheral CD14 monocytes of patients with rheumatoid arthritis. Cellular Immunology, 2014, 290, 164-168.	1.4	15
11	Low expression of estrogen receptor β in renal tubular epithelial cells may cause hyperuricemia in premenopausal patients with systemic lupus erythematosus. Lupus, 2021, 30, 560-567.	0.8	13
12	Hypertensive disorders of pregnancy associated with adverse pregnant outcomes in patients with systemic lupus erythematosus: a multicenter retrospective study. Clinical Rheumatology, 2019, 38, 3501-3509.	1.0	12
13	Increased long noncoding RNA LINK-A contributes to rheumatoid synovial inflammation and aggression. JCI Insight, 2021, 6, .	2.3	10
14	A preliminary multicenter evaluation of endoscopic sublay repair for ventral hernia from China. BMC Surgery, 2020, 20, 233.	0.6	6
15	Inflammatory markers and risk factors of RA patients with depression and application of different scales in judging depression. Clinical Rheumatology, 2022, 41, 2309-2317.	1.0	6
16	Clinical immunology Hypomethylation of interleukin 6 correlates with renal involvement in systemic lupus erythematosus. Central-European Journal of Immunology, 2014, 2, 203-208.	0.4	5
17	Elevated uric acid levels in premenopausal female systemic lupus erythematosus patients: Association with potential or existing renal damage. European Journal of Inflammation, 2018, 16, 205873921880244.	0.2	5
18	The suppression of Brd4 inhibits peripheral plasma cell differentiation and exhibits therapeutic potential for systemic lupus erythematosus. International Immunopharmacology, 2022, 103, 108498.	1.7	2

#	Article	IF	CITATIONS
19	Increased eEF2K Promotes Glycolysis and Aggressive Behaviors of Fibroblast-Like Synoviocytes in Rheumatoid Arthritis. Journal of Inflammation Research, 2022, Volume 15, 1729-1744.	1.6	2
20	Elevated serum cholesterol levels are associated with proteinuria over 0.5Âg/day in premenopausal women with systemic lupus erythematosus. International Journal of Immunopathology and Pharmacology, 2022, 36, 039463202211012.	1.0	1