

# Xiaoli Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1488236/publications.pdf>

Version: 2024-02-01

33  
papers

471  
citations

759055

12  
h-index

752573

20  
g-index

33  
all docs

33  
docs citations

33  
times ranked

619  
citing authors

#	ARTICLE	IF	CITATIONS
1	TNF-Like Weak Inducer of Apoptosis Promotes Angiogenesis, Thereby Exacerbating Cutaneous Psoriatic Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1356-1360.e8.	0.3	7
2	The metamorphic PT history of Precambrian Belomorian eclogites (Shirokaya Salma), Russia. <i>Journal of Metamorphic Geology</i> , 2021, 39, 363-389.	1.6	4
3	Galectin-9 regulates follicular helper T cells to inhibit humoral autoimmunity-induced pulmonary fibrosis. <i>Biochemical and Biophysical Research Communications</i> , 2021, 534, 99-106.	1.0	5
4	The proportion and effect of corticosteroid therapy in patients with COVID-19 infection: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0249481.	1.1	35
5	Clinical Characteristics of Foreign-Imported COVID-19 Cases in Xi'an, China. <i>International Journal of General Medicine</i> , 2021, Volume 14, 2069-2078.	0.8	1
6	Psychometric Properties of the Chinese Version of the Sarcopenia and Quality of Life, a Quality of Life Questionnaire Specific for Sarcopenia. <i>Calcified Tissue International</i> , 2021, 109, 415-422.	1.5	11
7	Necroptosis is required for atrial fibrillation and involved in aerobic exercise-conferred cardioprotection. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 8363-8375.	1.6	15
8	CXCL12/CXCR4 axis as a key mediator in atrial fibrillation via bioinformatics analysis and functional identification. <i>Cell Death and Disease</i> , 2021, 12, 813.	2.7	21
9	Partial pressure of oxygen level at admission as a predictor of postoperative pneumonia after hip fracture surgery in a geriatric population: a retrospective cohort study. <i>BMJ Open</i> , 2021, 11, e048272.	0.8	6
10	Novel missense mutations of MVK and FDPS gene in Chinese patients with disseminated superficial actinic porokeratosis. <i>Clinica Chimica Acta</i> , 2021, 523, 441-445.	0.5	2
11	Enhancing Fatty Acids Oxidation via L-Carnitine Attenuates Obesity-Related Atrial Fibrillation and Structural Remodeling by Activating AMPK Signaling and Alleviating Cardiac Lipotoxicity. <i>Frontiers in Pharmacology</i> , 2021, 12, 771940.	1.6	3
12	Topical Application of a Mast Cell Stabilizer Improves Impaired Diabetic Wound Healing. <i>Journal of Investigative Dermatology</i> , 2020, 140, 901-911.e11.	0.3	58
13	Efficacy of psychological intervention for patients with psoriasis vulgaris: a prospective study. <i>Journal of International Medical Research</i> , 2020, 48, 030006052096167.	0.4	3
14	Identification of ATP2C1 mutations in the patients of Hailey-Hailey disease. <i>BMC Medical Genetics</i> , 2020, 21, 120.	2.1	5
15	Evaluation of genetic susceptibility between systemic lupus erythematosus and GRB2 gene. <i>Scientific Reports</i> , 2019, 9, 10335.	1.6	1
16	MiR-155 controls follicular Treg cell-mediated humoral autoimmune intestinal injury by inhibiting CTLA-4 expression. <i>International Immunopharmacology</i> , 2019, 71, 267-276.	1.7	11
17	Preoperative Serum Albumin Level As A Predictor Of Postoperative Pneumonia After Femoral Neck Fracture Surgery In A Geriatric Population. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 2007-2016.	1.3	18
18	Altered levels of focal adhesion and extracellular matrix-receptor interacting proteins were identified in Hailey-Hailey disease by quantitative iTRAQ proteome analysis. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 3801-3812.	1.2	6

#	ARTICLE	IF	CITATIONS
19	CTLA-4 regulates T follicular regulatory cell differentiation and participates in intestinal damage caused by spontaneous autoimmunity. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 865-871.	1.0	15
20	Genetic polymorphisms of GZMB and vitiligo: A genetic association study based on Chinese Han population. <i>Scientific Reports</i> , 2018, 8, 13001.	1.6	24
21	Faecal microRNA as a biomarker of the activity and prognosis of inflammatory bowel diseases. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 2443-2450.	1.0	43
22	1.9 Ga eclogite from the Archean-Paleoproterozoic Belomorian Province, Russia. <i>Science Bulletin</i> , 2017, 62, 239-241.	4.3	12
23	Neoproterozoic granulite-facies metamorphism in Uzkaya Salma eclogite-bearing mafic gabbro, Belomorian Province (Russia). <i>Precambrian Research</i> , 2017, 294, 257-283.	1.2	22
24	Management of traumatic tympanic membrane perforation: a comparative study. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 927-931.	0.9	18
25	Morphological, Immunocytochemical, and Biochemical Studies of Rat Costal Chondrocytes Exposed to IL-1 $\beta$ and TGF- $\beta$ 1. <i>Journal of Healthcare Engineering</i> , 2017, 2017, 1-7.	1.1	2
26	Delivery of sodium morrhuate to hemangioma endothelial cells using immunoliposomes conjugated with anti-VEGFR2/KDR antibody. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 6963-6972.	3.3	7
27	Thymoquinone Inhibits Angiotensin II-Induced Proliferation and Migration of Vascular Smooth Muscle Cells Through the AMPK/PPAR $\beta$ /PGC-1 $\alpha$ Pathway. <i>DNA and Cell Biology</i> , 2016, 35, 426-433.	0.9	29
28	Hailey-Hailey disease: investigation of a possible compensatory SERCA2 up-regulation and analysis of SPCA1, p63, and IRF6 expression. <i>Archives of Dermatological Research</i> , 2015, 307, 143-149.	1.1	4
29	Metamorphic PT path and zircon U-Pb dating of Archean eclogite association in Gridino complex, Belomorian province, Russia. <i>Precambrian Research</i> , 2015, 268, 74-96.	1.2	40
30	Poly (3-hydroxybutyrate-co-3-hydroxyhexanoate) scaffolds coated with PhaRGD fusion protein promotes the proliferation and chondrogenic differentiation of human umbilical cord mesenchymal stem cells in vitro. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 1169-1175.	2.1	23
31	Experimental study of tissue-engineered cartilage allograft with RNAi chondrocytes in vivo. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 335.	0.9	1
32	Detection and comparison of two types of ATP2C1 gene mutations in Chinese patients with Hailey-Hailey disease. <i>Archives of Dermatological Research</i> , 2012, 304, 163-170.	1.1	10
33	Two novel mutations of the ATP2C1 gene in Chinese patients with Hailey-Hailey disease. <i>Archives of Dermatological Research</i> , 2007, 299, 209-211.	1.1	9