

Daniela Pinto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1488629/publications.pdf>

Version: 2024-02-01

43
papers

1,067
citations

516215

16
h-index

414034

32
g-index

44
all docs

44
docs citations

44
times ranked

1406
citing authors

#	ARTICLE	IF	CITATIONS
1	Selected Lactic Acid Bacteria Synthesize Antioxidant Peptides during Sourdough Fermentation of Cereal Flours. <i>Applied and Environmental Microbiology</i> , 2012, 78, 1087-1096.	1.4	176
2	Robustness of <i>Lactobacillus plantarum</i> starters during daily propagation of wheat flour sourdough type I. <i>Food Microbiology</i> , 2010, 27, 897-908.	2.1	123
3	Improving the antioxidant properties of quinoa flour through fermentation with selected autochthonous lactic acid bacteria. <i>International Journal of Food Microbiology</i> , 2017, 241, 252-261.	2.1	117
4	Lactic acid fermentation as a tool to enhance the antioxidant properties of <i>Myrtus communis</i> berries. <i>Microbial Cell Factories</i> , 2015, 14, 67.	1.9	80
5	Bioprocessing of Brewers' Spent Grain Enhances Its Antioxidant Activity: Characterization of Phenolic Compounds and Bioactive Peptides. <i>Frontiers in Microbiology</i> , 2020, 11, 1831.	1.5	69
6	Scalp bacterial shift in Alopecia areata. <i>PLoS ONE</i> , 2019, 14, e0215206.	1.1	49
7	Exploitation of grape marc as functional substrate for lactic acid bacteria and bifidobacteria growth and enhanced antioxidant activity. <i>Food Microbiology</i> , 2017, 65, 25-35.	2.1	41
8	Lactic Acid Fermentation of Pomegranate Juice as a Tool to Improve Antioxidant Activity. <i>Frontiers in Microbiology</i> , 2019, 10, 1550.	1.5	37
9	Plantaricin A synthesized by <i>Lactobacillus plantarum</i> induces in vitro proliferation and migration of human keratinocytes and increases the expression of TGF- β 1, FGF7, VEGF-A and IL-8 genes. <i>Peptides</i> , 2011, 32, 1815-1824.	1.2	36
10	Italian legumes: effect of sourdough fermentation on lunasin-like polypeptides. <i>Microbial Cell Factories</i> , 2015, 14, 168.	1.9	36
11	Lactic acid fermentation as a tool to enhance the functional features of <i>Echinacea</i> spp. <i>Microbial Cell Factories</i> , 2013, 12, 44.	1.9	32
12	Scouting the application of sourdough to frozen dough bread technology. <i>Journal of Cereal Science</i> , 2011, 54, 296-304.	1.8	31
13	Impact of Enzymatic and Microbial Bioprocessing on Antioxidant Properties of Hemp (<i>Cannabis sativa</i>) Tj ETQq1 1 0.784314 rrgBT /Ov 2.2 28	2.2	28
14	IL-17 inhibition: is it the long-awaited savior for alopecia areata?. <i>Archives of Dermatological Research</i> , 2018, 310, 383-390.	1.1	22
15	The antimicrobial peptide pheromone <sc>P</sc>lantaricin <sc>A</sc> increases antioxidant defenses of human keratinocytes and modulates the expression of filaggrin, involucrin, β -defensin 2 and tumor necrosis factor- α genes. <i>Experimental Dermatology</i> , 2012, 21, 665-671.	1.4	21
16	Efficacy of Postbiotics in a PRP-Like Cosmetic Product for the Treatment of Alopecia Area Celsi: A Randomized Double-Blinded Parallel-Group Study. <i>Dermatology and Therapy</i> , 2020, 10, 483-493.	1.4	21
17	Italian Survey for the Evaluation of the Effects of Coronavirus Disease 2019 (COVID-19) Pandemic on Alopecia Areata Recurrence. <i>Dermatology and Therapy</i> , 2021, 11, 339-345.	1.4	16
18	Effect of commonly used cosmetic preservatives on skin resident microflora dynamics. <i>Scientific Reports</i> , 2021, 11, 8695.	1.6	14

#	ARTICLE	IF	CITATIONS
19	N1-methylspermidine, a stable spermidine analog, prolongs anagen and regulates epithelial stem cell functions in human hair follicles. Archives of Dermatological Research, 2015, 307, 841-847.	1.1	13
20	Predictive Metagenomic Profiling, Urine Metabolomics, and Human Marker Gene Expression as an Integrated Approach to Study Alopecia Areata. Frontiers in Cellular and Infection Microbiology, 2020, 10, 146.	1.8	13
21	Effects of Fermented Oils on Alpha-Biodiversity and Relative Abundance of Cheek Resident Skin Microbiota. Cosmetics, 2020, 7, 34.	1.5	12
22	Nutrients Bioaccessibility and Anti-inflammatory Features of Fermented Bee Pollen: A Comprehensive Investigation. Frontiers in Microbiology, 2021, 12, 622091.	1.5	11
23	Randomized controlled trial on a PRP-like cosmetic, biomimetic peptides based, for the treatment of alopecia areata. Journal of Dermatological Treatment, 2019, 30, 588-593.	1.1	10
24	Facial Acne: A Randomized, Double-Blind, Placebo-Controlled Study on the Clinical Efficacy of a Symbiotic Dietary Supplement. Dermatology and Therapy, 2022, 12, 577-589.	1.4	10
25	Drug Treatment for Androgenetic Alopecia: First Italian Questionnaire Survey on What Dermatologists Think about Finasteride. Dermatology and Therapy, 2018, 8, 259-267.	1.4	9
26	A spermidine-based nutritional supplement prolongs the anagen phase of hair follicles in humans: a randomized, placebo-controlled, double-blind study. Dermatology Practical and Conceptual, 2017, 7, 17-21.	0.5	8
27	A novel nondrug SFRP1 antagonist inhibits catagen development in human hair follicles <i>ex vivo</i> . British Journal of Dermatology, 2021, 184, 371-373.	1.4	8
28	Synthesis and Biological Evaluation of New Natural Phenolic (2,4,6-tri- <i>n</i> -octatrienoic Esters. Chemistry and Biodiversity, 2017, 14, e1700294.	1.0	6
29	Protective effects of sunscreen (50+) and octatrienoic acid 0.1% in actinic keratosis and UV damages. Journal of Investigative Medicine, 2021, , jim-2021-001972.	0.7	5
30	A Single-Arm, Open-Label, Phase IV Study to Evaluate the Efficacy of a Topical Formulation for Hyperkeratotic Actinic Keratosis Lesions. Dermatology and Therapy, 2018, 8, 455-462.	1.4	4
31	New multi-targeting strategy in hair growth promotion: in vitro and in vivo studies. Italian Journal of Dermatology and Venereology, 2018, 153, 338-343.	0.1	3
32	Clinical Translation of Microbiome Research in Alopecia Areata: A New Perspective?. Cosmetics, 2022, 9, 55.	1.5	3
33	In vitro and in vivo Evaluation on the Safety and Efficacy of a Brand-New Intracutaneous Filler with \pm 1-R-Collagen. Clinical, Cosmetic and Investigational Dermatology, 2021, Volume 14, 501-512.	0.8	2
34	Lichen Planopilaris: The first biopsy layer microbiota inspection. PLoS ONE, 2022, 17, e0269933.	1.1	2
35	209 Galeopsis segetum Necker extracts for the prevention and treatment of hair loss. Journal of Investigative Dermatology, 2016, 136, S196.	0.3	1
36	Importance of preserving the resident microflora of the skin to improve immunological response. Journal of Investigative Medicine, 2021, 69, 1386-1387.	0.7	1

#	ARTICLE	IF	CITATIONS
37	A Randomized Double-Blind Parallel-Group Study to Evaluate the Long-Term Effects of a Medical Device Containing 0.3% Octatrienoic Acid in the Treatment of Grade III Actinic Keratosis. <i>Dermatology and Therapy</i> , 2021, 11, 1751-1762.	1.4	1
38	It is not invisible! A case report of 2 patients with scalp Lichen Planopilaris mimicking Androgenic Alopecia. , 2017, 1, 012-017.		1
39	134 In vitro biological activities of a cream designed for sensitive skin treatment. <i>Journal of Investigative Dermatology</i> , 2016, 136, S183.	0.3	0
40	Actinic keratosis prevention – A double-blind, half-face interventional study with a topical treatment. <i>Journal of Solid Tumors</i> , 2018, 9, 1.	0.1	0
41	598 Increasing follicular resistance to bacterial contamination: A novel antimicrobial therapy?. <i>Journal of Investigative Dermatology</i> , 2019, 139, S317.	0.3	0
42	–Omics™ approaches for studying the microbiome in Alopecia areata. <i>Journal of Investigative Medicine</i> , 2020, 68, 1292-1294.	0.7	0
43	Photo-crosslinking of hyaluronic acid with low-level laser therapy device: a new combined and innovative approach. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2021, 35, 739-744.	0.7	0