

Kouji Joko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1490610/publications.pdf>

Version: 2024-02-01

54
papers

1,807
citations

279487

23
h-index

288905

40
g-index

54
all docs

54
docs citations

54
times ranked

1683
citing authors

#	ARTICLE	IF	CITATIONS
1	Albumin-Bilirubin (ALBI) Grade as Part of the Evidence-Based Clinical Practice Guideline for HCC of the Japan Society of Hepatology: A Comparison with the Liver Damage and Child-Pugh Classifications. <i>Liver Cancer</i> , 2017, 6, 204-215.	4.2	159
2	Validation of Modified ALBI Grade for More Detailed Assessment of Hepatic Function in Hepatocellular Carcinoma Patients: A Multicenter Analysis. <i>Liver Cancer</i> , 2019, 8, 121-129.	4.2	159
3	Prognostic factor of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions—Multicenter analysis. <i>Cancer Medicine</i> , 2019, 8, 3719-3728.	1.3	131
4	Hepatic Function during Repeated TACE Procedures and Prognosis after Introducing Sorafenib in Patients with Unresectable Hepatocellular Carcinoma: Multicenter Analysis. <i>Digestive Diseases</i> , 2017, 35, 602-610.	0.8	113
5	Clinical features of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions: Multicenter analysis. <i>Cancer Medicine</i> , 2019, 8, 137-146.	1.3	112
6	Therapeutic potential of lenvatinib for unresectable hepatocellular carcinoma in clinical practice: Multicenter analysis. <i>Hepatology Research</i> , 2019, 49, 111-117.	1.8	81
7	Important Clinical Factors in Sequential Therapy Including Lenvatinib against Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019, 97, 277-285.	0.9	66
8	Predictors of hepatocellular carcinoma occurrence after direct-acting antiviral therapy in patients with hepatitis C virus infection. <i>Hepatology Research</i> , 2019, 49, 136-146.	1.8	54
9	Neutrophil-to-lymphocyte ratio is associated with survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2020, 40, 968-976.	1.9	51
10	Lenvatinib versus sorafenib in first-line treatment of unresectable hepatocellular carcinoma: An inverse probability of treatment weighting analysis. <i>Liver International</i> , 2021, 41, 1389-1397.	1.9	45
11	Safety and efficacy of lenvatinib in elderly patients with unresectable hepatocellular carcinoma: A multicenter analysis with propensity score matching. <i>Hepatology Research</i> , 2020, 50, 75-83.	1.8	44
12	Does interferon-free direct-acting antiviral therapy for hepatitis C after curative treatment for hepatocellular carcinoma lead to unexpected recurrences of HCC? A multicenter study by the Japanese Red Cross Hospital Liver Study Group. <i>PLoS ONE</i> , 2018, 13, e0194704.	1.1	41
13	Impact of albumin-bilirubin grade on survival in patients with hepatocellular carcinoma who received sorafenib: An analysis using time-dependent receiver operating characteristic. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1066-1073.	1.4	40
14	Early Relative Change in Hepatic Function with Lenvatinib for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019, 97, 334-340.	0.9	39
15	Post-Progression Treatment Eligibility of Unresectable Hepatocellular Carcinoma Patients Treated with Lenvatinib. <i>Liver Cancer</i> , 2020, 9, 73-83.	4.2	37
16	Complex Pattern of Resistance-Associated Substitutions of Hepatitis C Virus after Daclatasvir/Asunaprevir Treatment Failure. <i>PLoS ONE</i> , 2016, 11, e0165339.	1.1	36
17	Real-world efficacy and safety of ledipasvir and sofosbuvir in patients with hepatitis C virus genotype 1 infection: a nationwide multicenter study by the Japanese Red Cross Liver Study Group. <i>Journal of Gastroenterology</i> , 2018, 53, 1142-1150.	2.3	36
18	Therapeutic efficacy of atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma in patients with Child-Pugh class A or B liver function in real-world clinical practice. <i>Hepatology Research</i> , 2022, 52, 773-783.	1.8	34

#	ARTICLE	IF	CITATIONS
19	Lenvatinib versus Sorafenib as first-line treatment in hepatocellular carcinoma: A multi-institutional matched case-control study. <i>Hepatology Research</i> , 2021, 51, 1229-1241.	1.8	33
20	Clinical importance of muscle volume in lenvatinib treatment for hepatocellular carcinoma: Analysis adjusted with inverse probability weighting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1812-1819.	1.4	28
21	Real-world efficacy and safety of sofosbuvir + ribavirin for hepatitis C genotype 2: A nationwide multicenter study by the Japanese Red Cross Liver Study Group. <i>Hepatology Research</i> , 2019, 49, 264-270.	1.8	27
22	Neutrophil-lymphocyte ratio predicts early outcomes in patients with unresectable hepatocellular carcinoma treated with atezolizumab plus bevacizumab: a multicenter analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2022, 34, 698-706.	0.8	27
23	Comparison of standard-dose and half-dose sorafenib therapy on clinical outcome in patients with unresectable hepatocellular carcinoma in field practice: A propensity score matching analysis. <i>International Journal of Oncology</i> , 2014, 45, 2295-2302.	1.4	26
24	Risk of hepatocellular carcinoma in cirrhotic hepatitis B virus patients during nucleoside/nucleotide analog therapy. <i>Hepatology Research</i> , 2015, 45, 872-879.	1.8	26
25	Using ALBI score at the start of sorafenib treatment to predict regorafenib treatment candidates in patients with hepatocellular carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 42-47.	0.6	25
26	Direct-acting antivirals improve survival and recurrence rates after treatment of hepatocellular carcinoma within the Milan criteria. <i>Journal of Gastroenterology</i> , 2021, 56, 90-100.	2.3	25
27	Early experience of atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma BCLC stage patients classified as beyond up to seven criteria – Multicenter analysis. <i>Hepatology Research</i> , 2022, 52, 308-316.	1.8	25
28	Does first-line treatment have prognostic impact for unresectable HCC? Atezolizumab plus bevacizumab versus lenvatinib. <i>Cancer Medicine</i> , 2023, 12, 325-334.	1.3	25
29	Change in Fibrosis 4 Index as Predictor of High Risk of Incident Hepatocellular Carcinoma After Eradication of Hepatitis C Virus. <i>Clinical Infectious Diseases</i> , 2021, 73, e3349-e3354.	2.9	21
30	Adverse events as potential predictive factors of activity in patients with advanced hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2021, 41, 2997-3008.	1.9	18
31	Association of early bevacizumab interruption with efficacy of atezolizumab plus bevacizumab for advanced hepatocellular carcinoma: A landmark analysis. <i>Hepatology Research</i> , 2022, 52, 462-470.	1.8	18
32	Real-world efficacy of elbasvir and grazoprevir for hepatitis C virus (genotype 1): A nationwide, multicenter study by the Japanese Red Cross Hospital Liver Study Group. <i>Hepatology Research</i> , 2019, 49, 1114-1120.	1.8	17
33	Prospective cohort trial to confirm the efficacy of no-touch radio frequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 567-574.	1.4	16
34	Real-world clinical outcomes of sofosbuvir and velpatasvir treatment in HCV genotype 1 and 2 infected patients with decompensated cirrhosis: A nationwide multicenter study by the Japanese Red Cross Liver Study Group. <i>Journal of Medical Virology</i> , 2021, 93, 6247-6256.	2.5	16
35	Effects of long-term entecavir treatment on the incidence of hepatocellular carcinoma in chronic hepatitis B patients. <i>Hepatology International</i> , 2016, 10, 320-327.	1.9	15
36	Therapeutic efficacy of lenvatinib as third-line treatment after regorafenib for unresectable hepatocellular carcinoma progression. <i>Hepatology Research</i> , 2021, 51, 880-889.	1.8	15

#	ARTICLE	IF	CITATIONS
37	Multipolar versus monopolar radiofrequency ablation for hepatocellular carcinoma in the caudate lobe: Results of a propensity score analysis. <i>Hepatology Research</i> , 2017, 47, 658-667.	1.8	13
38	Impact of modified albuminâ€“bilirubin grade on survival in patients with HCC who received lenvatinib. <i>Scientific Reports</i> , 2021, 11, 14474.	1.6	13
39	Effects of antiviral therapy for hepatitis C following treatment of hepatocellular carcinoma: survey findings of the Japanese Red Cross Liver Study Group. <i>Hepatology Research</i> , 2016, 46, 251-258.	1.8	12
40	Role of severe thrombocytopenia in preventing platelet count recovery in thrombocytopenic patients with chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 299-304.	1.4	12
41	What Can Be Done to Solve the Unmet Clinical Need of Hepatocellular Carcinoma Patients following Lenvatinib Failure?. <i>Liver Cancer</i> , 2021, 10, 115-125.	4.2	12
42	Efficacy of daclatasvir plus asunaprevir in patients with hepatitis C virus infection undergoing and not undergoing hemodialysis. <i>Hepatology Research</i> , 2018, 48, 746-756.	1.8	11
43	AFP and eGFR are related to early and late recurrence of HCC following antiviral therapy. <i>BMC Cancer</i> , 2021, 21, 699.	1.1	10
44	Hepatocellular Carcinoma Risk Assessment for Patients With Advanced Fibrosis After Eradication of Hepatitis C Virus. <i>Hepatology Communications</i> , 2022, 6, 461-472.	2.0	10
45	Sex difference in the development of hepatocellular carcinoma after direct-acting antiviral therapy in patients with HCV infection. <i>Journal of Medical Virology</i> , 2020, 92, 3507-3515.	2.5	9
46	Efficacy and safety of glecaprevir/pibrentasvir as retreatment therapy for patients with genotype 2 chronic hepatitis C who failed prior sofosbuvir plus ribavirin regimen. <i>Hepatology Research</i> , 2019, 49, 1121-1126.	1.8	8
47	Real-World Data on Ramucirumab Therapy including Patients Who Experienced Two or More Systemic Treatments: A Multicenter Study. <i>Cancers</i> , 2022, 14, 2975.	1.7	5
48	A validation study of after direct-acting antivirals recommendation for surveillance score for the development of hepatocellular carcinoma in patients with hepatitis C virus infection who had received direct-acting antiviral therapy and achieved sustained virological response. <i>JGH Open</i> , 2022, 6, 20-28.	0.7	4
49	C-reactive protein to albumin ratio predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Scientific Reports</i> , 2022, 12, 8421.	1.6	4
50	Glasgow prognostic score predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib: a multicenter analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2022, 34, 857-864.	0.8	3
51	Successful splenorenal shunt occlusion with balloon-occluded retrograde transvenous obliteration yielded improvement of residual liver function, enabled administration of direct-acting antivirals, and achieved sustained virological response to hepatitis C virus: A case report. <i>Journal of Digestive Diseases</i> , 2017, 18, 125-129.	0.7	0
52	Relation of Reduction of Antibodies against Hepatitis B Virus to Hepatocellular Carcinoma Recurrence in the Patients with Resolved Hepatitis B Virus Infection Following Direct-acting Antiviral Therapy for Hepatitis C Virus Infection. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2019, 9, 78-83.	0.1	0
53	Efficacy of hepatitis C virus eradication after curative treatment for hepatocellular carcinoma in patients with advanced hepatocellular carcinoma and decreased hepatic functional reserve: A nationwide, multicenter study by the Japanese Red Cross Liver Study Group. <i>Journal of Viral Hepatitis</i> , 2022, ...	1.0	0
54	General evaluation score for predicting the development of hepatocellular carcinoma in patients with advanced liver fibrosis associated with hepatitis C virus genotype 1 or 2 after direct-acting antiviral therapy. <i>JGH Open</i> , 2022, 6, 487-495.	0.7	0